

TITLE: Simulation Past, Present and Future – a Decade of Progress in Simulation Based Education in the UK

Authors and affiliations:

Dr Helen Higham MBChB, DPhil, FRCA, SFHEA

Senior Clinical Research Fellow, Nuffield Department of Clinical Neurosciences, Level 6 West Wing
John Radcliffe Hospital, OX3 9DU, University of Oxford, UK

Email: helen.higham@ndcn.ox.ac.uk

Telephone: 01865 226946

Word count: 3293

Abstract:

This review will present developments in simulation based education (SBE) over the past decade with a focus on activity in the UK's National Health Service and the role of the national society (the Association for Simulation Practice in Healthcare, ASPIH). The article covers the evolution of strategic changes for the use of SBE in the UK and the operational challenges faced by clinicians and other faculty in SBE. The expansion of the evidence base to support SBE in healthcare both in technical skills and, more broadly, in interprofessional team training is explored. Finally the wider role of simulation in patient safety and healthcare systems, including testing pathways and the development of cognitive aids and involvement of patients in SBE is considered.

INTRODUCTION

"Isn't it funny how day by day nothing changes, but when you look back everything is different"

C.S. Lewis

Simulation based education (SBE) is now accepted in the UK and worldwide as an integral part of the armamentarium of an educator in healthcare but it has taken over fifty years since the first publications describing computer driven manikins(1) for it to gain this recognition. The Association of Simulated Practice in Healthcare (ASPiH www.aspih.org.uk) was ten years old in November 2019 and it seems an appropriate moment to pause and reflect on achievements from the past and consider opportunities for the future.

ASPiH was formed as a union of the National Association of Medical Simulation and the Clinical Skills Network in 2009. This resulted in a properly interdisciplinary organisation based on a fundamental ethos of ASPiH namely, the development of interprofessional SBE. ASPiH's stated mission is to "promote and support simulation based education and technology enhanced learning (TEL) in the pursuit of best practice for our patients, learners and partners." Underpinning this mission are aims which focus on delivery of effective communication networks; providing a resource for expertise in SBE and TEL; supporting expansion of SBE; sharing resources and encouraging research and innovative practice.

This article will consider strategic and operational developments in SBE in the UK (expanding on a recent conference keynote lecture and editorial(2)) and present evidence of its value as an educational tool and, more widely, its role in systems analysis and patient safety.

STRATEGIC DEVELOPMENTS IN SBE

National strategies around SBE have followed a similar trajectory to ASPiH in their focus on implementation of experiential training for healthcare professionals through faculty development and interprofessional education. In 2008 Sir Liam Donaldson, England's Chief Medical Officer (CMO) included a chapter on simulation in his 150th anniversary report. He stated that, "...simulation works. Simulation is important to medicine. The NHS must be able to provide the type of simulation that would make a difference to patients like [Elaine Bromiley](#)." Evidence to support the value of SBE in healthcare was probably not as robust as suggested at the time of this report but resonated with the strongly held convictions of educators in SBE which were crystallised by David Gaba's words in 1992: (3) "no industry in which human lives depend on the skilled performance of responsible operators has waited for unequivocal proof of the benefits of simulation before embracing it." SBE is arguably an expensive form of training however, and evidence to support its value in healthcare is vital if

funding is to expand in the resource constrained setting of the NHS. Fortunately, research over the past two decades has led to an abundance of such evidence which will be explored below.

Dame Sally Davies succeeded Liam Donaldson as CMO in 2011 and, in the same year, contributed to the new Framework for Technology Enhanced Learning in which she asserted: “Simulation in particular allows teams to practise safely and reduces the risk of complications for patients” and that “...this framework clearly states that healthcare professionals, as part of a managed learning process and where appropriate, should learn skills together in a simulation environment and using other technologies before undertaking them in supervised clinical practice.” Subsequent reports and guidance documents have presented similar arguments(4–7) and have culminated in Health Education England’s (HEE) publication of a National Framework for Simulation Based Education in 2018(8) and the new National Safety Curriculum due to be published in March 2020.

ASPiH’s role during this time has been to work alongside national commissioning bodies (such as HEE) along with other strategic stakeholders, and partners in healthcare, higher education and industry who are involved in SBE to guide its development and implementation across the NHS. ASPiH’s early work on scoping activity in SBE around the UK (the National Simulation Development Project, NDSP(9)) was a joint project with HEE and the Higher Education Authority and provided vital information on the scale of SBE activity around the country. More importantly it revealed important barriers to the delivery of simulation training, the most obvious of which is support for faculty in SBE.

FACULTY DEVELOPMENT

Educators in healthcare have always faced challenges in the delivery of training not least of which is time.(10) The NDSP revealed a number of key issues for faculty in SBE across the UK:

- Variability in support, either funding or time, leading to limited availability of *multidisciplinary* faculty in SBE
- Limited and non-standardised training for development of novice and experienced faculty
- Lack of standards and quality assurance in the provision of SBE (the first standards for SBE were published in 2011 by the International Nursing Association of Clinical Simulation and Learning in North America).
- Lack of networking opportunities to compare and share good practice in SBE

Alongside these specific issues in SBE are more generic problems for educators in healthcare. These include the difficulties of delivering training to staff who have limited time allocated for education and delivering training that supports safe care for increasingly complicated patients in highly complex care pathways. Furthermore the rate of doubling of medical knowledge is set to decrease to just 73 days this year(11) presenting a formidable challenge for faculty in staying up to date.

ASPiH has sought to provide answers to some of these problems in the UK by focusing on faculty development through:

- Enabling access to expert groups and novel research via ASPiH's website
- Providing free access to an online scenario design platform (iRIS <http://irissimulationauthoring.com>)
- Improving access to communities of practice, commissioners and providers of SBE and industry partners at national and regional events
- Providing support for training of novice and experienced faculty at regional and national events. Most recently, in collaboration with HEE, ASPiH is piloting an entry level faculty development programme in SBE which has already been validated in Australia(12)
- Designing and publishing national standards for SBE, in collaboration with HEE (<https://aspih.org.uk/standards-framework-for-sbe/>)
- Administering a cost effective accreditation process for faculty, educational programmes and simulation facilities (<https://aspih.org.uk/accreditation/>)

Faculty development in SBE will be vital to the success of implementing the new Framework for SBE and the National Safety Curriculum. However, despite significant progress in the past decade substantial work remains to be done against a backdrop of significant workforce deficits.

EVIDENCE TO SUPPORT THE USE OF SBE IN HEALTHCARE EDUCATION

The role of simulation as a tool for educating healthcare professionals has expanded dramatically over the past decade since the advent of ASPiH, along with the evidence to support its value.

McGaghie's 2014 review(13) points out that: "Medical education research spanning at least four decades demonstrates that simulation technology, used under the right conditions can have large

and sustained effects on knowledge and skill acquisition and maintenance among medical learners....Despite their methodological differences, these reviews all conclude that SBME (Simulation Based Medical Education) is highly effective, especially in comparison with no-treatment (placebo) conditions(14) and traditional clinical education.”(15)

Any professional, academic organisation seeking to advance their field of interest and share research and innovative practice benefits from the availability of a peer-reviewed journal as a platform for discussion and debate. ASPIH’s most recent contribution to the evidence base in SBE has been to facilitate publication of research by launching a new journal in 2014 in collaboration with the BMJ group: BMJ Simulation and Technology Enhanced Learning (STEL).

Evidence to support the use of SBE for training technical skills

Evidence to support the use of part-task trainers to expedite technical skill acquisition is now plentiful.(13,15,16) Core skills including lumbar puncture, laparoscopy and central venous line insertion, have been studied revealing significant differences in technical skills (including improved sterility and correct use of manometer equipment for lumbar puncture, reduced procedural error rates in laparoscopy and fewer needle passes to correct central venous catheter insertion) as well as a reduction in catheter related sepsis.(17–20)

Whilst the value of simulation for training in technical skills has become clear, measuring the value of experiential learning for multi-disciplinary team training using SBE is far more challenging.

Fortunately, evidence to support this type of training to improve performance for teams in many clinical settings is now available.

Evidence to support the use of SBE for training non-technical skills

Errors in non-technical skills such as teamwork, communication and decision making are more commonly implicated in critical incidents in healthcare than technical skills.(21) A recent review of team training in healthcare highlighted the upsurge in publications on the subject over the past decade. It also found that programmes (incorporating simulated practice) delivered significant improvements in team performance, medication and transfusion error and patient outcomes.(22)

Not surprisingly, this review also found that the value of SBE for team training was greatly enhanced by providing additional support after the intervention (e.g. training in quality improvement methods; leadership training and on-going assessment of training outcomes in the workplace to reinforce learning). Valid criticisms have been levelled at the design, implementation and analysis of team

training interventions in healthcare in the past.(23–25) However, evidence from medical centres where standardised programmes of team training (incorporating simulation) were implemented have shown significant benefits in terms of patient outcomes including surgical morbidity and mortality. (26–30) One of the significant challenges faced by educators in SBE is the measurement of team performance with non-technical skills (NTS) assessment tools which are neither straightforward to use nor presented in a standardised format.(31) There are currently over 76 tools available for a wide variety of contexts(32) from operating theatres to palliative care. Such a bewildering array is unhelpful and off-putting for faculty and does not support educators in improving team performance in healthcare.

No healthcare professional works in isolation but teams are formed on a much more ad hoc basis in clinical settings than was the case before the advent of changes designed, for example, to reduce junior doctors hours of work. These changes have brought home the fact that good teamwork cannot be seen as simply a natural product of working together with familiar colleagues, but must be embedded in the wider healthcare system. Multidisciplinary healthcare professionals are expected to perform efficiently and effectively with very little of the routine, regular training which is provided to support teams in High Reliability Organisations (HROs). There is unlikely to be a significant impact on avoidable harm in healthcare unless we adopt a similar approach to team training.(33)

THE ROLE OF SIMULATION IN PATIENT SAFETY

Incident analysis in healthcare

Despite over three decades of increasing focus on patient safety there has not been widely sustained change or system wide evidence of improvement in the reliability of healthcare systems.(34,35)

Some of the responsibility for failures to learn from error must be apportioned to the way healthcare incidents are investigated. A Parliamentary Select Committee report in 2015 highlighted that, “processes for investigating and learning from incidents, take far too long and are preoccupied with blame or avoiding financial liability.”(36) The paradigm shift which has occurred in HROs such that the focus is on the “how” rather than the “who” of an incident, has yet to happen in healthcare. It is only by constantly seeking out vulnerabilities in systems of work that we can hope to enact meaningful improvements.(37) HROs have spent decades developing robust, standardised systems of investigating incidents including the establishment of truly independent expert investigative bodies (such as the UK’s Air Accident Investigation Branch <https://www.gov.uk/government/organisations/>

[air-accidents-investigation-branch](#)). Healthcare has learnt from some of these lessons and in April 2017 the Healthcare Safety Investigation Branch was established in the NHS (<https://www.hsib.org.uk>) with the stated purpose of “improving patient safety through effective and independent investigations that don’t apportion blame or liability.” Their work has only just begun but will draw on existing expertise in the NHS to capture the widely shared ambition of learning from the past to improve the future.

A human factors based process of incident analysis provides a far richer understanding of the systems, process and behavioural problems that lead to errors. Major incidents almost always evolve over time (sometimes years) and involve multiple team interactions and other environmental and cultural contributory factors. An organisational model of accidents can be very helpful in “unpacking” what went wrong and, more importantly what might be done to prevent a recurrence. Charles Vincent has described such a model (figure 1) where a variety of contributory factors combine, leaving the human at the sharp end of the final catastrophe as “the inheritor rather than the instigator” of the sequence of events.(38) His subsequent framework for incident analysis (the London Protocol)(39) is a useful scaffold for delivering holistic reports on adverse incidents. Once all the contributory factors from a critical incident are revealed, subsequent intelligent intervention design will be far more likely to lead to improved processes of care and safety.

Simulation as a tool for analysis of healthcare systems

Simulation is now embedded in healthcare education but its use for analysis of clinical systems and standard operating procedures is in its infancy and continues to focus on the skills and behaviours of healthcare practitioners. There is growing evidence of the benefits of using simulation to analyse patient pathways and novel devices or procedures, although this can be challenging when conducted in busy work environments.(40,41) Simple table top exercises or computer simulations (including the use of virtual reality), away from the real clinical environment, can provide a safe solution to such testing in these more complex, dynamic conditions.

The use of simulation either as a tool for training or for analysing procedures or pathways may be recommended after critical incidents in healthcare. However, the Canadian Incident Analysis Framework(42) describes a hierarchy of interventions which may cast doubt on the value of training as a useful tool to prevent error. In Table 1 training is depicted as a “weaker intervention” but this is largely because training per se won’t alter the conditions in which the incident occurred and training

interventions in healthcare are not implemented with best evidence in mind.(43–45) Multimodal low dose, high frequency educational interventions are more likely to lead to skill retention and have been shown to improve outcomes and yet, despite the evidence, use of the least effective techniques (e.g. didactic programmes) persists in healthcare. This same hierarchy places cognitive aids, such as checklists, above training as robust interventions to improve safety. However, it must be recognised that the use of checklists is not intuitive(46,47) and implementation must be supported by awareness raising and team training (including simulation) in their use.

Recommended Hierarchy of Actions	
Stronger actions	<ul style="list-style-type: none"> • Architectural/physical plant changes • New device with usability testing before purchasing • Engineering control or interlock (forcing functions) • Simplify the process and remove unnecessary steps • Standardise equipment or process or caremaps • Tangible involvement and action by leadership in support of patient safety
Intermediate actions	<ul style="list-style-type: none"> • Increase in staffing/decrease in workload • Software enhancements/modifications • Eliminate/reduce distractions (sterile medical environment) • Checklist/cognitive aid • Eliminate look and sound alike • Read back • Enhanced documentation/communication • Redundancy
Weaker actions	<ul style="list-style-type: none"> • Double checks • Warnings and labels • New procedure/memorandum/policy • Training • Additional study/analysis

Table 1: Examples of potential interventions (from the Canadian Incident Analysis Framework(41)) graded according to effectiveness in preventing recurrence of a similar incident. The above table/figure is freely available at <https://www.patientsafetyinstitute.ca> for re-use and publication.

A growing academic and professional interest in resilience within organisations is becoming apparent in the current financially challenging circumstances for the delivery of healthcare. We must understand more clearly how healthcare can be delivered in a more efficient and effective manner despite the complexities and constraints that present such challenging conditions. One theme emerging within organisational resilience literature is the concept of “Safety 1 versus Safety 2.”(48) The traditional approach to patient safety (Safety 1) has been to focus on the analysis of factors contributing to the evolution of serious incidents and to share learning across organisations. An alternative (Safety 2) approach considers how things ‘go right’ and focuses on the adaptability and flexibility that the system demonstrates to avoid untoward events or their consequences. James Reason has referred to the “human as hero” in most workplace activities; we are far more likely to detect a problem and intervene to prevent harm than we are to cause errors.(49) Appreciative inquiry is coming to fore as a technique to explore what is going well in a system and extrapolate the learning to other areas. It is a technique widely used in business and industry(50) and one that is emerging in healthcare(51,52) with obvious implications for simulated practice.

PUBLIC AND PATIENT INVOLVEMENT IN SBE

This final section will consider public and patient involvement in SBE, an area that has been a strategic objective of ASPIH’s for the past five years. For the first time in 2019, ASPIH’s national conference was accredited as “Patients Included™”(the charter can be found at: <https://patientsincluded.org/conferences/>). Whilst we celebrated the achievement, we also recognised the challenges of ensuring meaningful involvement of patients and carers in our work. Policies aimed at improving public engagement in the NHS can be traced back to 1990 at the point of introduction of the internal market and patient choice. However, it is widely recognised that implementation of effective and sustained patient involvement in healthcare policy at any level is patchy and ill-formed. (53,54) This is as true in healthcare education (including SBE) as it is for clinical contexts although it may be hoped that fewer barriers to engagement might exist in the training arena. Ocloo et al described a continuum of engagement from more peripheral consultation of patients to partnership and shared leadership roles.(54) Patients and carers have spoken at ASPIH’s conferences, led workshops, engaged with and advised our executive committee and judged research in SBE. The organisation has moved away from more tokenistic approaches to patient engagement; the next step

will be formal patient representation on the executive committee with close involvement in strategic decisions, a clear goal for the coming years.

CONCLUSION

This article has presented several key developments in SBE in the UK over the past decade and highlighted some challenges for the future. The role of ASPIH has been integral in embedding innovative educational practices incorporating simulation more widely in the NHS. The importance of providing experiential learning opportunities for healthcare staff and supporting the faculty who provide them has been highlighted. However, challenges persist in both levels of staffing and, as a corollary, availability of simulation faculty. A recent review of the healthcare workforce by the Health Foundation, the King's Fund and the Nuffield Trust⁽⁵⁵⁾ revealed that "the workforce challenges in the NHS in England now present a greater threat to health services than the funding challenges" and this view was reinforced in Lord Darzi's report, "Better Health and Care for All" in which he highlights that 11% of nursing posts, 12% of GP posts and 5% of medical consultant posts are unfilled.⁽⁵⁶⁾ Against this backdrop of inadequate staffing and the recognition that the NHS has been subject to repeated cycles of feast and famine in funding, the report recommends that funding to the NHS should be increased but that it should be provided more efficiently such that long term investments, rather than short-term fixes, are possible.

The past two decades of increasingly obvious research and public scrutiny into patient safety provide the impetus, despite funding constraints, for the development of sustainable simulation based interventions in training or system testing as an essential requirement for safer healthcare. The challenge for our community in SBE will be to ensure the tools we use routinely in our simulation centres are more widely employed across healthcare systems. This review of the past decade would suggest that, despite formidable barriers, we can achieve this goal.

Legends for figures:

Figure 1: Organisational accident model (adapted with permission from Vincent C; Patient Safety 2010. Wiley-Blackwell). Adverse incidents in healthcare evolve as a result of a combination of organisational, systems, environmental and team problems. Errors and violations are sub-categories

of unsafe acts. Defences and barriers take many forms (e.g. they may be physical or procedural and exist at different points along a patient pathway) and erroneous managerial decisions and existing organisational problems may impact the evolution of an adverse incident directly or indirectly.

Box of key points

Key points
<ul style="list-style-type: none">• Robust evidence to support the value of SBE now exists for training technical skills and for improving teamwork• SBE is now widely included in as an essential component in curricula for healthcare professionals from all backgrounds• Substantial challenges remain for the development and support of faculty in SBE• Simulation must be employed more widely, outside simulation centres, to test systems and processes of work in healthcare• Meaningful engagement with patients and the public is necessary to ensure a more inclusive approach to the development of SBE

Acknowledgements:

This article was written prior to the COVID-19 pandemic and revised when it was reaching its peak in the UK. I have never been more impressed and awed by my colleagues and friends in healthcare than during this time. COVID-19 has presented unparalleled challenges for all of us but never has the importance of the use of simulation to support staff in dealing with uncertainty and pressure been more obvious. All of the educational materials we have developed since the beginning of the pandemic are free to access at: www.oxstar.ox.ac.uk/covid-19

The author wishes to acknowledge and thank the ASPIH executive and the wider SBE community in the UK and internationally for ten incredibly rewarding years working to promote simulation in healthcare.

Contributorship statement

Dr Higham was solely responsible for the content, revisions, final approval and accountability for this review article.

Competing Interests

The author is the immediate Past President of the Association for Simulated Practice in Healthcare and remained a member of the executive committee until January 2020.

Funding statement

This research received no specific grant from any funding agency in the public, commercial or not-for-profit sectors.

References

1. Cooper JB, Taqueti VR. A brief history of the development of mannequin simulators for clinical education and training. *Qual Saf Heal Care*. 2004;13:11–8.
2. Higham H, Morrow M, Laws-Chapman C, Nicklin J. The role of ASPIH in simulation-based education. *BMJ Simul Technol Enhanc Learn*. 2019;5(Suppl 2):Aiii–Aiv.
3. Gaba DM. Improving Anesthesiologists' Performance by Simulating Reality. *Anesthesiology*. 1992;76(4):491–4.
4. Health Education England. Delivering Patient Safety Through Education, Training and Development. 2016. Available from: [https://www.hee.nhs.uk/sites/default/files/documents/Improving safety through education and training.pdf](https://www.hee.nhs.uk/sites/default/files/documents/Improving%20safety%20through%20education%20and%20training.pdf)
5. Commission on Education and Training for Patient Safety. Improving Safety Through Education and Training. 2016. Available from: www.hee.nhs.uk/the-commission-on-education-and-training-for-patient-safety
6. Yu A, Flott K, Chainani N, Fontana G, Darzi A. Patient Safety 2030. Available from: www.imperial.ac.uk/patient-safety-translational-research-centre
7. NHS England, NHS Improvement. The NHS Patient Safety Strategy Safer culture, safer systems, safer patients. 2019. Available from: https://improvement.nhs.uk/documents/5472/190708_Patient_Safety_Strategy_for_website_v4.pdf
8. Health Education England. National Framework for Simulation Based Education (SBE) [Internet]. 2018. Available from: [https://www.hee.nhs.uk/sites/default/files/documents/National framework for simulation based education.pdf](https://www.hee.nhs.uk/sites/default/files/documents/National%20framework%20for%20simulation%20based%20education.pdf)
9. Anderson A, Baxendale B, Scott L, Mossley D. The National Simulation Development Project: Summary Report. Available from: <http://aspih.org.uk/wp-content/uploads/2017/07/national-scoping-project-summary-report.pdf>
10. Moonesinghe SR, Lowery J, Shahi N, Millen A, Beard J. Impact of reduction in working hours for doctors in training on postgraduate medical education and patients' outcomes: systematic review. *BMJ*. 2011;342:d1580.
11. Densen P. Challenges and opportunities facing medical education. *Trans Am Clin Climatol Assoc*. 2011;122:48–58.
12. Nestel D, Bearman M, Brooks P, Campher D, Freeman K, Greenhill J, et al. A national training program for simulation educators and technicians: evaluation strategy and outcomes. *BMC Med Educ*. 2016;16(1):25.
13. McGaghie WC, Issenberg SB, Barsuk JH, Wayne DB. A critical review of simulation-based mastery learning with translational outcomes. *Med Educ*. 2014;48(4):375–85.
14. Cook DA, Hatala R, Brydges R, Zendejas B, Szostek JH, Wang AT, et al. Technology-Enhanced Simulation for Health Professions Education. *JAMA*. 2011;306(9):978–88.
15. McGaghie WC, Issenberg SB, Cohen ER, Barsuk JH, Wayne DB. Does simulation-based medical education with deliberate practice yield better results than traditional clinical education? A meta-analytic comparative review of the evidence. *Acad Med*. 2011 Jun;86(6):706–11.
16. Scalese RJ, Obeso VT, Issenberg SB. Simulation technology for skills training and competency assessment in medical education. *J Gen Intern Med* [Internet]. 2008;23 (Suppl 1):46–9.
17. Barsuk JH, Cohen ER, Feinglass J, McGaghie WC, Wayne DB, RA W, et al. Use of Simulation-Based Education to Reduce Catheter-Related Bloodstream Infections. *Arch Intern Med*.

- 2009;169(15):1420.
18. Barsuk JH, McGaghie WC, Cohen ER, Balachandran JS, Wayne DB, McGaghie WC. Use of simulation-based mastery learning to improve the quality of central venous catheter placement in a medical intensive care unit. *J Hosp Med*. 2009;4(7):397–403.
 19. Barsuk JH, Cohen ER, Caprio T, McGaghie WC, Simuni T, Wayne DB. Simulation-based education with mastery learning improves residents' lumbar puncture skills. *Neurology*. 2012 ;79(2):132–7.
 20. Gallagher AG, Seymour NE, Jordan-Black J-A, Bunting BP, McGlade K, Satava RM. Prospective, Randomized Assessment of Transfer of Training (ToT) and Transfer Effectiveness Ratio (TER) of Virtual Reality Simulation Training for Laparoscopic Skill Acquisition. *Ann Surg*. 2013; 257(6):1025–31.
 21. Flin R, O'Connor P, Crichton M. Safety at the sharp end: A guide to non-technical skills; Chapter 2. In: *Safety at The Sharp End: A Guide to Non-Technical Skills*. 2008. p. 17–40.
 22. Weaver SJ, Dy SM, Rosen MA. Team-training in healthcare: a narrative synthesis of the literature. *BMJ Qual Saf*. 2014;23(5):359–72.
 23. Weaver SJ, Lyons R, DiazGranados D, Rosen MA, Salas E, Oglesby J, et al. The anatomy of health care team training and the state of practice: a critical review. *Acad Med*. 2010;85(11):1746–60.
 24. Salas E, Rosen A. M. Building high reliability teams: progress and some reflections on teamwork training. *BMJ Qual Saf*. 2013;22(5):369–73.
 25. Grand A. J, Pearce M, Rench A. T, Chao T. G, Fernandez R, J., et al. Going DEEP: guidelines for building simulation-based team assessments. *BMJ Qual Saf*. 2013;22(5):436–48.
 26. Neily J, Mills PD, Young-Xu Y, Carney BT, West P, Berger DH, et al. Association Between Implementation of a Medical Team Training Program and Surgical Mortality. *JAMA*. 2010; 20;304(15):1693.
 27. Armour Forse R, Bramble JD, McQuillan R. Team training can improve operating room performance. *Surgery*. 2011;150(4):771–8.
 28. Deering S, Rosen MA, Ludi V, Munroe M, Pocrnich A, Laky C, et al. On the front lines of patient safety: Implementation and evaluation of team training in Iraq. *Jt Comm J Qual Patient Saf*. 2011;37(8):350–6.
 29. Riley W, Davis S, Miller K, Hansen H, Sainfort F, Sweet R. Didactic and simulation nontechnical skills team training to improve perinatal patient outcomes in a community hospital. *Jt Comm J Qual Patient Saf*. 2011;37(8):357–64.
 30. Young-Xu Y, Neily J, Mills PD, Carney BT, West P, Berger DH, et al. Association Between Implementation of a Medical Team Training Program and Surgical Morbidity. *Arch Surg*. 2011;146(12):1368.
 31. Johnson AP, Aggarwal R. Assessment of non-technical skills: why aren't we there yet? *BMJ Qual Saf*. 2019;28(8):606–8.
 32. Higham H, Greig PR, Rutherford J, Vincent L, Young D, Vincent C. Observer-based tools for non-technical skills assessment in simulated and real clinical environments in healthcare: a systematic review. *BMJ Qual Saf*. 2019;28(8):672–86.
 33. Higham H, Baxendale B. To err is human: use of simulation to enhance training and patient safety in anaesthesia. *BJA Br J Anaesth*. 2017;119(suppl_1):i106–14.
 34. Vincent C, Amalberti R. *Safer healthcare : strategies for the real world*. Springer Open; 2016.

157 p.

35. Makary M, Daniel M. Medical error—the third leading cause of death in the US. *BMJ*. 2016;353(i2139).
36. House of Commons Public Administration Select Committee. Investigating clinical incidents in the NHS. 2015;(HC886). Available from: <https://publications.parliament.uk/pa/cm201415/cmselect/cmpubadm/886/886.pdf>
37. Woods DD, Dekker SWA, Cook R, Johannesen L, Sarter N. Behind human error. Ashgate; 2010. 271 p.
38. Vincent C. Patient Safety. 2nd ed. Wiley-Blackwell Publishing Ltd.; 2010.
39. Taylor-Adams S, Vincent C. Systems analysis of clinical incidents: the London protocol. *Clin Risk*. 2004;10(6):211–20.
40. Patterson MD, Geis GL, Falcone RA, LeMaster T, Wears RL. In situ simulation: detection of safety threats and teamwork training in a high risk emergency department. *BMJ Qual Saf*. 2013;22(6):468–77.
41. Macrae C, Draycott T. Delivering high reliability in maternity care: In situ simulation as a source of organisational resilience. *Saf Sci*. 2016;117.
42. Hoffman C, Beard P, Greenall J, U D, White J. Canadian Root Cause Analysis Framework. 2006. Available from: <http://www.patientsafetyinstitute.ca/en/toolsResources/IncidentAnalysis/Documents/Canadian Incident Analysis Framework.PDF>
43. Bluestone J, Johnson P, Fullerton J, Carr C, Alderman J, BonTempo J. Effective in-service training design and delivery: evidence from an integrative literature review. *Hum Resour Health*. 2013;11:51.
44. Bloom BS. Effects of continuing medical education on improving physician clinical care and patient health: A review of systematic reviews. *Int J Technol Assess Health Care*. 2005; 21(3):380–5.
45. Drake M, Bishanga DR, Temu A, Njozi M, Thomas E, Mponzi V, et al. Structured on-the-job training to improve retention of newborn resuscitation skills. *BMC Pediatr*. 2019;19(51).
46. Catchpole K, Russ S. The problem with checklists. *BMJ Qual Saf*. 2015;24(9):545–9.
47. Weiser TG, Haynes AB. Ten years of the Surgical Safety Checklist. *Br J Surg*. 2018;105(8):927–9.
48. Hollnagel E. Safety-I and safety-II : the past and future of safety management. CRC Press; 2014. 187 p.
49. Reason JT. The human contribution : unsafe acts, accidents and heroic recoveries. Ashgate; 2008. 295 p.
50. Watkins JM, Mohr BJ, Kelly R. Appreciative inquiry : change at the speed of imagination. Pfeiffer; 2011. 318 p.
51. Trajkovski S, Schmied V, Vickers M, Jackson D. Using appreciative inquiry to transform health care. *Contemp Nurse*. 2013;45(1):95–100.
52. Sandars J, Murdoch-Eaton D. Appreciative inquiry in medical education. *Med Teach*. 2017;39(2):123–7.
53. Florin D, Dixon J. Public involvement in health care. *BMJ*. 2004;328(7432):159–61.
54. Ocloo J, Matthews R. From tokenism to empowerment: progressing patient and public involvement in healthcare improvement. *BMJ Qual Saf*. 2016;25:626–32.

55. The King's Fund. The healthcare workforce in England. London; 2018. Available from: <https://www.kingsfund.org.uk/publications/health-care-workforce-england>
56. Lord Darzi. Better Health and Care for All. 2018. Available from: www.ippr.org