BIRMINGHAM RESEARCH UNIT

OF THE

ROYAL COLLEGE OF GENERAL PRACTITIONERS

WEEKLY RETURNS SERVICE

REPORT FOR 1993

D. M. Fleming,
Director,

D. L. Crombie,
Research Consultant

54, Lordswood Road,
Harborne,
Birmingham B17 9DB.

APRIL, 1994

ANNUAL REPORT OF THE WEEKLY RETURNS SERVICE FOR 1993

Birmingham Research Unit Staff

Dr. D. M. Fleming	Director
Dr. D. L. Crombie	Research Consultant
Dr. K. W. Cross	Statistical Adviser
Dr. A. M. Ross	Research Fellow
Mr. L. Dallow	Administrative Officer
Mrs. J. W. Dainty	Research Secretary
Mrs. J. M. Stokes	Accounts Clerk
Miss M. A. Barley	Data Input Clerk
Mrs. J. Jones	Clerical Assistant
Mr. R. J. Lancashire	Computer Adviser
Mr. K. A. Matthews	Computer Adviser

Funding for this Service is provided by the Department of Health

CONTENTS

		Page
Introduction		1
Practices and Populations Surveyed		1
Illnesses Surveyed - Selected reports:		4
	Acute Appendicitis	
	Measles, Mumps, Rubella	
	Asthma and Acute Bronchitis	
	Influenza and Flu-Like Illness	
	Duodenal and Gastric Ulcer	
	Cerebrovascular Accidents and Myocardial Infarction	
	Infectious Hepatitis and Infectious Intestinal Disease	
	Scabies	
Research -	Influenza Surveys	12
	Respiratory Disease and Mortality	
	A study of identifiable micro organisms found in 100 consecutive sore throats	
Developments in 1994		14
	Continuous morbidity surveillance	
	Networking	
	The Somerset Project	
	Newsletter	
	Urban/Rural Location	
The Diagnosis of Respiratory Illness		15
Partipating Practices		17
Publications		18
Appendix 1 -	Mean weekly incidence by age and sex groupings by illness surveyed by period	18

INTRODUCTION

After a succession of years in which the Weekly Returns Service has been expanding, the number of practices and population monitored has changed very little during 1993. In some ways this is a paradox since 1993 has been a year of considerable activity within the Department of Health with regard to an increased emphasis on disease monitoring in practices. The management consultants considering the desirability of a larger network of practices for continuous morbidity surveillance have submitted their report to the Department of Health but this has not yet been published. The sale of VAMP to Reuters and the transfer of the VAMP research data base to the Department of Health has presented an unforeseen opportunity for continuous morbidity surveillance which has prompted some further thinking on this subject.

Last year we referred to our plans for a monthly newsletter. This has not yet materialised but I hope it will not be delayed much longer. We are particularly keen to receive ideas and contributions.

The report follows the now familiar pattern of a basic description of the monitoring network and the consistency of recording week by week: a commentary on trends amongst some of the illnesses surveyed: some remarks related to the quality of recording in individual practices for selected diseases: a new section on research interests: a section on diagnostic advice and finally, the presentation of mean weekly incidence data in 13 four week periods, 4 quarterly periods and for a subset of diseases, separate data in North, Central and South and in Urban and Rural locations.

PRACTICES AND POPULATIONS SURVEYED

The total population monitored was a maximum of 695,000, in excess of 200,000 in each of the three main regional groups North, Central and South. Distribution of practices by region is disclosed in Fig.1. The maximum population in each region and in all regions combined is distributed in age and sex groups and compared with the 1991 Census estimate (Table 1) and shown to be similar.

The population on which weekly reports were based is given in Fig. 2. The bold line at the top records the maximum population in the system each week: the intermediate line represents the population included in the final report each week and the lowest line represents that population on which the provisional report was based. The provisional report is made available on Thursday of each week covering the seven days ending the previous Sunday and the final version is established the following Monday. The gap between the provisional and final population has narrowed considerably during the year largely as a result of electronic networking. During the last 13 weeks of the year, there were 6 weeks in

which the provisional population exceeded 500,000 and we were particularly pleased to record that in weeks 51 and 52 affected by the Christmas and New Year Bank Holidays, the provisional populations were 306,000 and 366,000 respectively.

FIG. 1 - DISTRIBUTION OF PRACTICES BY REGION



FIG. 2 - POPULATION ON WHICH PROVISIONAL WEEKLY REPORTS WERE BASED COMPARED WITH TOTAL AVAILABLE POPULATION



TABLE 1 STUDY POPULATION

	Total	Male	Female	0-4	5-14	15-44	45-64	65+
North	207,291	101,825	105,466	13,204	26,477	90,378	46,214	31,018
% Distribution	100.0	49.1	50.9	6.3	12.8	43.6	22.3	15.0
Central	256,690	125,591	131,099	16,280	34,264	112,311	56,357	37,478
% Distribution	100.0	48.9	51.1	6.3	13.3	43.8	22.0	14.6
South	227,980	111,414	116,566	15,398	28,654	101,258	50,136	32,534
% Distribution	100.0	48.9	51.1	6.7	12.6	44.4	22.0	14.3
TOTAL	695,312	340,473	354,839	45,031	89,727	305,288	153,612	101,654
% Distribution	100.0	49.0	51.0	6.5	12.9	43.9	22.1	14.6
% National Census E&W	100.0	48.5	51.5	6.6	12.3	43.1	21.9	16.1
Urban	539,874	263,835	276,039	36,556	69,709	240,837	115,717	77,055
% Distribution	100.0	48.9	51.1	6.8	12.9	44.6	21.4	14.3
Rural	155,438	76,638	78,800	8,475	20,018	64,451	37,895	24,599
% Distribution	100.0	49.3	50.7	5.4	12.9	41.5	24.4	15.8

TABLE 2 PRACTICES (AND PRINCIPALS) BY THE NUMBER OF WEEKS IN WHICH DATA WERE RECEIVED

	Total	<34	35-39	40-44	45-49	50-52
North	30(109)	3(12)	1(6)	5(18)	10(43)	11(30)
Central	31(129)	4(12)	2(12)	1(1)	12(53)	12(51)
South	30(123)	4(13)	0(0)	4(17)	13(50)	9(43)
Total	91(361)	11(37)	3(18)	10(36)	35(146)	32(124)

The gap between the final population and the theoretical maximum has not changed since last year. All practices occasionally experience problems outside their control during which the routine return cannot be made. However, as described in Table 2, 14 practices provided returns in less than 40 weeks and this is not satisfactory.

There are now 48 practices equipped to transmit data electronically and this population amounts to 386,000. These practices are distributed by computer software system 33 Meditel, 11 former AMC, 4 Emis.

ILLNESSES SURVEYED

Acute Appendicitis

In the Annual Report for 1992 we drew attention to the declining incidence of acute appendicitis. The mean weekly rate (0.94 per 100,000) has fallen to less than 1 per 100,000, roughly equivalent to one case per gp per year.

Measles, Mumps & Rubella

The recorded prevalence of these conditions has fallen still further. During the course of the year we have contacted all doctors recording cases of measles in order to clarify the diagnosis. There were 87 reported cases and we received 73 replies to our enquiries. 41(56%) of the 73 were reported correctly; 13(18%) were modified measles following immunisation and 19(26%) were considered on reflection to be incorrect diagnosis. Since immunisation is now routine for all these illnesses, it is particularly important that any new cases are described carefully and where appropriate it would be at least desirable to identify modified measles following immunisation as a separate entity.

Asthma and Acute Bronchitis

The apparently ever increasing prevalence of asthma continues to excite interest. In Table 3, we consider the combined incidence of asthma and acute bronchitis by region which can be compared with the results presented in last year's Annual Report on page 10.

TABLE 3 - MEAN WEEKLY INCIDENCE (PER 100,000 PERSONS) OF ACUTE BRONCHITIS AND ASTHMA BY REGION FOR 1993

	Ac.Bronchitis	Asthma	Ac.Bronchitis & Asthma
North	190	45	235
Central	162	50	212
South	145	53	198
All Regions	170	50	220

The mean weekly incidence for the two conditions combined (220 per 100,000 is similar to that reported last year. The bias towards acute bronchitis in the North and asthma in the South remains: the combined incidence is higher in the North.

In the summer of 1993 the Asthma and Lung Information Agency published a factsheet showing a comparison of the seasonal variation in the incidence of asthma as reported in the WRS and that based on hospital discharges. We reproduce the relevant figure here (Figure 3) which shows an impressive similarity between the two and provides cross validation of the quality of diagnosis.

FIG. 3 - AVERAGE 4-WEEKLY PERCENTAGE VARIATION FROM THE TREND IN HOSPITAL ADMISSIONS FOR ASTHMA AND NEW GP EPISODES OF ASTHMA BY AGE



Influenza and Influenza-like Illness

In November 1993 there was a minor epidemic of influenza. In Fig. 4 we present a comparison of incidence data for influenza and influenza-like illness in the five winters from 1989 to 1993. The epidemic was smaller than that in 1989 but larger than that in any year since then. In Fig.5, the reported incidence in the North, Central and South areas of England and Wales shows a week's delay in each region as it travelled southwards. The fact that the delay occurred and the magnitude of the increase in the early stages was such that we predicted a relatively modest epidemic and this indeed proved to be the case. Nevertheless, as with all such epidemics, it had an impact on the death rate as is shown in Fig. 6. These data are taken from the OPCS Monitor where expected deaths are calculated from the previous ten year's experience. The international spread is neatly illustrated in Fig. 7. The epidemic started in Scotland and moved gradually southwards and eastwards across Europe. This is a little unusual since influenza has a reputation for spreading from southeast Asia across the rest of the World.

FIG.4 - INFLUENZA AND FLU-LIKE ILLNESS 1989/1993.
WINTER WEEKLY INCIDENCE; WEEKS 40-13



FIG.5 - INFLUENZA AND FLU-LIKE ILLNESS BY REGION.
WEEKS 40-52, 1993



FIG.6 - INFLUENZA AND FLU-LIKE ILLNESS WEEKLY INCIDENCE AND PERSONS AGED 65 YEARS AND OVER: OBSERVED AND EXPECTED DEATHS; WEEKS 40-52, 1993



FIG.7 - MAP SHOWING PEAK WEEKS OF INFLUENZA INCIDENCE IN EUROPE DURING WINTER OF 1993/1994



Sources: GROGs, CARE EWS-Influenza, EuroGrogs, Eurosentinels, WHO Influenza National Reference-Centers

The combined rate for influenza and influenza-like illness has been chosen as one of our practice audit enquiries this year. The incidence pattern in each region suggests that a similar proportion of the population were affected all over the country. As a rough estimate, 1.25% of the population were reported with influenza or influenza-like illnesses during the last quarter of 1993, a value roughly equivalent to an average weekly rate of 100 per 100,000. Individual practice rates for this figure ranged between 0 and 590 (Fig.8). Since influenza affects all ages similarly, standardisation makes little difference to the distribution. More will be said later about the diagnosis of acute respiratory illness but suffice here to draw the attention of practices at the extremes (mean rate below 25 or above 250).

FIG.8 - INFLUENZA AND FLU-LIKE ILLNESS. MEAN WEEKLY INCIDENCE BY PRACTICE, WEEKS 40-52, 1993



Virological monitoring of influenza - In a small survey conducted in cooperation with the Public Health Laboratory Service at Colindale, six practices submitted samples of combined throat and nose swabs for some cases of influenza and influenza-like illness. These were sent through the post to Colindale. 245 samples were submitted and of these 62 were positive on direct immunofluourescence test for influenza A and 8 on tissue culture. The distribution of positives from either test (65) by week is given in Fig. 9. The distribution mirrors reported incidence. The difficulty in obtaining positive identification from tissue culture was also found in other countries and was quite unusual.

Enchanced virological surveillance is planned for next winter.

FIG.9 - INFLUENZA AND FLU-LIKE ILLNESS. WEEKLY INCIDENCE AND POSITIVE INFLUENZA TESTS. WEEKS 40-52, 1993



Duodenal and Gastric Ulcer

Duodenal and gastric ulcer have been recorded since 1976. Incidence decreased in 1983 particularly in male patients but since then there has been little change. There has been a consistent male excess over females for duodenal ulcer but rates for gastric ulcer are similar in both sexes (Fig.10). Annual incidence for each year was approximately four and a half times as great for duodenal ulcer as for gastric ulcer. This ratio varies with age - 8:1 in age groups 15-44, 5:1 in age group 45-64 and 2.5:1 in age group 65+ years.

FIG.10 - DUODENAL AND GASTRIC ULCER COMBINED: AVERAGE WEEKLY INCIDENCE FOR MALES AND FEMALES BY YEAR 1976-1993



Practice rates for duodenal ulcer and gastric ulcer combined are given by practice in Fig. 11. For individual practices it is of interest to compare your position on this histogram with that concerned with influenza and flu-like illness (Fig.8). Extreme values for this rate are those below 30 and those above 300. A combination of low values for both of these statistics suggests the need to check the discipline of your practice recording with particular regard to the typing of consultations/episodes. There were no practices common to the first ten named positions in the two sets of data. It will be of additional interest to check these results against the practice results for chickenpox/herpes zoster and asthma which were published in last year's report. (pages 8 and 11).

FIG.11 - DUODENAL AND GASTRIC ULCER COMBINED: INDIVIDUAL PRACTICE RATES FOR NEW EPISODES REPORTED DURING 1993



Cerebrovascular Accident and Myocardial Infarction

The mean weekly incidence of cerebrovascular accident and of myocardial infarction are described separately for males and females in Fig.12. The declining incidence of myocardial infarction is encouraging especially in the context of national targets for improving health. However, there was no similar reduction in the rates for cerebrovascular accident.

FIG.12 - CEREBROVASCULAR ACCIDENTS AND MYOCARDIAL INFARCTION: AVERAGE WEEKLY INCIDENCE, MALES & FEMALES 1976-1993



Infectious Hepatitis and Infectious Intestinal Disease

In last year's report (page 13) we presented data showing an increase in mean weekly incidence for both conditions over the three years 1987 to 1989. A small decline in the incidence of both conditions was reported during 1993.

Scabies

The increase of scabies reported in 1992 has not been sustained - mean weekly incidence males 5.8 and females 7.6 per 100,000 respectively.

RESEARCH

Influenza Surveys

The addition of a virological surveillance programme to the clinical programme has already been referred to. We are keen to encourage the involvement of practices in virological surveillance. No charge will fall back on the practices for tissue culture examinations undertaken. We are keen to hear from practices who are interested but stress the need for commitment to a sustained and disciplined programme of surveillance. We also plan to hold a meeting in May at the Communicable Disease Surveillance Centre in Colindale where clinical and virological surveillance will be discussed.

Respiratory disease and mortality

Towards the end of 1993 we published two papers concerned with the relationship between acute respiratory disease and mortality. In the Annual Report for 1990, graphs were presented in which the seasonal patterns of deaths from all causes in the elderly (aged 65 years and over), and deaths from sudden infant death syndrome were shown to be very similar to that of total acute respiratory disease in the respective populations. Together these pieces of information point to the importance of acute respiratory illness as a cause of death. Unfortunately because of the convention of presenting mortality statistics by underlying cause, this importance is overlooked. We are pursuing this avenue of research at the Birmingham Unit.

A study of identifiable micro organisms found in 100 consecutive sore throats

We report here the results of a survey of 100 consecutive cases presenting with sore throat. The study is presented as a brief paper in the conventional manner. It is presented partly for its own interest and partly as an encouragement to practices in the WRS who may like to submit similar short papers based on their own recording experience. We are keen to promote the annual report as a vehicle to carry such reports.

Introduction:- It is widely believed that the majority of sore throats are caused by viruses and a relatively small minority by streptococci. The study is concerned with the veracity of this belief.

Method:- Commencing on 1st May 1991, the first 100 patients making a primary complaint of sore throat were asked for a throat swab specimen. A primary complaint in this context applied to patients who present the symptom of the sore throat and excludes patients who simply acknowledge the presence of a sore throat on direct questioning. The swab was taken using a cotton wool bud and placed in a transport medium and sent to the local microbiological laboratory where it was examined using standard methods.

Results:- Of the 100 specimens collected, 45 proved positive for Beta Haemolytic Streptococcus (BHS), and these were distributed by month, by sex and by age as detailed in Table 4, the high proportion of microorganisms cultured in patients aged 20 to 29 years is notable.

TABLE 4 POSITIVE IDENTIFICATIONS OF BETA-HAEMOLYTIC STREPTOCOCCUS BY MONTH, GENDER AND AGE GROUP

	Positive	Negative		Positive	Negative
May	5	1	Males	16	24
June	9	18	Females	29	31
July	14	22	0- 9	13	11
August	17	14	10-19	6	16
			20-29	20	11
Total	45	55	30+	6	17

Thirty nine of the 45 BHS positive specimens belonged to Lancefield Group A, 5 Group C and 1 Group G. Eight of the specimens showed candida infection including one which both BHS Group A and candida were identified. All 45 specimens were sensitive to penicillin but two of them were resistant to erythromycin.

Comments:- The interpretation of these data is influenced by the known fact that probably 10% of persons are carriers of BHS. However, all the patients included in this study had presented with a primary complaint of sore throat and therefore it must be assumed that finding BHS was not coincidental. The study had its main value at an individual level for the practice in which it was undertaken. Firstly, the proportion of BHS positive cases was higher than had been expected. Perhaps the availability of specimen kits in prepared transport medium resulted in more reliable identification of microorganisms. Secondly, the importance of candida as a cause was underestimated clinically. In only one of the seven cases was clinical diagnosis made confidently before the swab was taken. Thirdly, infection with BHS was not simply a problem for young children. Fourthly, the importance of tender tonsillar nodes as a pointer towards BHS infection was recognised.

DEVELOPMENTS IN 1994

Continuous morbidity surveillance

Though the report on continuous morbidity surveillance has not yet been published; as we understand it, the WRS has been recognised as valuable model for establishing recording standards and it may indeed be appropriate to have such an information system at a local district or FHSA level. In the interim, we are continuing our programme of networking the practices but sometime during 1994 we need to run programmes for periods greater than seven days.

Networking

At the end of the year, 48 practices were linked at the Birmingham Research Unit by electronic means. We remain interested in recruiting practices using this system of recording but most especially in the areas of East Anglia and South East England.

The Somerset Project

During the course of the year we have an additional 10 practices being linked into the system from Somerset. For these practices we are developing a local system such that continuous monitoring may take place in that area but more importantly a network of practices is established whereby a recording discipline can be assured such that specific local enquiries can be made.

Newsletter

Last year we reported our intention to establish a regular newsletter. We did not achieve this objective last year but we certainly hope to achieve it in the very near future and are keen to receive any contributions.

Urban/Rural Location

In the report for 1992 we presented data for each four weekly period covering the urban and rural districts of our network. This format is adopted again this year but during the course of the year we will have opportunity to test the validity of our division by urban and rural location. From the results obtained over recent years, the differences between urban and rural areas are consistent with the fact that patients in rural areas make less contact with their doctors. However, in the past, the definition of rural location has been determined by doctors describing their practices as rural. The attachment of post codes to the MSGP-4 data set will provide an opportunity for us to examine this in more detail at least for those practices who participated in both the Weekly Returns Service and the National Morbidity Survey.

THE DIAGNOSIS OF RESPIRATORY ILLNESS

We Issued guidelines in the use of diagnostic terms in the Annual Report for 1990 and these remain. However, we are well aware of the difficulties faced by general practitioners who are consulted by their patients in different phases of their illnesses.

In the planned programme for 1994 we propose a newsletter providing regular information for practices about a number of illnesses. These include a group of illnesses affecting the upper and lower respiratory tracts. In this report we would propose an algorithm for determining the most appropriate diagnostic term to use when dealing with patients with respiratory symptoms. The three key questions are:-

1. Does this constellation of symptoms amount to a recognisable illness or not? If not, describe the predominant symptom e.g - cough or sore throat.
2. Where the symptoms complement the history or the findings or any combination of these is consistent with a recognisable illness, is this an upper or lower respiratory tract illness? Here the symptom of cough is critical. Upper respiratory illnesses do not generally cause a significant cough which is more readily attributable to pathology at the level of the larynx or below.
3. Does the condition affect the upper or lower respiratory tract generally or is it predominantly a localised illness (typically for example, acute tonsillitis or acute otitis media).

After consideration of these three questions (outlined in the algorithm opposite (Figure 13), the illness should be described in the terms available in Table 5. Always use a diagnostic term if you can, but if the circumstances do not merit it, a symptomatic term may be used as an alternative.

Asthma always presents a problem. We need to know when new episodes of asthma (in established asthmatics) occur and therefore it is necessary to enter the N episode type when asthmatic patients consult with acute exacerbations. In addition, it is widely recognised that viral illnesses are a major precipitant of asthma attacks. Recorders are asked to record the problem of asthma rather than that of a respiratory infection if in the judgement of the doctor it is the patient's increased problem from asthma that has necessitated him presenting for further treatment.

FIG.13

ALGORITHM DISTINGUISHING UPPER AND LOWER RESPIRATORY TRACT DISEASE



TABLE5 - TERMINOLOGY FOR DESCRIBING RESPIRATORY DISEASE

	Symptomatic Terms	Upper Respiratory Diagnoses	Lower Respiratory Diagnoses
Generalised Illness	Respiratory Catarrh	Coryza U.R.T.I.	Influenza Flu-like Illness
Localised Illness	Sore Throat Earache Cough Bronchospasm Pleurodynia	Ac.Tonsillitis Ac.Pharyngitis Ac.Sinusitis Ac. supp.Ot.Media Ac.non-supp.Ot.Media Ac.secretory Ot.Media Rhinitis Allergic.Rhinitis Hay Fever	Ac.Laryngitis Ac.Tracheitis Ac.Bronchitis Bronchiolitis Bronchopneumonia Lobar pneumonia Asthma(see text) Pleurisy Pleural effusion

PARTICIPATING PRACTICES IN ALPHABETIC ORDER BY NAME OF PARTNER AND LOCATION

R. K. Aggarwal	Pontefract	J. Anderson	Burnhope
M. G. Askew	Gosport	M. Aylett	Northumberland
V. K. Bajpai	Thamesmead	M. E. Barker	Stamford
J. Baumber	Grantham	D. Beckitt	Warlingham
N. Blakeney-Edwards	Cheddar	C. A. Booth	Minchinhampton
N. S. Booth	Prudhoe	P. Bradley	Chester
P. Bracey	Liverpool	R. N. Bryant	Newton Abbot
J. E. Charlewood	Newcastle-On-Tyne	M. Clarkson	Birmingham
T. D. Coleman	Walsall	A. R. Colman	Bristol
D. Cooke	Belper	S. G. Darling	Solihull
H. G. Davies	Nailsea	S.de Lusignan	Guildford
M. Duffy	Liverpool	N. Durge	Blackburn
D. Dwyer	Plymouth	M. G. Edward	Birmingham
J. M. English	Hayes	R.Evans-Jones	Bodmin
K. Fairweather	London, SW6	D. P. Feeney	Northumberland
S. Findlay	Bishop Auckland	D. M. Fleming	Birmingham
A. Frank	Steyning	P. Freeman	Leamington Spa
R. A. Freeman	Blackburn	A. Gainer	Shrewsbury
S. Gibson	Ware	R. C. Goodall	Much Wenlock
I. Goodman	Northwood	D.Pereira Gray	Exeter
D. Hall	Chalfont St Peter	M. Hardman Lea	Blackburn
G. H. Haslam	Bingley	T. Heller	Sheffield
M. C. Henchy	Peterborough	D.W.Herbert	Middlesborough
J.H.W.Hill	Weedon	A.R.Holmes	Hartlepool
I. Howard	Exeter	P. Howarth	Workington
C.C.Hulbert	Malpas	P. Jackson	Eyam, Via Sheffield
M. J. Jameson	St. Albans	M . A. Johnson	Oldham
N. Jones	South Shields	C. R. Kay	Manchester
T. M. Kennedy	Langholme	D. A. Lawrence	Dartford
W. Maxwell	Disley	S. Mayhew	Eaton Socon
M. McLeod	Aldershot	S. W. Miller	Shebbear
W. Muir	Nottingham	P. Orton	Bishop Stortford
O. O'Toole	Dunstable	G. Pye	Gerrards Cross
W. Roberts	Aberystwyth	M. Ross	Bradford
R. Russell-Jones	Swansea	W. Sagar	Boston
R. M. Sandler	Manchester	H. Sapper	London, W3
S. Sathiyeseelan	Warrington	K. Scott	Beckenham
J. R. Simpson	Oxford	G. Singh	Loughborough
G. P. Singh	Leeds	R. N. Smith	Birmingham
K. M. Souter	Wakefield	N. Stoddart	Calverton
H. G. Thomas	Minehead	T. H. Thompson	Cardiff
R. J. Tucker	Wolstanton	P. Turkie	Wrexham
D. J. Twinham	Hessle	R. P. Virdi	Blackburn
M. T. Wheeler	Cardiff	P. Wilczynski	Corby
I. G. Williams	Huntingdon	S. Williams	Wirrall
I. S. Wilson	Warrington	W. Wynne	Bromsgrove

PUBLICATIONS

Fleming DM, Cross KW, Crombie DL, Lancashire RJ. Respiratory Illness and Mortality in England and Wales. Euro J. Epidemiology. 1993 ; 9: 571-576.

Fleming DM, Cross KW. Respiratory Syncytial Virus or Influenza. The Lancet 1993 ; 342: 1507-1510.

Fleming DM, Fullarton J. The Application of a General Practice Database to Pharmaco Epidemiology. Occasional Paper 62 published by The Royal College of General Practitioners 1993.

Ross AM, Fleming D. Why are more patients suffering from hay fever?. Clinical Focus. IN: Monitor Weekly 1993; 50-52.

Fleming DM, Timbury M. Fighting Influenza's toll of misery: Why Vaccination can help. VACCINES 1993.

APPENDIX 1

Mean weekly incidence by age and sex groupings, by illness surveyed by period

Mean weekly incidence per 100,000 population in 4 weekly, quarterly and annual periods defined as follows:

4 weekly period (1993)

1.	4.1 - 31.1	6.	24.5 - 20.6	11.	11.10 - 7.11
2.	1.2 - 28.2	7.	21.6 - 18.7	12.	8.11 - 5.12
3.	1.3 - 28.3	8.	19.7 - 15.8	13.	6.12 - 2.1
4.	29.3 - 25.4	9.	16.8 - 12.9		
5.	26.4 - 23.5	10.	13.9 - 10.10		

Quarterly Period

1st. 4.1 - 4.4	2nd 5. 4 - 4.7
3rd 5.7 - 3.10	4th 4.10 - 2.1

Annual Period 4. 1. 93 - 2, 1, 94

Incidence data (mean weekly incidence per 100,000 population) are presented for 4 weekly, quarterly and annual periods by region (North, Central and South) and by Urban/Rural location for the more frequently occurring diseases in the yellow pages at the back of the report.

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 282

APPENDICITIS (ACUTE)

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	1.41	1.49	1.33	0.66	5.35	1.34	0.20	0.29
2	0.86	0.97	0.75	0.00	2.01	0.86	0.60	0.59
3	0.64	0.70	0.58	0.65	0.66	1.14	0.00	0.00
4	0.65	0.62	0.68	0.00	1.02	0.97	0.20	0.30
5	1.22	1.21	1.24	0.65	1.97	1.79	0.39	0.29
6	0.84	0.65	1.01	0.00	2.47	1.07	0.19	0.00
7	1.09	1.04	1.14	0.00	1.82	1.76	0.18	0.27
8	1.11	0.84	1.36	1.28	1.60	1.50	0.55	0.28
9	0.94	0.64	1.23	0.60	2.42	1.07	0.35	0.27
10	0.97	0.87	1.06	0.00	2.09	1.58	0.00	0.00
11	0.97	0.71	1.21	1.19	2.40	1.14	0.00	0.53
12	0.81	0.87	0.76	0.00	3.90	0.62	0.18	0.00
13	0.64	0.61	0.67	0.00	1.67	0.78	0.19	0.29
QUARTER								
1	0.91	0.97	0.85	0.40	2.46	1.06	0.24	0.27
2	0.95	0.89	1.02	0.19	1.78	1.37	0.30	0.26
3	1.06	0.82	1.28	0.56	2.26	1.46	0.28	0.17
4	0.82	0.78	0.86	0.38	2.57	0.92	0.11	0.25
FULL YEAR 1993	0.94	0.86	1.01	0.39	2.27	1.20	0.23	0.24
EPISODES	298	134	164	8	93	170	16	11

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 86

ASTHMA

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	46.94	47.46	46.45	156.80	72.85	32.05	37.06	35.35
2	48.51	50.45	46.67	178.68	83.95	30.82	36.22	30.84
3	48.47	46.89	49.96	159.59	75.93	35.56	35.23	33.12
4	37.95	37.24	38.64	122.15	54.54	29.43	28.18	26.11
5	48.28	48.41	48.16	156.87	90.07	33.68	29.25	35.72
6	50.96	50.88	51.03	126.05	92.20	42.72	31.95	32.89
7	52.10	49.02	55.02	136.17	95.02	43.91	35.97	24.80
8	46.34	43.42	49.14	114.48	78.86	38.03	34.31	31.31
9	36.53	34.71	38.27	76.68	62.13	31.82	24.65	27.64
10	59.99	61.64	58.39	204.00	129.20	42.08	32.16	29.44
11	62.14	58.79	65.36	178.48	118.16	48.14	36.76	41.45
12	61.67	60.97	62.33	195.73	115.16	42.09	40.15	45.83
13	51.99	53.73	50.32	176.88	95.56	33.63	36.05	37.94
QUARTER								
1	47.54	48.03	47.08	163.58	77.99	32.59	35.40	32.34
2	47.61	47.20	48.00	136.20	83.14	37.55	31.01	31.44
3	46.46	44.73	48.11	125.41	85.71	37.03	30.79	28.38
4	59.43	58.50	60.31	185.71	112.64	42.26	37.63	40.93
FULL YEAR 1993	50.32	49.66	50.96	152.56	90.15	37.42	33.71	33.31
EPISODES	16028	7728	8300	3167	3694	5281	2340	1539

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 247

BRONCHITIS (ACUTE)

PERIOD		MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD	1	236.50	214.63	257.29	556.34	101.26	130.03	261.80	497.76
	2	186.42	178.06	194.37	578.44	123.76	112.92	174.93	307.22
	3	200.97	175.20	225.51	469.68	144.59	128.17	205.07	349.26
	4	165.65	154.27	176.49	296.74	90.45	106.24	188.22	322.62
	5	123.92	112.64	134.67	254.76	69.03	80.10	132.70	236.59
	6	116.91	102.90	130.27	214.88	62.91	77.50	134.91	216.54
	7	109.67	90.92	127.47	221.42	72.02	74.03	107.36	204.59
	8	116.47	102.26	130.07	241.11	62.83	81.20	116.76	213.01
	9	92.71	83.19	101.84	134.05	44.86	64.35	102.49	186.51
	10	153.99	134.98	172.22	319.05	102.58	109.11	155.72	259.05
	11	233.65	206.58	259.63	447.98	140.65	161.89	248.03	413.72
	12	252.01	228.68	274.37	632.54	178.13	150.44	250.92	455.11
	13	232.74	209.22	255.32	769.14	141.33	122.92	229.09	411.83
QUARTER	1	205.54	187.57	222.63	517.90	122.53	123.18	212.47	380.77
	2	127.57	114.53	139.99	243.76	70.68	83.38	140.54	242.90
	3	113.73	99.66	127.20	221.62	65.72	79.02	117.27	207.03
	4	236.18	210.97	260.37	589.53	151.93	145.18	239.53	421.93
FULL YEAR	1993	170.42	152.84	187.22	391.60	102.57	107.53	177.14	312.54
EPISODES		54279	23784	30495	8129	4203	15176	12297	14441

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 430

BIRTH C.N.S. ABNORMALITIES

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.04	0.09	0.00	0.00	0.33	0.00	0.00	0.00
6	0.04	0.00	0.08	0.00	0.00	0.09	0.00	0.00
7	0.04	0.08	0.00	0.59	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.08	0.16	0.00	1.21	0.00	0.00	0.00	0.00
10	0.04	0.00	0.08	0.59	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
QUARTER								
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.03	0.03	0.02	0.00	0.10	0.03	0.00	0.00
3	0.05	0.07	0.02	0.75	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
FULL YEAR 1993	0.02	0.03	0.01	0.19	0.02	0.01	0.00	0.00
EPISODES	6	4	2	4	1	1	0	0

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 155

CEREBROVASCULAR ACCIDENTS (ACUTE)

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	4.65	4.12	5.16	0.00	0.00	0.19	2.37	27.75
2	3.60	3.69	3.51	0.00	0.00	0.10	2.99	20.17
3	4.17	4.27	4.07	0.00	0.00	0.00	2.77	24.84
4	4.38	4.09	4.66	0.00	0.00	0.10	2.62	26.11
5	4.73	3.20	6.19	0.00	0.00	0.38	1.77	28.99
6	4.03	3.84	4.21	0.00	0.00	0.18	3.55	22.30
7	4.10	4.17	4.03	0.00	0.00	0.26	2.89	23.18
8	3.90	4.11	3.69	0.00	0.00	0.19	2.77	21.80
9	3.48	2.96	3.99	0.00	0.00	0.18	2.13	20.13
10	4.06	4.03	4.10	0.00	0.00	0.44	4.39	20.07
11	4.29	3.79	4.77	0.00	0.00	0.09	2.98	24.71
12	4.77	4.36	5.16	0.00	0.00	0.18	3.51	26.91
13	5.53	5.86	5.21	0.00	0.00	0.39	2.52	32.69
QUARTER								
1	4.16	3.99	4.31	0.00	0.00	0.09	2.62	24.53
2	4.29	3.78	4.77	0.00	0.00	0.26	2.90	24.64
3	3.80	3.68	3.93	0.00	0.00	0.22	2.87	21.12
4	4.85	4.66	5.04	0.00	0.00	0.25	3.11	27.82
FULL YEAR 1993	4.28	4.03	4.51	0.00	0.00	0.21	2.88	24.52
EPISODES	1362	627	735	0	0	29	200	1133

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 13

CHICKENPOX

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	17.41	18.83	16.07	122.03	33.08	10.75	1.77	0.58
2	17.91	17.93	17.90	154.55	33.11	7.11	1.59	0.00
3	18.58	19.00	18.18	149.21	39.61	7.51	1.39	0.30
4	19.04	20.17	17.96	136.75	39.97	10.78	0.20	0.90
5	16.16	18.85	13.61	123.17	30.24	9.06	0.59	0.59
6	15.00	14.23	15.74	114.04	33.61	6.24	1.12	0.00
7	12.53	13.22	11.87	87.62	26.63	6.23	1.81	1.08
8	9.51	9.72	9.31	73.55	19.23	4.77	0.55	0.84
9	6.42	7.68	5.21	44.08	12.43	3.92	1.06	0.00
10	5.84	6.01	5.69	43.29	13.76	2.64	0.35	0.00
11	8.93	8.60	9.24	73.18	20.09	3.43	0.35	0.00
12	8.53	8.55	8.50	66.83	17.69	4.15	0.35	0.00
13	6.77	6.39	7.14	64.32	12.36	2.14	0.39	0.29
QUARTER								
1	18.54	19.08	18.02	145.07	37.46	8.73	1.46	0.27
2	15.41	16.55	14.33	115.11	30.74	8.03	0.95	0.62
3	7.93	8.45	7.42	57.46	16.78	4.09	0.77	0.42
4	8.15	7.94	8.36	67.46	17.22	3.35	0.39	0.08
FULL YEAR 1993	12.36	12.85	11.90	95.33	25.26	5.99	0.88	0.35
EPISODES	3938	1999	1939	1979	1035	846	61	16

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 240

COMMON COLD

PERIOD		MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD	1	333.37	296.07	368.83	1485.31	420.41	235.40	209.17	225.80
	2	359.25	321.94	394.75	1847.48	586.01	235.06	165.77	152.72
	3	364.14	318.85	407.27	1578.99	702.15	243.70	166.87	176.85
	4	263.50	235.41	290.28	1044.89	376.01	205.98	154.00	151.26
	5	220.40	189.84	249.55	974.95	330.38	163.41	115.42	114.49
	6	204.70	176.59	231.47	898.53	289.87	149.57	115.85	109.25
	7	205.09	179.04	229.84	1010.59	308.98	142.61	100.68	93.26
	8	193.69	164.21	221.93	904.97	220.87	151.93	111.96	107.90
	9	141.73	122.86	159.81	573.02	145.78	121.66	89.90	85.07
	10	251.55	220.65	281.20	1210.38	377.14	185.37	113.54	117.75
	11	374.97	324.23	423.68	1819.88	538.33	268.27	180.99	201.68
	12	400.69	355.53	443.98	2114.23	661.55	251.11	187.97	176.39
	13	338.23	291.57	383.02	1951.67	406.63	211.04	180.45	194.09
QUARTER	1	352.51	313.68	389.46	1624.33	575.29	239.63	180.79	183.89
	2	215.44	186.05	243.44	932.09	307.24	161.15	119.41	117.38
	3	187.99	163.11	211.81	874.51	238.75	144.96	102.37	96.25
	4	367.92	321.21	412.73	1927.19	534.27	243.83	179.21	188.44
FULL YEAR	1993	280.12	245.21	313.47	1335.98	411.50	196.87	144.97	146.04
EPISODES		89217	38159	51058	27733	16862	27784	10064	6748

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 464

COT DEATH

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD 1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
QUARTER 1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
FULL YEAR 1993	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EPISODES	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 91

DIABETES

PERIOD		MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD	1	5.25	6.74	3.83	0.00	1.00	1.63	9.07	16.65
	2	5.19	5.10	5.27	0.65	1.34	1.44	11.34	13.05
	3	5.40	6.28	4.56	0.00	1.32	2.28	8.12	17.15
	4	4.42	4.35	4.49	0.00	1.35	1.55	8.86	11.40
	5	5.11	5.36	4.87	1.30	2.30	1.89	7.66	15.52
	6	4.51	4.99	4.05	0.60	0.00	2.59	8.60	10.31
	7	4.76	4.97	4.57	0.00	1.21	2.28	7.41	13.75
	8	4.76	4.78	4.74	0.64	0.32	2.71	6.64	13.70
	9	5.40	5.68	5.14	0.00	0.91	2.41	9.22	15.03
	10	5.26	5.61	4.93	0.00	1.20	1.84	9.32	15.52
	11	5.95	5.84	6.06	0.00	0.30	2.72	9.98	17.27
	12	4.42	4.83	4.02	0.00	0.60	2.03	7.89	11.72
	13	4.59	5.25	3.95	1.34	0.00	2.05	6.98	14.01
QUARTER	1	5.22	5.99	4.49	0.20	1.33	1.77	9.40	15.35
	2	4.62	4.74	4.49	0.58	1.19	2.14	8.05	12.10
	3	5.21	5.52	4.93	0.19	0.47	2.32	8.55	15.36
	4	4.96	5.23	4.71	0.38	0.67	2.23	8.21	14.12
FULL YEAR	1993	5.00	5.37	4.66	0.34	0.90	2.12	8.54	14.24
EPISODES		1594	835	759	7	37	299	593	658

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 278

DUODENAL ULCER

PERIOD		MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD	1	2.90	4.38	1.50	0.00	0.00	2.88	4.53	4.38
	2	2.44	3.60	1.34	0.00	0.00	2.30	4.38	3.26
	3	2.55	3.05	2.07	0.00	0.00	1.90	4.16	5.62
	4	2.08	3.02	1.19	0.00	0.00	1.75	4.43	2.40
	5	2.41	3.54	1.32	0.00	0.00	2.17	4.71	2.93
	6	2.11	3.35	0.93	0.00	0.00	1.87	3.36	3.90
	7	2.58	3.85	1.37	0.00	0.00	2.11	5.42	3.23
	8	2.34	3.19	1.53	0.00	0.00	2.15	3.69	3.91
	9	2.11	3.36	0.92	0.00	0.30	1.87	3.37	3.49
	10	1.97	2.69	1.29	0.00	0.00	1.76	2.99	3.75
	11	2.67	3.00	2.35	0.00	0.00	2.28	5.43	3.19
	12	2.09	2.61	1.59	0.00	0.30	1.85	3.16	3.73
	13	2.19	3.06	1.34	0.00	0.00	2.05	3.49	3.50
QUARTER	1	2.57	3.56	1.62	0.00	0.00	2.33	4.33	4.09
	2	2.20	3.31	1.14	0.00	0.00	1.88	4.08	3.36
	3	2.31	3.40	1.26	0.00	0.09	2.10	3.92	3.51
	4	2.29	2.85	1.75	0.00	0.10	1.98	4.00	3.61
FULL YEAR 1993		2.34	3.28	1.44	0.00	0.05	2.07	4.08	3.64
EPISODES		745	510	235	0	2	292	283	168

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 277

GASTRIC ULCER

PERIOD		MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD	1	0.47	0.53	0.42	0.00	0.00	0.29	0.39	1.75
	2	0.34	0.35	0.33	0.00	0.00	0.00	0.80	1.19
	3	0.34	0.35	0.33	0.00	0.00	0.19	0.20	1.48
	4	0.30	0.44	0.17	0.00	0.00	0.10	0.60	0.90
	5	0.76	0.78	0.74	0.00	0.00	0.00	1.96	2.34
	6	0.48	0.65	0.31	0.00	0.00	0.18	0.93	1.39
	7	0.66	0.88	0.46	0.00	0.00	0.61	1.08	1.08
	8	0.66	1.09	0.24	0.00	0.00	0.56	1.29	0.84
	9	0.43	0.40	0.46	0.00	0.00	0.18	0.89	1.07
	10	0.50	0.40	0.61	0.00	0.00	0.44	0.35	1.61
	11	0.70	0.71	0.68	0.00	0.00	0.44	0.88	2.13
	12	0.47	0.48	0.46	0.00	0.00	0.26	0.88	1.07
	13	0.43	0.18	0.67	0.00	0.00	0.19	0.39	1.75
QUARTER	1	0.36	0.38	0.33	0.00	0.00	0.15	0.43	1.36
	2	0.56	0.68	0.45	0.00	0.00	0.20	1.12	1.59
	3	0.56	0.72	0.40	0.00	0.00	0.44	0.99	1.00
	4	0.54	0.45	0.62	0.00	0.00	0.28	0.72	1.77
FULL YEAR 1993		0.51	0.56	0.45	0.00	0.00	0.27	0.82	1.43
EPISODES		161	87	74	0	0	38	57	66

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 28

HAND, FOOT AND MOUTH DISEASE

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	0.98	1.23	0.75	11.15	0.67	0.29	0.20	0.00
2	1.80	2.20	1.42	20.87	2.01	0.29	0.20	0.00
3	1.40	1.31	1.49	16.87	1.98	0.10	0.00	0.00
4	0.78	0.89	0.68	7.30	1.02	0.39	0.00	0.00
5	0.72	0.35	1.07	9.08	0.66	0.09	0.00	0.00
6	1.52	1.80	1.25	18.01	1.54	0.27	0.00	0.00
7	1.33	1.12	1.52	13.62	1.82	0.44	0.00	0.00
8	0.98	0.84	1.12	10.87	1.28	0.28	0.00	0.00
9	0.39	0.24	0.54	3.62	0.91	0.09	0.00	0.00
10	0.39	0.40	0.38	2.97	0.90	0.18	0.00	0.00
11	0.66	0.39	0.91	7.73	0.90	0.00	0.18	0.00
12	0.62	0.48	0.76	5.97	0.90	0.26	0.00	0.00
13	0.26	0.26	0.25	3.35	0.33	0.00	0.00	0.00
QUARTER								
1	1.34	1.56	1.13	15.29	1.64	0.24	0.12	0.00
2	1.14	1.09	1.19	13.74	1.09	0.23	0.00	0.00
3	0.64	0.52	0.76	5.80	1.13	0.28	0.00	0.00
4	0.53	0.38	0.67	5.87	0.76	0.08	0.06	0.00
FULL YEAR 1993	0.90	0.87	0.93	10.07	1.15	0.21	0.04	0.00
EPISODES	288	136	152	209	47	29	3	0

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 85

HAY FEVER

PERIOD		MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD	1	6.66	6.30	6.99	2.62	8.02	6.72	7.29	6.13
	2	8.31	8.53	8.11	0.65	13.04	9.60	6.97	5.63
	3	12.41	10.46	14.28	6.49	18.82	14.83	9.70	5.91
	4	21.43	19.37	23.38	5.31	34.55	27.09	14.29	10.20
	5	98.34	89.73	106.55	63.53	211.05	119.06	45.54	28.11
	6	140.90	129.72	151.54	93.03	250.09	188.36	62.97	32.33
	7	139.68	133.70	145.36	100.05	243.01	188.01	60.55	35.04
	8	19.48	18.61	20.31	11.51	24.36	23.55	16.23	11.46
	9	10.69	10.72	10.66	5.43	18.18	11.32	8.69	7.51
	10	9.09	8.46	9.71	2.97	13.46	9.84	8.79	6.16
	11	6.80	5.92	7.65	1.78	7.20	8.78	4.38	6.38
	12	6.16	5.86	6.45	2.39	6.90	6.35	6.31	6.39
	13	5.19	5.16	5.21	1.34	6.35	6.04	5.04	3.50
QUARTER	1	9.63	8.88	10.35	3.82	14.37	11.18	7.87	5.91
	2	113.23	105.85	120.27	76.03	209.67	148.03	51.01	28.88
	3	22.79	21.17	24.34	11.98	36.68	27.83	15.51	11.10
	4	6.18	5.73	6.61	1.89	7.14	7.19	5.44	5.30
FULL YEAR 1993		37.72	35.16	40.18	23.41	66.50	48.50	19.73	12.73
EPISODES		12015	5471	6544	486	2725	6845	1370	588

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 16

HEPATITIS (INFECTIVE)

PERIOD		MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD	1	0.60	0.53	0.67	0.66	0.67	1.06	0.00	0.00
	2	0.30	0.44	0.17	0.00	0.00	0.58	0.00	0.30
	3	0.30	0.26	0.33	0.00	0.33	0.48	0.20	0.00
	4	0.35	0.44	0.25	0.00	0.34	0.58	0.20	0.00
	5	0.25	0.43	0.08	0.65	0.00	0.38	0.20	0.00
	6	0.40	0.65	0.16	0.00	0.31	0.80	0.00	0.00
	7	0.16	0.24	0.08	0.00	0.30	0.09	0.36	0.00
	8	0.53	0.50	0.56	0.00	0.00	1.03	0.18	0.28
	9	0.35	0.40	0.31	0.60	0.00	0.62	0.18	0.00
	10	0.23	0.16	0.30	0.00	0.30	0.35	0.18	0.00
	11	0.15	0.16	0.15	0.59	0.00	0.26	0.00	0.00
	12	0.31	0.55	0.08	0.00	0.60	0.44	0.00	0.27
	13	0.34	0.18	0.50	0.67	0.33	0.29	0.39	0.29
QUARTER	1	0.41	0.43	0.39	0.20	0.31	0.74	0.06	0.09
	2	0.31	0.50	0.12	0.19	0.30	0.48	0.18	0.00
	3	0.33	0.30	0.36	0.19	0.00	0.58	0.22	0.08
	4	0.27	0.30	0.24	0.38	0.38	0.33	0.11	0.17
FULL YEAR	1993	0.33	0.38	0.28	0.24	0.24	0.53	0.14	0.09
EPISODES		104	59	45	5	10	75	10	4

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 14

HERPES ZOSTER

PERIOD		MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD	1	7.85	5.52	10.07	0.66	2.67	4.03	11.43	21.91
	2	6.81	6.15	7.44	1.30	4.01	3.94	11.54	13.64
	3	7.82	6.10	9.46	1.95	2.97	4.94	9.90	20.70
	4	5.94	5.15	6.69	1.33	3.73	3.40	8.46	14.11
	5	6.46	5.62	7.26	0.65	3.29	3.59	9.81	15.81
	6	7.42	6.30	8.49	1.80	3.39	4.19	10.09	19.79
	7	7.49	7.37	7.61	0.59	4.54	5.71	10.66	13.75
	8	7.05	6.20	7.87	2.56	4.49	3.92	9.59	16.77
	9	5.95	5.12	6.75	1:21	2.73	3.74	9.57	12.08
	10	7.12	5.53	8.65	0.00	6.28	4.22	10.37	14.99
	11	7.34	6.63	8.03	2.38	7.50	3.60	7.70	20.19
	12	6.40	4.12	8.58	1.19	3.00	3.79	9.82	14.39
	13	6.00	4.81	7.14	1.34	4.34	2.73	8.53	15.47
QUARTER	1	7.37	5.72	8.93	1.41	3.39	4.16	10.68	18.53
	2	6.69	6.10	7.25	0.97	3.56	4.10	9.82	15.37
	3	6.93	5.94	7.88	1.31	4.53	4.20	9.99	15.19
	4	6.64	5.23	8.00	1.52	4.85	3.54	8.77	16.64
FULL YEAR	1993	6.90	5.74	8.01	1.30	4.10	4.00	9.80	16.41
EPISODES		2198	894	1304	27	168	564	680	758

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 66

HODGKINS DISEASE

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	0.13	0.09	0.17	0.00	0.00	0.29	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.09	0.09	0.08	0.00	0.00	0.10	0.20	0.00
5	0.08	0.17	0.00	0.00	0.00	0.09	0.20	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.16	0.08	0.23	0.00	0.00	0.18	0.36	0.00
8	0.08	0.08	0.08	0.00	0.00	0.19	0.00	0.00
9	0.08	0.08	0.08	0.00	0.00	0.00	0.18	0.27
10	0.12	0.16	0.08	0.00	0.00	0.18	0.00	0.27
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.08	0.00	0.15	0.00	0.00	0.18	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
QUARTER								
1	0.04	0.03	0.05	0.00	0.00	0.09	0.00	0.00
2	0.09	0.10	0.07	0.00	0.00	0.11	0.18	0.00
3	0.07	0.05	0.10	0.00	0.00	0.08	0.11	0.08
4	0.05	0.05	0.05	0.00	0.00	0.08	0.00	0.08
FULL YEAR 1993	0.06	0.06	0.07	0.00	0.00	0.09	0.07	0.04
EPISODES	20	9	11	0	0	13	5	2

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 5

INFECTIOUS INTESTINAL DISEASE

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	62.43	59.11	65.59	305.07	72.85	44.72	32.13	44.11
2	62.87	57.83	67.66	389.97	62.55	38.31	31.84	36.48
3	67.64	63.46	71.63	438.54	74.94	39.37	25.73	42.29
4	55.04	51.19	58.72	294.75	47.09	39.62	29.39	39.61
5	48.11	43.48	52.53	226.24	36.49	38.12	31.21	34.26
6	52.19	48.09	56.10	224.48	44.10	43.17	31.95	37.90
7	62.09	54.71	69.10	256.94	60.83	50.23	39.95	43.94
8	55.28	50.63	59.74	228.32	42.96	47.00	35.05	45.85
9	48.08	41.91	53.99	173.30	34.55	43.49	33.69	39.45
10	58.36	50.03	66.36	264.49	57.12	47.00	31.28	42.28
11	60.60	56.50	64.53	290.32	55.48	47.52	33.78	42.25
12	58.91	53.37	64.23	318.66	56.08	41.56	28.41	44.23
13	55.94	51.89	59.82	320.25	46.11	37.04	27.52	48.74
QUARTER								
1	64.30	60.49	67.93	378.06	69.58	40.75	30.03	41.43
2	52.42	46.97	57.61	237.38	44.68	41.88	32.96	36.66
3	54.63	48.69	60.32	227.05	45.45	46.33	33.72	42.41
4	58.86	53.87	63.65	305.28	53.56	42.76	30.25	45.97
FULL YEAR 1993	57.48	52.40	62.32	285.66	53.08	42.97	31.76	41.68
EPISODES	18306	8155	10151	5930	2175	6065	2205	1926

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 245

INFLUENZA (EPIDEMIC)

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	3.07	2.36	3.75	1.31	1.34	3.07	4.34	3.51
2	3.09	2.20	3.93	0.65	0.33	4.22	3.18	2.97
3	6.93	7.32	6.56	6.49	8.25	8.46	5.94	2.66
4	3.99	3.38	4.58	2.66	1.02	5.05	2.82	5.70
5	1.35	1.73	0.99	0.00	0.66	1.70	1.57	1.17
6	0.64	0.33	0.93	0.60	0.31	0.71	0.75	0.56
7	0.59	0.56	0.61	0.00	0.91	0.44	0.72	0.81
8	0.66	0.34	0.96	0.64	0.00	0.93	0.37	0.84
9	0.31	0.24	0.38	0.00	0.00	0.45	0.18	0.54
10	1.70	1.58	1.82	0.59	1.79	1.41	2.99	1.07
11	8.89	8.52	9.24	4.16	5.40	9.66	9.28	11.16
12	36.51	29.61	43.12	27.45	44.38	35.03	37.17	37.04
13	14.27	15.40	13.19	13.40	9.02	12.96	16.67	19.56
QUARTER								
1	4.34	4.02	4.65	3.02	3.28	5.16	4.33	3.36
2	1.62	1.41	1.81	0.58	0.49	2.02	1.54	1.94
3	0.63	0.47	0.79	0.37	0.47	0.77	0.50	0.67
4	18.71	16.72	20.61	13.83	18.65	17.98	20.15	20.93
FULL YEAR 1993	6.39	5.72	7.03	4.48	5.81	6.51	6.76	6.84
EPISODES	2035	890	1145	93	238	919	469	316

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 241

INFLUENZA-LIKE-ILLNESS

PERIOD		MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD	1	41.91	36.17	47.36	33.46	31.75	44.05	49.09	37.39
	2	42.68	39.81	45.41	61.95	57.86	47.82	30.25	23.13
	3	78.78	71.30	85.90	125.85	136.34	80.73	55.23	34.90
	4	60.29	53.14	67.10	79.00	58.26	69.05	52.74	37.81
	5	24.35	22.74	25.89	29.82	27.28	28.02	20.81	13.18
	6	17.68	15.38	19.87	40.81	21.28	19.09	11.02	9.20
	7	17.29	16.66	17.88	44.40	23.00	17.04	12.29	8.09
	8	17.80	15.17	20.31	40.29	18.91	20.74	10.88	8.67
	9	12.18	11.76	12.58	21.74	9.70	13.37	11.35	7.78
	10	25.66	22.05	29.12	42.11	29.61	29.43	18.81	13.38
	11	96.34	84.27	107.93	156.47	108.27	100.93	83.32	64.30
	12	170.89	151.72	189.27	272.11	224.31	167.64	149.40	118.57
	13	62.66	52.94	72.00	84.42	53.46	62.87	62.60	60.71
QUARTER	1	57.34	51.26	63.13	77.46	78.81	61.28	46.69	32.98
	2	26.62	24.79	28.36	43.14	26.30	29.78	22.07	16.34
	3	17.07	14.76	19.27	35.38	19.42	18.67	12.64	8.60
	4	105.42	92.42	117.89	164.11	123.67	106.57	93.74	76.65
FULL YEAR 1993		51.67	45.86	57.21	80.11	61.99	54.01	44.02	33.83
EPISODES		16456	7137	9319	1663	2540	7623	3056	1563

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 244

LARYNGITIS AND TRACHEITIS

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	34.05	28.02	39.79	83.32	21.05	28.02	39.82	33.30
2	27.13	19.60	34.29	83.47	26.76	24.58	20.90	18.98
3	28.40	20.92	35.52	71.36	29.71	28.24	22.37	17.15
4	23.38	16.26	30.16	44.48	17.61	21.17	26.17	21.61
5	19.29	13.66	24.66	48.62	15.45	18.59	18.84	12.30
6	19.19	11.45	26.57	39.61	13.88	18.11	21.49	14.49
7	21.04	14.90	26.86	58.02	16.34	18.35	22.59	14.29
8	18.70	14.08	23.12	53.72	13.78	15.98	19.37	14.82
9	14.25	10.00	18.33	33.81	8.79	13.73	14.19	12.08
10	20.32	15.09	25.33	59.30	19.14	15.73	21.09	16.32
11	38.30	28.88	47.34	127.31	43.19	29.95	33.26	26.57
12	44.15	34.21	53.68	135.46	57.88	35.73	37.70	26.11
13	37.98	28.44	47.13	113.90	40.76	29.83	36.44	29.19
QUARTER								
1	29.72	22.80	36.30	77.87	26.07	26.92	27.41	23.26
2	20.09	13.48	26.40	46.82	14.83	18.65	21.78	14.57
3	17.65	12.77	22.32	47.36	13.01	15.13	18.38	14.94
4	39.04	29.56	48.14	121.28	46.04	31.00	35.19	26.22
FULL YEAR 1993	26.61	19.64	33.27	73.32	25.04	22.87	25.70	19.74
EPISODES	8476	3057	5419	1522	1026	3228	1784	912

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 67

LEUKAEMIA (ACUTE)

PERIOD		MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD	1	0.09	0.00	0.17	0.00	0.00	0.19	0.00	0.00
	2	0.21	0.18	0.25	0.00	0.00	0.00	0.20	1.19
	3	0.13	0.00	0.25	0.00	0.00	0.00	0.00	0.89
	4	0.09	0.18	0.00	0.00	0.00	0.19	0.00	0.00
	5	0.21	0.35	0.08	0.00	0.00	0.09	0.20	0.88
	6	0.08	0.16	0.00	0.00	0.00	0.09	0.00	0.28
	7	0.08	0.00	0.15	0.00	0.00	0.09	0.18	0.00
	8	0.16	0.17	0.16	0.64	0.00	0.19	0.00	0.28
	9	0.16	0.08	0.23	0.60	0.00	0.09	0.00	0.54
	10	0.12	0.16	0.08	0.00	0.00	0.00	0.00	0.80
	11	0.19	0.32	0.08	0.00	0.00	0.09	0.18	0.80
	12	0.16	0.08	0.23	0.60	0.00	0.00	0.35	0.27
	13	0.21	0.18	0.25	0.00	0.00	0.00	0.39	0.88
QUARTER	1	0.14	0.08	0.21	0.00	0.00	0.09	0.06	0.64
	2	0.13	0.18	0.07	0.00	0.00	0.11	0.12	0.35
	3	0.13	0.12	0.14	0.37	0.00	0.08	0.00	0.50
	4	0.17	0.18	0.17	0.19	0.00	0.03	0.28	0.59
FULL YEAR	1993	0.14	0.14	0.15	0.14	0.00	0.08	0.12	0.52
EPISODES		46	22	24	3	0	11	8	24

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 11

MEASLES

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	0.77	0.88	0.67	9.84	0.67	0.10	0.00	0.00
2	0.43	0.35	0.50	2.61	1.00	0.29	0.00	0.00
3	0.89	0.70	1.08	7.14	2.97	0.10	0.00	0.00
4	0.61	0.89	0.34	2.66	1.35	0.58	0.00	0.00
5	0.89	1.47	0.33	7.78	0.99	0.57	0.00	0.00
6	0.36	0.25	0.47	4.20	0.00	0.18	0.00	0.00
7	0.39	0.56	0.23	2.37	0.91	0.26	0.00	0.00
8	0.33	0.42	0.24	3.84	0.32	0.09	0.00	0.00
9	0.63	0.32	0.92	8.45	0.61	0.00	0.00	0.00
10	0.31	0.32	0.30	3.56	0.30	0.09	0.00	0.00
11	0.62	0.47	0.76	5.35	1.20	0.09	0.18	0.27
12	0.50	0.48	0.53	5.37	1.20	0.00	0.00	0.00
13	0.21	0.09	0.34	2.68	0.33	0.00	0.00	0.00
QUARTER								
1	0.68	0.65	0.72	6.44	1.44	0.18	0.00	0.00
2	0.56	0.78	0.35	4.06	0.89	0.40	0.00	0.00
3	0.44	0.40	0.48	5.05	0.47	0.11	0.00	0.00
4	0.45	0.38	0.53	4.74	0.86	0.03	0.06	0.08
FULL YEAR 1993	0.53	0.55	0.52	5.06	0.90	0.18	0.01	0.02
EPISODES	169	85	84	105	37	25	1	1

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 9

MENINGITIS/ENCEPHALITIS

PERIOD		MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD	1	0.04	0.09	0.00	0.00	0.00	0.00	0.20	0.00
	2	0.09	0.00	0.17	1.30	0.00	0.00	0.00	0.00
	3	0.13	0.26	0.00	1.30	0.00	0.10	0.00	0.00
	4	0.04	0.00	0.08	0.66	0.00	0.00	0.00	0.00
	5	0.13	0.00	0.25	0.00	0.00	0.28	0.00	0.00
	6	0.08	0.08	0.08	0.60	0.00	0.09	0.00	0.00
	7	0.12	0.00	0.23	1.18	0.00	0.09	0.00	0.00
	8	0.25	0.25	0.24	0.00	0.64	0.37	0.00	0.00
	9	0.27	0.24	0.31	1.21	0.00	0.45	0.00	0.00
	10	0.08	0.00	0.15	0.00	0.00	0.09	0.18	0.00
	11	0.12	0.16	0.08	1.19	0.00	0.00	0.18	0.00
	12	0.08	0.08	0.08	0.00	0.30	0.09	0.00	0.00
	13	0.09	0.09	0.08	0.00	0.00	0.19	0.00	0.00
QUARTER	1	0.08	0.11	0.05	0.80	0.00	0.03	0.06	0.00
	2	0.09	0.03	0.15	0.39	0.00	0.14	0.00	0.00
	3	0.21	0.15	0.26	0.75	0.19	0.28	0.06	0.00
	4	0.09	0.10	0.07	0.38	0.10	0.08	0.06	0.00
FULL YEAR 1993		0.12	0.10	0.14	0.58	0.07	0.13	0.04	0.00
EPISODES		37	15	22	12	3	19	3	0

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 17

MONONUCLEOSIS (INFECTIOUS)

PERIOD		MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD	1	1.62	1.93	1.33	0.00	2.67	2.88	0.00	0.00
	2	1.97	2.02	1.92	0.65	3.68	2.98	0.60	0.00
	3	2.04	1.92	2.16	1.95	3.96	3.14	0.00	0.00
	4	1.82	1.33	2.29	0.66	1.69	3.50	0.00	0.00
	5	1.73	1.21	2.23	0.00	1.97	3.21	0.20	0.00
	6	1.28	1.06	1.48	0.00	1.85	2.32	0.00	0.00
	7	1.64	1.44	1.83	0.00	3.33	2.72	0.00	0.00
	8	1.48	1.01	1.93	0.00	3.21	2.43	0.00	0.00
	9	0.90	0.96	0.84	0.00	1.21	1.60	0.18	0.00
	10	1.04	1.26	0.83	0.00	2.39	1.58	0.18	0.00
	11	0.97	0.79	1.14	0.00	0.90	1.76	0.35	0.00
	12	0.66	0.63	0.68	0.00	0.90	1.24	0.00	0.00
	13	0.99	0.70	1.26	0.67	2.00	1.56	0.00	0.00
QUARTER	1	1.87	1.89	1.85	0.80	3.28	3.04	0.18	0.00
	2	1.63	1.25	1.99	0.19	2.37	2.90	0.06	0.00
	3	1.15	1.09	1.21	0.00	2.26	1.91	0.11	0.00
	4	0.92	0.78	1.06	0.19	1.24	1.64	0.11	0.00
FULL YEAR 1993		1.38	1.24	1.52	0.29	2.27	2.36	0.12	0.00
EPISODES		440	193	247	6	93	333	8	0

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 156

MULTIPLE SCLEROSIS

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	0.26	0.26	0.25	0.00	0.00	0.48	0.20	0.00
2	0.13	0.09	0.17	0.00	0.00	0.10	0.40	0.00
3	0.51	0.35	0.66	0.00	0.00	0.86	0.40	0.30
4	0.13	0.09	0.17	0.00	0.00	0.19	0.20	0.00
5	0.34	0.35	0.33	0.00	0.00	0.57	0.39	0.00
6	0.36	0.33	0.39	0.00	0.31	0.45	0.37	0.28
7	0.66	0.48	0.84	0.00	0.00	0.97	0.90	0.27
8	0.41	0.34	0.48	0.00	0.32	0.65	0.37	0.00
9	0.35	0.08	0.61	0.00	0.00	0.27	1.06	0.00
10	0.46	0.08	0.83	0.00	0.00	0.26	1.23	0.54
11	0.27	0.08	0.45	0.00	0.00	0.26	0.70	0.00
12	0.39	0.16	0.61	0.00	0.00	0.35	1.05	0.00
13	0.30	0.18	0.42	0.00	0.00	0.19	0.97	0.00
QUARTER								
1	0.30	0.24	0.36	0.00	0.00	0.47	0.37	0.09
2	0.36	0.29	0.42	0.00	0.10	0.54	0.36	0.18
3	0.40	0.22	0.57	0.00	0.09	0.41	0.88	0.08
4	0.36	0.13	0.58	0.00	0.00	0.31	0.94	0.08
FULL YEAR 1993	0.35	0.22	0.49	0.00	0.05	0.43	0.65	0.11
EPISODES	113	34	79	0	2	61	45	5

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 15

MUMPS

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	0.55	0.44	0.67	1.31	2.34	0.19	0.39	0.00
2	0.43	0.44	0.42	3.26	0.33	0.38	0.00	0.00
3	0.51	0.70	0.33	1.95	2.31	0.19	0.00	0.00
4	0.43	0.53	0.34	1.99	1.02	0.39	0.00	0.00
5	0.13	0.00	0.25	0.65	0.00	0.19	0.00	0.00
6	0.44	0.41	0.47	1.20	1.54	0.18	0.19	0.28
7	0.82	1.04	0.61	2.96	3.33	0.35	0.00	0.27
8	0.33	0.59	0.08	2.56	0.32	0.19	0.18	0.00
9	0.39	0.32	0.46	1.81	1.21	0.27	0.00	0.00
10	0.31	0.16	0.46	0.00	0.90	0.44	0.00	0.00
11	0.46	0.63	0.30	1.19	2.10	0.18	0.18	0.00
12	0.39	0.71	0.08	1.79	2.10	0.00	0.00	0.00
13	0.64	0.61	0.67	4.02	1.00	0.39	0.39	0.00
QUARTER								
1	0.47	0.51	0.44	2.01	1.54	0.27	0.12	0.00
2	0.37	0.31	0.42	1.35	1.29	0.20	0.06	0.09
3	0.50	0.60	0.40	2.06	1.32	0.39	0.06	0.08
4	0.45	0.60	0.31	2.08	1.62	0.17	0.17	0.00
FULL YEAR 1993	0.45	0.51	0.39	1.88	1.44	0.26	0.10	0.04
EPISODES	143	79	64	39	59	36	7	2

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 211

MYOCARDIAL INFARCTION (ACUTE)

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	3.16	4.12	2.25	0.00	0.00	0.29	3.94	14.90
2	2.79	3.69	1.92	0.00	0.00	0.19	4.38	12.16
3	3.49	4.45	2.57	0.00	0.00	0.48	4.55	15.97
4	3.08	4.09	2.12	0.00	0.00	0.68	4.03	13.20
5	2.57	2.85	2.31	0.00	0.00	0.38	5.30	8.78
6	2.55	2.86	2.26	0.00	0.00	0.09	4.11	11.43
7	2.73	3.04	2.44	0.00	0.00	0.26	3.07	13.48
8	2.71	3.10	2.33	0.00	0.00	0.56	3.69	11.18
9	3.33	4.16	2.53	0.00	0.00	0.62	6.03	11.81
10	2.21	2.77	1.67	0.00	0.00	0.18	3.34	9.63
11	2.63	3.31	1.97	0.00	0.00	0.09	4.55	10.89
12	3.37	3.96	2.81	0.00	0.00	0.09	5.44	14.66
13	2.57	3.24	1.93	0.00	0.00	0.29	3.49	11.38
QUARTER								
1	3.10	4.05	2.21	0.00	0.00	0.32	4.15	14.26
2	2.79	3.26	2.33	0.00	0.00	0.34	4.38	11.75
3	2.77	3.31	2.26	0.00	0.00	0.47	4.47	10.85
4	2.78	3.43	2.16	0.00	0.00	0.14	4.22	12.27
FULL YEAR 1993	2.86	3.50	2.24	0.00	0.00	0.32	4.31	12.25
EPISODES	910	545	365	0	0	45	299	566

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 89

MYXOEDEMA

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	2.09	0.61	3.50	0.00	0.00	0.86	4.93	4.38
2	2.14	0.62	3.60	0.00	0.00	1.15	3.58	5.93
3	2.98	1.22	4.65	0.00	0.00	1.62	6.14	6.51
4	2.43	1.07	3.73	0.00	0.00	1.55	4.43	5.40
5	2.36	0.35	4.29	0.00	0.00	1.42	3.34	7.03
6	2.31	0.57	3.97	0.00	0.00	1.07	4.30	6.41
7	2.58	0.80	4.26	0.00	0.30	1.49	5.06	5.39
8	1.89	0.67	3.05	0.00	0.00	1.59	3.14	3.35
9	2.27	0.40	4.06	0.00	0.00	0.89	5.50	4.56
10	2.40	0.87	3.87	0.00	0.00	1.32	4.39	5.89
11	2.05	0.00	4.01	1.19	0.00	1.05	3.15	5.58
12	2.36	1.27	3.42	0.00	0.30	1.24	4.91	4.80
13	1.59	0.44	2.69	0.00	0.00	0.78	3.88	2.63
QUARTER								
1	2.41	0.81	3.93	0.00	0.00	1.27	4.94	5.36
2	2.44	0.65	4.15	0.00	0.00	1.31	4.02	6.89
3	2.16	0.70	3.57	0.00	0.09	1.35	4.30	4.17
4	2.07	0.58	3.51	0.38	0.10	1.00	4.22	4.54
FULL YEAR 1993	2.27	0.68	3.78	0.10	0.05	1.23	4.36	5.22
EPISODES	722	106	616	2	2	174	303	241

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 183

OTITIS MEDIA (ACUTE)

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	111.64	111.91	111.37	848.28	226.24	44.43	26.81	13.73
2	135.16	137.11	133.31	1074.06	313.07	39.18	23.68	12.75
3	128.91	131.44	126.49	949.08	346.95	36.23	20.39	10.05
4	90.61	90.20	91.00	674.46	212.40	28.75	21.94	12.30
5	71.96	75.38	68.70	525.72	182.45	23.87	11.58	7.91
6	63.48	62.82	64.12	436.36	148.63	23.37	16.44	8.08
7	61.97	61.76	62.18	446.98	138.00	23.80	14.10	7.01
8	58.07	57.67	58.45	408.04	125.02	24.48	18.63	6.71
9	38.76	39.27	38.27	226.43	74.86	22.82	12.06	11.27
10	68.31	71.36	65.37	531.36	141.16	24.86	13.88	8.56
11	96.23	95.87	96.57	787.09	199.44	30.31	18.55	12.49
12	125.97	128.67	123.37	1028.77	285.79	36.00	21.39	9.59
13	136.04	136.77	135.35	1116.87	305.05	43.38	23.06	8.17
QUARTER								
1	124.45	126.27	122.72	946.87	296.16	39.40	24.05	12.45
2	69.50	69.62	69.38	498.35	165.98	24.31	15.09	8.48
3	54.41	55.27	53.58	386.16	110.79	23.94	14.68	8.26
4	115.95	117.20	114.74	945.60	255.34	35.57	20.65	10.42
FULL YEAR 1993	90.61	91.62	89.65	690.56	205.58	30.70	18.54	9.87
EPISODES	28860	14257	14603	14335	8424	4333	1287	456

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 251

PLEURISY

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD 1	4.05	3.42	4.66	0.00	1.00	3.07	6.90	7.30
2	3.04	2.11	3.93	1.30	1.34	2.50	4.18	5.34
3	2.85	2.27	3.40	0.65	0.66	2.47	4.35	4.73
4	2.69	2.22	3.13	0.00	0.68	3.20	3.82	2.40
5	2.41	1.99	2.80	0.00	0.33	1.98	2.55	6.44
6	2.23	1.96	2.49	0.00	1.23	1.61	2.99	5.02
7	2.58	2.64	2.51	0.59	0.91	2.46	2.89	4.85
8	2.30	2.18	2.41	0.64	0.64	2.34	2.95	3.35
9	1.53	1.04	1.99	0.00	0.61	1.16	2.13	3.22
10	1.97	1.58	2.35	0.00	0.60	1.05	3.69	4.28
11	3.25	3.00	3.48	0.00	0.30	1.93	6.65	6.11
12	3.29	2.45	4.10	0.60	0.90	2.65	4.91	6.13
13	3.81	3.15	4.45	1.34	2.34	3.12	3.68	8.46
QUARTER 1	3.26	2.51	3.98	0.60	1.03	2.77	4.94	5.45
2	2.39	2.19	2.58	0.00	0.89	2.14	3.02	4.68
3	2.01	1.67	2.33	0.37	0.47	1.55	2.87	4.17
4	3.40	2.85	3.92	0.57	1.14	2.59	5.11	6.47
FULL YEAR 1993	2.76	2.30	3.19	0.39	0.88	2.25	3.98	5.19
EPISODES	878	358	520	8	36	318	276	240

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 246

PNEUMONIA AND PNEUMONITIS

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	5.08	3.77	6.33	5.25	0.33	2.02	3.15	21.32
2	4.37	4.48	4.27	6.52	1.34	2.02	4.18	13.64
3	4.08	4.01	4.15	1.95	0.66	1.81	4.35	14.79
4	3.56	3.47	3.64	3.98	1.69	1.46	2.82	12.60
5	2.95	3.03	2.89	3.89	0.33	0.85	3.53	10.54
6	3.35	3.19	3.51	3.60	4.01	0.98	2.43	11.43
7	2.54	2.56	2.51	4.14	1.51	0.53	2.53	8.90
8	2.79	2.10	3.45	5.12	1.28	0.65	2.58	9.78
9	2.54	2.72	2.38	0.00	0.91	1.16	1.42	11.00
10	2.13	2.13	2.12	4.74	2.39	0.79	1.41	5.89
11	4.33	3.95	4.70	4.76	1.50	1.49	3.85	15.94
12	5.04	5.31	4.78	6.56	1.80	2.03	2.63	19.98
13	4.97	4.11	5.80	13.40	1.67	2.05	3.10	15.76
QUARTER								
1	4.43	3.99	4.85	4.83	0.92	1.89	3.78	16.17
2	3.14	3.08	3.20	3.68	1.88	1.05	2.84	10.95
3	2.54	2.46	2.62	3.18	1.51	0.77	1.82	9.60
4	4.55	4.26	4.83	7.77	1.71	1.76	3.22	16.05
FULL YEAR 1993	3.65	3.44	3.86	4.87	1.51	1.36	2.90	13.16
EPISODES	1164	535	629	101	62	192	201	608

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 405

RHEUMATOID ARTHRITIS

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	1.96	1.49	2.41	0.00	0.00	1.06	3.94	4.38
2	1.67	1.41	1.92	0.00	0.33	0.38	3.78	4.45
3	1.70	1.48	1.91	0.00	0.00	1.33	2.97	3.25
4	1.47	0.62	2.29	0.00	0.00	0.58	2.21	5.10
5	1.39	0.78	1.98	0.00	0.00	0.75	2.94	2.93
6	1.72	1.15	2.26	0.00	0.00	0.89	2.62	5.30
7	1.21	0.40	1.98	0.00	0.30	0.79	2.71	1.62
8	1.93	0.84	2.97	0.00	0.00	1.03	4.06	3.91
9	1.25	0.80	1.69	0.00	0.00	0.53	1.77	4.29
10	1.59	0.95	2.20	0.00	0.00	1.14	2.81	3.21
11	1.43	1.18	1.67	0.00	0.00	0.70	3.68	2.13
12	2.02	1.50	2.51	0.00	0.00	1.32	3.33	4.80
13	1.84	1.40	2.27	0.00	0.00	0.97	3.10	4.96
QUARTER								
1	1.78	1.40	2.13	0.00	0.10	0.88	3.48	4.27
2	1.49	0.78	2.16	0.00	0.00	0.77	2.84	3.71
3	1.46	0.77	2.12	0.00	0.09	0.91	2.54	3.34
4	1.79	1.35	2.21	0.00	0.00	0.98	3.44	4.12
FULL YEAR 1993	1.63	1.07	2.15	0.00	0.05	0.89	3.07	3.85
EPISODES	518	167	351	0	2	125	213	178

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 12

RUBELLA

PERIOD	MALE AND FEMALE	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	1.88	1.93	1.83	8.53	3.68	1.92	0.00	0.00
2	1.59	2.11	1.09	5.87	4.02	1.35	0.40	0.00
3	2.81	3.57	2.07	15.57	6.27	1.81	0.59	0.30
4	1.91	3.20	0.68	5.97	6.09	1.55	0.20	0.00
5	2.40	2.85	1.98	11.02	5.26	2.27	0.00	0.00
6	2.52	3.60	1.48	10.20	4.93	2.68	0.00	0.00
7	1.45	1.84	1.07	7.11	5.45	0.62	0.00	0.00
8	1.19	1.26	1.12	7.04	3.20	0.75	0.00	0.00
9	0.86	0.88	0.84	7.24	1.52	0.45	0.00	0.00
10	0.96	1.03	0.91	10.67	1.80	0.09	0.00	0.00
11	0.74	0.71	0.76	6.54	2.10	0.09	0.00	0.00
12	0.58	0.55	0.61	5.96	0.60	0.27	0.00	0.00
13	0.43	0.35	0.50	2.68	1.00	0.29	0.00	0.00
QUARTER								
1	2.10	2.67	1.54	9.66	4.92	1.68	0.31	0.09
2	2.20	2.92	1.51	9.09	5.43	1.99	0.06	0.00
3	1.06	1.22	0.90	8.05	2.55	0.47	0.00	0.00
4	0.60	0.55	0.65	5.49	1.24	0.20	0.00	0.00
FULL YEAR								
1993	1.47	1.81	1.15	8.04	3.49	1.07	0.08	0.02
EPISODES	468	282	186	167	143	151	6	1

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 22

SCABIES

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	8.11	6.48	9.66	12.47	16.04	9.02	3.75	2.92
2	6.51	4.57	8.36	11.09	12.71	8.07	2.19	0.30
3	6.67	5.67	7.64	9.08	13.20	7.61	2.57	2.96
4	5.81	5.51	6.10	11.29	8.81	7.67	1.81	0.90
5	5.99	5.79	6.19	12.96	8.55	6.60	2.94	3.22
6	5.63	5.07	6.15	11.40	9.87	6.06	2.24	2.79
7	4.96	4.41	5.48	9.47	9.99	4.92	1.27	4.04
8	6.48	5.62	7.31	12.15	13.14	7.29	2.95	1.12
9	6.07	4.72	7.36	7.25	14.85	7.13	1.06	1.88
10	7.47	6.32	8.57	13.05	12.86	9.31	2.46	2.14
11	8.39	7.97	8.79	13.09	15.00	9.75	3.68	3.45
12	8.72	7.84	9.57	14.32	15.89	11.29	2.45	1.60
13	6.52	4.99	7.98	12.73	11.69	7.12	2.91	2.92
QUARTER								
1	7.18	5.88	8.42	11.67	13.96	8.37	2.75	2.00
2	5.54	5.06	6.01	10.83	9.09	6.29	2.01	2.91
3	6.07	4.95	7.14	10.11	12.45	6.93	2.21	1.75
4	8.11	7.23	8.96	13.64	14.65	9.78	2.94	2.69
FULL YEAR 1993	6.73	5.78	7.63	11.56	12.54	7.84	2.48	2.34
EPISODES	2143	900	1243	240	514	1107	172	108

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 6

SCARLET FEVER

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	2.05	2.36	1.75	9.18	4.34	1.54	0.79	0.29
2	3.94	3.95	3.93	17.61	10.37	3.07	0.40	0.00
3	2.47	2.70	2.24	16.22	5.61	1.33	0.20	0.30
4	1.91	2.31	1.53	8.63	4.74	1.36	0.40	0.30
5	1.22	0.95	1.48	4.54	2.30	1.32	0.20	0.00
6	1.36	1.47	1.25	5.40	2.47	1.25	0.37	0.28
7	1.72	1.28	2.13	4.14	5.14	1.49	0.00	0.81
8	1.68	1.93	1.45	3.20	5.13	1.59	0.55	0.00
9	0.67	0.56	0.77	1.21	0.91	0.71	0.53	0.27
10	1.51	1.90	1.14	3.56	3.29	1.76	0.18	0.27
11	1.20	1.50	0.91	4.76	3.00	1.14	0.00	0.00
12	1.36	1.19	1.52	7.76	3.00	0.97	0.18	0.00
13	1.20	1.31	1.09	4.69	4.01	0.68	0.39	0.00
QUARTER								
1	2.80	2.97	2.64	14.08	6.88	1.98	0.43	0.18
2	1.50	1.49	1.51	5.80	3.26	1.31	0.30	0.35
3	1.28	1.32	1.24	2.43	3.21	1.35	0.39	0.17
4	1.27	1.43	1.13	5.68	3.33	0.98	0.17	0.08
FULL YEAR 1993	1.70	1.78	1.61	6.89	4.12	1.40	0.32	0.19
EPISODES	540	277	263	143	169	197	22	9

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 243

SINUSITIS (ACUTE)

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	76.13	49.83	101.14	9.18	32.75	95.87	103.11	43.82
2	68.57	39.81	95.93	9.13	41.81	90.64	73.83	43.30
3	70.92	46.20	94.45	11.68	38.62	93.85	81.75	39.33
4	52.53	35.55	68.71	7.97	20.32	67.40	68.24	31.81
5	40.48	25.33	54.92	5.83	20.05	53.31	45.54	26.94
6	36.63	21.92	50.64	4.80	16.04	47.54	47.09	20.34
7	35.83	22.43	48.55	5.92	19.67	46.19	43.92	19.95
8	32.97	17.35	47.93	1.28	8.66	44.66	39.10	23.48
9	29.95	19.04	40.41	2.42	8.49	39.22	38.65	19.86
10	40.56	21.73	58.62	5.34	21.53	53.06	48.86	22.75
11	58.28	32.04	83.46	5.95	22.79	81.78	63.89	33.48
12	66.39	40.54	91.18	9.55	44.68	88.15	73.65	34.11
13	70.04	40.86	98.05	8.71	28.73	95.33	80.24	41.45
QUARTER								
1	71.04	44.84	95.96	10.06	37.15	92.45	84.96	41.88
2	40.39	25.60	54.48	5.22	18.29	52.04	51.07	24.11
3	33.78	19.68	47.28	3.56	12.16	44.68	41.67	21.37
4	63.43	36.60	89.18	8.15	32.35	86.33	70.48	35.55
FULL YEAR 1993	51.90	31.47	71.41	6.70	24.79	68.58	61.65	30.58
EPISODES	16530	4898	11632	139	1016	9678	4280	1413

(5)

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 350

SPONTANEOUS ABORTION

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	2.48	0.00	4.83	0.00	0.00	5.47	0.20	0.00
2	2.49	0.00	4.85	0.00	0.00	5.57	0.00	0.00
3	1.91	0.00	3.73	0.00	0.00	4.28	0.00	0.00
4	1.43	0.00	2.80	0.00	0.00	3.20	0.00	0.00
5	2.41	0.00	4.70	0.00	0.00	5.38	0.00	0.00
6	1.48	0.00	2.88	0.00	0.00	3.21	0.19	0.00
7	1.95	0.00	3.81	0.00	0.00	4.39	0.00	0.00
8	1.89	0.00	3.69	0.00	0.00	4.30	0.00	0.00
9	1.61	0.00	3.14	0.00	0.00	3.65	0.00	0.00
10	1.70	0.00	3.34	0.00	0.00	3.87	0.00	0.00
11	1.70	0.00	3.33	0.00	0.30	3.78	0.00	0.00
12	2.09	0.00	4.10	0.00	0.00	4.76	0.00	0.00
13	2.01	0.00	3.95	0.00	0.00	4.58	0.00	0.00
QUARTER								
1	2.17	0.00	4.24	0.00	0.00	4.84	0.06	0.00
2	1.87	0.00	3.65	0.00	0.00	4.16	0.06	0.00
3	1.77	0.00	3.47	0.00	0.00	4.03	0.00	0.00
4	1.91	0.00	3.75	0.00	0.10	4.32	0.00	0.00
FULL YEAR 1993	1.93	0.00	3.77	0.00	0.02	4.33	0.03	0.00
EPISODES	614	0	614	0	1	611	2	0

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 603

SUICIDE

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD 1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.04	0.09	0.00	0.00	0.00	0.00	0.00	0.30
4	0.09	0.00	0.17	0.00	0.00	0.19	0.00	0.00
5	0.04	0.00	0.08	0.00	0.00	0.09	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.12	0.00	0.24	0.00	0.00	0.19	0.00	0.28
9	0.08	0.08	0.08	0.00	0.00	0.09	0.18	0.00
10	0.04	0.00	0.08	0.00	0.00	0.09	0.00	0.00
11	0.04	0.08	0.00	0.00	0.00	0.09	0.00	0.00
12	0.04	0.00	0.08	0.00	0.00	0.09	0.00	0.00
13	0.04	0.09	0.00	0.00	0.00	0.10	0.00	0.00
QUARTER 1	0.01	0.03	0.00	0.00	0.00	0.00	0.00	0.09
2	0.04	0.00	0.07	0.00	0.00	0.09	0.00	0.00
3	0.07	0.02	0.12	0.00	0.00	0.11	0.06	0.08
4	0.04	0.05	0.02	0.00	0.00	0.08	0.00	0.00
FULL YEAR 1993	0.04	0.03	0.06	0.00	0.00	0.07	0.01	0.04
EPISODES	13	4	9	0	0	10	1	2

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 602

SUICIDE ATTEMPTED

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	0.90	0.96	0.83	0.00	0.00	1.44	0.79	0.58
2	0.51	0.44	0.59	0.00	0.33	0.86	0.40	0.00
3	0.47	0.35	0.58	0.00	0.33	0.57	0.79	0.00
4	0.61	0.53	0.68	0.00	0.34	0.87	0.20	0.90
5	0.84	0.95	0.74	0.00	0.33	1.70	0.00	0.29
6	0.52	0.65	0.39	0.00	0.00	0.89	0.56	0.00
7	0.59	0.48	0.68	0.00	0.00	0.88	0.90	0.00
8	0.57	0.50	0.64	0.00	0.00	1.21	0.00	0.28
9	0.63	0.64	0.61	0.00	0.00	1.16	0.35	0.27
10	0.89	0.71	1.06	0.00	1.20	0.97	1.05	0.54
11	0.54	0.24	0.83	0.00	0.30	1.05	0.00	0.27
12	0.50	0.48	0.53	0.00	0.60	0.71	0.35	0.27
13	0.30	0.09	0.50	0.00	0.00	0.39	0.58	0.00
QUARTER								
1	0.62	0.57	0.67	0.00	0.21	0.94	0.61	0.27
2	0.62	0.65	0.60	0.00	0.20	1.05	0.41	0.26
3	0.67	0.65	0.69	0.00	0.19	1.21	0.33	0.25
4	0.51	0.30	0.72	0.00	0.48	0.70	0.50	0.25
FULL YEAR 1993	0.61	0.54	0.67	0.00	0.27	0.98	0.46	0.26
EPISODES	193	84	109	0	11	138	32	12

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 88

THYROTOXICOSIS

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	0.55	0.18	0.92	0.00	0.00	0.96	0.39	0.29
2	0.51	0.35	0.67	0.00	0.00	0.67	0.20	1.19
3	0.81	0.26	1.33	0.00	0.00	0.86	0.79	1.77
4	0.74	0.27	1.19	0.00	0.00	0.68	1.41	0.90
5	0.76	0.26	1.24	0.00	0.33	0.66	0.98	1.46
6	0.64	0.25	1.01	0.00	0.00	0.45	1.49	0.84
7	0.62	0.08	1.14	0.00	0.00	0.79	0.72	0.81
8	0.90	0.08	1.69	0.00	0.00	0.75	0.92	2.52
9	0.78	0.32	1.23	0.00	0.00	0.89	1.06	1.07
10	0.70	0.32	1.06	0.00	0.00	0.88	0.35	1.61
11	0.66	0.24	1.06	0.00	0.00	0.53	1.05	1.33
12	0.54	0.16	0.91	0.00	0.00	0.71	0.35	1.07
13	0.99	0.35	1.60	0.00	0.00	0.78	2.33	0.88
QUARTER								
1	0.66	0.27	1.03	0.00	0.00	0.83	0.55	1.18
2	0.70	0.23	1.14	0.00	0.10	0.63	1.30	0.88
3	0.73	0.17	1.26	0.00	0.00	0.77	0.72	1.59
4	0.74	0.28	1.18	0.00	0.00	0.72	1.11	1.18
FULL YEAR 1993	0.71	0.24	1.15	0.00	0.02	0.74	0.92	1.21
EPISODES	225	37	188	0	1	104	64	56

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 242

TONSILLITIS

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	120.13	102.02	137.34	290.63	287.40	124.66	32.33	14.31
2	120.94	100.63	140.25	343.67	291.67	119.93	27.66	10.38
3	128.57	107.74	148.40	382.10	332.42	119.71	25.34	11.83
4	95.99	80.96	110.32	235.00	199.18	106.73	25.37	13.81
5	91.88	75.64	107.37	241.15	209.73	95.20	24.14	9.96
6	95.29	76.89	112.81	287.50	214.01	94.00	22.80	10.87
7	100.88	86.67	114.38	286.54	266.61	92.21	25.49	7.82
8	84.52	71.42	97.07	224.48	160.93	96.90	22.87	12.30
9	70.43	59.67	80.75	144.92	121.84	87.97	23.23	10.20
10	87.04	67.97	105.34	226.54	213.84	88.03	19.68	9.90
11	105.04	87.74	121.64	318.88	259.72	99.09	23.11	14.35
12	115.73	97.08	133.62	358.64	288.79	106.50	27.00	15.72
13	128.59	105.62	150.64	287.42	274.31	136.86	49.62	25.98
QUARTER								
1	122.90	103.58	141.28	337.02	304.37	120.91	28.26	12.45
2	93.01	76.94	108.32	260.98	205.32	95.59	24.02	10.86
3	82.85	68.67	96.44	199.91	178.59	91.42	22.85	10.35
4	114.79	95.20	133.60	321.20	273.22	111.92	31.58	17.57
FULL YEAR 1993	103.10	85.83	119.60	278.78	239.38	104.76	26.68	12.83
EPISODES	32837	13357	19480	5787	9809	14784	1852	593

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 8

WHOOPING COUGH

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	0.21	0.26	0.17	1.31	0.67	0.10	0.00	0.00
2	0.30	0.26	0.33	1.96	1.34	0.00	0.00	0.00
3	0.34	0.26	0.41	1.95	0.99	0.19	0.00	0.00
4	0.22	0.00	0.42	0.66	1.02	0.10	0.00	0.00
5	0.34	0.35	0.33	1.94	1.64	0.00	0.00	0.00
6	0.44	0.08	0.78	1.80	2.16	0.00	0.19	0.00
7	0.16	0.32	0.00	1.78	0.30	0.00	0.00	0.00
8	0.45	0.59	0.32	3.20	1.60	0.09	0.00	0.00
9	0.43	0.24	0.61	4.23	0.91	0.09	0.00	0.00
10	0.31	0.32	0.30	3.56	0.60	0.00	0.00	0.00
11	0.50	0.16	0.83	4.76	1.50	0.00	0.00	0.00
12	0.27	0.16	0.38	2.39	0.90	0.00	0.00	0.00
13	0.30	0.26	0.34	2.68	1.00	0.00	0.00	0.00
QUARTER								
1	0.28	0.24	0.31	1.61	1.03	0.09	0.00	0.00
2	0.31	0.16	0.45	1.35	1.48	0.03	0.06	0.00
3	0.40	0.42	0.38	3.93	0.94	0.06	0.00	0.00
4	0.33	0.18	0.48	3.03	1.05	0.00	0.00	0.00
FULL YEAR 1993	0.33	0.25	0.41	2.50	1.12	0.04	0.01	0.00
EPISODES	105	39	66	52	46	6	1	0

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 601

OTHER RECOGNISED COMMUNICABLE DISEASES

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	152.77	117.69	186.12	328.68	251.64	163.33	78.86	65.43
2	160.32	122.17	196.62	384.76	268.25	170.24	81.59	49.23
3	168.79	132.93	202.93	393.77	302.71	170.58	89.08	59.74
4	138.06	105.40	169.20	290.76	218.49	145.09	80.32	62.12
5	151.39	112.64	188.36	318.93	250.50	161.62	86.57	52.41
6	148.80	112.96	182.93	337.92	227.27	158.67	79.41	62.15
7	161.38	121.92	198.86	349.30	247.85	174.32	93.09	60.65
8	141.24	101.84	178.97	315.30	214.78	153.99	78.58	57.87
9	125.75	97.02	153.30	243.94	189.12	138.95	69.86	61.99
10	134.29	99.50	167.67	300.07	215.04	142.76	75.93	50.31
11	139.55	104.47	173.21	354.58	249.82	137.91	68.27	58.99
12	145.54	111.49	178.18	393.84	239.01	142.59	78.03	63.15
13	102.05	76.04	127.03	253.25	155.37	108.01	51.17	47.87
QUARTER								
1	159.85	123.35	194.57	369.61	271.74	166.91	83.44	58.06
2	148.40	112.76	182.35	316.69	236.27	158.08	84.03	58.82
3	137.00	101.52	170.96	292.57	208.10	150.12	75.61	57.85
4	131.26	99.03	162.18	337.50	218.62	131.46	68.49	56.90
FULL YEAR								
1993	143.79	108.85	177.18	328.44	232.89	151.39	77.66	57.89
EPISODES	45798	16939	28859	6818	9543	21366	5391	2675

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 612

OTHER RECOGNISED RESPIRATORY DISEASES

PERIOD	MALE AND FEMALE ALL AGES	MALE ALL AGES	FEMALE ALL AGES	AGES 0-4	AGES 5-14	AGES 15-44	AGES 45-64	AGES 65+
4 WEEKLY PERIOD								
1	28.63	25.92	31.21	70.20	24.73	19.38	30.95	37.97
2	24.00	20.57	27.26	75.65	27.43	15.84	23.08	24.02
3	22.83	20.75	24.82	56.44	22.45	17.40	21.38	26.91
4	20.65	19.11	22.11	47.13	23.71	15.83	18.12	24.61
5	20.93	18.15	23.59	42.14	20.71	16.98	21.59	22.84
6	19.75	18.08	21.35	40.21	20.97	14.98	20.18	23.13
7	16.70	16.02	17.35	39.67	19.07	12.56	17.89	15.09
8	17.92	15.76	19.99	38.37	19.23	13.83	15.68	23.48
9	15.66	15.12	16.18	30.79	14.55	12.30	14.19	22.27
10	19.78	18.26	21.23	55.75	22.73	13.71	18.45	21.41
11	27.82	24.93	30.60	76.75	29.09	19.85	25.21	32.95
12	27.32	24.07	30.44	81.16	33.89	18.00	24.72	29.58
13	20.49	18.38	22.52	63.65	19.38	13.06	21.13	23.93
QUARTER								
1	25.17	22.56	27.65	67.40	25.35	17.61	24.90	29.53
2	19.27	17.46	20.98	38.69	20.46	15.23	19.29	21.73
3	17.25	16.05	18.39	40.99	18.20	13.06	15.67	20.87
4	25.34	22.53	28.03	74.09	27.87	16.86	24.09	28.91
FULL YEAR 1993	21.71	19.61	23.71	55.16	22.94	15.66	20.92	25.21
EPISODES	6914	3052	3862	1145	940	2210	1452	1165

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	45.71	45.69	45.73	163.24	67.84	30.26	37.85	33.93
2	39.10	39.97	38.26	108.29	70.54	29.17	29.54	25.17
3	43.40	42.29	44.48	125.41	80.56	33.99	29.64	24.64
4	53.33	52.22	54.40	156.34	104.87	36.68	36.06	39.84
Year 1993	45.49	45.11	45.85	138.15	81.30	32.63	33.21	30.91
Episodes	4342	2112	2230	834	1006	1368	696	438
CENTRAL								
Quarter 1	43.99	43.77	44.21	132.11	78.87	30.76	34.06	27.82
2	48.68	45.87	51.36	125.86	84.78	39.97	31.36	32.92
3	47.14	44.53	49.63	126.90	89.00	36.89	31.24	28.48
4	62.64	59.95	65.22	204.79	121.61	44.45	38.53	37.84
Year 1993	50.80	48.70	52.80	147.98	94.00	38.13	33.86	32.20
Episodes	5979	2800	3179	1116	1469	1980	863	551
SOUTH								
Quarter 1	53.10	54.83	51.45	196.95	86.66	36.56	34.72	36.02
2	53.87	55.03	52.79	168.95	93.20	42.08	31.91	35.53
3	48.52	47.22	49.76	123.90	86.72	39.92	31.38	31.90
4	61.47	62.84	60.16	191.15	109.04	44.97	38.09	45.74
Year 1993	54.18	54.89	53.50	169.49	93.94	40.89	33.99	37.32
Episodes	5707	2816	2891	1217	1219	1933	781	557
URBAN								
Quarter 1	50.02	50.44	49.62	172.43	79.89	33.58	37.86	33.94
2	48.76	48.97	48.56	139.71	85.68	37.20	32.23	31.99
3	47.62	46.37	48.82	129.77	85.55	37.32	33.25	28.19
4	61.28	61.32	61.23	194.29	113.57	42.64	39.93	41.44
Year 1993	51.97	51.81	52.13	158.74	91.45	37.77	35.80	33.92
Episodes	12565	6111	6454	2616	2850	4107	1828	1164
RURAL								
Quarter 1	40.35	41.07	39.66	132.09	72.36	29.51	29.12	28.13
2	43.95	41.59	46.21	122.33	74.80	38.72	27.55	29.83
3	42.62	39.37	45.76	107.92	86.24	35.98	23.62	28.96
4	53.51	49.55	57.35	152.25	109.68	40.96	31.15	39.44
Year 1993	45.13	42.93	47.25	128.76	86.02	36.24	27.88	32.12
Episodes	3463	1617	1846	551	844	1174	512	382

	M+F	M	F.	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	228.29	197.89	257.32	496.16	125.10	133.33	258.75	445.0
2	150.62	129.74	170.74	220.69	76.42	99.13	180.61	297.6
3	134.00	112.48	154.76	205.04	77.44	95.12	149.83	242.33
4	273.91	231.34	315.05	535.83	177.62	169.99	297.48	512.5
Year 1993	196.58	167.63	224.44	363.10	114.20	124.50	221.39	374.09
Episodes	18765	7848	10917	2192	1413	5219	4640	5301
CENTRAL								
Quarter 1	207.38	195.95	218.27	549.75	127.36	124.81	206.85	380.48
2	121.76	110.73	132.26	249.05	66.83	77.05	134.22	234.0
3	107.36	96.57	117.67	223.14	59.25	72.10	110.48	200.30
4	234.06	214.25	253.04	626.21	145.49	143.67	230.12	420.0
Year 1993	167.91	154.58	180.64	412.79	99.89	104.60	170.64	310.1
Episodes	19763	8888	10875	3113	1561	5432	4349	5308
SOUTH								
Quarter 1	183.52	169.11	197.15	501.84	114.13	112.71	177.98	322.27
2	113.76	105.25	121.79	256.70	69.82	76.72	112.29	202.77
3	102.11	91.21	112.49	234.32	62.27	72.00	94.47	180.4
4	202.58	187.50	216.98	597.47	135.01	123.55	194.64	333.65
Year 1993	149.53	137.39	161.06	393.30	94.71	95.71	143.97	258.9
Episodes	15751	7048	8703	2824	1229	4525	3308	3865
URBAN								
Quarter 1	215.54	192.62	237.27	521.92	127.25	126.25	227.23	415.5
2	134.14	119.26	148.28	254.20	70.59	87.08	151.06	259.98
3	120.30	104.93	134.97	231.01	68.59	83.26	126.47	221.0
4	246.56	218.48	273.43	597.39	157.34	149.70	256.10	448.9
Year 1993	178.46	158.19	197.77	398.68	105.57	111.31	189.49	335.27
Episodes	43144	18658	24486	6570	3290	12103	9675	11506
RURAL								
Quarter 1	176.51	172.99	179.89	503.59	108.55	113.69	174.69	288.90
2	106.50	99.44	113.28	202.61	71.00	70.79	110.89	192.8
3	92.04	82.36	101.39	183.93	56.28	64.10	90.37	164.35
4	202.98	187.13	218.34	558.88	134.72	129.67	192.84	342.3
Year 1993	145.10	136.08	153.80	364.32	93.05	94.87	142.78	249.6
Episodes	11135	5126	6009	1559	913	3073	2622	2968

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	4.62	4.31	4.91	0.00	0.00	0.10	3.52	25.75
2	3.84	3.60	4.06	0.00	0.00	0.00	3.59	20.78
3	3.55	3.90	3.22	0.00	0.00	0.27	3.23	18.21
4	5.90	5.97	5.84	0.00	0.00	0.55	4.33	31.50
Year 1993	4.48	4.46	4.50	0.00	0.00	0.24	3.67	24.06
Episodes	428	209	219	0	0	10	77	341
CENTRAL								
Quarter 1	4.24	3.62	4.84	0.00	0.00	0.16	2.65	24.89
2	4.34	3.84	4.81	0.00	0.00	0.55	2.76	24.27
3	3.51	3.35	3.66	0.00	0.00	0.08	2.13	20.51
4	4.05	3.67	4.41	0.00	0.00	0.07	2.97	23.06
Year 1993	4.03	3.62	4.42	0.00	0.00	0.21	2.63	23.14
Episodes	474	208	266	0	0	11	67	396
SOUTH								
Quarter 1	3.66	4.12	3.22	0.00	0.00	0.00	1.82	23.00
2	4.62	3.87	5.33	0.00	0.00	0.17	2.44	28.59
3	4.36	3.83	4.87	0.00	0.00	0.33	3.34	24.64
4	4.80	4.56	5.03	0.00	0.00	0.17	2.09	29.87
Year 1993	4.37	4.09	4.63	0.00	0.00	0.17	2.44	26.53
Episodes	460	210	250	0	0	8	56	396
URBAN								
Quarter 1	4.33	3.85	4.79	0.00	0.00	0.04	2.80	26.42
2	4.57	4.11	5.01	0.00	0.00	0.22	3.45	26.66
3	4.02	4.02	4.02	0.00	0.00	0.21	3.41	22.42
4	4.89	4.48	5.29	0.00	0.00	0.29	3.23	28.49
Year 1993	4.45	4.12	4.77	0.00	0.00	0.19	3.23	25.96
Episodes	1077	486	591	0	0	21	165	891
RURAL								
Quarter 1	3.65	4.40	2.92	0.00	0.00	0.24	2.17	19.52
2	3.37	2.73	3.98	0.00	0.00	0.38	1.36	18.73
3	3.09	2.55	3.60	0.00	0.00	0.25	1.30	17.18
4	4.73	5.23	4.26	0.00	0.00	0.12	2.75	25.85
Year 1993	3.71	3.74	3.69	0.00	0.00	0.25	1.91	20.35
Episodes	285	141	144	0	0	8	35	242

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	17.16	17.89	16.47	139.61	35.11	8.02	1.24	0.00
2	16.90	17.92	15.91	126.79	35.92	8.88	0.80	0.59
3	10.06	11.47	8.71	72.74	24.98	4.66	0.72	0.27
4	10.00	9.89	10.11	78.17	23.93	4.41	0.00	0.27
Year 1993	13.37	14.12	12.64	102.70	29.82	6.42	0.67	0.28
Episodes	1276	661	615	620	369	269	14	4
CENTRAL								
Quarter 1	18.92	18.41	19.41	147.95	36.77	9.25	1.49	0.24
2	14.68	15.36	14.03	105.06	29.91	7.98	1.14	0.48
3	7.64	7.79	7.51	54.46	14.62	4.64	0.76	0.46
4	7.54	6.87	8.18	59.17	15.26	3.57	0.89	0.00
Year 1993	12.05	11.95	12.14	90.96	23.87	6.30	1.06	0.29
Episodes	1418	687	731	686	373	327	27	5
SOUTH								
Quarter 1	19.31	20.87	17.84	146.42	40.55	8.77	1.64	0.55
2	14.92	16.64	13.29	116.09	26.81	7.36	0.87	0.80
3	6.27	6.39	6.16	47.40	11.64	2.97	0.83	0.52
4	7.11	7.31	6.91	66.96	13.13	2.08	0.17	0.00
Year 1993	11.81	12.69	10.97	93.73	22.58	5.29	0.87	0.54
Episodes	1244	651	593	673	293	250	20	8
URBAN								
Quarter 1	19.92	20.39	19.47	150.00	38.85	9.45	1.44	0.25
2	15.57	16.40	14.78	109.64	29.94	8.51	0.96	0.59
3	7.93	8.66	7.24	57.99	15.86	3.97	0.74	0.22
4	7.58	7.64	7.52	61.91	14.13	3.39	0.23	0.11
Year 1993	12.54	13.05	12.05	93.57	24.29	6.24	0.82	0.32
Episodes	3031	1539	1492	1542	757	679	42	11
RURAL								
Quarter 1	14.53	15.30	13.79	127.50	33.34	6.50	1.52	0.33
2	14.92	17.03	12.89	136.67	33.38	6.39	0.90	0.69
3	7.90	7.77	8.02	55.37	19.84	4.50	0.87	1.01
4	9.98	8.89	11.04	89.12	27.02	3.21	0.85	0.00
Year 1993	11.82	12.21	11.44	102.12	28.33	5.16	1.03	0.50
Episodes	907	460	447	437	278	167	19	6

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	373.50	335.15	410.12	1746.92	629.27	254.17	186.56	194.82
2	227.09	192.63	260.29	1007.48	315.81	174.85	125.13	120.57
3	200.72	172.17	228.26	948.08	251.04	156.15	110.85	103.09
4	384.06	337.16	429.38	1966.83	598.98	255.95	187.33	193.56
Year 1993	295.34	258.22	331.08	1414.96	446.03	209.65	151.97	152.36
Episodes	28193	12089	16104	8542	5519	8788	3185	2159
CENTRAL								
Quarter 1	352.55	311.75	391.44	1564.09	549.95	256.80	180.39	177.18
2	229.26	196.01	260.94	945.55	339.62	171.95	127.72	130.00
3	209.61	181.19	236.78	952.31	272.80	165.28	111.40	111.43
4	390.05	338.28	439.64	2059.25	553.14	265.48	187.42	194.33
Year 1993	295.75	257.12	332.64	1384.48	428.68	214.99	151.77	154.08
Episodes	34810	14784	20026	10441	6699	11165	3868	2637
SOUTH								
Quarter 1	334.04	296.90	369.20	1589.36	554.61	208.49	176.16	181.50
2	190.33	169.41	210.06	858.38	260.27	138.14	105.49	100.45
3	152.54	134.82	169.42	732.06	187.99	112.83	84.62	72.35
4	326.41	285.73	365.25	1744.35	448.09	207.16	161.76	176.24
Year 1993	248.86	220.00	276.25	1218.63	357.88	165.64	131.05	132.52
Episodes	26214	11286	14928	8750	4644	7831	3011	1978
URBAN								
Quarter 1	391.01	348.07	431.73	1757.01	625.41	255.79	206.60	218.66
2	234.39	202.61	264.60	982.36	330.48	170.74	134.38	132.83
3	201.29	175.72	225.71	921.96	247.56	150.32	112.69	109.88
4	401.36	353.39	447.25	2065.26	564.34	254.86	202.49	223.18
Year 1993	305.29	268.36	340.48	1425.06	437.77	206.95	163.05	170.52
Episodes	73807	31652	42155	23484	13643	22503	8325	5852
RURAL								
Quarter 1	240.74	214.49	265.96	1152.11	426.87	189.80	114.72	92.00
2	154.72	133.27	175.32	734.00	231.16	128.55	77.24	72.16
3	144.07	121.73	165.66	684.11	209.74	126.07	72.17	54.90
4	260.97	219.02	301.63	1388.85	438.73	206.04	113.58	86.18
Year 1993	200.81	172.74	227.87	992.93	328.06	163.03	94.70	77.54
Episodes	15410	6507	8903	4249	3219	5281	1739	922

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	6.09	6.42	5.78	0.72	2.05	1.93	10.96	17.27
2	4.61	5.09	4.15	1.37	0.33	2.44	8.98	9.95
3	4.91	5.61	4.24	0.63	0.00	2.74	7.90	12.85
4	4.62	4.74	4.50	0.00	0.31	1.56	7.75	14.54
Year 1993	5.04	5.45	4.65	0.66	0.65	2.17	8.83	13.62
Episodes	481	255	226	4	8	91	185	193
CENTRAL								
Quarter 1	5.73	7.25	4.28	0.00	1.60	2.55	9.26	16.60
2	4.41	5.19	3.66	0.53	0.26	1.56	7.96	13.46
3	5.24	5.19	5.29	0.00	0.50	1.67	8.23	18.00
4	4.73	5.20	4.28	0.00	1.23	2.16	7.73	13.21
Year 1993	5.02	5.69	4.39	0.13	0.90	1.98	8.28	15.31
Episodes	591	327	264	1	14	103	211	262
SOUTH								
Quarter 1	3.89	4.21	3.60	0.00	0.33	0.78	8.18	12.19
2	4.85	3.95	5.69	0.00	3.12	2.48	7.32	12.56
3	5.46	5.79	5.16	0.00	0.87	2.64	9.51	14.78
4	5.57	5.74	5.41	1.14	0.31	2.95	9.22	14.80
Year 1993	4.96	4.93	4.98	0.28	1.16	2.22	8.57	13.60
Episodes	522	253	269	2	15	105	197	203
URBAN								
Quarter 1	5.32	6.03	4.65	0.26	1.65	1.52	10.19	16.16
2	5.16	5.34	4.98	0.73	1.29	2.54	8.90	13.75
3	5.78	6.23	5.36	0.23	0.25	2.59	10.51	16.32
4	5.12	5.40	4.85	0.48	0.75	2.23	8.27	15.54
Year 1993	5.35	5.75	4.97	0.42	0.96	2.23	9.46	15.44
Episodes	1293	678	615	7	30	243	483	530
RURAL								
Quarter 1	4.93	5.87	4.03	0.00	0.41	2.53	7.39	13.24
2	2.89	2.84	2.93	0.00	0.85	0.75	5.65	7.28
3	3.35	3.19	3.50	0.00	1.21	1.37	2.82	12.46
4	4.48	4.70	4.26	0.00	0.40	2.22	8.05	9.94
Year 1993	3.92	4.17	3.69	0.00	0.71	1.73	5.99	10.76
Episodes	301	157	144	0	7	56	110	128

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	8.11	7.89	8.32	2.15	15.68	9.24	5.79	3.94
2	96.52	91.35	101.49	72.65	179.29	122.65	49.09	23.70
3	25.79	25.05	26.51	11.91	39.66	31.52	19.04	13.12
4	6.87	6.21	7.50	0.63	9.76	7.81	7.03	4.04
Year 1993	33.91	32.25	35.51	21.37	60.86	42.42	19.99	11.15
Episodes	3237	1510	1727	129	753	1778	419	158
CENTRAL								
Quarter 1	9.37	7.83	10.84	2.73	14.12	10.52	8.27	6.10
2	121.59	110.59	132.06	83.73	224.42	162.01	48.91	26.91
3	22.20	18.99	25.27	15.86	36.56	25.94	15.39	10.94
4	5.94	5.73	6.13	2.57	6.40	6.91	4.76	5.82
Year 1993	39.32	35.25	43.00	26.12	69.56	50.78	18.99	12.33
Episodes	4616	2027	2589	197	1087	2637	484	211
SOUTH								
Quarter 1	11.25	10.92	11.56	6.32	13.41	13.55	9.27	7.48
2	118.76	113.46	123.76	70.85	220.99	154.76	54.93	35.80
3	20.69	20.00	21.34	8.08	34.05	26.56	12.35	9.34
4	5.80	5.27	6.31	2.29	5.50	6.93	4.70	5.92
Year 1993	39.51	37.70	41.23	22.28	68.20	51.40	20.33	14.74
Episodes	4162	1934	2228	160	885	2430	467	220
URBAN								
Quarter 1	10.44	9.92	10.92	3.61	15.92	12.07	8.74	6.01
2	116.79	109.57	123.64	81.01	212.02	151.25	53.00	30.10
3	23.87	22.31	25.35	13.56	38.72	28.67	16.51	11.32
4	6.76	6.22	7.27	2.14	7.50	7.74	6.17	6.08
Year 1993	39.36	36.88	41.73	25.18	68.47	50.02	20.94	13.37
Episodes	9516	4350	5166	415	2134	5439	1069	459
RURAL								
Quarter 1	7.29	5.87	8.66	4.59	9.76	8.43	5.65	5.63
2	101.85	93.98	109.40	56.39	202.00	137.07	45.39	25.32
3	19.24	17.45	20.98	5.63	29.96	24.86	12.57	10.44
4	4.32	4.18	4.46	0.93	5.96	5.31	3.39	2.98
Year 1993	32.56	29.76	35.27	16.59	60.23	43.40	16.39	10.93
Episodes	2499	1121	1378	71	591	1406	301	130

HERPES ZOSTER 14

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	7.98	5.96	9.90	2.15	2.73	4.16	10.76	22.42
2	8.02	6.32	9.65	1.37	2.29	4.20	12.77	20.49
3	7.23	6.34	8.08	0.63	3.43	4.39	10.06	17.41
4	6.71	5.39	7.97	1.26	4.09	4.14	9.74	14.27
Year 1993	7.46	6.00	8.86	1.33	3.15	4.22	10.78	18.49
Episodes	712	281	431	8	39	177	226	262
CENTRAL								
Quarter 1	6.97	5.29	8.57	0.55	2.93	3.75	10.25	18.55
2	6.45	6.54	6.37	0.53	4.68	3.44	9.91	14.90
3	6.78	6.01	7.51	1.59	5.04	3.57	11.12	13.67
4	6.33	5.40	7.22	1.54	5.66	3.12	7.14	17.46
Year 1993	6.63	5.81	7.41	1.06	4.61	3.47	9.57	16.13
Episodes	780	334	446	8	72	180	244	276
SOUTH								
Quarter 1	7.28	5.98	8.50	1.72	4.58	4.60	11.09	14.96
2	5.79	5.42	6.13	1.09	3.43	4.71	7.15	11.22
3	6.82	5.49	8.09	1.62	4.95	4.70	8.68	14.78
4	6.95	4.88	8.94	1.72	4.58	3.47	9.74	18.03
Year 1993	6.70	5.44	7.90	1.53	4.39	4.38	9.14	14.81
Episodes	706	279	427	11	57	207	210	221
URBAN								
Quarter 1	7.02	5.45	8.51	1.55	3.16	4.10	10.36	17.66
2	6.82	5.79	7.81	0.97	3.61	3.98	10.58	16.12
3	7.25	6.13	8.33	1.17	4.79	4.25	11.25	15.76
4	6.77	5.20	8.28	1.90	5.00	3.49	8.65	18.13
Year 1993	6.97	5.65	8.23	1.40	4.17	3.95	10.20	16.93
Episodes	1685	666	1019	23	130	430	521	581
RURAL								
Quarter 1	8.37	6.50	10.17	0.92	4.07	4.34	11.52	20.85
2	6.26	7.09	5.45	0.96	3.38	4.51	7.68	13.18
3	5.86	5.32	6.38	1.88	3.64	4.00	6.28	13.47
4	6.23	5.33	7.09	0.00	4.37	3.70	9.11	12.26
Year 1993	6.68	6.05	7.29	0.93	3.87	4.14	8.66	14.97
Episodes	513	228	285	4	38	134	159	178

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	69.73	64.31	74.91	407.38	82.15	41.63	38.26	45.75
2	57.89	51.04	64.50	299.50	49.31	42.93	35.72	39.80
3	56.90	51.72	61.89	252.70	51.83	45.50	32.88	46.86
4	58.19	52.62	63.56	305.74	58.89	38.98	30.83	48.99
Year 1993	60.48	54.72	66.01	313.74	60.21	42.27	34.26	45.45
Episodes	5773	2562	3211	1894	745	1772	718	644
CENTRAL								
Quarter 1	63.44	59.78	66.93	371.23	63.41	42.40	27.12	43.93
2	52.22	46.87	57.32	220.26	44.47	42.56	35.59	37.97
3	56.08	49.72	62.17	236.89	45.38	48.15	35.66	41.70
4	61.79	55.88	67.46	337.55	49.23	45.63	30.94	47.91
Year 1993	58.39	53.04	63.50	291.32	50.49	44.73	32.37	43.18
Episodes	6873	3050	3823	2197	789	2323	825	739
SOUTH								
Quarter 1	60.49	57.91	62.94	361.74	65.08	38.21	26.00	34.64
2	47.86	43.49	51.99	205.47	40.52	40.26	27.72	32.33
3	50.94	44.74	56.85	195.00	39.58	45.12	32.38	38.90
4	56.05	52.70	59.26	268.98	53.76	42.98	29.87	40.63
Year 1993	53.73	49.57	57.68	256.12	49.40	41.67	28.81	36.72
Episodes	5660	2543	3117	1839	641	1970	662	548
URBAN								
Quarter 1	69.95	65.55	74.13	399.50	76.32	42.33	33.44	46.34
2	55.86	50.16	61.28	248.87	46.84	43.06	35.84	40.64
3	56.86	50.68	62.75	237.09	46.09	47.50	35.47	42.40
4	61.02	56.61	65.23	312.15	55.41	42.78	31.66	48.31
Year 1993	60.74	55.55	65.69	297.40	55.74	43.97	34.10	44.44
Episodes	14685	6552	8133	4901	1737	4781	1741	1525
RURAL								
Quarter 1	47.90	45.89	49.83	301.79	49.60	35.89	21.29	28.46
2	41.38	36.78	45.79	192.10	37.61	37.84	24.84	24.98
3	47.27	42.14	52.24	186.75	43.32	42.23	28.61	42.44
4	51.97	45.16	58.56	278.51	47.69	42.69	26.28	39.11
Year 1993	47.19	42.56	51.65	240.46	44.64	39.64	25.27	34.14
Episodes	3621	1603	2018	1029	438	1284	464	406

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	3.72	3.67	3.77	0.72	3.07	5.38	2.90	1.82
2	1.81	1.41	2.20	0.69	0.65	2.15	1.40	2.93
3	0.56	0.73	0.39	0.00	0.62	0.91	0.18	0.27
4	14.22	12.26	16.11	11.98	6.93	14.25	16.23	18.31
Year 1993	5.16	4.59	5.72	3.48	2.83	5.73	5.34	6.00
Episodes	493	215	278	21	35	240	112	85
CENTRAL								
Quarter 1	2.94	2.32	3.52	3.28	1.60	2.95	3.80	2.68
2	1.21	0.92	1.49	0.00	0.26	1.56	1.46	1.20
3	0.97	0.55	1.37	1.06	0.76	0.91	1.07	1.14
4	15.82	13.67	17.89	7.72	16.00	14.94	19.78	15.90
Year 1993	5.37	4.49	6.21	3.05	4.80	5.20	6.75	5.38
Episodes	632	258	374	23	75	270	172	92
SOUTH								
Quarter 1	6.45	6.23	6.66	4.59	5.56	7.38	6.18	5.54
2	1.88	1.93	1.83	1.09	0.62	2.40	1.74	1.87
3	0.33	0.15	0.50	0.00	0.00	0.49	0.17	0.52
4	26.39	24.62	28.09	22.32	33.29	25.04	24.35	29.60
Year 1993	8.64	8.13	9.12	6.82	9.86	8.65	8.05	9.31
Episodes	910	417	493	49	128	409	185	139
URBAN								
Quarter 1	4.10	3.89	4.31	2.58	2.47	5.00	4.24	3.26
2	1.54	1.27	1.79	0.73	0.13	1.88	1.52	2.13
3	0.63	0.52	0.74	0.23	0.49	0.85	0.52	0.44
4	16.93	14.48	19.27	13.10	17.89	16.64	16.92	18.80
Year 1993	5.86	5.09	6.59	4.19	5.33	6.12	5.90	6.26
Episodes	1416	600	816	69	166	665	301	215
RURAL								
Quarter 1	5.03	4.40	5.64	4.59	5.69	5.66	4.56	3.64
2	1.87	1.86	1.89	0.00	1.69	2.51	1.58	1.39
3	0.63	0.32	0.93	0.94	0.40	0.50	0.43	1.35
4	24.39	23.84	24.92	16.71	21.06	22.58	29.24	27.18
Year 1993	8.07	7.70	8.42	5.61	7.34	7.84	9.15	8.49
Episodes	619	290	329	24	72	254	168	101

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	50.78	45.69	55.63	78.04	73.29	51.28	41.16	31.81
2	28.49	26.18	30.73	69.22	31.03	31.42	20.95	11.12
3	19.01	16.35	21.57	54.55	26.85	17.54	13.47	9.64
4	111.24	98.79	123.26	163.90	127.23	109.77	104.21	89.91
Year 1993	52.80	47.12	58.26	92.27	64.65	52.79	45.66	36.20
Episodes	5040	2206	2834	557	800	2213	957	513
CENTRAL								
Quarter 1	51.49	47.32	55.47	52.41	58.35	57.31	47.29	33.19
2	24.71	23.68	25.68	20.80	19.76	29.96	23.24	17.06
3	15.72	13.18	18.15	19.56	12.35	19.78	13.41	8.20
4	107.54	92.76	121.70	152.31	120.13	113.27	95.94	74.55
Year 1993	50.42	44.70	55.89	62.06	53.24	55.57	45.59	34.30
Episodes	5935	2570	3365	468	832	2886	1162	587
SOUTH								
Quarter 1	69.62	60.58	78.17	103.35	109.22	74.16	50.90	33.81
2	27.05	24.77	29.21	45.24	29.61	28.19	21.80	20.30
3	16.76	15.04	18.40	35.01	20.66	18.48	11.02	8.04
4	97.35	85.89	108.30	177.41	124.62	95.74	81.06	65.92
Year 1993	52.03	46.02	57.74	88.86	69.97	53.39	40.78	31.76
Episodes	5481	2361	3120	638	908	2524	937	474
URBAN								
Quarter 1	59.87	53.42	65.99	85.57	84.28	62.17	49.57	32.94
2	27.63	25.37	29.78	48.27	28.91	30.83	21.57	15.05
3	18.09	15.47	20.59	39.75	21.88	18.64	14.07	8.66
4	112.35	98.54	125.56	187.15	129.58	111.89	100.00	81.41
Year 1993	54.46	48.17	60.44	90.23	65.84	55.75	46.48	34.70
Episodes	13165	5682	7483	1487	2052	6062	2373	1191
RURAL								
Quarter 1	50.01	45.06	54.76	48.62	62.61	58.53	39.33	33.09
2	23.36	22.92	23.79	22.94	17.75	26.19	23.49	20.12
3	13.70	12.45	14.91	17.83	11.34	18.74	8.45	8.42
4	83.25	72.97	93.21	74.27	104.91	88.34	76.08	62.64
Year 1993	42.89	38.63	46.99	41.13	49.73	48.19	37.19	32.21
Episodes	3291	1455	1836	176	488	1561	683	383

LARYNGITIS AND TRACHEITIS 244

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	31.19	25.41	36.71	88.06	26.25	27.92	31.65	20.60
2	20.30	13.88	26.49	47.98	12.74	17.56	25.34	16.10
3	19.09	13.50	24.47	47.65	15.61	15.53	21.56	16.60
4	37.71	28.76	46.35	115.99	49.76	28.13	34.26	27.19
Year 1993	27.07	20.36	33.53	75.04	26.18	22.21	28.15	20.18
Episodes	2584	953	1631	453	324	931	590	286
CENTRAL								
Quarter 1	29.46	20.94	37.58	65.51	24.25	27.26	27.61	27.58
2	19.74	13.73	25.48	43.20	15.34	19.79	19.66	13.22
3	17.99	12.91	22.86	50.23	11.35	16.20	18.13	15.04
4	39.93	29.47	49.96	125.04	45.54	31.14	37.34	27.54
Year 1993	26.89	19.36	34.08	71.47	24.32	23.63	25.82	21.09
Episodes	3165	1113	2052	539	380	1227	658	361
SOUTH								
Quarter 1	28.71	22.56	34.53	82.68	28.12	25.70	23.45	20.78
2	20.29	12.85	27.31	49.60	16.21	18.35	20.92	14.69
3	15.95	11.96	19.76	44.17	12.51	13.61	15.69	13.23
4	39.26	30.44	47.69	121.90	43.07	33.53	33.57	23.68
Year 1993	25.89	19.32	32.13	73.81	24.81	22.63	23.33	18.02
Episodes	2727	991	1736	530	322	1070	536	269
URBAN								
Quarter 1	26.67	20.02	32.98	73.97	22.51	23.67	24.28	20.66
2	18.71	12.94	24.18	45.12	12.78	17.61	19.32	13.86
3	16.34	12.19	20.31	47.23	12.17	13.82	17.03	12.32
4	34.66	27.02	41.97	115.24	39.02	26.40	32.63	21.51
Year 1993	24.05	18.03	29.80	70.33	21.63	20.30	23.33	17.02
Episodes	5815	2126	3689	1159	674	2207	1191	584
RURAL								
Quarter 1	38.56	30.81	46.00	91.73	36.59	36.97	35.42	30.11
2	24.54	15.17	33.53	53.52	21.55	22.18	28.68	16.65
3	21.96	14.68	29.00	47.86	15.79	19.74	22.32	22.90
4	53.05	37.64	67.99	144.83	68.35	46.76	42.38	40.11
Year 1993	34.68	24.72	44.28	84.83	35.87	31.52	32.29	27.92
Episodes	2661	931	1730	363	352	1021	593	332

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	3.50	4.86	2.19	0.00	0.00	0.30	4.55	16.06
2	2.76	2.99	2.54	0.00	0.00	0.49	4.39	10.83
3	3.07	2.85	3.29	0.00	0.00	0.27	4.31	13.39
4	3.09	4.00	2.21	0.00	0.00	0.09	4.51	13.73
Year 1993	3.10	3.65	2.57	0.00	0.00	0.29	4.44	13.48
Episodes	296	171	125	0	0	12	93	191
CENTRAL								
Quarter 1	2.83	3.62	2.07	0.00	0.00	0.48	3.64	12.69
2	2.95	3.63	2.30	0.00	0.00	0.31	4.55	12.74
3	2.37	3.41	1.37	0.00	0.00	0.46	3.81	9.12
4	2.51	3.13	1.92	0.00	0.00	0.15	4.16	10.52
Year 1993	2.66	3.44	1.91	0.00	0.00	0.35	4.04	11.22
Episodes	313	198	115	0	0	18	103	192
SOUTH								
Quarter 1	3.07	3.80	2.37	0.00	0.00	0.17	4.36	14.41
2	2.63	3.10	2.19	0.00	0.00	0.25	4.18	11.49
3	2.93	3.61	2.29	0.00	0.00	0.66	5.34	10.37
4	2.80	3.22	2.40	0.00	0.00	0.17	4.00	12.92
Year 1993	2.86	3.43	2.31	0.00	0.00	0.32	4.48	12.26
Episodes	301	176	125	0	0	15	103	183
URBAN								
Quarter 1	3.29	4.51	2.14	0.00	0.00	0.39	5.18	14.40
2	2.84	3.36	2.34	0.00	0.00	0.41	4.65	11.97
3	2.77	3.31	2.26	0.00	0.00	0.50	4.74	10.77
4	2.86	3.59	2.17	0.00	0.00	0.14	4.81	12.39
Year 1993	2.93	3.67	2.23	0.00	0.00	0.36	4.84	12.33
Episodes	709	433	276	0	0	39	247	423
RURAL								
Quarter 1	2.57	2.72	2.42	0.00	0.00	0.12	1.52	13.90
2	2.62	2.95	2.31	0.00	0.00	0.13	3.61	11.10
3	2.77	3.30	2.26	0.00	0.00	0.37	3.68	11.11
4	2.52	2.93	2.13	0.00	0.00	0.12	2.54	11.93
Year 1993	2.62	2.97	2.28	0.00	0.00	0.19	2.83	12.03
Episodes	201	112	89	0	0	6	52	143

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	115.36	118.63	112.23	925.73	266.23	35.24	24.20	10.91
2	70.87	66.93	74.66	515.39	159.70	26.34	19.96	9.66
3	56.90	59.37	54.52	443.94	100.85	24.58	15.99	9.64
4	116.05	117.34	114.81	967.02	246.27	35.49	25.24	12.92
Year 1993	89.39	90.16	88.65	710.13	191.94	30.34	21.28	10.80
Episodes	8533	4221	4312	4287	2375	1272	446	153
CENTRAL								
Quarter 1	118.05	120.58	115.63	880.04	285.63	37.54	21.99	12.20
2	64.92	63.65	66.13	444.78	164.61	22.22	14.95	6.49
3	49.04	49.65	48.45	338.41	110.94	20.84	11.43	7.75
4	105.58	107.49	103.75	871.14	229.68	33.37	17.55	9.40
Year 1993	84.23	85.18	83.32	633.70	196.97	28.46	16.40	9.41
Episodes	9914	4898	5016	4779	3078	1478	418	161
SOUTH								
Quarter 1	139.55	139.35	139.73	1034.12	337.80	44.98	26.18	14.13
2	73.26	78.48	68.34	539.55	173.61	24.80	10.99	9.62
3	58.02	57.67	58.36	385.15	119.89	26.72	17.02	7.52
4	128.05	128.51	127.61	1008.95	295.97	38.21	19.83	9.15
Year 1993	98.85	100.16	97.62	733.82	228.95	33.48	18.41	11.19
Episodes	10413	5138	5275	5269	2971	1583	423	167
URBAN								
Quarter 1	125.84	128.02	123.79	941.26	283.33	38.93	25.55	12.52
2	72.53	72.56	72.51	505.74	165.17	25.56	16.04	9.95
3	56.25	57.75	54.82	386.04	112.10	24.10	16.59	9.43
4	120.49	121.61	119.42	955.73	254.03	36.77	23.16	11.49
Year 1993	93.08	94.26	91.95	691.90	201.73	31.19	20.23	11.31
Episodes	22502	11118	11384	11402	6287	3392	1033	388
RURAL								
Quarter 1	120.40	121.23	119.59	966.82	334.17	40.83	20.21	12.24
2	59.77	60.25	59.31	469.26	168.61	20.05	12.42	4.16
3	48.32	47.14	49.46	386.63	106.49	23.36	9.10	4.72
4	101.41	103.18	99.70	906.09	259.50	31.46	13.56	7.29
Year 1993	82.85	83.33	82.39	685.40	217.79	29.05	13.83	7.82
Episodes	6358	3139	3219	2933	2137	941	254	93

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	4.88	4.31	5.43	5.01	0.68	2.23	2.48	20.00
2	3.28	2.46	4.06	0.69	1.63	1.27	3.39	11.71
3	2.76	2.93	2.59	5.02	1.56	1.10	1.62	9.37
4	4.58	4.41	4.74	8.83	2.20	1.65	3.06	15.61
Year 1993	3.86	3.52	4.17	4.97	1.54	1.55	2.62	14.04
Episodes	368	165	203	30	19	65	55	199
CENTRAL								
Quarter 1	3.25	2.68	3.80	2.73	0.80	1.43	2.31	12.69
2	2.74	2.77	2.71	3.20	1.56	0.78	2.11	10.57
3	1.87	1.84	1.89	1.06	1.51	0.46	1.22	7.75
4	4.01	3.93	4.09	7.72	1.72	0.97	2.53	15.90
Year 1993	2.97	2.82	3.12	3.71	1.41	0.91	2.04	11.74
Episodes	350	162	188	28	22	47	52	201
SOUTH								
Quarter 1	5.35	5.18	5.51	6.89	1.31	2.08	6.54	16.63
2	3.46	3.95	2.99	6.54	2.49	1.16	3.14	10.69
3	3.08	2.71	3.44	3.77	1.46	0.82	2.67	11.93
4	5.15	4.48	5.78	6.87	1.22	2.77	4.17	16.68
Year 1993	4.23	4.05	4.40	5.99	1.62	1.69	4.09	13.94
Episodes	446	208	238	43	21	80	94	208
URBAN								
Quarter 1	4.42	3.92	4.89	4.12	0.55	1.87	3.48	17.66
2	3.29	3.08	3.48	4.37	1.55	1.03	3.61	11.14
3	2.64	2.50	2.79	3.51	1.72	0.64	1.93	10.43
4	4.75	4.54	4.94	7.14	1.75	1.76	3.76	17.12
Year 1993	3.76	3.50	4.01	4.79	1.41	1.32	3.17	14.02
Episodes	909	413	496	79	44	143	162	481
RURAL								
Quarter 1	4.47	4.19	4.73	7.34	2.03	1.93	4.56	12.24
2	2.67	3.06	2.31	0.96	2.96	1.13	0.68	10.41
3	2.20	2.34	2.06	1.88	0.81	1.25	1.52	7.07
4	3.91	3.35	4.46	10.21	1.59	1.73	1.70	12.93
Year 1993	3.32	3.24	3.40	5.14	1.83	1.51	2.12	10.68
Episodes	255	122	133	22	18	49	39	127

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	9.32	7.06	11.48	13.60	21.13	9.75	4.34	3.03
2	8.06	7.29	8.80	17.82	13.39	8.59	3.19	4.68
3	8.31	6.51	10.04	17.56	16.86	9.41	2.69	2.14
4	9.16	7.27	10.98	13.87	16.69	10.94	3.79	3.50
Year 1993	8.71	7.03	10.32	15.74	16.97	9.69	3.48	3.32
Episodes	831	329	502	95	210	406	73	47
CENTRAL								
Quarter 1	6.19	5.58	6.77	9.83	12.79	7.41	1.49	1.71
2	4.16	3.34	4.95	6.40	7.80	5.01	1.14	1.68
3	5.34	4.44	6.20	11.63	11.85	5.17	1.68	2.51
4	8.42	7.80	9.01	14.41	17.23	9.59	3.42	1.79
Year 1993	6.06	5.32	6.76	10.61	12.48	6.82	1.96	1.99
Episodes	713	306	407	80	195	354	50	34
SOUTH								
Quarter 1	6.41	5.18	7.58	12.06	8.50	8.25	2.73	1.39
2	4.85	4.95	4.75	9.81	6.55	5.70	1.92	2.67
3	4.80	4.06	5.51	2.15	9.02	6.60	2.34	0.52
4	6.76	6.53	6.98	12.59	9.47	8.92	1.57	2.96
Year 1993	5.69	5.17	6.18	9.05	8.40	7.34	2.13	1.94
Episodes	599	265	334	65	109	347	49	29
URBAN								
Quarter 1	8.21	6.80	9.55	13.40	16.75	9.29	3.31	1.50
2	6.21	5.75	6.64	12.86	10.58	6.70	2.00	3.55
3	6.94	5.51	8.30	11.92	14.14	7.80	2.67	1.78
4	8.46	7.27	9.60	15.00	16.01	9.36	3.23	3.60
Year 1993	7.45	6.32	8.51	13.29	14.34	8.28	2.80	2.65
Episodes	1800	746	1054	219	447	900	143	91
RURAL								
Quarter 1	4.21	3.25	5.13	5.50	5.69	5.54	1.30	3.31
2	3.42	2.84	3.98	2.87	4.23	4.89	2.03	1.04
3	3.19	3.09	3.29	2.82	6.88	3.87	0.87	1.68
4	7.00	7.11	6.89	8.36	10.33	11.23	2.12	0.00
Year 1993	4.47	4.09	4.84	4.91	6.83	6.39	1.58	1.60
Episodes	343	154	189	21	67	207	29	19

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	72.11	40.92	101.89	15.04	39.20	95.76	79.01	44.84
2	44.75	28.37	60.52	4.80	20.90	58.06	52.89	31.31
3	37.61	22.28	52.40	6.90	13.43	50.62	44.19	23.56
4	69.75	40.37	98.15	7.56	41.57	91.57	74.64	49.26
Year 1993	55.79	32.83	77.90	8.45	28.61	73.67	62.36	37.12
Episodes	5326	1537	3789	51	354	3088	1307	526
CENTRAL								
Quarter 1	70.62	44.86	95.18	7.10	37.84	88.63	90.11	45.15
2	38.65	23.97	52.65	2.13	20.80	49.67	50.70	19.94
3	31.38	16.60	45.51	0.53	9.58	41.83	40.54	18.91
4	60.03	35.08	83.94	5.15	30.28	84.36	65.15	29.55
Year 1993	50.05	30.00	69.20	3.71	24.51	66.09	61.25	28.46
Episodes	5891	1725	4166	28	383	3432	1561	487
SOUTH								
Quarter 1	70.56	48.28	91.65	9.19	34.34	93.78	84.54	35.47
2	38.47	24.92	51.25	8.72	12.78	49.44	49.87	22.17
3	32.90	20.68	44.54	3.77	13.97	42.39	40.56	22.04
4	61.39	34.76	86.82	12.02	25.96	83.70	72.71	29.06
Year 1993	50.44	31.89	68.05	8.36	21.50	66.80	61.45	27.07
Episodes	5313	1636	3677	60	279	3158	1412	404
URBAN								
Quarter 1	71.19	43.90	97.08	8.76	36.79	93.88	83.01	42.71
2	41.58	26.81	55.62	4.85	19.61	53.52	51.88	26.07
3	34.62	20.20	48.39	4.21	12.66	46.68	40.95	21.64
4	64.99	37.26	91.52	5.95	31.89	89.17	70.45	38.96
Year 1993	52.71	31.76	72.66	5.89	24.96	70.35	61.01	32.11
Episodes	12742	3746	8996	97	778	7650	3115	1102
RURAL								
Quarter 1	70.59	47.57	92.71	14.68	38.21	88.04	89.95	39.71
2	36.57	21.72	50.82	6.69	13.95	46.99	48.78	18.39
3	31.01	17.98	43.60	0.94	10.53	37.61	43.78	20.54
4	58.45	34.50	81.66	16.71	33.78	76.62	70.57	25.52
Year 1993	49.36	30.58	67.47	9.81	24.26	62.61	63.44	26.49
Episodes	3788	1152	2636	42	238	2028	1165	315

TONSILLITIS 242

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	98.51	83.95	112.41	247.00	249.53	100.53	21.72	7.88
2	78.89	64.12	93.11	196.70	175.05	86.84	18.96	6.44
3	75.43	61.57	88.79	192.50	157.68	84.70	21.74	7.77
4	104.01	83.10	124.20	277.37	267.05	102.32	24.88	13.73
Year 1993	89.12	73.03	104.60	228.43	211.82	93.51	21.90	9.03
Episodes	8507	3419	5088	1379	2621	3920	459	128
CENTRAL								
Quarter 1	113.66	94.42	132.00	282.79	277.10	117.32	23.81	9.76
2	87.65	74.82	99.88	219.72	186.45	93.48	24.05	12.98
3	76.78	62.77	90.18	146.47	176.24	86.33	21.33	10.03
4	108.55	88.76	127.51	240.30	256.02	110.59	35.25	20.15
Year 1993	96.57	80.09	112.32	221.97	223.71	101.86	26.25	13.91
Episodes	11367	4605	6762	1674	3496	5290	669	238
SOUTH								
Quarter 1	154.57	131.10	176.79	466.24	390.45	142.23	38.90	19.67
2	111.13	90.55	130.55	354.25	256.84	105.24	28.42	12.56
3	96.35	81.73	110.27	260.72	200.79	103.02	25.54	13.23
4	132.47	114.44	149.69	450.97	300.56	122.51	33.74	18.30
Year 1993	123.06	103.96	141.20	380.77	284.51	117.90	31.51	16.01
Episodes	12963	5333	7630	2734	3692	5574	724	239
URBAN								
Quarter 1	127.05	104.91	148.05	336.61	308.72	123.68	30.81	12.15
2	98.46	80.84	115.21	276.27	218.08	97.47	25.50	12.68
3	88.64	72.73	103.83	213.01	184.01	96.44	26.51	12.21
4	115.47	94.76	135.28	314.05	270.79	112.32	31.66	17.12
Year 1993	106.95	87.92	125.09	283.69	243.90	107.17	28.59	13.64
Episodes	25857	10370	15487	4675	7601	11653	1460	468
RURAL								
Quarter 1	110.85	99.75	121.50	338.48	291.49	112.36	21.73	13.24
2	75.54	64.51	86.14	200.70	163.54	89.21	19.87	5.55
3	63.75	55.33	71.88	147.33	160.75	73.72	12.14	4.72
4	112.63	96.60	128.17	349.07	280.96	110.55	31.36	18.89
Year 1993	90.96	79.30	102.20	259.86	225.03	96.66	21.35	11.52
Episodes	6980	2987	3993	1112	2208	3131	392	137