

Reading Disorders Revisited: The Critical Importance of Oral Language

Margaret J. Snowling¹

University of Oxford and St. John's College

Charles Hulme

University of Oxford

11068 words plus references.

Running head: Reading Disorders

¹Corresponding author: Maggie Snowling, St. John's College, Oxford OX13JP

maggie.snowling@sjc.ox.ac.uk +44 1865 277419

Key points

Language is a critical foundation for learning to decode as well as for reading comprehension

Children with language difficulties at school entry are at high risk of reading disorders

The etiology of reading disorders is multifactorial

Reading disorders are highly comorbid with disorders of mathematics, language and attention

Evidence-based interventions for reading fluency promote word decoding strategies with integrated training in phonological awareness and reading practice using books.

Evidence-based interventions for reading comprehension are language based, promoting comprehension through vocabulary instruction, work on oral narrative and reading comprehension strategies.

Abstract

This paper discusses research on reading disorders during the period since their classification within the overarching category of neurodevelopmental disorders (Snowling & Hulme, 2012). Following a review of the predictors of learning to read across languages, and the role of language skills as critical foundations for literacy, profiles of reading disorders are discussed and putative causal risk factors at the cognitive, biological and environmental levels of explanation considered. Reading disorders are highly heritable and highly comorbid with disorders of language, attention and other learning disorders, notably mathematics disorders. The home literacy environment, reflecting gene-environment correlation, is one of several factors that promote reading development and highlight an important target for intervention. The multiple deficit view of dyslexia (Pennington, 2006) is used to argue that risks accumulate to a diagnostic threshold although categorical diagnoses tend to be unstable. Implications for assessment and intervention are discussed.

Key words

DYSLEXIA READING DISORDERS READING COMPREHENSION
COMORBIDITY MULTIPLE RISKS

Reading Disorders Revisited: The Critical Importance of Oral Language

Learning to read with meaning entails mapping a written language system (an orthography) on to a spoken language system. The task demands are such that children with good language skills fare well in the reading stakes, whereas those who come to the task of reading with poor language encounter difficulties. Snowling and Hulme (2012) situated reading disorders in the context of language difficulties and proposed that reading disorders are the outcome of multiple risk factors which can be construed as liabilities for poor decoding (dyslexia) or poor reading comprehension. In the intervening years, longitudinal studies tracing reading development from its foundations in spoken language through the early years of instruction have burgeoned. We begin by reviewing the findings from these studies as a prelude to discussing the variety of causal risk factors associated with reading problems. We consider the comorbidities between reading and other disorders within the multiple deficit framework (McGrath, Peterson & Pennington, 2020) and discuss implications for assessment. Finally, we briefly consider interventions and what they can tell us about causal mechanisms.

Learning to Read

In discussing how children learn to read it is essential to make a clear distinction between the ability to translate printed words into speech (referred to as decoding) and the ability to read for meaning (the ability to understand what has been decoded). These two skills are related; if a child cannot decode a text, they cannot comprehend it. On the other hand, some children may be able to decode a text but have limited comprehension of it because of language comprehension problems. These ideas are encapsulated in the Simple View of Reading (Gough & Tunmer, 1986) which proposed that reading is the product of decoding and linguistic comprehension. This dimensional view of reading development can

be related to categorical descriptions of reading disorders. Thus, children with deficits in decoding but intact language comprehension skills are classified as having reading disorder (RD or dyslexia). Conversely, children with adequate decoding skills but poor language comprehension are classified as having reading comprehension impairment (poor comprehenders). A third group of children, including many with developmental language disorders, have problems with both decoding and language comprehension (e.g., Bishop & Snowling, 2004).

The simple view of reading has been important as a pedagogic framework; it both emphasizes the need to assess both decoding and comprehension skills, and implies that literacy instruction should be balanced, neither prioritizing ‘phonics’ nor reading in context. However, it forces a separation between the phonological (sound-based) aspects of language critical for decoding and broader semantic aspects (meaning and grammar) needed for comprehension while evidence suggests that, in the early years during literacy acquisition, oral language is a unitary construct (Bornstein, Hahn, Putnick, & Suwalsky, 2014; Tomblin & Zhang, 2006) providing an essential foundation for literacy development (Lervag, Hulme & Melby-Lervag, 2018).

Hjetland, Lervåg, Lyster, Hagtvet, Hulme and Melby-Lervåg (2018) studied the predictors of the growth of reading comprehension in a 6-year longitudinal study of Norwegian children from age 4 years, well before reading instruction began. This study provided evidence for a unitary language factor influencing reading comprehension which was highly stable, and a less stable pathway in decoding-related skills (reflecting variations in letter knowledge, the ability to manipulate speech sounds (phoneme awareness), and the ability to name common symbols, such as letters or digits, at speed – referred to as rapid automatized naming (RAN)). In this study, as in a similar study with a sample of English children at risk of reading difficulties (Hulme, Nash, Gooch, Lervåg, & Snowling, 2015),

preschool language skills were strong predictors of both the foundations of decoding skills and of later reading comprehension.

Nevertheless, there are inconsistencies in this area, particularly concerning the relative strength of predictive relationships shown in different studies. Although there is broad agreement that language can be considered a unitary factor in preschool (Hjetland, Brinchman, Scheerr, Hulme, & Melby-Lervag, (in press for a review) some studies suggest it may become multidimensional later in development when there is a clearer separation between word-level reading (decoding) and reading comprehension skills (Foorman, Herrera, Petscher, Mitchell, & Truckenmiller, 2015; Tomblin & Zhang, 2006). Still other studies suggest that morphological awareness – the ability to analyze the meaning-based components of word - is an additional predictor of word reading as well as reading comprehension beyond oral language (Kirby et al., 2012). Together these findings remind us that learning to reading depends on a broad range of cognitive skills, and may itself affect how language develops during the school years and beyond.

Becoming a Skilled Reader

The end point of successful acquisition is skilled reading. The skilled reader can comprehend the meanings of printed words without drawing heavily on the attentional resources required for decoding. According to the Lexical Quality Hypothesis of Perfetti and colleagues (Perfetti & Hart, 2002; Perfetti, 2010), skilled reading depends upon having well-specified orthographic (spelling) representations of words which are closely connected with phonological (sound-based) and semantic/syntactic (meaning-based) representations (see Seidenberg & McClelland, 1989 for a similar conceptualization). Within this view, it is clear that language skills provide the critical foundation for the development of the orthographic representations that serve *both* decoding fluency and reading comprehension, and allow reading to become an automatic process. According to the theory, decoding and reading

comprehension skills, in turn, have reciprocal effects on the development of vocabulary and related oral language and metalinguistic abilities. This principle of reciprocity may provide an explanation for multifactorial structure of language which has been observed in studies of older children and adults.

Reading development in different languages

A key question for reading research is whether the skills required for developing reading fluency are universal across languages. As noted above, reading involves learning to transcode a written representation of language into speech- and meaning-based linguistic representations. However, languages differ in the types of writing systems used (their orthographies) - and the nature of the mappings between symbols, sounds and meaning. In alphabetic orthographies, a small number of symbols (letters) represent all the sounds (phonemes) in a language and the mappings are at a fine-grain size. Other languages use intermediate sized units, such as syllables to represent speech, for example, the Japanese Kana, or the akshara of some Indian languages (e.g.) Kannada, whereas Chinese (Mandarin and Cantonese) uses a morphosyllabic orthography.

Differences between languages in their orthographies mean that the language skills that are most critical for learning to read differ between languages (Perfetti & Verhoeven, 2017). In alphabetic orthographies (especially English), phonological skills play a dominant role in learning to decode. Conversely, learning to read in Chinese appears to place heavy demands on semantic, morphological and visual skills in addition to phonological skills (e.g. Li, Shu, McBride-Chang, Liu & Peng, 2012; Hulme, Zhou, Tong, Lervag & Burgoyne, 2018). More generally, the size of the symbol set and the visual complexity of the symbols are determinants of reading across languages (Nag & Snowling, 2012).

Here we will concentrate on the predictors of decoding development in alphabetic orthographies. The longitudinal studies discussed above reveal three cognitive factors that

are important influences on how well children learn to decode in English: phoneme awareness, letter-sound knowledge and RAN. Evidence that phoneme awareness and letter-sound knowledge are causal influences on the development of decoding in English comes from the fact that interventions to improve these skills facilitate reading development (Hulme, Bowyer-Crane, Carroll, Duff, & Snowling, 2012). RAN is another likely causal influence on the development of decoding fluency (Kirby, Georgiou, Martinussen, & Parrila, 2010) and appears to tap into the integrity of brain processes that are recruited to form the basis of the brain's word reading network (Lervag & Hulme, 2009; Norton & Wolf, 2012).

When considering alphabetic orthographies that are more transparent than English, some have argued that phoneme awareness is a less important predictor of the development of decoding. Landerl, Freudenthaler, et al., (2019) explored the role of RAN and phoneme awareness as predictors of reading in five languages (English, French, German, Dutch, Greek). They reported that RAN was a consistent longitudinal predictor of reading fluency in all five languages but suggested that “the association between phoneme awareness and reading was complex and mostly interactive”. Similar conclusions were drawn from studies which explored the concurrent correlates of dyslexia in five languages (Finnish, Hungarian, German, Dutch, French, English) concluding that phoneme awareness was a weaker correlate of dyslexia in regular orthographies than in English (Landerl, Ramus, Moll et al., 2013). However, both of these studies focus on children with significant reading experience; this complicates the picture since phoneme awareness is known to be a particularly important predictor of reading *early* in development (Lervag, Braten & Hulme, 2019) and it is well established that reading experience has a reciprocal influence on phoneme awareness (Morais, Bertelson, Cary & Alegria, 1986; Nation & Hulme, 2011).

A clearer picture emerges from studies that start before children have made any appreciable progress in learning to read. Caravolas, Lervag, Mousikou et al., (2012) reported

a longitudinal study of reading development in four languages differing in orthographic regularity (English, Spanish, Slovak, and Czech). The study began just before, or very soon after, the start of formal literacy instruction in each language. Phoneme awareness, letter-sound knowledge, and RAN measured at the onset of literacy instruction were equally important longitudinal predictors of reading and spelling skills across the four languages. In a follow on study, Caravolas, Lervåg, Defior, Seidlová-Málková and Hulme (2013) examined the growth of word reading skills in English, Spanish and Czech children over a period of 30 months from kindergarten through Grade 2. The growth of reading skills was slower and followed a different trajectory in English than in two more regular orthographies (Spanish and Czech). However, phoneme awareness, letter-sound knowledge, and rapid automatized naming measured at the onset of literacy instruction were similarly important as predictors of variations in the rate in growth across the three languages. Hence, although children learn to read more rapidly in more consistent than in less consistent orthographies, it appears that there are universal influences on learning to read in all alphabetic orthographies.

Possible differences between languages in the factors that influence the development of reading comprehension have also been investigated. It has been suggested that, in orthographies with relatively consistent letter-sound mappings, decoding is a less powerful predictor of reading comprehension than in English (García & Cain, 2014; Salceda et al., 2014). This appears to be because decoding is acquired more quickly in these orthographies and hence language comprehension skills become a more powerful limiting factor. This claim was supported by a meta-analysis (Florit & Cain, 2011) which showed that the association between decoding and reading comprehension in relatively consistent orthographies was weaker than in English. Caravolas, Lervåg, Mikulajová, Defior, Seidlová-Málková and Hulme (2019) provided further support for this view. In four languages (English, Spanish, Czech, Slovak) variations in decoding skills predicted reading

comprehension but language skills were a more important predictor of reading comprehension in the three consistent orthographies (Spanish, Slovak, and Czech) than in English (where variations in decoding were more important).

Diagnosis and Prevalence of Reading Disorders

Longitudinal studies point to the fact that oral language weaknesses are a major risk factor for reading disorders. They also highlight the predictors of individual differences in decoding in English: phoneme awareness, letter-knowledge and rapid automatized naming. Although reading skills follow a normal distribution in the population it remains important to decide when ‘poor reading’ warrants a clinical diagnosis.

DSM-5 (American Psychiatric Association, 2013) recognises that some people have a life-long Specific Learning Disorder (SLD) that affects reading, writing and/or arithmetic and, because these disorders frequently co-occur, places them together in this one category. To qualify for diagnosis, the affected skill (reading, writing or arithmetic) must have been significantly impaired relative to age expectation for at least 6 months despite intervention, and the onset must have been in the school years (though the manifestation may change over time). DSM-5 recommends adding a specifier to the diagnosis of ‘reading disorder’ to indicate whether accuracy, fluency and/or reading comprehension are affected. Specifically, it is important to differentiate problems affecting word-level reading accuracy and fluency that depend upon decoding from problems affecting reading comprehension (see Castles, Rastle & Nation, 2018 for a review).

Similarly, ICD 11 (World Health Association, 2019) uses the term ‘Developmental Learning Disorder’ as an overarching category which includes subcategories with impairment in reading, in written expression, in mathematics or with other specified impairments of

learning. Again, for each of these diagnoses, performance in the academic domain must be below expectation; not only in relation to age but also in relation to intellectual ability. ICD-11 therefore retains aspects of the heavily criticised 'IQ-discrepancy definition'. In neither classification system is a diagnosis of learning disorder appropriate if there is evidence of intellectual impairment or other adverse factors affecting education, including proficiency in the language of instruction.

Moll, Kunze, Neuhoff, Bruder and Schulte-Korne (2014) investigated the prevalence of specific learning disorders in a large representative sample of German children in 3rd and 4th Grade, defined as low performance in one or more domains of learning rather than by a clinical diagnosis. In contrast to English, where most individuals with reading disorder (dyslexia) also have spelling deficits, these two disorders dissociate about 50% of the time in German-speakers. Moll et al., (2014) reported the prevalence of reading disorder and spelling disorder, both as single disorders and/or in combination with each other and/or with arithmetic disorder. Using a criterion of -1.5SD to define a disorder, they report prevalence rates for isolated disorders of 3.8% for reading disorder, 5.0% for spelling disorder and overall prevalence rates of 7.4% for reading disorder, 8.9% for spelling disorder (4.5% for arithmetic disorder). A further finding was that arithmetic disorder was more likely to occur with spelling than with reading disorder, suggesting that they may draw on similar brain regions.

Gender Ratio

Epidemiological studies have tended to report more boys than girls with reading disorders and a sex difference in reading development (favouring females) that increases along with the severity of reading difficulties (Arnett et al., 2017; Quinn & Wagner, 2015). In contrast, Moll et al., (2014) reported no gender differences in reading disorder but did

identify more boys than girls with a spelling disorder and more girls with an arithmetic disorders. While differences in the reported sex ratio between studies are likely related to measurement issues or to sampling bias, an issue of clinical concern is a lack of agreement between ascertainment based on research criteria and school-based identification procedures: Quinn and Wagner (2015) reported that only about 20% of children identified as having reading problems using objective tests were identified as learning disabled by schools and, in particular, it was females who were less likely to be identified.

Risk Factors for Poor Reading

Findings of longitudinal studies, provides us with important information regarding some of the risk factors for poor reading. These risks factors can be at different levels of explanation: biological, cognitive and environmental. We know most about the cognitive risk factors and therefore will begin with these; however, before proceeding it is important to acknowledge that methodological differences between studies can influence how we conceptualise disorders. Is it now recognised that neurodevelopmental disorders, including SLDs, are dimensional with no clear cut-off from normal variation (Thapar, Cooper & Rutter, 2017). One major approach to studying reading disorder then is to make reference to the longitudinal predictors of reading across the distribution and to identify putative causal risk factors. Studies of children at high-risk of disorder are useful in this regard. A quite different approach is to study children who have already developed specific learning disorders; such an approach, particularly if it recruits a clinically diagnosed sample, is likely to identify a wider range of deficits, some of which will be causal, others may be secondary consequences of the disorder and still other co-occurring features (comorbidities). The literature comprises studies of each type; here we aim to provide a critical overview of our current state of knowledge with regard to reading disorders/dyslexia before turning to consider disorders commonly comorbid with dyslexia and drawing together the strands of evidence within a

multiple deficit framework (McGrath, Peterson & Pennington, 2020). While acknowledging that different types of reading difficulty are associated with distinct risk factors, our review primarily focuses on dyslexia where most is known; we refer to reading comprehension impairment when discussing language disorders (see Bishop et al., 2009; Snowling, Hayiou-Thomas, Nash, & Hulme, 2019 for more details).

Cognitive Risk Factors

Phonological Deficits While learning disorders are acknowledged to be the outcome of multiple risk factors, the predominant theoretical view is that difficulties with reading accuracy and fluency (RD/dyslexia) arise from difficulties with phonological processing, and here the findings of longitudinal and clinical studies converge (Melby-Lervag, Lyster & Hulme, 2012). Thus, the effect size for differences between groups with reading disorder and typical readers on tasks tapping phoneme awareness is very large relative to the performance of children of the same age ($d=-1.37$) and large relative to children reading at the same level ($d=-.57$). Group differences in rime awareness and in verbal short-term memory are smaller but still substantial relative to age-controls. Speeded naming of familiar objects and digits (RAN), a skill requiring the rapid retrieval of stored phonological information (the names of familiar items) is also associated with reading skill; interestingly, RAN appears to be a skill that differentiates children with language disorders who do and do not develop dyslexia (e.g., Ramus, Marshall, Rosen & van der Lely, 2013). In addition, clinical symptoms include deficits in nonword repetition, word finding and in new word learning but, arguably, these may be facets of comorbid language difficulties.

Auditory and Speech Processing Deficits Beyond phonological skills, a number of longitudinal studies suggest that children with a broader range of sensori-motor deficits are more likely to develop reading problems (e.g., Carroll, Solity, and Shapiro, 2016; van der

Leij et al., 2013) though whether or not they have a direct impact on reading remains unclear. A prominent hypothesis is that auditory processing problems predispose a child to problems with speech perception that underpin their phonological processing difficulties. A substantial number of studies show differences between children with dyslexia and controls on auditory processing tasks (Hämäläinen, Salminen & Leppanen, 2012), however, it has been suggested that problems in attention control explain this relationship (Schulte-Korne & Bruder, 2010). Consistent with this hypothesis, Snowling, Gooch, McArthur and Hulme (2018) showed that variations in frequency discrimination at age 5½ years were predicted by performance on executive function tasks a year earlier in a large sample of children, including children at risk of dyslexia. Moreover, auditory processing was not a longitudinal predictor of reading.

Similarly, O'Brien, McCloy, Kubota and Yeatman (2018) reported large group differences between 8-10 year-old readers with dyslexia and controls in two phoneme categorization tasks. Importantly, however, lapses of attention, were more common in those with dyslexia, especially when performance was measured in a demanding paradigm. Moreover, contrary to the theory, the relationship between speech categorization and reading was not mediated by phonological awareness (see also Hakvoort et al. 2016; Snowling, Lervag, Nash & Hulme 2018).

In short, despite the large number of studies of auditory and speech processing in dyslexia, the evidence for a causal association between performance on these tasks and reading development is lacking.

Visual Processing Deficits Another area of sensory processing that has attracted much attention from dyslexia researchers is vision, specifically, the putative role of deficits in the magnocellular visual system or in visual attention. According to Grainger, Dufau and Ziegler (2016), visual deficits in dyslexia are most likely to affect the development of orthographic

representations and, therefore, it is important to bring together findings on visual processes in reading from different fields of enquiry for a proper understanding of what may compromise development. Orthographic processing, they argue, requires the parallel processing of letters within words, and typically within sentence frames. It follows that the efficiency of these processes depends upon visual acuity (which is better closer to fixation), absence of crowding among letters (which is less when there are spaces between letters) and visuo-spatial attention (the span of apprehension beyond the fixated word). Any of these processes could be affected in dyslexia (see Boden & Giaschi, 2007 for a review).

Saksida et al., (2016) assessed a large sample of French-speaking children with dyslexia aged 8-13 years, examining their performance on tasks tapping visual attention span, visual stress (the experience of visual distortions when reading text) and phonological skills. The most widespread difficulties were in phonological skills (92.1%); in contrast, only 5.5% of the group experienced visual stress (which was actually more frequent among controls). Although 28.1% of the children with dyslexia showed reduced visual attention span, all of these children also experienced phonological deficits. Grainger et al., (2106) argue that this co-occurrence of poor phonological skills and limited visual attention is to be expected given evidence of a close association between phonological skills and reading development, and the finding that spatial attention develops alongside literacy skills in childhood (White, Boynton & Yeatman, 2019; see also Olulade, Napoliello & Eden, 2013).

More generally, research on visual factors in dyslexia has been hampered by a dearth of longitudinal studies showing the influence of visual factors on individual differences in reading. In one such study, Valdois, Roulin, and Bosse, (2019) measured visual attention span in a large sample of French kindergarten children, along with tests of letter knowledge, early reading skills, phonological awareness (at the level of syllables and rimes) and verbal short-term memory, re-assessing their reading at the end of Grade 1. There was a significant

effect of early measured visual attention span on measures of word, nonword and text reading fluency in Grade 1 when kindergarten measures of letter knowledge and phonological awareness were controlled. However, the absence of any direct effects of phonological awareness in this study is inconsistent with a large body of evidence on this issue and the proposed model accounts for only a small amount of variance in reading outcome. It is plausible that had tests tapping phonemic skills been included, the findings would have been different. Nonetheless, the study represents an important direction for the investigation of visual processes and reading as a preliminary step towards gaining a better understanding of dyslexia.

Learning Deficits Learning to read requires associative learning of the mappings between symbols and sounds (letters and phonemes in alphabetic languages). It follows that some children with dyslexia, rather than experiencing modality-specific deficits, may have deficits in associative learning. An influential hypothesis is that a deficit in implicit (procedural or statistical) learning is a causal risk factor for both dyslexia and developmental language disorder (Ullman & Pullman, 2015). However, a recent meta-analysis suggests that the evidence that dyslexia is associated with a statistical learning deficit is subject to publication bias (Van Witteloostuijn, Boersma, Wijnen, & Rispens, 2017). Further, West, Vadillo, Shanks & Hulme (2018) found that currently used measures of implicit learning have very low reliabilities and do not predict variations in reading skills in the general population; indeed, there are low correlations between different statistical learning tasks and reading skills and the causal relationships between reading and statistical learning are unproven (Schmalz, Moll, Mulatti & Schulte-Korne, 2019).

Another learning task that may be critical to learning to read is the ability to map between visual and verbal domains (print to sound). Warmington and Hulme (2012) showed that, in addition to phoneme awareness and RAN, visual-verbal paired association learning

was a predictor of word reading and decoding skills in 7-11 year-old children. Further Litt, de Jong, van Bergen and Nation (2013) showed that it was not the cross-modal nature of this learning task which was critical but rather, the requirement for verbal output that accounts for its relationship with reading (see also Clayton, Sears, Davis & Hulme, 2018).

Together these findings refute the hypothesis that dyslexia primarily affects the learning mechanisms that are required for the development of orthographic relationships – rather they suggest that specific learning deficits stem from broader impairments; whilst described as ‘verbal’ it seems likely they are in the domain of phonological skills.

Summary At the cognitive level of explanation, there have been various hypotheses regarding the causes of reading disorders. In this area there are significant problems associated with unravelling the causes of reading disorders from their consequences; the problem is particularly acute when the aim is to differentiate the roles of language versus visual skills as foundations for learning to read given the reciprocity between these skills. Notwithstanding this, there is strong evidence that the most prevalent core deficits in dyslexia are in phonological skills, and these appear to predate literacy acquisition.

Biological Risk Factors

Heritability of reading and language skills.

It is well-established that reading skills, and the phonological skills that underpin them are highly heritable (Christopher, Hulslander, et al., 2015; Little, Haughbrook., & Hart, 2017). Tosto, et al., (2017) used data from the UK Twins Early Development Study (TEDS) to examine the proportion of variance in reading ability attributable to genetic and environmental factors at ages 7, 12 and 16 years. There were common genetic influences affecting reading fluency at all time-points, and also novel genetic factors that came into play from age 12. At no point was the variance due to environmental factors large and it was only

significant at age 7. In the same study, data were available from tests of language and phonological skills. There was substantial shared genetic variance between reading fluency and phonological skills and, to a lesser extent, between reading fluency and language.

Importantly, however, the genetic correlation between language and reading comprehension was high (above .8) suggesting the same genetic influences were acting on both of these skills, consistent with the evidence that oral language has a direct and long-term effect on reading comprehension.

Genetic Risk Factors

Heritability estimates are based on group data and tell us little about the risk to an individual of developing a reading disorder. It is possible that advances in molecular genetics are moving towards more precise predictions of who is likely to be dyslexic. The use of the genome-wide association (GWA) method has provided important leads. In a GWA study, the entire genome is scanned to identify gene loci associated with a range of reading phenotypes (e.g. nonword reading, phonological awareness, RAN) in very large samples of affected (dyslexic) and non-affected individuals. The focus is on a number of DNA variants (single nucleotide polymorphisms or SNPs) to see whether a specific allele at a given gene locus is correlated with an individual's score on a particular trait. This strategy has revealed many possible associations and at least 17 candidate SNPs (Carrion-Castillo, Franke & Fisher, 2013; Gialluisi et al., 2019). However, in all but two cases, it has been difficult to replicate these associations in independent samples, and generally, effect sizes are very small (Bishop, 2015). The fact that reading is measured in different ways and at different ages in different cohorts, and there are differences in recruitment and ascertainment criteria in case-control studies, contribute to the lack of consistency across studies

Despite these failure of replication, some findings are of note. A gene-locus on chromosome 15 – DYX1 was the first to be identified and there has been considerable

support through replication in independent samples. At this locus, a candidate gene *DYX1C1* with a potential role in brain development (growth and function of cilia; also see Paracchini, Diaz, & Stein, 2016) has attracted much attention. Another linkage on chromosome 6 – *DYX2* – has also been consistently associated with dyslexia (Zhou et al, 2012). One of the candidate genes in this area, *KIAA0319*, is especially interesting because it seems also to be linked with phenotypes of other neurodevelopmental disorders, such as ADHD or developmental language disorder (DLD or SLI; Newbury et al., 2010), suggesting that some of the genetic effects are pleiotropic. In short, the genetic basis of dyslexia is heterogeneous. Further, a complex trait like reading, can be expected to be influenced by many genetic variants, each of small effect, and there are likely to be gene-gene and gene-environment interactions. It follows that aggregating genetic effects across SNPs within an individual should increase predictive power if the SNPs combined all have some (weak) association with reading traits. Polygenic risk scores can be computed from a weighted average of many different alleles associated with a trait (reading).

The first study to examine polygenic risk scores and reading ability used the number of years of education as a proxy for reading ability (based on the assumption that educational attainment is closely related to reading). Since a measure of years of education is collected as a standard demographic variable in all GWA studies, data can be aggregated across many samples to provide sufficient power to derive a genome-wide polygenic score. Okbay et al., (2016) used DNA from more than 300,000 individuals to derive a polygenic risk score called ‘EduYears’; this score accounted for 4% of the variance in years of education. In a related study, Sezlam et al., (2017) found that this polygenic risk score accounted for 2.1%-5.1% of variance in reading ability across development and 2.7% of the variance in a general cognitive ability factor. When general cognitive ability and family SES were controlled, the polygenic risk score predicted a mere 0.5% - 1% of variance in reading skills.

More recently, Giallusio et al., (2019) reported data from a genome wide association study of 9 cohorts of European children ($N > 3000$). This study identified an association between a gene locus on chromosome 18 with rapid automatized naming for letters and a locus with less strong association on chromosome 8. A further analysis investigated the genetic overlap between the 'EduYears' polygenic risk score, dyslexia-related traits and other commonly associated phenotypes including ADHD, autism-spectrum disorder, depression and schizophrenia. Genetic overlap was found between the 'EduYears' risk score and ADHD. In addition, variants associated with the 'EduYears' risk score accounted for some 2% of the variance in reading (and also showed associations with spelling, nonword reading, phonological awareness and digit span).

In short, progress is being made in understanding how genes confer the risk of dyslexia. However, polygenic risk scores currently explain very small amounts of variance in reading skills; simple cognitive measures therefore have much more clinical relevance.

Brain Structure and Function

The ultimate goal of genetic research in dyslexia is to understand the molecular pathways through which genes affect brain development (Mascheretti, et al, 2017) but longitudinal studies are needed to relate variations in brain development to the growth of reading skills.

In an important example of this approach, Preston, Molfese et al., (2016) found that the co-activation of regions involved in processing speech and print across the left hemisphere's reading network in beginner readers was a predictor of reading skill two years later when general activation in each region alone and pre-test reading scores were controlled.

Similarly, Hoeft et al., (2010) followed children with dyslexia for 2½ years taking measures of phonological reading skills, brain structure and function. At the start of the study, children had MRI scans whilst completing a written rhyme judgement task; the scans were analyzed to identify patterns of brain activation and brain structure in regions of

interest. A novel finding was that the children with dyslexia who improved the most over time in reading showed more activation in the right frontal cortex and greater white matter integrity in the right arcuate fasciculus at baseline. It appeared therefore that this structure, which connects the right frontal and parieto-temporal regions, had been recruited to compensate for under-activation in homologous left hemisphere regions.

The next step was to examine the structure of the left and right arcuate fasciculus in children who had been assessed on tests of pre-reading and cognitive skills in preschool and were reassessed on reading measures in Grade 3 (Myers et al., 2014). In this study, measures of pre-literacy and a dynamic measure of change in white matter density in the left arcuate fasciculus over time accounted for a substantial proportion of the variability in reading in Grade 3 (56%). In fact, growth of this ‘temporal’ pathway continued to predict individual differences in reading when pre-reading in kindergarten, socio-economic status and measures of familial factors including the home literacy environment were controlled. A further study by the same group focusing on children at family risk of dyslexia reported that cortical thickness in left brain reading-related areas was lower in children at family risk while the surface area of right cortical regions was higher.

The differences in brain connectivity associated with the growth of reading skills in the Myers et al. (2014) may have at least two different explanations. On the one hand variations in brain development may reflect a causal constraint on the development of reading skills; conversely, children who learn to read better may show experience-related changes in brain development (more practice in reading may result in increases in myelination in the neural circuits responsible for reading). Huber, Donnelly, Rokem and Yeatman (2019) explored these possibilities using diffusion MRI data to monitor changes in brain connectivity in children undergoing an intensive reading intervention lasting 8 weeks. They found large-scale changes in a collection of white matter tracts that paralleled increases in reading skill.

However, they also found tracts which were predictive of reading skill that did not change in volume as a result of intervention. This study was very short-term but it suggests that there may be certain fibre tracts that show structural changes quite rapidly as a result of increased reading practice and skill, while other structures that may be causally related to reading skill are less malleable as a result of intervention. Further studies of this sort over longer time periods would clearly be very informative.

Familial Risk of Dyslexia

A potential way of elucidating how biological risk factors are related to cognitive liabilities is to study children at family risk of dyslexia by virtue of having a first degree affected relative with dyslexia, usually a parent. Such studies also offer a ways of studying gene-environment interactions and how these might lead to specific learning disorders. There have now been some 20 published family risk studies in which children at family risk of dyslexia are studied together with controls (without familial risk of dyslexia) from pre-school until around Grade 3 when they are assessed and classified as dyslexic or not. This approach is a powerful way of identifying the precursors of dyslexia.

A meta-analytic review of such studies involving children learning to read in English, Danish, Dutch, Finnish and Chinese confirmed an elevated risk of dyslexia in the offspring of affected parents, with a mean prevalence rate of 45%, compared with 12% for children not-at-risk (Snowling & Melby-Lervag, 2016). Further, the review showed that children who go on to reach criteria for dyslexia have significant language difficulties in the preschool years, chiming with the findings of longitudinal studies of representative samples of children. In addition, they show phonological difficulties and have problems acquiring the foundations of decoding (letter knowledge, phonological awareness and RAN). Importantly, there was no evidence of significant differences in the precursors of dyslexia across the languages studied (see also Moll et al, (2016) for Czech and Slovak children at family-risk of dyslexia) although

morphological awareness was only measured in Chinese where it was found to be important predictor of outcome (Tong, McBride, Lo, & Shu, 2017).

The incidence of early language difficulties in children who go on to be classified with dyslexia raises the question of the relationship between dyslexia and developmental language disorder (DLD). Snowling, Nash, Gooch, Hayiou-Thomas and Hulme (2019) followed children at family risk of dyslexia, children with preschool language difficulties and controls from age 3½ to 9 years. Dyslexia at age 8 years was defined as -1.5SD relative to the control mean on a composite reading and spelling score: 29% of children at familial risk were classified as having dyslexia and 33% of children with preschool language difficulties. At the same age, Developmental Language Disorder (DLD) was defined as falling as -1.5SD relative to the control mean on a composite measure of receptive and expressive language skills. This led to the formation of four outcome groups: Dyslexia-only, DLD-only, Dyslexia+DLD and Typical Control. All three clinical-outcome groups showed large deficits in letter knowledge, phoneme awareness and RAN at age 4½. However, from 5½ years onwards, the DLD-only group showed smaller deficits than either of the two groups with dyslexia.

In the same sample, Hayiou-Thomas, Carroll, Leavett, Hulme and Snowling (2017) examined the outcomes of children with preschool speech difficulties in the absence of language disorder. At age 5½, these children showed deficits in phoneme awareness and early spelling. However, the risk of reading impairment was relatively mild and short-lived except among children who showed disordered speech errors or had co-occurring language disorders. However, Burgoyne, Lervag, Malone and Hulme (2019) in a large broadly representative sample of children found that speech errors at school entry were correlated with broader oral language difficulties, and were predictive of later reading difficulties. Furthermore, the effects of early speech difficulties on later reading were entirely mediated

by difficulties in developing phoneme awareness, and these effects were independent of broader oral language skills. Speech difficulties are easily noticed and children with such difficulties at school entry should be monitored for language and reading difficulties. Together, these findings highlight shared risk factors between dyslexia and other language learning disorders, an issue to which we return in the section on comorbidities.

Environmental Risk Factors

Family Environment

There is a well-established socio-economic gradient in children's reading skills; however, this is likely to reflect multiple influences including family, home and school factors (Jerrim, Vignoles, Lingam & Friend, 2015). From a very early stage, the home literacy environment has a direct effect on the development of vocabulary and pre-reading skills (Senechal & Lefevre, 2014) although, even in the early stages of reading, there is evidence that letter knowledge and phonological awareness are moderately heritable skills (Byrne et al., 2005). Chow, Ho, Wong, Wayne and Zhou (2017) examined family socioeconomic status and the home literacy environment on reading and language in a sample of Cantonese speaking twins aged 3-11 years. Both socioeconomic status and home literacy environment mediated environmental influences on reading and language but genetic influences were not moderated by these factors. However, the sample size was small given the age range and these findings need replication.

It might be expected that children at family risk of dyslexia will experience a different home environment to controls (because adults with dyslexia tend to read less), but evidence on this issue is limited. Hamilton, Hayiou-Thomas, Hulme, and Snowling, (2016) assessed the home literacy environment of 4-year-old children at family risk of dyslexia and controls with no known risk of reading difficulty. Questionnaire measures assessed both informal

(storybook exposure) and formal home literacy practices (direct parental instruction in decoding). When socio-economic status was controlled, there were no group differences in the home literacy environment experienced by children at family risk and controls. In the family risk group, both storybook exposure and direct instruction at age 4½ predicted phoneme awareness and emergent decoding skills at age 5½ which in turn, predicted reading at age 6½ years. In controls, the influence of storybook exposure on phoneme awareness was not significant but otherwise the model was the same: storybook exposure was a predictor of oral language at 5½ which, together with decoding predicted reading comprehension a year later.

A critical question is whether the home environment affects child reading outcomes once other heritable influences are taken into account. Van Bergen, Zuijlen, Bishop and de Jong (2016) conducted a study in which families were assessed for reading fluency and completed a survey assessing the home literacy environment. Several aspects of the home environment were correlated with parental reading skills and habits, throwing doubt on the hypothesis that home literacy environment is a pure environmental measure. In similar vein, Puglisi, Hamilton, Hulme and Snowling (2018) found no direct effect of measures of informal literacy on child outcomes after controlling for maternal language and literacy skills (suggesting that such effects may reflect at least in part genetic effects), however, direct instruction did appear to be a true environmental influence on later decoding skills.

Finally, one factor which is widely believed to predict reading fluency is the amount of reading a child does outside of school, perhaps in the home. Van Bergen et al., (2018) extracted data from the Netherlands Twin Register to estimate genetic and environmental influences on reading ability. Using parental ratings of the amount children read and parent and teacher ratings of reading ability they found, as expected, that reading ability was highly heritable, while print exposure was influenced equally by genetic and environmental factors.

Direction of causality models suggested that reading ability was the driver of how much children read and not vice versa. A clear implication is that poor readers need to be encouraged to practice reading as they are more likely to avoid doing so at home and elsewhere otherwise.

School Environment

Classic studies of school effectiveness show wide variations in reading attainment among pupils attending schools varying in quality (Sammons, Nuttall, & Cuttance, 1993). A key question, therefore, is whether school-level environmental factors moderate genetic influences on literacy attainments. A small number of studies have attempted to answer this question using genetically sensitive designs, but findings are inconsistent. Haughbrook, Hart, Schatschneider and Taylor (2017) compared the etiology of reading skills in twins attending schools that varied in quality, comparing ‘A’ schools (in which the progress of pupils is generally better) versus ‘non-A’ schools (with lower pupil attainments). Shared environmental influences between twins were larger in ‘non-A’ than ‘A schools’ and conversely, there were greater genetic influences on the reading of those attending ‘A’ schools. Since children of lower socio-economic status who have experienced a poorer home literacy environment are more likely to attend a low-quality school, the authors suggest that the poor school environments may have depressed relatively poorer pre-reading skills further.

Similarly, Taylor, Erbeli, Hart and Johnson (2019) investigated the outcomes in 7th to 10th grade of twins who had been studied during the early years of schooling. A measure of gains in reading fluency for all children in the 1st and 2nd grade classrooms in the schools attended by these children was taken as a measure of classroom environment. When the quality of the environment was defined as poor, there was more variability in reading

outcomes in adolescence (and variance due to shared environmental influences was high). In contrast, when the early classroom environment was good, outcomes were better and there was less variability in reading skills which were subject to strong genetic influences. However, these arguments are circular (since school classrooms were defined according to pupil attainment) and Grasby, Coventry, Byrne and Olson (2019) failed to find equivalent effects in an Australian sample of twins.

Notwithstanding this, it would be odd if there were not environmental influences on reading given that it is a learned skill that depends on practice. Consistent with this, Lervag, Dolean, Tincas and Melby-Lervag (2019) reported a direct effect of socioeconomic status (SES) as well as school absences on the growth of vocabulary and reading comprehension in Roma children being brought up in severe poverty after controlling for relevant cognitive and linguistic measures.

In summary, theories of reading disorder need to take account of a wide range of both genetic and environmental risk factors which affect learning to read. While understanding of how these interact over time remains limited the findings serve to remind us that the classroom environment provides a critical foundation for later educational attainment and may be particularly valuable in compensating for poorer home circumstances.

Comorbidities of Reading Disorder

It is now widely accepted that neurodevelopmental disorders co-occur more often than expected by chance. This co-occurrence may arise because of shared risk factors, because one disorder is the developmental precursor of another or because one disorder confers risk for another disorder. There is good evidence for high rates of comorbidity between dyslexia and mathematics disorder, attention deficit hyperactivity disorder (ADHD), developmental language disorder, speech sound disorder, developmental coordination

disorder as well as with disorders of mental health including anxiety, depressive and conduct disorders. Reported rates of comorbidity are larger than expected by chance and depend on the criteria used to define reading or other disorders (Branum-Martin, Fletcher & Stuebing, 2013). Thus, the field is moving towards approaches that examine correlations between normally distributed dimensions of reading with other skills in order to identify specific and shared risk and protective factors.

RD and Mathematics Disorder

Among specific learning disorders, the co-occurrence of reading disorder and mathematics disorder (MD, dyscalculia) is common (Koponen et al., 2018; Moll, Landerl, Snowling & Schulte-Korne, 2019). Willcutt et al. (2013) examined a large group of children with RD and/or MD. All groups showed deficits in verbal comprehension, working memory, naming speed, processing speed, inhibition, vigilance and response variability, which had additive effects, and there were interactions between RD and MD for phoneme awareness, Stroop performance and set-shifting. These findings suggest that RD and MD share risks in verbal comprehension, working memory and processing speed but in addition, there are risk factors specific to each condition (see also Cirino, Fuchs, Elias, Powell & Schumacher, 2015).

RD and ADHD

Reading disorder and ADHD, show high rates of comorbidity (20 - 40%). McGrath, et al., (2011) investigated the specific and shared cognitive deficits associated with these conditions in a sample ranging from 8-18 years of age. There were three predictors of reading: phonological awareness, RAN and processing speed. Phonological awareness and RAN were uniquely associated with reading, and processing speed accounted for shared variance with ADHD inattentive symptoms. Inhibition was associated with both inattentive

and hyperactive/impulsive symptoms but not with reading skills. Thus, processing speed is a predictor of both RD and ADHD dimensions, and primarily accounts for the association of reading and inattention. These findings dovetail with those of Wadsworth, de Fries, Willcutt, Pennington and Olson (2015) who found that genetic influences accounted for the overlap between RD and the inattentive form of ADHD whereas they were less important in the etiology of the hyperactive/impulsive subtype.

Together the findings suggest that slow processing speed is a shared risk factor for reading disorder and ADHD and possibly for other disorders as well. Peterson, et al., (2017) assessed the risk factors for reading, mathematics and attention disorders in a large sample of twins aged 8-16 years. Verbal comprehension and nonverbal processing speed predicted both reading and mathematics; in addition, phoneme awareness and verbal processing speed (RAN) predicted reading, while visual working memory predicted mathematics, and inhibition predicted attention. Verbal processing speed partially accounted for the overlap between attention and reading and mathematics, whereas verbal comprehension accounted for the overlap between reading and math (see a meta-analysis by Daucourt, Erbeli, Haughbrook, Little, and Hart (2020) for etiological influences on the overlap between reading, mathematics and attention disorders).

RD and Language Disorder

Another disorder that frequently co-occurs with reading disorder is developmental language disorder (DLD). It seems most likely that this co-occurrence is an example of a liability (language disorder) that has downstream effects on the development of both reading and mathematics. It is now well established that poor language is a risk factor for reading disorder; roughly 50% of children with dyslexia in clinical samples have been found to fulfil criteria for DLD and about 50% of children with DLD have significant reading impairments

(Bishop et al., 2017) though the risk of children with DLD developing dyslexia is lower in epidemiological samples (Catts, Adlof, Hogan & Weismer, 2005). A more common outcome for children with DLD is reading comprehension impairment. Poor comprehenders have difficulties in vocabulary (Henderson, Snowling & Clarke, 2013), and in some aspects of morphology and syntactic awareness (Adlof & Catts, 2015; Tong, Deacon & Cain, 2013) as well as in specific components of comprehension, such as inferencing, comprehension monitoring and in inhibiting irrelevant information (Borella, Carretti & Pelegrina, 2010; Pimperton & Nation, 2010).

Nation, Cocksey, Taylor and Bishop (2010) followed the reading and language development of 242 children from age 5 to 8 years identifying 15 children who at 8 years exhibited the 'poor comprehender' profile (normal reading fluency but impaired reading comprehension). As a group, the poor comprehenders showed normal phonological skills but mild to moderate impairments in oral language skills. Although not specifically focusing on poor comprehenders, Oakhill and Cain (2012) included measures of comprehension and working memory in a longitudinal study of 100 children from age 7-8 (*t1*) through 8-9 (*t2*) to 10-11 (*t3*) years. Verbal IQ, vocabulary and knowledge of story structure at *t1* together predicted later reading comprehension outcomes; in the same model, vocabulary at *t1* predicted inference making skills at *t2* which, together with comprehension monitoring ability, accounting for additional variance in reading comprehension. Although performance IQ is a predictor of comprehension monitoring, the skills found to underpin reading comprehension are primarily verbal and differ from the predictors of reading accuracy/dyslexia which include phonological skills. Moreover, it is important to bear in mind that children with language disorders experience of a range of other deficits, notably in arithmetic (Cross, Joanisse & Archibald, 2019; Durkin, Mok & Conti-Ramsden, 2013) and in the development in executive function and motor skills (Gooch, Hulme, Nash & Snowling,

2014). Thus, when dyslexia is comorbid with DLD, a range of other problems are likely to be associated.

Together, these findings suggest that early language difficulties may be associated with a range of different developmental trajectories. Speculatively, language difficulties in some children may resolve but leave them at risk of relatively circumscribed phonological problems (this is the “classic” dyslexia profile), while for other children broader oral problems persist either without concomitant phonological problems (this is the classic poor comprehender profile) or with concomitant phonological problems (the profile of a generally poor reader, who has both decoding and comprehension difficulties: ‘Dyslexia + DLD’). To complicate matters further, some children, especially those at family risk of dyslexia, may have language abilities that are within the normal range in preschool but show late emerging language difficulties during the early school years (Snowling, et al., 2016).

A Multifactorial Framework for Reading Disorders

For many years, dyslexia was considered a specific disorder arising from a selective phonological deficit. The strongest evidence of a causal mechanism at the cognitive level of explanation remains the phonological deficit hypothesis; however, it is now recognized that a phonological deficit is neither necessary nor sufficient to explain heterogeneity of the condition (e.g., Catts, McIlraith, Bridges & Nielsen, 2017; Saksida et al., 2016). While there is little convincing evidence for a direct causal role of auditory processing, speech perceptual or visual factors on reading development, it is important to bear in mind that, at the individual level, such difficulties may exacerbate a reading problem or account for some of the co-occurring features. Indeed, the many risk factors associated with dyslexia and its frequent comorbidity with other disorders, suggests that a multifactorial model is needed to explain the condition.

The multiple-risk framework for dyslexia can be traced to Pennington (2006) among others who argued that risks for neurodevelopmental disorders operate probabilistically across biological, cognitive and environmental levels until they reach a ‘diagnostic threshold’, determining not only categories of developmental disorder but also their comorbidities. According to McGrath et al., (2020), the multiple deficit model accounts for some 75-85% of the variance in the comorbidity of reading and maths but has been less successful in explaining the comorbidity between RD and ADHD (where it is hypothesised that the addition of emotion regulation deficits may improve accuracy of the model). The model makes a further prediction: that risk factors interact with compensatory factors to improve outcomes. At present there is a paucity of direct evidence for this view.

Exploring the issue of compensation, van Viersen, de Bree and de Jong (2019) compared children with persisting and resolving dyslexia, matched on IQ, to investigate the comparative strengths of these groups. Groups were comparable on phoneme deletion and non-alphanumeric RAN but those with resolving difficulties showed stronger verbal abilities. However, this was a small scale study and the interaction between deficits and ‘strengths’ favouring the resolving group was not tested. More is known about the factors that promote good reading across the population, notably good oral language skills and plenty of practice to develop the high quality lexical representations that underpin skilled reading comprehension (Perfetti & Hart, 2002).

Implications for Assessment

A reasonable implication of the multiple-risk hypothesis of dyslexia is that assessment should to tap a broad range of cognitive skills. However, Miciak et al (2014) have strongly criticised such approaches, not least because there is little evidence of interactions between individuals’ strengths and weaknesses. Rather, assessments should focus on the defining

symptoms of reading difficulties, the functional impairments and co-occurring conditions. In fact, brief assessments focusing on reading and proximal skills are effective, when a child's response to intervention is monitored (Fuchs & Fuchs, 2019), provided that co-occurring difficulties can be managed.

Research using regression approaches can be useful for identifying optimal assessment batteries. Thompson, et al. (2015) used data from an English sample of children at high-risk of reading disorder to show that, in preschool, familial risk of dyslexia was the best predictor of a child's dyslexia status at 8 years. At school entry, familial risk remained a strong predictor, and poor language was now also significant. From age 6, performance on tests of letter knowledge, phoneme awareness and RAN produced as good a prediction of outcome as family risk status. These findings dovetail well with those from longitudinal predictive studies of reading development and are consistent with the finding that the risk of reading disorder is reduced among children whose preschool language difficulties resolve by school entry (Snowling, Duff, Nash & Hulme, 2015). When predicting individual risk of reading comprehension difficulties, poor oral language comprehension and vocabulary are key factors (see above). Second language learners who are required to read in a non-native language are also at risk (Spencer & Wagner, 2017).

Finally, Frijters, Lovettee, et al., (2011) examined the predictors of reading outcome among children who showed different levels of response to intervention, defined following growth curve analysis (poor, average, good). The assessment battery included measures of oral language, phonological memory, visuo-motor integration and IQ as well as a comprehensive range of reading and reading-related tests. In addition to phonological awareness and RAN, which were robust predictors of reading growth, other skills improved the accuracy of classification of good and poor responders by about 18% (depending on the outcome measure). Among these, the most robust predictor was verbal comprehension, with

visuo-motor integration, phonological memory and other IQ components (including freedom from distractibility and processing speed) playing a role in relation to specific outcome measures.

Outcomes for Children with Reading Disorders

It is widely established that reading difficulties hinder educational attainment. However, there is a dearth of robust evidence concerning longer-term outcomes and very few studies examine outcomes for children who have received intervention.

Reading Outcome

Reading ability is highly stable. Moll, Gangle, Banfi, Schulte-Korne and Landerl (2020) examined the one to two-year stability of deficits in reading and spelling, and the combination thereof, in 167 German-speaking children aged 9 years at the first point of assessment. The correlation between performance at the first time point and one year later was very high for reading fluency ($r > .9$) and high for spelling ($r = .78$). Stability of group membership was moderate in groups with reading disorder but low for a spelling-only disorder group with only 32% remaining impaired after one year (see Maughan et al., 2009, for contrasting effects in English).

In a similar vein, Elwer, Keenan, Olson, Byrne and Samuelsson (2013) assessed the longitudinal stability and predictors of poor oral comprehension as well as poor decoding in a large sample of US children over a longer time span (preschool to Grade 4). Children classified as poor decoders in Grade 4 showed weak reading and spelling from the first point of measurement onwards. Reading comprehension profiles were more complex. In the early grades, poor oral language comprehenders actually outperformed poor decoders and it was only in Grade 4 that they showed the 'poor comprehender' profile. This is consistent with the

view that in the early years of schooling, reading comprehension depends strongly on decoding skills whereas later, it is strongly dependent on oral language comprehension.

Finally, from a neuropsychological perspective, there has been some interest in whether the cognitive profiles associated with different ‘subtypes’ of dyslexia, namely phonological dyslexia (in which nonword reading is particularly impaired) and surface dyslexia (in which exception word reading is impaired) are stable over time. Peterson, Pennington, Olson & Wadsworth (2014) followed children who had been subtyped in this way when aged 12-22 years, some five years after the first assessment. The phonological subtype was moderately stable but the surface dyslexia profile (rare in this sample) was not; neither subtype was as stable as was dyslexia defined according to psychometrically valid criteria. Furthermore, knowledge of the subtype provided no useful information regarding progress in reading over time. In similar vein, although there is some evidence that optimal reading interventions take account of child characteristics, cognitive profiles appear to be of limited benefit when planning interventions (Connor et al., 2013).

Together, these findings, and the failure of struggling readers to ‘catch-up, means that the gaps in educational attainment between them and their peers widen over time. This is a *prima facie* argument for reading intervention that starts early and often needs to continue (Solis, Miciak, Vaughn & Fletcher, 2014). Blachman, Schatschneider et al., (2014) evaluated the outcomes at ages 19-22 years of 58 children who has received an 8-month intervention in Grades 2 and 3, compared with a control group who had received business as usual. The intervention group remained ahead on standardized measures of basic reading that had been the focus of intervention. Group differences were moderate on these measures ($d_s = .53-.62$) but small to negligible for spelling ($d = .26$) and reading comprehension ($d = .06$). There was also an indication that the intervention group participated in secondary education longer, and were more likely to go on to complete post-school qualifications. However,

sample size was small and these findings require replication. Arguably, it is optimistic to think that a relatively short intervention could inoculate children with significant reading difficulties against future failure.

Mental health and well-being

Mental health problems are more common in children with dyslexia (e.g. ADHD, internalizing symptoms, anxiety disorders, depressive disorders and conduct disorders). Francis, Caruana, Hudson and McArthur (2019) conducted a meta-analysis of studies examining internalizing problems in reading disorder. Although the sample size was limited with only 34 studies fitting the criteria, they report moderate associations between reading disorder and internalising problems as well as a smaller but significant association with depression, confirming findings of earlier reviews. The same group conducted a systematic review of the literature on poor reading and various aspects of self-concept, reporting moderate associations from 13 studies (McArthur, Filardi, Francis, Boyes & Badock, 2020). Further, Livingston, Siegel and Robary (2018) conducted a review of some 100 articles outlining the emotional difficulties, which have been associated with dyslexia, and its impacts beyond the individual to the family and the community.

Here, as in other areas, the issue of cause versus correlation arises; whereas a classic view of dyslexia was that problems, particularly of attention, behaviour and self-esteem, were a secondary consequence of reading problems, it is now clear that, in some cases, such difficulties reflect pre-existing conditions and that it is important to take account of comorbidities.

A widely held view is that reading disorders also have an impact on psychosocial adjustment and adult well-being. A cohort study of almost 9000 Swedish individuals using a national dataset reported that those with reading problems had elevated risks for almost all psychiatric disorders with the exception of anorexia nervosa and criminality, with odds ratios

adjusted for IQ ranging from 1.23 for non-violent criminality, 3.14 for autism and 4.83 for ADHD (Cederlof, Maughan, Larrson, D’Onofrio & Plomin, 2017). The magnitude of risk was generally higher for developmental disorders with childhood onset than for disorders with onset in adolescence or adulthood (e.g. bipolar disorder).

It has also been suggested from qualitative studies that primary school may be the most difficult in terms of wellbeing and self-esteem for poor readers and ‘diagnosis’ can bring a sense of relief and better adjustment (O’Connor, Kadianaki, Maunder & McNicholas, 2018). However, few longitudinal studies have followed children through the adolescence to adulthood so evidence is limited. In one follow-up study, Aro, Eklund et al., (2019) analysed data from 430 Finnish adults who had been identified clinically as having either Reading and/or Mathematics Disorder. The database used contained records of education, sickness benefits and other allowances. As to be expected, fewer of these individuals had attended university than controls, and more had been unemployed; sickness benefits and allowances granted following psychiatric diagnosis were more common, as was the prescription of medications for anxiety and depression. Interestingly, the rate of problems was higher in individuals with MD than RD and the use of medications for anxiety and depression, higher among females than males. While the nature of these data preclude in-depth causal analyses, they are an important reminder that failure to offer support to individuals with reading difficulties may only result in poor adult outcomes but also is likely to create societal inequalities.

Educational Implications

Traditionally, reading problems have been viewed as primarily due to decoding problems thought to reflect phonological processing weaknesses or thought to reflect broader

oral language deficits, particularly deficits in vocabulary knowledge (semantics) affecting reading comprehension (Snowling & Hulme, 2012). However, the finding that early, broadly defined, language difficulties are predictive of both later decoding and reading comprehension difficulties strongly suggests a role for early language intervention as a way of preventing both types of reading difficulty. There is now good evidence that language interventions can produce meaningful improvements in children's oral language skills especially when these interventions are well implemented and involve small group teaching (Rogde, Hagen, Melby-Lervåg & Lervåg, 2019). Preschool parent-delivered programmes may also be helpful for ensuring a secure foundation in language skills at school entry (e.g. Burgoyne, Gardner, Whiteley, Snowling, & Hulme, 2018). An important issue for future studies is to examine the durability of any effects of early language intervention and whether such interventions produce transfer effects to reading accuracy and comprehension.

Interventions for reading difficulties

Space precludes a comprehensive review of reading interventions, however, as might be expected from the theoretical framework presented here, children with reading disorders/dyslexia benefit from teaching that directly targets word level decoding as well as underlying skills (spelling-sound relationships and phonological skills, see McArthur et al., 2018; Galuschka, et al., 2019 for reviews). There is also some evidence that, for children with dyslexia, interventions to improve their decoding problems leads to improvements in reading comprehension (since for these children the principal limiting factor for comprehension is their low level of reading accuracy). Conversely, for poor comprehenders, interventions that improve language skills also improve reading comprehension (Clarke, Snowling, Truelove & Hulme, 2010; Fricke, Bowyer-Crane, Haley, Hulme & Snowling, 2013) although such transfer effects are not always obtained. At a more general level,

future research needs to address issues surrounding the implementation of interventions if they are to be successfully embedded in practice (see Foorman, Dombek & Smith, 2016 for discussion).

“Alternative” Interventions for reading difficulties

The approaches to intervention for children’s reading difficulties with demonstrated effects grow out of cognitive level theories about the nature and causes of children’s reading problems. However, in recent years there has been a large growth in other approaches to intervention for reading and language problems. Among those claimed to improve reading and languages skills is working memory training: two different meta-analyses provide clear evidence against the claim that working memory training can remedy reading and spelling problems (Melby-Lervag & Hulme, 2013; Melby-Lervag, Redick & Hulme, 2016). Similar negative conclusions have been reached about another form of computerized training called FastForWord , also marketed as a treatment for reading and language difficulties (Strong, Torgerson, Torgerson & Hulme, 2011). In contrast, it is interventions that tackle “head on” the proximal cognitive causes of poor reading that are likely to succeed.

Conclusions

The science of reading has flourished during the past decade and understanding of the causes of dyslexia and related learning disorders is becoming increasingly refined. A challenge for the field is to impress upon education policy makers, the implications of this body of knowledge (Seidenberg, 2013).

It must be acknowledged that, having abandoned the discrepancy definition of ‘dyslexia’, a broader range of children with persistent reading disorders is being identified. Dyslexia is now recognized as a dimensional disorder, highly comorbid with other learning

disorders. Thus, while the methodological tradition of ‘controlling’ for difficulties in language or attention when selecting samples of children with dyslexia has provided much important information about its core characteristics, it does not provide a full picture of its etiology. Now our task is to consider how multiple deficits (across biology and cognition) interact with sources of compensation to produce the profiles of reading disorder that we observe.

A theme which is woven through this review is that oral language skills provide the critical foundation for all aspects of literacy development. We now know that the influence of language skills on learning to decode is mediated via phonological skills. Similarly, there is a division of labor between decoding and language comprehension processes which changes over time, at different rates, according to whether languages are easier or more difficult to learn to decode. Although we know a great deal about how to get poor readers off to a good start in decoding, there is a dearth of evidence regarding how to improve reading fluency and comprehension, and only limited evidence that early language interventions can improve reading outcomes ((Elleman, Lindo, Morphy, & Compton, 2009). Finally, the strong association between oral and written language skills brings to the fore the urgent need to consider the much neglected field of developmental language disorders and the difficulties these children have, not only with reading, writing and mathematics, but with a range of other psychosocial and emotional issues (Bishop et al., 2017). In addition, the timing and frequency of reading interventions for such ‘at-risk’ groups (prevention versus remediation) would be a fruitful avenue for future research (Maughan & Barker, 2019; Volkmar, Galushka & Schulte-Korne, 2020).

References

- Adlof, S.M., Catts, H.W. (2015) Morphosyntax in poor comprehenders. *Reading and Writing*, 28, 1051–1070 <https://doi.org/10.1007/s11145-015-9562-3>
- American Association of Psychiatry (2013). *Diagnostic & Statistical Manual (DSM5)*. Washington DC: American Psychiatric Association.
- Arnett, A.B., Pennington, B.F., Peterson, R.L., Willcutt, E.G., DeFries, J.C. and Olson, R.K. (2017), Explaining the sex difference in dyslexia. *Journal of Child Psychology and Psychiatry*, 58(6), 719–727. doi:[10.1111/jcpp.12691](https://doi.org/10.1111/jcpp.12691)
- Aro, T., Eklund, K., Eloranta, A.-K., Närhi, V., Korhonen, E., & Ahonen, T. (2019). Associations Between Childhood Learning Disabilities and Adult-Age Mental Health Problems, Lack of Education, and Unemployment. *Journal of Learning Disabilities*, 52(1), 71–83. <https://doi.org/10.1177/0022219418775118>
- Bishop, D. V. M. (2015). The interface between genetics and psychology: lessons from developmental dyslexia. *Proceedings of the Royal Society B* 282(1806) <https://doi.org/10.1098/rspb.2014.3139>
- Bishop, D. V. M., & Snowling, M. J. (2004). Developmental Dyslexia and Specific Language Impairment: Same or Different? *Psychological Bulletin*, 130(6), 858–886. <https://doi.org/10.1037/0033-2909.130.6.858>
- Bishop, D. V., Snowling, M. J., Thompson, P. A., Greenhalgh, T. and (2017). Phase 2 of CATALISE: a multinational and multidisciplinary Delphi consensus study of problems with language development: Terminology. *Journal of Child Psychology and Psychiatry*, 58(10), 1068–1080. <https://doi.org/10.1111/jcpp.12721>
- Bishop, D.V.M., McDonald, D., Bird, S. and Hayiou-Thomas, M.E. (2009). Children Who Read Words Accurately Despite Language Impairment: Who Are They and How Do They Do It? *Child Development*, 80(2), 593–605. doi:[10.1111/j.1467-8624.2009.01281.x](https://doi.org/10.1111/j.1467-8624.2009.01281.x)
- Blachman, B. A., Schatschneider, C., Fletcher, J. M., Murray, M. S., Munger, K. A., & Vaughn, M. G. (2014). Intensive reading remediation in grade 2 or 3: Are there

- effects a decade later? *Journal of Educational Psychology*, 106(1), 46–57. <https://doi.org/10.1037/a0033663>
- Boden, C., & Giaschi, D. (2007). M-stream deficits and reading-related visual processes in developmental dyslexia. *Psychological Bulletin*, 133(2), 346–366. <http://dx.doi.org/10.1037/0033-2909.133.2.346>
- Borella, E., Carretti, B., & Pelegrina, S. (2010). The Specific Role of Inhibition in Reading Comprehension in Good and Poor Comprehenders. *Journal of Learning Disabilities*, 43(6), 541–552. <https://doi.org/10.1177/0022219410371676>
- Bornstein, M.H., Hahn, C.-S., Putnick, D.L. and Suwalsky, J.T.D. (2014), Stability of Core Language Skill from Early Childhood to Adolescence: A Latent Variable Approach. *Child Development*, 85(4), 1346–1356. doi:[10.1111/cdev.12192](https://doi.org/10.1111/cdev.12192)
- Branum-Martin, L., Fletcher, J. M., & Stuebing, K. K. (2013). Classification and Identification of Reading and Math Disabilities: The Special Case of Comorbidity. *Journal of Learning Disabilities*, 46(6), 490–499. <https://doi.org/10.1177/0022219412468767>
- Burgoyne, K., Gardiner, R., Whiteley, H., Snowling, M. J., & Hulme, C. (2018). Evaluation of a parent-delivered early language enrichment programme: evidence from a randomised controlled trial. *Journal of Child Psychology and Psychiatry*, 59(5), 545–555. <https://doi.org/10.1111/jcpp.12819>
- Burgoyne, K., Lervag, A., Malone, C. & Hulme, C. (2019). Speech difficulties at school entry are a significant risk factor for later reading difficulties. *Early Childhood Research Quarterly Volume*, 49(4), 40–48. <https://doi.org/10.1016/j.ecresq.2019.06.005>
- Byrne, B., Wadsworth, S., Corley, R., Samuelsson, S., Quain, P., DeFries, J.C., Willcutt, E. & Olson, R.K. (2005). Longitudinal Twin Study of Early Literacy Development:

Preschool and Kindergarten Phases. *Scientific Studies of Reading*, 9(3), 219–235.

DOI: [10.1207/s1532799xssr0903_3](https://doi.org/10.1207/s1532799xssr0903_3)

Caravolas, M., Lervåg, A., Defior, S., Seidlova Malkova, G., & Hulme, C. (2013). Different patterns, but equivalent predictors, of growth in reading in consistent and inconsistent orthographies. *Psychological Science*, 24(8), 1398–1407.

<http://dx.doi.org/10.1177/0956797612473122>

Caravolas, M., Lervåg, A., Mikulajová, M., Defior, S., Seidlová-Málková, G. & Hulme, C. (2019). A Cross-Linguistic, Longitudinal Study of the Foundations of Decoding and Reading Comprehension Ability. *Scientific Studies of Reading*, 23(5) 386–402.

<https://doi.org/10.1080/10888438.2019.1580284>

Caravolas, M., Lervåg, A., Mousikou, P., Efrim, C., Litavsky, M., Onochie-Quintanilla, E., et al. (2012). Common patterns of prediction of literacy development in different alphabetic orthographies. *Psychological Science*, 23(6), 678–686.

<http://dx.doi.org/10.1177/0956797611434536>

Carrion-Castillo, A., Franke, B. and Fisher, S.E. (2013). Molecular Genetics of Dyslexia: An Overview. *Dyslexia*, 19(4), 214–240. doi:[10.1002/dys.1464](https://doi.org/10.1002/dys.1464)

Carroll, J.M., Solity, J. and Shapiro, L.R. (2016), Predicting dyslexia using prereading skills: the role of sensorimotor and cognitive abilities. *Journal of Child Psychology Psychiatry*, 57(6), 750–758. doi:[10.1111/jcpp.12488](https://doi.org/10.1111/jcpp.12488)

Castles, A., Rastle, K., & Nation, K. (2018). Ending the reading wars: reading acquisition from novice to expert. *Psychological Science in the Public Interest*, 19(1), 5–51.

<https://doi.org/10.1177/1529100618772271>

Catts, H.W., Adlof, S.M., Hogan, T.P. & Weismer, S.E. (2005). Are Specific Language Impairment and Dyslexia Distinct Disorders? *Journal of Speech, Language, and Hearing Research* 48(6), 1378–1396. [https://doi.org/10.1044/1092-4388\(2005/096\)](https://doi.org/10.1044/1092-4388(2005/096))

- Catts, H.W., McIlraith, A., Bridges, M.S. et al. (2017). Viewing a phonological deficit within a multifactorial model of dyslexia. *Read Writ* 30, 613–629.
<https://doi.org/10.1007/s11145-016-9692-2>
- Cederlöf, M., Maughan, B., Larsson, H., D'Onofrio, B. M., & Plomin, R. (2017). Reading problems and major mental disorders-co-occurrences and familial overlaps in a Swedish nationwide cohort. *Journal of psychiatric research*, 91, 124-129.
<https://doi.org/10.1016/j.jpsychires.2017.03.014>
- Chow, B. W. Y., Ho, C. S. H., Wong, S. W., Waye, M. M., & Zheng, M. (2017). Home environmental influences on children's language and reading skills in a genetically sensitive design: Are socioeconomic status and home literacy environment environmental mediators and moderators?. *Scandinavian journal of psychology*, 58(6), 519-529 <https://doi.org/10.1111/sjop.12397>
- Christopher, M.E., Hulslander, J., Byrne, B., Samuelsson, S., Keenan, J.M., Pennington, B., DeFries, J.C., Wadsworth, S.J., Willcutt, E. and Olson, R.K. (2015), Genetic and Environmental Etiologies of the Longitudinal Relations Between Prereading Skills and Reading. *Child Development*, 86(2) 342–361. doi:[10.1111/cdev.12295](https://doi.org/10.1111/cdev.12295)
- Cirino, P. T., Fuchs, L. S., Elias, J. T., Powell, S. R., & Schumacher, R. F. (2015). Cognitive and Mathematical Profiles for Different Forms of Learning Difficulties. *Journal of Learning Disabilities*, 48(2), 156–175. <https://doi.org/10.1177/0022219413494239>
- Clarke, P. J., Snowling, M. J., Truelove, E., & Hulme, C. (2010). Ameliorating children's reading-comprehension difficulties: A randomized controlled trial. *Psychological science*, 21(8), 1106-1116. <https://doi.org/10.1177/0956797610375449>
- Clayton, F., Sears, C., Davis, A. & Hulme, C. (2018) Verbal task demands are key in explaining the relationship between paired-associate learning and reading ability *Journal of Experimental Child Psychology*, 171, 46-54.
<https://doi.org/10.1016/j.jecp.2018.01.004>

- Connor, C. M., Morrison, F. J., Fishman, B., Crowe, E. C., Al Otaiba, S., & Schatschneider, C. (2013). A longitudinal cluster-randomized controlled study on the accumulating effects of individualized literacy instruction on students' reading from first through third grade. *Psychological Science*, 24(8), 1408-1419. <https://doi.org/10.1177/0956797612472204>
- Cross, A.M., Joanisse, M.F., & Archibald, M.D. (2019). Mathematical Abilities in Children With Developmental Language Disorder. *Language, Speech, and Hearing Services in Schools* 50(1) 150–163 https://doi.org/10.1044/2018_LSHSS-18-0041
- Daucourt, M.C., Erbeli, F., Little, C.W., Haughbrook, R. & Hart, S.A. (2020) A Meta-Analytical Review of the Genetic and Environmental Correlations between Reading and Attention-Deficit/Hyperactivity Disorder Symptoms and Reading and Math. *Scientific Studies of Reading*, 24(1), 23–56. DOI: [10.1080/10888438.2019.1631827](https://doi.org/10.1080/10888438.2019.1631827)
- Dilnot, J., Hamilton, L., Maughan, B., & Snowling, M. (2017). Child and environmental risk factors predicting readiness for learning in children at high risk of dyslexia. *Development and Psychopathology*, 29(1), 235–244.
doi:10.1017/S0954579416000134
- Durkin, K., Mok, P.L.H, & Conti-Ramsden, G. (2013) Severity of specific language impairment predicts delayed development in number skills. *Frontiers in Psychology*, 4(581) 1–10 <https://doi.org/10.3389/fpsyg.2013.00581>
- Elleman, A. M., Lindo, E. J., Morphy, P., & Compton, D. L. (2009). The impact of vocabulary instruction on passage-level comprehension of school-age children: A meta-analysis. *Journal of Research on Educational Effectiveness*, 2(1), 1-44.
<https://doi.org/10.1080/19345740802539200>
- Elwer, A., Keenan, J.M., Olson, R.K., Byrne, B. & Samuelsson, B. (2013) Longitudinal stability and predictors of poor oral comprehenders and poor decoders. *Journal of*

Experimental Child Psychology, 115(3), 497–516.

<https://doi.org/10.1016/j.jecp.2012.12.001>

Florit, E., & Cain, K. (2011). The Simple View of Reading: Is It Valid for Different Types of Alphabetic Orthographies?. *Educational Psychology Review*, 23, 553–576.

<https://doi.org/10.1007/s10648-011-9175-6>

Foorman, B., Dombek, J., & Smith, K. (2016). Seven elements important to successful implementation of early literacy intervention. *New directions for child and adolescent development*, 2016(154), 49–65. <https://doi.org/10.1002/cad.20178>

Foorman, B.R., Herrera, S., Petscher, Y. et al. (2015). The structure of oral language and reading and their relation to comprehension in Kindergarten through Grade 2. *Reading and Writing*, 28, 655–681. <https://doi.org/10.1007/s11145-015-9544-5>

Francis, D.A. Caruana, N., Hudson, J.L. & McArthur, G.M. (2019). The association between poor reading and internalising problems: A systematic review and meta-analysis. *Clinical Psychology Review* 67, 45–60
<https://doi.org/10.1016/j.cpr.2018.09.002>

Fricke, S., Bowyer-Crane, C., Haley, A. J., Hulme, C., & Snowling, M. J. (2013). Efficacy of language intervention in the early years. *Journal of Child Psychology and Psychiatry*, 54(3), 280–290. <https://doi.org/10.1111/jcpp.12010>

Frijters, J. C., Lovett, M. W., Steinbach, K. A., Wolf, M., Sevcik, R. A., & Morris, R. D. (2011). Neurocognitive Predictors of Reading Outcomes for Children With Reading Disabilities. *Journal of Learning Disabilities*, 44(2), 150–166.
<https://doi.org/10.1177/0022219410391185>

Fuchs, D., & Fuchs, L. S. (2017). Critique of the national evaluation of response to intervention: A case for simpler frameworks. *Exceptional Children*, 83(3), 255–268
<https://doi.org/10.1177/0014402917693580>

Galuschka, K., Görden, R., Kalmar, J., Haberstroh, S., Schmalz, X., & Schulte-Körne, G.

(2019, September 20). Effectiveness of spelling treatment approaches for learners with dyslexia – A meta-analysis and systematic review.

<https://doi.org/10.31219/osf.io/h2mva>

García, J. R., & Cain, K. (2014). Decoding and Reading Comprehension: A Meta-Analysis to

Identify Which Reader and Assessment Characteristics Influence the Strength of the

Relationship in English. *Review of Educational Research*, 84(1), 74–111.

<https://doi.org/10.3102/0034654313499616>

Gialluisi, A., Andlauer, T.F.M., Mirza-Schreiber, N. et al. (2019). Genome-wide association

scan identifies new variants associated with a cognitive predictor of dyslexia.

Translational Psychiatry, 9(77). <https://doi.org/10.1038/s41398-019-0402-0>

Gooch, D. C., Hulme, C., Nash, H. M. & Snowling, M. J. (2014). Comorbidities in preschool

children at risk of dyslexia: the role of language ability. *Journal of Child Psychology*

and Psychiatry, 55(3), 237–246. <http://dx.doi.org/10.1111/jcpp.12139>

Gough, P. B., & Tunmer, W. E. (1986). Decoding, Reading, and Reading Disability.

Remedial and Special Education, 7(1), 6–10.

<https://doi.org/10.1177/074193258600700104>

Grainger, J., Dufau, S. & Ziegler, J.C. (2016) A vision of reading. *Trends in Cognitive*

Science, 20(3), 171–179. <https://doi.org/10.1016/j.tics.2015.12.008>

Grasby, K. L., Coventry, W. L., Byrne, B., & Olson, R. K. (2019). Little evidence that

socioeconomic status modifies heritability of literacy and numeracy in

Australia. *Child development*, 90(2), 623–637 <https://doi.org/10.1111/cdev.12920>

Hakvoort, B., de Bree, E., van der Leij, A., Maassen, B., van Setten, E., Maurits, N. & van

Zuijlen T.L. (2016). The Role of Categorical Speech Perception and Phonological

Processing in Familial Risk Children With and Without Dyslexia. *Journal of Speech*,

Language, and Hearing Research, 59(6), 1448–1460.

https://doi.org/10.1044/2016_JSLHR-L-15-0306

Hämäläinen, J. A., Salminen, H. K., & Leppänen, P. H. T. (2013). Basic auditory processing deficits in dyslexia: Systematic Review of the Behavioral and Event-Related Potential/Field Evidence. *Journal of Learning Disabilities*, 46(5), 413–427.

<http://dx.doi.org/10.1177/0022219411436213>

Hamilton, L.G., Hayiou-Thomas, M.E., Hulme, C. & Snowling, M.J. (2016). The Home Literacy Environment as a Predictor of the Early Literacy Development of Children at Family-Risk of Dyslexia, *Scientific Studies of Reading*, 20(5), 401–419, DOI: 10.1080/10888438.2016.1213266

Haughbrook, R., Hart, S.A., Schatschneider, C. and Taylor, J. (2017), Genetic and environmental influences on early literacy skills across school grade contexts.

Developmental Science 20(5). doi:[10.1111/desc.12434](https://doi.org/10.1111/desc.12434)

Hayiou-Thomas, M.E., Carroll, J.M., Leavett, R., Hulme, C. and Snowling, M.J. (2017). When does speech sound disorder matter for literacy? The role of disordered speech errors, co-occurring language impairment and family risk of dyslexia. *Journal of Child Psychology and Psychiatry*, 58(2), 197–205. doi:[10.1111/jcpp.12648](https://doi.org/10.1111/jcpp.12648)

Henderson, L., Snowling, M. & Clarke, P. (2013). Accessing, Integrating, and Inhibiting Word Meaning in Poor Comprehenders, *Scientific Studies of Reading*, 17(3), 177-198, DOI: [10.1080/10888438.2011.652721](https://doi.org/10.1080/10888438.2011.652721)

Hjetland, H. Brinchman, E. Scheerr, R., Hulme, C & Melby-Lervag, M. (in press, 2020). Preschool pathways to reading comprehension: A systematic meta-analytic review. *Review of Educational Research*

Hjetland, H.N., Lervåg, A., Lyster, S.H., Hagtvet, B.E., Hulme, C. & Melby-Lervåg, M. (2018). Pathways to Reading Comprehension: A Longitudinal Study From 4 to 9

Years of Age. *Journal of Educational Psychology*, 11(5) 751–763

<http://dx.doi.org/10.1037/edu0000321>

Hoeft, F., McCandliss, B.D., Black, J.M., Gantman, A., Zakerani, N., Hulme, C., Lyytinen, H., Whitfield-Gabrieli, S., Glover, G.H., Reiss, A.L., & Gabrieli, J.D.E. (2011). Neural systems predicting long-term outcome in dyslexia. *Proceedings of the National Academy of Sciences of the United States of America*, 108(1), 361–366

<https://doi.org/10.1073/pnas.1008950108>

Huber E., Donnelly P.M., Rokem A., Yeatman J.D. (2018). Rapid and widespread white matter plasticity during an intensive reading intervention. *Nature Communications*. 9(1):2260. DOI: 10.1038/s41467-018-04627-

Hulme, C., Bowyer-Crane, C., Carroll, J. M., Duff, F. J., & Snowling, M. J. (2012). The causal role of phoneme awareness and letter-sound knowledge in learning to read: Combining intervention studies with mediation analyses. *Psychological science*, 23(6), 572-577. <https://doi.org/10.1177/0956797611435921>

Hulme, C., Nash, H. M., Gooch, D., Lervåg, A., & Snowling, M. J. (2015). The foundations of literacy development in children at familial risk of dyslexia. *Psychological Science*, 26(12), 1877–1886. <https://doi.org/10.1177/0956797615603702>

Hulme, C., Zhou, L., Tong, X., Lervåg, A., Burgoyne, K. (2019). Learning to read in Chinese: Evidence for reciprocal relationships between word reading and oral language skills. *Developmental Science* 22(1). <https://doi.org/10.1111/desc.12745>

Jerrim, J., Vignoles, A., Lingam, R., & Friend, A. (2015). The socio-economic gradient in children's reading skills and the role of genetics. *British Educational Research Journal*, 41(1), 6-29 <https://doi.org/10.1002/berj.3143>

- Joyner, R. E., & Wagner, R. K. (2020). Co-Occurrence of reading disabilities and math disabilities: A meta-analysis. *Scientific Studies of Reading*, 24(1), 14-22.
<https://doi.org/10.1080/10888438.2019.1593420>
- Kirby, J. R., Georgiou, G.K., Martinussen, R. & Parrila, R. (2010) Naming Speed and Reading: From Prediction to Instruction. *Reading Research Quarterly* 45.3 341–62.
Web. www.jstor.org/stable/27822891. Accessed 13 July 2020.
- Kirby, J. R., Deacon, S. H., Bowers, P. N., Izenberg, L., Wade-Woolley, L., & Parrila, R. (2012). Children’s morphological awareness and reading ability. *Reading and Writing*, 25(2), 389-410 <https://doi.org/10.1007/s11145-010-9276-5>
- Klem, M., Hagvet, B., Hulme, C. & Gustafsson, J. (2016). Screening for Language Delay: Growth Trajectories of Language Ability in Low- and High-Performing Children *Speech, Language and Hearing Research*, 59(5) 1035–1045.
https://doi.org/10.1044/2016_JSLHR-L-15-0289
- Koponen, T., Aro, M., Poikkeus, A. M., Niemi, P., Lerkkanen, M. K., Ahonen, T., & Nurmi, J. E. (2018). Comorbid fluency difficulties in reading and math: Longitudinal stability across early grades. *Exceptional Children*, 84(3), 298-311.
<https://doi.org/10.1177/0014402918756269>
- Landerl, K., Freudenthaler, H.H., Heene, M., de Jong, P.F., Desrochers, A., Manolitsis, G., Parrila, R. & Georgiou, G.K. (2019). Phonological Awareness and Rapid Automatized Naming as Longitudinal Predictors of Reading in Five Alphabetic Orthographies with Varying Degrees of Consistency. *Scientific Studies of Reading*, 23(3) 220–234. <https://doi.org/10.1080/10888438.2018.1510936>
- Landerl, K., Ramus, F., Moll, K., Lyytinen, H., Leppänen, P.H.T., Lohvansuu, K., ... Schulte-Körne, G. (2013), Predictors of developmental dyslexia in European

- orthographies with varying complexity. *Journal of Child Psychology and Psychiatry*, 54(6) 686–694. doi:[10.1111/jcpp.12029](https://doi.org/10.1111/jcpp.12029)
- Lervåg, A., Braten, I. & Hulme, C. (2019). The cognitive and linguistic foundations of early reading development: A Norwegian latent variable longitudinal study. *Developmental Psychology*, 45(3), 764–781. <https://doi.org/10.1037/a0014132>
- Lervåg, A., Dolean, D., Tincas, I., & Melby-Lervåg, M. (2019). Socioeconomic Background, Nonverbal IQ, and School Absence Affects the Development of Vocabulary and Reading Comprehension in Children Living in Severe Poverty. *Developmental science*, e12858
- Lervåg, A., & Hulme, C. (2009). Rapid naming (RAN) taps a basic constraint on the development of reading fluency. *Psychological Science*, 20, 1040–1048. <http://dx.doi.org/10.1111/j.1467-9280.2009.02405.x>
- Lervåg, A., Hulme, C. & Melby-Lervåg, M. (2018), Unpicking the Developmental Relationship Between Oral Language Skills and Reading Comprehension: It's Simple, But Complex. *Society for Research in Child Development*, 89(5), 1821–1838. doi:[10.1111/cdev.12861](https://doi.org/10.1111/cdev.12861)
- Li, H., Shu, H., McBride-Chang, C., Liu, H. and Peng, H. (2012). Chinese children's character recognition: Visuo-orthographic, phonological processing and morphological skills. *Journal of Research in Reading*, 35(3), 287–307. doi:[10.1111/j.1467-9817.2010.01460.x](https://doi.org/10.1111/j.1467-9817.2010.01460.x)
- Litt, R.A., de Jong, P.F., van Bergen, E. & Nation, K. (2013). Dissociating cross-modal and verbal demands in paired associate learning (PAL): What drives the PAL–reading relationship? *Journal of Experimental Child Psychology*, 115(1), 137–149. <https://doi.org/10.1016/j.jecp.2012.11.012>

- Little, C.W., Haughbrook, R. & Hart, S.A. (2017). Cross-Study Differences in the Etiology of Reading Comprehension: A Meta-Analytical Review of Twin Studies. *Behaviour Genetics*, 47, 52–76. <https://doi.org/10.1007/s10519-016-9810-6>
- Livingston, E. M., Siegel, L. S., & Ribary, U. (2018). Developmental dyslexia: Emotional impact and consequences. *Australian Journal of Learning Difficulties*, 23(2), 107-135. <https://doi.org/10.1080/19404158.2018.1479975>
- Mascheretti, S., Trezzi, V., Giorda, R., Boivin, M., Plourde, V., Vitaro, F., Brendgen, M., Dionne, G. and Marino, C. (2017), Complex effects of dyslexia risk factors account for ADHD traits: evidence from two independent samples. *The Journal of Child Psychology and Psychiatry*, 58(1) 75–82. doi:[10.1111/jcpp.12612](https://doi.org/10.1111/jcpp.12612)
- Maughan, B., & Barker, E. D. (2019). The Earlier the Better? Pausing for Thought. *Child development*, 90(1), 20-24. <https://doi.org/10.1111/cdev.13168>
- Maughan, B., Messer, J., Collishaw, S., Pickles, A., Snowling, M., Yule, W. and Rutter, M. (2009), Persistence of literacy problems: spelling in adolescence and at mid-life. *Journal of Child Psychology and Psychiatry*, 50(8) 893–901. doi:[10.1111/j.1469-7610.2009.02079.x](https://doi.org/10.1111/j.1469-7610.2009.02079.x)
- McArthur, G. M., Filardi, N., Francis, D. A., Boyes, M. E., & Badcock, N. A. (2020). Self-concept in poor readers: a systematic review and meta-analysis. *PeerJ*, 8, e8772. DOI: [10.7717/peerj.8772](https://doi.org/10.7717/peerj.8772)
- McArthur, G., Sheehan, Y., Badcock, N. A., Francis, D. A., Wang, H. C., Kohnen, S., . . . Castles, A. (2018). Phonics training for English-speaking poor readers. *Cochrane Database of Systematic Reviews*(11). doi:10.1002/14651858.CD009115.pub3
- McGrath, L.M., Pennington, B.F., Shanahan, M.A., Santerre-Lemmon, L.E., Barnard, H.D., Willcutt, E.G., DeFries, J.C. and Olson, R.K. (2011), A multiple deficit model of reading disability and attention-deficit/hyperactivity disorder: searching for shared

cognitive deficits. *Journal of Child Psychology and Psychiatry*, 52(5), 547–557.

doi:[10.1111/j.1469-7610.2010.02346.x](https://doi.org/10.1111/j.1469-7610.2010.02346.x)

McGrath, L.M., Peterson, R.L., & Pennington, B.F. (2020). The Multiple Deficit Model:

Progress, Problems, and Prospects. *Scientific Studies of Reading*, 24(1), 7–13. DOI:

[10.1080/10888438.2019.1706180](https://doi.org/10.1080/10888438.2019.1706180)

Melby-Lervag, M., Redick, T., & Hulme, C. (2016) Working Memory Training Does Not

Improve Performance on Measures of Intelligence or Other Measures of “Far

Transfer”: Evidence from a Meta-Analytic Review. *Perspectives on Psychological*

Science, 11, 512–534. DOI: 10.1177/1745691616635612

Melby-Lervag, M., & Hulme, C. (2013) Is working memory training in children effective?

A meta-analytic review. *Developmental Psychology*, 49(2), 270–291

Melby-Lervåg, M., Lyster, S. A. H., & Hulme, C. (2012). Phonological Skills and Their Role

in Learning to Read: A Meta-Analytic Review. *Psychological Bulletin*, 138(2), 322–

352. <http://dx.doi.org/10.1037/A0026744>

Miciak, J., Fletcher, J. M., Stuebing, K. K., Vaughn, S., & Tolar, T. D. (2014). Patterns of

cognitive strengths and weaknesses: Identification rates, agreement, and validity for

learning disabilities identification. *School Psychology Quarterly*, 29(1), 21–37

<https://doi.org/10.1037/spq0000037>

Moll, K., Gangl, M., Banfi, C., Schulte-Körne, G. & Landerl, K. (2020). Stability of Deficits

in Reading Fluency and/or Spelling. *Scientific Studies of Reading*, 24(3), 241–251 DOI:

[10.1080/10888438.2019.1659277](https://doi.org/10.1080/10888438.2019.1659277)

Moll, K., Göbel, S.M. & Snowling, M.J. (2015). Basic number processing in children with

specific learning disorders: Comorbidity of reading and mathematics disorders. *Child*

Neuropsychology, 21(3), 399–417. DOI: [10.1080/09297049.2014.899570](https://doi.org/10.1080/09297049.2014.899570)

- Moll, K., Kunze, S., Neuhoff, N., Bruder, J., Schulte-Körne, G. (2014). Specific Learning Disorder: Prevalence and Gender Differences. *PLOS ONE*, 9(7), e103537.
<https://doi.org/10.1371>
- Moll, K., Landerl, K., Snowling, M.J. and Schulte-Körne, G. (2019). Understanding comorbidity of learning disorders: task-dependent estimates of prevalence. *Journal of Child Psychology and Psychiatry*, 60(3), 286–294. doi:[10.1111/jcpp.12965](https://doi.org/10.1111/jcpp.12965)
- Moll, K., Thompson, P. A., Mikulajova, M., Jagercikova, Z., Kucharska, A., Franke, H., Hulme, C., & Snowling, M. J. (2016). Precursors of Reading Difficulties in Czech and Slovak Children At-Risk of Dyslexia. *Dyslexia*, 22(2), 120–136. doi:
[10.1002/dys.1526](https://doi.org/10.1002/dys.1526).
- Morais J, Bertelson P, Cary L, Alegria J. (1986) Literacy training and speech segmentation. *Cognition*, 24, 45-64. doi:10.1016/0010-0277(86)90004-1
- Myers C. A., Vandermosten, M., Farris, E.A., Hancock R., Gimenez, P. Black, J.M. Casto, B., Drahos, M., Tumber, M. Hendren, R.L., Hulme, C. & Hoeft, F. (2014) Structural changes in white matter are uniquely related to children's reading development. *Psychological Science*, 25, 1870-83.
doi: [10.1177/0956797614544511](https://doi.org/10.1177/0956797614544511)
- Nag, S., & Snowling, M. J. (2012). Reading in an alphasyllabary: Implications for a language universal theory of learning to read. *Scientific Studies of Reading*, 16(5), 404-423.
<https://doi.org/10.1080/10888438.2011.576352>
- Nation, K., & Hulme, C. (2011). Learning to read changes children's phonological skills: Evidence from a latent variable longitudinal study of reading and nonword repetition. *Developmental Science*, 14, 649–659. <http://dx.doi.org/10.1111/j.1467-7687.2010.01008.x>

- Nation, K., Cocksey, J., Taylor, J.S. and Bishop, D.V. (2010), A longitudinal investigation of early reading and language skills in children with poor reading comprehension. *Journal of Child Psychology and Psychiatry*, 51(9), 1031–1039. doi:[10.1111/j.1469-7610.2010.02254.x](https://doi.org/10.1111/j.1469-7610.2010.02254.x)
- Newbury, D.F., Fisher, S.E. & Monaco, A.P. (2010). Recent advances in the genetics of language impairment. *Genome Medicine* (2)6 <https://doi.org/10.1186/gm127>
- Norton, E. S., & Wolf, M. (2012). Rapid automatized naming (RAN) and reading fluency: Implications for understanding and treatment of reading disabilities. *Annual review of psychology*, 63, 427–452. doi: [10.1146/annurev-psych-120710-100431](https://doi.org/10.1146/annurev-psych-120710-100431)
- O’Brien, G.E., McCloy, D.R., Kubota, E.C. & Yeatman, J.D. (2018). Reading ability and phoneme categorization. *Scientific Reports*, 8(16842), 1–17. <https://doi.org/10.1038/s41598-018-34823-8>
- Oakhill, J. V., & Cain, K. (2012). The precursors of reading ability in young readers: Evidence from a four-year longitudinal study. *Scientific studies of reading*, 16(2), 91-121 doi.org/10.1080/10888438.2010.529219
- Okbay, A., Beauchamp, J., Fontana, M. et al. (2016). Genome-wide association study identifies 74 loci associated with educational attainment. *Nature*, 533, 539–542. <https://doi.org/10.1038/nature17671>
- Olulade, O.A., Napoliello, E.A. & Eden. G.E. (2013). Abnormal Visual Motion Processing Is Not a Cause of Dyslexia. *Neuron*, 79(1), 180–190. <https://doi.org/10.1016/j.neuron.2013.05.002>
- Paracchini, S., Diaz, R. & Stein, J. (2016). Advances in Dyslexia Genetics—New Insights Into the Role of Brain Asymmetries. *Advances in Genetics*, 96, 53–97. <https://doi.org/10.1016/bs.adgen.2016.08.003>

- Pennington, B. F. (2006). From single to multiple deficit models of developmental disorders. *Cognition*, 101(2), 385-413.
<https://doi.org/10.1016/j.cognition.2006.04.008>
- Perfetti, C., (2010). Decoding, vocabulary, and comprehension: The Golden Triangle of Reading Skills. In McKeown, M. G., & Kucan, L. (Eds.) *Bringing reading research to life* New York: Guildford Press (pp 291-303).
- Perfetti, C.A. & Hart, L. (2002) The Lexical Quality Hypothesis. In Verhoeven, L Th., Elbro, C. & Reitsma, P., (eds). *Precursors of Functional Literacy*. Amsterdam: Philadelphia: J. Benjamins Pub (pp 189–212).
- Peterson, R.L., Pennington, B.F., Olson, R.K., & Wadsworth, S.J. (2014) Longitudinal Stability of Phonological and Surface Subtypes of Developmental Dyslexia, *Scientific Studies of Reading*, 18(5), 347-362. DOI: [10.1080/10888438.2014.904870](https://doi.org/10.1080/10888438.2014.904870)
- Peterson, R. L., Boada, R., McGrath, L. M., Willcutt, E. G., Olson, R. K., & Pennington, B. F. (2017). Cognitive Prediction of Reading, Math, and Attention: Shared and Unique Influences. *Journal of Learning Disabilities*, 50(4), 408–421.
<https://doi.org/10.1177/0022219415618500>
- Pimperton, H. & Nation, K. (2010). Suppressing irrelevant information from working memory: Evidence for domain-specific deficits in poor comprehenders. *Journal of Memory and Language*, 62(4), 380–391. <https://doi.org/10.1016/j.jml.2010.02.005>
- Preston, J. L., Molfese, P. J., Frost, S. J., Mencl, W. E., Fulbright, R. K., Hoeft, F., ... Pugh, K. R. (2016). Print-Speech Convergence Predicts Future Reading Outcomes in Early Readers. *Psychological Science*, 27(1), 75–84. <https://doi.org/10.1177/0956797615611921>
- Puglisi, M., Hulme, C., Hamilton, L.G. & Snowling, M.J. (2017) The Home Literacy Environment Is a Correlate, but Perhaps Not a Cause, of Variations in Children’s Language and Literacy Development *Scientific Studies of Reading* 21(7)

- Quinn, J. M., & Wagner, R. K. (2015). Gender Differences in Reading Impairment and in the Identification of Impaired Readers: Results From a Large-Scale Study of At-Risk Readers. *Journal of Learning Disabilities, 48*(4), 433–445.
<https://doi.org/10.1177/0022219413508323>
- Ramus, F., Marshall, C. R., Rosen, S., & van der Lely, H. K. J. (2013). Phonological deficits in specific language impairment and developmental dyslexia: towards a multidimensional model. *Brain, 136*(2), 630–645.
<http://dx.doi.org/10.1093/brain/aws356>
- Rogde, K., Hagen, Å. M., Melby-Lervåg, M., & Lervåg, A. (2019). The effect of linguistic comprehension instruction on generalized language and reading comprehension skills: A systematic review. *Campbell Systematic Reviews*
<http://hdl.handle.net/11250/2639981>
- Saksida, A., Iannuzzi, S., Bogliotti, C., Chaix, Y., Démonet, J.-F., Bricout, L., Billard, C., Nguyen-Morel, M.-A., Le Heuzey, M.-F., Soares-Boucaud, I., George, F., Ziegler, J. C., & Ramus, F. (2016). Phonological skills, visual attention span, and visual stress in developmental dyslexia. *Developmental Psychology, 52*(10), 1503–1516.
<https://doi.org/10.1037/dev0000184>
- Salceda, J.C.R., Alonso, G.A., Castilla-Earls, A.P. (2014). The simple view of reading in elementary school: A systematic review *Revista de Logopedia, Foniatría y Audiología (34)*1, 17–31. <https://doi.org/10.1016/j.rlfa.2013.04.006>
- Sammons, P., Nuttall, D., & Cuttance, P. (1993). Differential School Effectiveness: results from a reanalysis of the Inner London Education Authority's Junior School Project Data. *British Educational Research Journal, 19*(4), 381–405. DOI:
[10.1080/0141192930190407](https://doi.org/10.1080/0141192930190407)

- Schmalz, X., Moll, K., Mulatti, K. & Schulte-Körne, G. (2019). Is Statistical Learning Ability Related to Reading Ability, and If So, Why?, *Scientific Studies of Reading*, 23(1), 64–76. DOI: [10.1080/10888438.2018.1482304](https://doi.org/10.1080/10888438.2018.1482304)
- Schulte-Körne, G. & Bruder, J. (2010). Clinical neurophysiology of visual and auditory processing in dyslexia: A review. *Clinical Neurophysiology*, 121(11), 1794–1809. doi.org/10.1016/j.clinph.2010.04.028
- Seidenberg, M. S. (2013). The science of reading and its educational implications. *Language learning and development*, 9(4), 331-360
<https://doi.org/10.1080/15475441.2013.812017>
- Seidenberg, M. & McClelland, J. (1989) A Distributed, Developmental Model of Word Recognition and Naming. *Psychol Rev.* 96(4):523-568. Cited in: *Journals@Ovid Full Text* at <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=ovfta&NEWS=N&AN=00006832-198910000-00001>. Accessed July 13, 2020.
- Selzam, S., Dale, P. S., Wagner, R. K., DeFries, J. C., Cederlöf, M., O'Reilly, P. F., ... & Plomin, R. (2017). Genome-wide polygenic scores predict reading performance throughout the school years. *Scientific Studies of Reading*, 21(4), 334-349
<https://doi.org/10.1080/10888438.2017.1299152>
- Sénéchal, M. and LeFevre, J.A. (2014). Continuity and Change in the Home Literacy Environment as Predictors of Growth in Vocabulary and Reading. *Child Development*, 85(4), 1552–1568. doi:[10.1111/cdev.12222](https://doi.org/10.1111/cdev.12222)
- Snowling, M.J., Duff, F.J., Nash, H.M. and Hulme, C. (2016), Language profiles and literacy outcomes of children with resolving, emerging, or persisting language impairments. *Journal of Child Psychology and Psychiatry*, 57(12), 1360–1369.
doi:[10.1111/jcpp.12497](https://doi.org/10.1111/jcpp.12497)

- Snowling, M. J., Gooch, D., McArthur, G., & Hulme, C. (2018). Language Skills, but Not Frequency Discrimination, Predict Reading Skills in Children at Risk of Dyslexia. *Psychological Science*, 29(8), 1270–1282. doi.org/10.1177/0956797618763090
- Snowling, M. J., Hayiou-Thomas, M. E., Nash, H. M., & Hulme, C. (2019). Dyslexia and Developmental Language Disorder: comorbid disorders with distinct effects on reading comprehension. *Journal of Child Psychology and Psychiatry*.
<https://doi.org/10.1111/jcpp.13140>
- Snowling, M.J. and Hulme, C. (2012), Annual Research Review: The nature and classification of reading disorders – a commentary on proposals for DSM-5. *Journal of Child Psychology and Psychiatry*, 53(5), 593–607. doi:[10.1111/j.1469-7610.2011.02495.x](https://doi.org/10.1111/j.1469-7610.2011.02495.x)
- Snowling, M.J., Lervåg, A, Nash, HM, Hulme, C. Longitudinal relationships between speech perception, phonological skills and reading in children at high-risk of dyslexia. *Developmental Science*, 22(1). <https://doi.org/10.1111/desc.12723>
- Snowling, M. J., & Melby-Lervåg, M. (2016). Oral language deficits in familial dyslexia: A meta-analysis and review. *Psychological Bulletin*, 142(5), 498–545. [doi: 10.1037/bul0000037](https://doi.org/10.1037/bul0000037)
- Snowling, M. J., Nash, H. M., Gooch, D. C., Hayiou-Thomas, M. E., Hulme, C., & Wellcome Language and Reading Project Team. (2019). Developmental outcomes for children at high risk of dyslexia and children with developmental language disorder. *Child Development*, 90(5), e548–e564. <https://doi.org/10.1111/cdev.13216>
- Solis, M., Miciak, J., Vaughn, S., & Fletcher, J. M. (2014). Why Intensive Interventions Matter: Longitudinal Studies of Adolescents With Reading Disabilities and Poor Reading Comprehension. *Learning Disability Quarterly*, 37(4), 218–229. <https://doi.org/10.1177/0731948714528806>

- Spencer, M., & Wagner, R. K. (2017). The comprehension problems for second-language learners with poor reading comprehension despite adequate decoding: A meta-analysis. *Journal of Research in Reading*, 40(2), 199–217. doi: [10.1111/1467-9817.12080](https://doi.org/10.1111/1467-9817.12080).
- Strong, G.K. Torgerson, C. Torgerson, D., & Hulme, C. (2011). A systematic meta-analytic review of evidence for the effectiveness of the “Fast ForWord” language intervention programme. *Journal of Child Psychology & Psychiatry*, 52, 224-235.
- Taylor, J., Erbeli, F., Hart, S. A., & Johnson, W. (2019). Early classroom reading gains moderate shared environmental influences on reading comprehension in adolescence. *Journal of Child Psychology and Psychiatry*.
<https://doi.org/10.1111/jcpp.13134>
- Thapar, A, Cooper, M. & Rutter, M. (2017) Neurodevelopmental Disorders. *The Lancet Psychiatry* 4.4 (2017): 339-46 doi: 10.1016/S2215-0366(16)30376-5
- Thompson, P.A., Hulme, C., Nash, H.M., Gooch, D., Hayiou-Thomas, E. and Snowling, M.J. (2015), Developmental dyslexia: predicting individual risk. *Journal of Child Psychology and Psychiatry*, 56(9), 976–987. doi:[10.1111/jcpp.12412](https://doi.org/10.1111/jcpp.12412)
- Tomblin, J.B. & Zhang, X. (2006), The Dimensionality of Language Ability in School-Age Children *Journal of Speech, Language and Hearing Research* 49(6), 1175–1426
[https://doi.org/10.1044/1092-4388\(2006/086\)](https://doi.org/10.1044/1092-4388(2006/086))
- Tong, X., McBride, C., Lo, J. C. M., & Shu, H. (2017). A Three-Year Longitudinal Study of Reading and Spelling Difficulty in Chinese Developmental Dyslexia: The Matter of Morphological Awareness. *Dyslexia*, 23(4), 372-386 <https://doi.org/10.1002/dys.1564>
- Tong, X., Deacon, S. H., & Cain, K. (2014). Morphological and Syntactic Awareness in Poor Comprehenders: Another Piece of the Puzzle. *Journal of Learning Disabilities*, 47(1), 22–33. <https://doi.org/10.1177/0022219413509971>

- Tosto, M. G., Hayiou-Thomas, M. E., Harlaar, N., Prom-Wormley, E., Dale, P. S., & Plomin, R. (2017). The genetic architecture of oral language, reading fluency, and reading comprehension: A twin study from 7 to 16 years. *Developmental Psychology*, 53(6), 1115–1129. <http://dx.doi.org/10.1037/dev0000297>
- Ullman, M. T., & Pullman, M. Y. (2015). A compensatory role for declarative memory in neurodevelopmental disorders. *Neuroscience & Biobehavioral Reviews*, 51, 205-222. doi: <https://doi.org/10.1016/j.neubiorev.2015.01.008>
- Valdois, S., Roulin, J-L., Bosse, ML. (2019) Visual attention modulates reading acquisition. *Vision Research*, 165, 152-161, <https://doi.org/10.1016/j.visres.2019.10.011>.
- van Bergen, E., van Zuijen, T., Bishop, D., de Jong, P. F. (2016). Why Are Home Literacy Environment and Children's Reading Skills Associated? What Parental Skills Reveal. *Reading Research Quarterly*, 52(2), 147–160. doi:[10.1002/rrq.160](https://doi.org/10.1002/rrq.160)
- van der Leij, A., Van Bergen, E., van Zuijen, T., De Jong, P., Maurits, N., & Maassen, B. (2013). Precursors of developmental dyslexia: an overview of the longitudinal Dutch dyslexia programme study. *Dyslexia*, 19(4), 191-213. <https://doi.org/10.1002/dys.1463>
- van Witteloostuijn, M., Boersma, P., Wijnen, F. & Rispen, J. (2017) Visual artificial grammar learning in dyslexia: A meta-analysis. *Research in Developmental Disabilities*, 70, 126–137. <https://doi.org/10.1016/j.ridd.2017.09.006>
- van Bergen, E., Snowling, M.J., de, Zeeuw, E.L., van, Beijsterveldt, C.E., Dolan, C.V. and Boomsma, D.I. (2018), Why do children read more? The influence of reading ability on voluntary reading practices. *Journal of Child Psychology and Psychiatry*, 59(11), 1205–1214. doi:[10.1111/jcpp.12910](https://doi.org/10.1111/jcpp.12910)
- van Viersen, S., de Bree, E. H., & de Jong, P. F. (2019). Protective Factors and Compensation in Resolving Dyslexia. *Scientific Studies of Reading*, 23(6), 461-477. <https://doi.org/10.1080/10888438.2019.1603543>

- Verhoeven, Ludo Th., and Charles A. Perfetti. (2017) *Learning to Read across Languages and Writing Systems*. Cambridge. Cambridge Core. Web.
- Volkmer, S., Galuschka, K., & Schulte-Körne, G. (2019). Early identification and intervention for children with initial signs of reading deficits-A blinded randomized controlled trial. *Learning and Instruction*, 59, 1-12
<https://doi.org/10.1016/j.learninstruc.2018.09.002>
- Wadsworth, S., DeFries, J., Willcutt, E., Pennington, B., & Olson, R. (2016). Genetic Etiologies of Comorbidity and Stability for Reading Difficulties and ADHD: A Replication Study. *Twin Research and Human Genetics*, 19(6), 647–651.
doi:10.1017/thg.2016.80
- Warmington, M. & Hulme, C. (2012) Phoneme Awareness, Visual-Verbal Paired-Associate Learning, and Rapid Automatized Naming as Predictors of Individual Differences in Reading Ability. *Scientific Studies of Reading*, 16(1) 45–62. DOI:
[10.1080/10888438.2010.534832](https://doi.org/10.1080/10888438.2010.534832)
- Westrupp, E. M., Reilly, S., McKean, C., Law, J., Mensah, F., & Nicholson, J. M. (2019). Vocabulary development and trajectories of behavioral and emotional difficulties via academic ability and peer problems. *Child Development*.
<https://doi.org/10.1111/cdev.13219>
- White, A.L., Boynton, G.M., & Yeatman, J.D. (2019). You can't recognize two words simultaneously. *Trends in Cognitive Sciences* 23(10), 812–824.
<https://doi.org/10.1016/j.tics.2019.07.001>
- World Health Organisation (2018) ICD-11 accessed 15/3/20
<https://www.who.int/classifications/icd/en/>
- Zhou, K., Asherson, P., Sham, P., Franke, B., Anney, R.J.L., Buitelaar, J., Faraone, S.V. (2012). Linkage to Chromosome 1p36 for Attention-Deficit/ Hyperactivity Disorder

Traits in School and Home Settings. *Biological Psychiatry*, 64(7), 571–576.

<https://doi.org/10.1016/j.biopsych.2008.02.024>