




7. Woolf SH, Chapman DA, Sabo RT, Weinberger DM, Hill L. Excess deaths from COVID-19 and other causes, March–April 2020. *JAMA* 2020;324:510–13.
8. Australian Bureau of Statistics. *Provisional Mortality Statistics*. 2021. <https://www.abs.gov.au/statistics/health/causes-death/provisional-mortality-statistics/latest-release> (28 December 2021, date last accessed).
9. Australian Bureau of Statistics. *Number of Deaths, by Sex, Selected Age Groups, and Cause of Death, Period 2019*. 2020. <https://www.abs.gov.au/statistics/health/causes-death/causes-death-australia> (28 December 2021, date last accessed).
10. Bureau of Infrastructure and Transport Research Economics. *Road Deaths Australia – September 2021*, Canberra: BITRE, 2021.
11. Lopez AD, Adair T. Slower increase in life expectancy in Australia than in other high income countries: the contributions of age and cause of death. *Med J Aust* 2019;210:403–09.

Life expectancy declines in Russia during the COVID-19 pandemic in 2020

José Manuel Aburto ^{1,2,3,4,*†} Jonas Schöley,^{3,4†} Ilya Kashnitsky ^{3†} and Ridhi Kashyap ^{1,2†}

¹Leverhulme Centre for Demographic Science and Department of Sociology, University of Oxford, Oxford, UK, ²Nuffield College, Oxford, UK, ³Interdisciplinary Centre on Population Dynamics, University of Southern Denmark, Odense, Denmark and ⁴Max Planck Institute for Demographic Research, Rostock, Germany

*Corresponding author. Department of Sociology, University of Oxford, 42–43 Park End Street, Oxford OX1 1JD, UK. E-mail: jose-manuel.aburto@sociology.ox.ac.uk

†All authors contributed equally to this letter.

Received 26 October 2021; Editorial decision 10 March 2022; Accepted 14 March 2022

Our recent study of 29 countries, which was published in *IJE*, highlights the devastating impact of the COVID-19 pandemic on mortality across high-income countries.¹ Period life expectancy witnessed declines in 2020 on a scale that is unprecedented in recent history. With the recent availability of data from Russia,² we show that Russia is no exception (*Figure 1*). Data from death registrations indicate that life expectancy between 2019 and 2020 in Russia fell by -1.68 (95% CI: -1.72, -1.63) years among males (from 68.41 to 66.73 years) and -1.80 (95% CI: -1.85, -1.76) years for females (from 78.44 to 76.64 years). Comparisons of these losses with those among the 29 countries, as we previously reported,¹ reveal that life expectancy losses among females were the largest in Russia, and losses among males stand only behind the USA (2.2 years) and Lithuania (1.7 years).

Two features of the pandemic's impact on Russian mortality stand out. First, similar to what we found for the USA, increased mortality in working, mid-life ages (20 to 60) accounted for 26% of the total life expectancy decline for women and 33% for men. Since at least 1960, Russia has been the country with the lowest male life expectancy

and highest lifespan inequality in Europe, due to a continued burden of mid-life mortality.³ Failure to reduce the prevalence of cardiovascular diseases combined with high levels of alcohol consumption and violence led to these patterns.⁴ However, healthier behaviours, better health care and socioeconomic development have led to sizeable improvements in mortality in recent years preceding the COVID-19 pandemic.⁴ In this context of significant progress, the more than one million estimated excess deaths by the end of 2021 [<https://github.com/dkobak/excess-mortality>],^{5,6} and the life expectancy declines triggered by excess mortality in mid-life and older-age groups, highlight the catastrophic toll of the pandemic in Russia. To put this into an international perspective, Russia's level of excess deaths is among the highest across European countries.^{5,7}

Second, sex differences in mortality observed in Russia are striking (*Figure 2*). Although in most of the 29 countries, we found life expectancy losses to be larger among males than females,¹ in Russia females experienced larger losses. A potential explanation for the Russian pattern may lie in the heightened exposure to COVID-19 infection experienced by health care workers aged between 20 and

International Journal of Epidemiology, 2022, 1695–1697
<https://doi.org/10.1093/ije/dyab055>
 Advance Access Publication Date: 28 March 2022

OXFORD




Figure 1 Life expectancy at birth by sex for Russia from 2015 to 2020. The inset shows the age-specific contributions to the change in life expectancy from 2019 to 2020 by sex; 95% prediction intervals via Poisson sampling of age-specific death counts¹⁸




Figure 2 Sex differences in the life-expectancy change from 2019 to 2020 across countries experiencing life expectancy losses; 95% prediction intervals via Poisson sampling of age-specific death counts

60 during the pandemic, who are predominantly women,⁸ but a deeper assessment of these sex differences is needed.

Life expectancy losses in Russia in 2020 reveal that they were on a scale comparable to those observed in another similarly large and heterogeneous country, the USA. Russia's decline in life expectancy may even be larger in magnitude relative to the USA when compared with the projected life expectancy in 2020,⁹ particularly as Russia's recent progress in life expectancy improvements has been significant compared with the stalls in improvements in the USA. The lack of a streamlined national response, coupled with persistent regional disparities in the implementation and uptake of non-pharmaceutical interventions,^{10,11} and significant ethno-racial inequalities, are likely to have been factors underlying the significant mortality impacts in both

countries.^{6,12} In Russia, adherence to non-pharmaceutical interventions has been weak and uneven across regions, and distrust in government may have further affected adherence substantially over the course of the pandemic.^{13,14} The outlook for life expectancy in 2021 is pessimistic as belated efforts to increase vaccination uptake in response to the summer spread of the 'delta' variant were subsequently loosened in preparation for parliamentary elections in September 2021, coupled with a strong reluctance to be vaccinated.¹⁰ National figures are important and informative, but they conceal variation at the sub-national level and by socioeconomic and ethno-racial groups. Evidence from other large and heterogeneous countries, such as Brazil and Mexico,^{15,16} suggests that life expectancy losses may be more severe in certain regions and larger for

disadvantaged groups.¹² Similarly, the spread of COVID-19 and associated mortality varied between regions in Russia.⁷ Further disaggregated analyses will be needed to understand the evolution of the pandemic and its toll on mortality outcomes, as well as the impact of the more than one million excess deaths up to December 2021.⁵ Moreover, continued poor levels of vaccine uptake in Russia and among Russian-speaking communities across other post-soviet states, in the Baltic countries and Eastern Europe,¹⁷ indicate that the mortality impacts of the pandemic in these countries in 2021 may yet be worse than in 2020.

Ethics approval

This research project does not require ethics approval as it uses only macro data that are freely available online.

Data availability

The replication files for this paper include customized functionality written in the R statistical programming language. The code, and all harmonized input and output data pertaining to our analysis, are hosted on GitHub [https://github.com/oxforddemsci/ex2020].

Author contributions

Conceptualization: J.M.A., J.S., I.K., R.K. Data curation: J.M.A., J.S., I.K., R.K. Formal analysis: J.M.A., J.S., I.K., R.K. Methodology: J.M.A., J.S., I.K., R.K. Software: J.M.A., J.S., I.K. Visualization: J.S. Project administration: J.M.A., J.S., I.K., R.K. Supervision: J.M.A., J.S., I.K., R.K. Writing—original draft: J.M.A. Writing—review and editing: J.M.A., J.S., I.K., R.K.

Funding

British Academy's Newton International Fellowship grant NIFBA19/190679 (J.M.A., R.K.); ROCKWOOL Foundation's Excess Deaths grant (J.M.A., J.S., I.K.); Leverhulme Trust Large Centre Grant (J.M.A., R.K.).

Conflict of interest

None declared.

References

1. Aburto JM, Schöley J, Kashnitsky I et al. Quantifying impacts of the COVID-19 pandemic through life-expectancy losses: a population-level study of 29 countries. *Int J Epidemiol* 2022;51: 63–74.
2. Jdanov DA, Galarza AA, Shkolnikov VM et al. The short-term mortality fluctuation data series, monitoring mortality shocks across time and space. *Sci Data* 2021;8:235.
3. Aburto JM, van Raalte A. Lifespan dispersion in times of life expectancy fluctuation: the case of central and Eastern Europe. *Demography* 2018;55:2071–96.
4. Grigoriev P, Meslé F, Shkolnikov VM et al. The recent mortality decline in Russia: beginning of the cardiovascular revolution? *Popul Dev Rev* 2014;40:107–29.
5. Karlinsky A, Kobak D. Tracking excess mortality across countries during the COVID-19 pandemic with the World Mortality Dataset. *eLife* 2021;10:e69336.
6. Kobak D. Excess mortality reveals Covid's true toll in Russia. *Significance* 2021;18:16–19.
7. Timonin S, Klimkin I, Shkolnikov VM, Andreev E, McKee M, Leon DA. Excess mortality in Russia and its regions compared to high income countries: an analysis of monthly series of 2020. *SSM - Population Health* 2022;17:101006.
8. World Health Organization. *Gender and COVID-19: Advocacy Brief*. 2020. https://apps.who.int/iris/bitstream/handle/10665/332080/WHO-2019-nCoV-Advocacy_brief-Gender-2020.1-eng.pdf (21 March 2022, date last accessed).
9. Islam N, Jdanov DA, Shkolnikov VM et al. Effects of covid-19 pandemic on life expectancy and premature mortality in 2020: time series analysis in 37 countries. *BMJ* 2021;375:e066768.
10. Mukhina N, King SJ. Making sense of COVID-19 vaccine hesitancy in Russia: Lessons from the past and present. *The Conversation*. <http://theconversation.com/making-sense-of-covid-19-vaccine-hesitancy-in-russia-lessons-from-the-past-and-present-165716> (6 December 2021, date last accessed).
11. Nast C. Why Russia Hasn't Cracked Down on COVID-19. *The New Yorker*. 2021. <https://www.newyorker.com/news/dispatch/why-russia-hasnt-cracked-down-on-covid-19> (6 December 2021, date last accessed).
12. Andrasfay T, Goldman N. Reductions in 2020 US life expectancy due to COVID-19 and the disproportionate impact on the Black and Latino populations. *Proc Natl Acad Sci U S A* 2021; 118:e2014746118.
13. Åslund A. Responses to the COVID-19 crisis in Russia, Ukraine, and Belarus. *Eurasian Geogr Econ* 2020;61:532–45.
14. Burakovsky A. Russia's COVID-19 response slowed by population reluctant to take domestic vaccine. *The Conversation*. <http://theconversation.com/russias-covid-19-response-slowed-by-population-reluctant-to-take-domestic-vaccine-165925> (6 December 2021, date last accessed).
15. Castro MC, Gurgenda S, Turra CM, Kim S, Andrasfay T, Goldman N. Reduction in life expectancy in Brazil after COVID-19. *Nat Med* 2021;27:1629–35.
16. Lima EEC, Vilela EA, Peralta A et al. Investigating regional excess mortality during 2020 COVID-19 pandemic in selected Latin American countries. *Genus* 2021;77:30.
17. COVID-19 Data Explorer. *Our World in Data*. <https://ourworldindata.org/coronavirus-data-explorer> (25 October 2021, date last accessed).
18. Silcocks PB, Jenner DA, Reza R. Life expectancy as a summary of mortality in a population: statistical considerations and suitability for use by health authorities. *J Epidemiol Community Health* 2001;55:38–43.