

REGISTERED
CHARITY

NUMBER 223106

RC
GP

Royal College of General Practitioners

Annual Report 2023-2024

Research & Surveillance Centre

Weekly Returns Service Annual Report 2023-2024

Report contents

Executive summary	1
1. Introduction	2
2. What we do	2
RSC's aim.....	2
Monitoring disease incidence.....	3
Syndromic surveillance	5
Collecting virology and serology samples.....	5
Measuring vaccine effectiveness.....	6
Identifying disparities in the clinical presentation of diseases.....	6
Helping to change clinical practice	6
3. What was new this year.....	7
4. The RSC dataset	8
Our data extraction process and information governance	8
The dataset used for the RSC annual report 23/24	9
Representativeness of the RSC sample population.....	9
5. COVID-19 and Influenza	11
Virology sampling programme	11
Serology sampling programme.....	12
Vaccine uptake	13
Vaccine effectiveness	13
6. Disease incidence.....	14
7. Research Projects.....	15
8. RSC Publications.....	17
9. Contributors	20
10. References	20
11. Appendices.....	21

List of tables

Table 1.	The 41 conditions / groups of conditions monitored by RCGP RSC network and their mappings to the World Health Organisation's (WHO) International Classification of Disease version 10 (ICD-10)	4
Table 2.	Number of serology samples collected in the 2023/24 season	12
Table 3.	Influenza vaccine uptake in the RSC practices 2023/24 season	13

List of figures

Figure 1.	The 3-level hierarchical model of the acute respiratory infection clinical logic	7
Figure 2.	Virological surveillance data workflow	8
Figure 3.	The age-sex profile of the RSC sample population compared with the England national population	10
Figure 4.	Distribution of RSC member practices among NHS regions in England in the 2023/24 season	11
Figure 5.	RSC's Virology Swab Surveillance in 2023/24 by viral strain	12

Glossary of abbreviations

ARI	Acute Respiratory Illness
CMMS	Cambridge Multimorbidity Score
CMR	Computerised Medical Record
COPD	Chronic obstructive pulmonary disease
DSA	Data Sharing Agreement
DSP	Data Security and Protection
ECLD	Exacerbations of Chronic Lung Disease
eFI	electronic Frailty Index
EMIS	Egton Medical Information Systems (a CMR provider)
EU	European Union
GDPR	General Data Protection Regulation
GP	General Practice
ICD	International Classification of Diseases
ILI	Influenza-like illness
IMD	Index of Multiple Deprivation
ISO	International Standards Organisation (week)
LRTI	Lower Respiratory Tract Infection
NHS	National Health Service
ORCHID	Oxford Royal College of General Practitioners Clinical Informatics Digital Hub
PCSC	Primary Care Sentinel Cohort
PHE	Public Health England (superseded by UKHSA on 1 st October 2021)
PRINCIPLE	Platform Randomised trial of treatments in the Community for epidemic and Pandemic illnesses
RCGP	Royal College of General Practitioners
RSC	Research and Surveillance Centre
RSV	Respiratory Syncytial Virus
SOP	Standard Operating Procedures
SQUIRE	Surveillance, quality improvement, research and education
TPP	The Phoenix Partnership, providers of the SystemOne CMR system
UKHSA	UK Health Security Agency
URTI	Upper Respiratory Tract Infection
WHO	World Health Organisation

Executive summary

The Oxford-Royal College of General Practitioners (RCGP) Research & Surveillance Centre (RSC) has been collaborating with the UK Health Security Agency (UKHSA) on infectious disease surveillance in primary care for over 50 years. For over half a century, the RSC has produced a Weekly Return of respiratory diseases and other infectious disease surveillance, along with an Annual Report summarising network changes and surveillance highlights of the year. This annual report covers the activities of the RCGP RSC during the 2023/24 season, spanning from the 8th of May 2023 to the 5th of May 2024 (International Standards Organisation (ISO) Week 19 of 2023 to ISO Week 18 of 2024).

Updates were made to the list of monitored conditions in RSC, particularly within the category of respiratory infections. A new acute respiratory infection (ARI) phenotype was deployed. Of the 41 conditions monitored by the RSC, most followed patterns consistent with the five-year historical average. However, several conditions, such as influenza-like illness and hay fever, exhibited seasonal trends that differed from the historical norm. RSC piloted its capacity in supplying data to UKHSA's syndromic surveillance.

For virological surveillance, the RSC continued its sampling programme, covering a range of respiratory infectious viruses. The number of swabs collected in the 2023/24 season (n=23,884) doubled compared to the previous season (n=11,115). We continued asymptomatic COVID-19 surveillance through serology sampling throughout the 2023/24 season.

The RSC continued to support the vaccine effectiveness studies conducted by the UKHSA, particularly focusing on the safety and effectiveness of influenza vaccines during this season. The RSC continued its assessment of disparities in the clinical presentation of diseases, vaccine uptake and episode typing during this season. RSC has launched the LabLinks program to integrate RSC sampling with primary care Computerised Medical Record (CMR) systems.

The RSC's general practice network continued to expand during the 2023/24 season, reaching 15,495,605 registrants from 1,533 practices in week 18 of 2024, compared to 9,169,873 registered patients across 1,017 practices by week 19 of 2023. Member practices were provided with the opportunity to participate in research studies during this season.

During the 2023/24 season, the RSC implemented a range of activities, including a strengthened focus on patient and public involvement and preparation for integrating sampling into the LabLinks electronic test-requesting system to streamline workflows and improve data quality. We remain committed to continuing our surveillance work and contributing to public health efforts in England.

1. Introduction

Welcome to the Oxford-Royal College of General Practitioners (RCGP) Research and Surveillance Centre's (RSC) Annual Report for 2023-2024. This is our 57th year of infectious disease surveillance in primary care in England ¹. For over half a century, the RSC has produced a Weekly Return of respiratory diseases and other disease surveillance, along with an Annual Report summarising network changes and surveillance highlights of the year. The network's primary area of interest was the surveillance of influenza,² which was extended to include COVID-19 ³ after the outbreak of the pandemic in March 2020. The principal elements of RSC's work are infectious disease surveillance ⁴, virology and serology sampling and vaccine effectiveness studies.

Oxford-RCGP RSC reports the incidence rate of 41 monitored communicable and respiratory conditions in the member practices every week. This surveillance is facilitated by the routinely collected computerised medical records (CMRs) from participating general practices. We detect any abnormal trends in disease incidence, and alerting participating practices and the UK Health Security Agency (UKHSA) to the potential risk of a disease outbreak. In addition to disease surveillance supported by CMR, RSC actively collects virology and serology samples ³ from member practices to enhance its respiratory disease surveillance. RSC also shared CMR data to support the vaccine effectiveness analyses carried out by UKHSA and some other research projects.

The number of RSC's participating general practices continued to increase this year. RSC maintains a close relationship with member practices and provides a number of benefits to practices for membership in the network. At the beginning of each surveillance season, a commissioning letter signed off by RSC and UKHSA, detailing the activities within RSC, is shared with all participating practices ⁵. Every week, RSC communicates network updates to member practices through a newsletter. RSC also provides publicly available virology and serology dashboards to inform member practices of circulating viruses ⁵.

We would like to thank all the member practices and their patients within our network. Without the support of our member practices and the use of their pseudonymised patients' data, we would not be able to carry out our crucial work of monitoring disease rates, assuring the effectiveness of national vaccination programmes, and participating in other research projects.

This report is based on the clinical data and testing results of the samples collected from 489 member practices and brings together the principal elements of our work. It covers the period from the 8th of May 2023 to the 5th of May 2024 (International Standards Organisation (ISO) Week 19 of 2023 to ISO Week 18 of 2024), which includes the entire 2023-2024 winter flu season. We summarise the key surveillance findings of the year and highlight the changes in the RSC surveillance network.

2. What we do

RSC's aim

RSC is dedicated to ensuring the health and safety of communities by implementing comprehensive disease surveillance and conducting advanced research. The scope of RSC's use of data is for Surveillance, Quality Improvement, Research and Education (SQUIRE) purposes ⁶.

RSC builds a nationally representative Primary Care Sentinel Cohort (PCSC) by recruiting member practices across England and Wales, ensuring a wide and balanced geographical distribution. The representativeness of the population was evaluated based on region, age, sex, ethnicity ⁷, socioeconomic status (measured by the Index of Multiple Deprivation, IMD), smoking status, obesity status, comorbidities (measured by the Cambridge Multimorbidity Score, CMMS ⁸), and electronic frailty index (eFI) ^{9,10}. More details in Appendix A.

RSC's pseudonymised patient-level primary care database captures clinical information of patients registered with RSC member practices through the CMR system. We are particularly interested in capturing clinical information on (1) the presentation of symptoms suggestive of respiratory infections such as influenza-like illness (ILI) or acute respiratory illness (ARI); (2) the diagnoses of respiratory infectious diseases, including influenza, COVID-19, and other pathogens; (3) the diagnoses of diseases caused by environmental factors, such as hay fever; and (4) detailed vaccination and some other treatment records of the patients. A subset of the PCSC collects virology swabs and/or blood samples for virological and/or serological analysis.

RSC's disease surveillance was conducted across the PCSC but reported separately for both the entire population and carefully curated risk groups, such as geographical areas and age groups. The purpose was to identify high-risk groups for the monitored conditions.

Monitoring disease incidence

The Oxford-RCGP RSC works in close collaboration with UKHSA. The principal funding of the RSC is from UKHSA; this collaboration with UKHSA and its predecessors has been running successfully for over 50 years ¹. The RSC is UKHSA's principal primary care surveillance system, working in collaboration with other sources of health service data. The RSC is recruited to be nationally representative (Appendix A).

Our data feeds into UKHSA's surveillance system, providing an early warning of epidemics or unusual patterns of disease. Our monitoring alerts health services to seasonal events that place pressure on resources, such as the start of seasonal influenza epidemics and allows services to be planned accordingly.

In the 2023/24 season, we monitored on a weekly basis the incidence rate of 41 communicable and respiratory diseases specified by UKHSA (Table 1). The incidence rate was based on the diagnoses recorded by general practitioners in our member practices during the week.

The legal basis of our work with UKHSA is The Health Service (Control of Patient Information) Regulations 2002, which allows data to be disclosed for public health purposes without patient consent in England and Wales. Our surveillance work with UKHSA is under Regulation 3. The specific projects, including the extension to conduct COVID-19 surveillance, were individually approved by the UKHSA Caldicott Guardian, and are renewed on an annual basis. All other studies obtain their own ethical approval.

Table 1. The 41 conditions / groups of conditions monitored by RCGP RSC network and their mappings to the World Health Organisation's (WHO) International Classification of Disease version 10 (ICD-10)

Condition Name	ICD-10
1. Water and Food Borne Disorders	
Intestinal Infections	A00-A0
Viral Hepatitis	B15-B19
Non-infective Enteritis / Colitis	K50-K52
2. Environmentally Sensitive Disorders	
Asthma	J45-J46
Conjunctivitis	H10-H13
Hay fever / Allergic Rhinitis	J30
Infected Insect Bites	T14
3. Respiratory Infections	
Acute Respiratory Infections	Through algorithm
Acute Bronchitis	J20-J21; J4
Asthma Exacerbations	J45
Bronchiolitis	J21
COPD Exacerbations	J44.1
COVID-19 infection	U07
Croup	J05
Exacerbations of Chronic Lung Disease	J44.1; J45.9
Laryngitis	J04
Influenza-like illness	J09-J11
Lower Respiratory Tract Infection	J20-J22
Otitis Media	H650-H651; H660; H669
Pneumonia	J12-J18
Sinusitis	J01
Tonsillitis / Pharyngitis	J02-J03
Upper Respiratory Tract Infection	J00-J06
4. Vaccine Sensitive Disorders	
Measles	B05
Mumps	B26
Rubella	B06
Whooping Cough	A37
5. Skin Contagions	
Bullous Dermatoses	L10-L14
Chickenpox	B01
Herpes Simplex	B00
Herpes Zoster	B02
Impetigo	L01
Infections of Skin & Subcutaneous Tissue	L00-L08
Scabies	B86
Symptoms involving Skin & Other Integument Tissue	R20-R23
6. Disorders Affecting the Nervous System	
Peripheral Neuropathy	G50-G64; G70-G72
Meningitis and Encephalitis	A170-A171; A390; A83-A85; A87; G00-G05
Musculoskeletal symptoms	R25-R29
7. Genitourinary System Disorders	

Urinary Tract Infection	N30; N390
8. Other disorders	
Strep Sore Throat, Scarletina and Peritonsillar Abscess	A38, J020, J36
Infectious Mononucleosis	B27

Syndromic surveillance

UKHSA's national real-time syndromic surveillance service uses an existing combination of National Health Service (NHS) 111 calls and online assessments, ambulance dispatch calls, emergency department attendances, and general practitioner (GP) in- and out-of-hours consultations to monitor and identify trends that may indicate impending public health issues and events that might need intervention. RSC's syndromic surveillance general practice (SSGPs, all utilising Egton Medical Information Systems [EMIS] Health clinical services) supply daily data to UKHSA to supplement and enhance the existing GP in-hours component of syndromic surveillance with a focus on respiratory disease ⁹.

The conditions monitored in GP in hours syndromic surveillance include:

- COVID-19-like
- Upper respiratory tract infections
- Influenza-like illness
- Pharyngitis
- Scarlet fever
- Lower respiratory tract infections
- Pneumonia
- Bronchiolitis
- Acute presenting asthma
- Acute bronchitis
- Gastroenteritis
- Diarrhoea
- Vomiting
- Measles
- Mumps
- Whooping cough
- Cellulitis
- Chickenpox
- Herpes zoster
- Impetigo
- Conjunctivitis

Collecting virology and serology samples

A subset of the PCSC collects virology swabs and/or blood samples for virological and/or serological analysis ¹¹. Only virological results are reported back to PCSC practices and the patient, although it must be stressed that this is not a diagnostic service. Practices are reimbursed for each virology and serology sample they submit for testing and code accurately. Both virology and serology samples are transported to UKHSA reference laboratories where they are analysed and stored in dedicated biobanks for onward research.

Virology samples were collected randomly from throat swabs taken from patients presenting with ILI, ARI (including upper respiratory tract infections (URTI) and lower respiratory tract infections (LRTI)) and suspected COVID-19 in RSC participating practices. From the 2023 winter season onwards, ARI symptoms became the primary indicator for virology sampling. This is to identify organisms with epidemic or pandemic potential and analyse the details (i.e. sequencing) of the circulating viruses, especially in winter seasons. Virological samples collected in RSC participating practices were analysed in UKHSA's respiratory virus reference laboratory in Colindale, London. The analysis of viruses in the 2023/24 season includes COVID-19, influenza, respiratory syncytial virus

(RSV), human metapneumovirus (hMPV), adenoviruses, rhinovirus, enterovirus and other coronaviruses.

Serology samples were obtained opportunistically from volunteer patients attending routine blood tests at sampling practices within the PCSC ¹¹. These patients may be having blood tests as part of an acute illness or chronic disease management or prevention, leading to an overrepresentation of risk groups. These samples are primarily used to estimate population exposure to COVID-19 ¹²; however, serological surveillance has also been successfully applied to monitoring levels of population exposure to influenza and diphtheria ¹¹. From time to time, samples may also be used for testing antibody levels for other communicable diseases which may be circulating in the community for the effectiveness of associated vaccines. Serology samples are managed by UKHSA's Vaccine Evaluation Unit in Manchester.

Measuring vaccine effectiveness

RSC contributes crucial clinical data for vaccine effectiveness studies carried out by the UKHSA. UKHSA regularly evaluates the effectiveness of influenza vaccines before the COVID-19 pandemic to inform its vaccination policy ¹³. During 2023/24, the vaccines that were evaluated using RSC data were the influenza vaccine and the COVID-19 vaccine ¹². RSC provided patient clinical data and vaccination records to support vaccine uptake studies in both general and target populations and vaccine effectiveness studies on circulating viruses, especially influenza.

Identifying disparities in the clinical presentation of diseases

The richness of RSC's clinical data allows us to identify demographic factors around clinical presentations (Appendix C). The aim of this is to understand any disparities in clinical presentation ¹² and concerning key demographic characteristics. This should guide clinical practice in identifying at-risk groups, and provide a strong basis for public health interventions.

Helping to change clinical practice

The RSC relies on practices agreeing to share their pseudonymised patient data with us – and, in return, their aggregated data provides evidence for research that is used to improve clinical practice and patient outcomes.

We want to provide benefits for our practices beyond their altruism in supporting public health. We pay practices for the time involved in taking specimens and our practice liaison team provide a range of feedback to practices to improve engagement with our work and the quality of data collected. This includes the weekly newsletter and access to real-time dashboards for practices to see the number of microbiological samples they have provided in comparison to the whole RSC network. We continue to encourage high-quality clinical records, such as primary care CMR and vaccine exposure data, to support vaccine effectiveness studies for COVID-19 and influenza vaccines. Member practices also have the opportunity to participate in research studies including trials.

3. What was new this year

In the 2022/23 season, the RSC focused on studies related to the safety of COVID-19 vaccines ^{12 14}. In the 2023/24 season, we implemented the ARI phenotype developed in the last season to enable reporting of this indicator alongside ILI ¹⁵. To ensure that we identify and classify all relevant coded events in the CMR, the ARI phenotype is structured hierarchically (Figure 1). The top level represents the overall ARI concept. The middle level includes codes for URTI, LRTI, exacerbations of chronic lung disease, and ILI. The bottom level comprises codes for more specific syndromes, such as sinusitis, that are considered descendants of the middle-level categories.




Figure 1. The 3-level hierarchical model of the acute respiratory infection clinical logic
Notes: COPD: chronic obstructive pulmonary disease; NOS: not otherwise specified. The ARI-NOS indicator includes codes not specific enough to be included in another level 2 or 3 indicator.

The RSC also placed greater emphasis on patient and public involvement (PPI) during this period ¹⁶. We invite patient representatives to participate in 2 meetings per year held with the UKHSA and Oxford-RCGP RSC. The meetings aim to raise awareness of surveillance, including its use of patient data, and to gain input on the RSC's work, particularly on optimising the acceptability of sampling and the feedback of results. PPI feedback is used mainly to improve communication with patients, but may inform other areas of the surveillance.

RSC had a priority of achieving 1,000 virology samples per week in the 2023/24 season. From October 2023 to April 2024, we were asked to conduct asymptomatic testing of UKHSA samples in children under 5 ^{3 16}. We were also requested to collect conjunctival swabs for COVID-19 from around July 2023 to April 2024, and pneumococcal (urine) samples from November 2023 to April 2024. In November 2023, an RSC virology sample led to the first confirmed human case of H1N2v in the UK.

RSC has started a pilot to supply daily data aimed at enhancing the existing GP in-hours component of UKHSA's syndromic surveillance in this season. We also plan to integrate LabLinks into the RSC. Currently, customised kits are provided to RSC practices for virology and serology sampling, and these kits are returned to UKHSA laboratories through the post. We plan instead to integrate RSC sampling with the electronic pathology test-requesting system currently integrated into primary care CMR systems (Figure 2). This integration could substantially streamline the sampling workflow.




Figure 2. Virological surveillance data workflow

Note: Samples are taken in practice. They pass through the local pathology laboratory to the UK Health Security Agency (UKHSA) viral reference laboratory at Colindale. Virology results go back to the general practitioner (GP) and patient and also into the Research and Surveillance Centre (RSC) database. ICE: Integrated Clinical Environment; LIMS: Laboratory Information Management System.

4. The RSC dataset

Our data extraction process and information governance

We have a data sharing agreement (DSA) with RSC member practices. They agree to provide pseudonymised data for "SQuIRE" purposes⁶, namely surveillance, quality improvement, research and education. Patients who have withheld consent for data sharing, for any reason, are excluded from our analyses. These patients are identified through an 'opt-out' code, which the automatic extraction process uses to exclude them.

CMR data from member practices is extracted using a pseudonymised NHS number as the unique key linking identifier, either daily or twice weekly. Data are pseudonymised (this is a process that scrambles any strong identifiers such as name, NHS number, and date of birth) as close to the source as possible, this varies between brands of computer systems, for example, EMIS and The Phoenix Partnership (TPP) SystmOne. All data transfers are encrypted.

The pseudonymised NHS numbers and pseudonymisation algorithm for data linkage enable us to link data to other data sources at an individual level, without knowing the identity of these individuals. This includes linkage to results held by UKHSA, hospital and death data, and other disease registries.

Additionally, we can link to other data collected from individually consented patients. All of the data were handled following the OXFORD-RCGP RSC Data Management Standard Operating Procedures (SOPs). This met NHS Digital's Data Security and Protection (DSP) Toolkit requirements.

The Oxford Royal College of General Practitioners Clinical Informatics Digital Hub (ORCHID) is compliant with Data Protection Legislation, which relates to the protection of individuals with regard to the Processing of Personal Data to which a Party is subject, including the Data Protection Act 1998 and EU Directive 95/46/EC, and the subsequent General Data Protection Regulation ((EU) 2016/679) ("GDPR"). It is also compliant with the NHS DSP and subject to DSA with all relevant parties.

The dataset used for the RSC annual report 23/24

The dataset used in this report was extracted from the ORCHID database in April 2025. This report covers the period from 8 May 2023 to 5 May 2024 (ISO Week 19 of 2023 to ISO Week 18 of 2024). It includes 9,169,873 registrants from 1,017 practices in week 19 of 2023 and 15,495,605 registrants from 1,533 practices in week 18 of 2024. This includes all patients who were registered with one of the RSC member practices for at least one week during the reporting period. The datasets for swabbing results and vaccine effectiveness were defined differently for the specific purposes of the end-of-influenza season report.

For the week-by-week disease incidence graphs, we include episodes of disease in the numerator if the patient was validly registered with a practice within the RSC network at the time of the episode. The denominator includes all registered patients for that particular week.

Representativeness of the RSC sample population

Our goal is to ensure that the RSC database is as representative as the national population, thereby minimising sampling bias in studies conducted using our data. This section presents the demographic (age and gender) breakdown of our sample population for the 2023/24 season and compares it with that of England as a whole. The geographical distribution of the RSC practices is also presented in this section. The sample population includes all patients who were registered with an RSC member practice for at least one week during the reporting period.

The RSC sample population has increased after more practices joined our network this season, but it remains generally representative of the national population in terms of age and sex distribution. However, individuals under 18 years old are slightly under-represented (Figure 3). A detailed age-sex breakdown of the RSC network across NHS regions is presented in Appendix A.

Age Sex Profile




Figure 3. The age-sex profile of the RSC sample population compared with the England national population

Note: the bars show the number of patients within our dataset, by gender and age band, and the lines show the distribution of the corresponding population of England as a whole.

We aim to maintain a balanced geographical distribution of the RSC member practices by varying our priorities for recruitment. The distribution of the RSC member practices in the 2023/24 season is presented in Figure 4.




Figure 4. Distribution of RSC member practices among NHS regions in England in the 2023/24 season

5. COVID-19 and Influenza

Work on COVID-19 and influenza is the central part of the RSC's activity in the 2023/24 season. In addition to surveillance of the weekly incidence of influenza-like illness, we conducted a programme of virological swabbing throughout the flu season and analysed vaccine uptake and effectiveness.

Virology sampling programme

The RSC's virology sampling programme returned to its normal operating mode by the 2022/23 season and has continued throughout the 2023/24 season. A total of 23,884 virology samples were collected in RSC in the 2023/24 season (Figure 5), more than double the number collected in the previous season (11,115) .




Figure 5. RSC's Virology Swab Surveillance in 2023/24 by viral strain

Serology sampling programme

In the 2023/24 season, a total of 51,644 serology samples were collected, of which 47,641 were linkable to the RSC's primary care data (Table 2). Most of the samples were taken from the adult population.

Table 2. Number of serology samples collected in the 2023/24 season

Age band	Number of Samples Collected	Number of Samples Matched
<1yr	12	11
1-4yrs	6	5
5-14yrs	82	76
15-24yrs	1,005	906
25-44yrs	6,697	6,076
45-64yrs	17,353	16,087
65-74yrs	12,761	11,795
75-84yrs	10,988	10,148
85+yrs	2,740	2,537
Total	51,644	47,641

Vaccine uptake

At RSC, we monitor the uptake of the influenza vaccine in the population groups outlined in the flu vaccination program rolled out by UKHSA¹⁷. The extended flu vaccination programme introduced in response to the COVID-19 pandemic, which included risk groups and adults aged 50–64, came to an end in the 2023/24 season.

In the 2023/24 season, the influenza vaccine uptake in the over 65 years group was satisfactory (74%), while the uptake was comparatively low in pregnant women (21%) and risk group patients (36%) (Table 3).

GP records are of high quality for vaccinations carried out in primary care. However, where vaccinations are carried out outside primary care, data about these may not reach the primary care CMR¹⁸.

Table 3. Influenza vaccine uptake in the RSC practices 2023/24 season

Eligible group	Total eligible population	Vaccine coverage
Adults aged 65+	3,923,052	74%
Children aged 2-3	428,247	43%
Children aged 4-17	3,111,891	37%
Other*	10,859,798	5%
Pregnant women	322,167	21%
Risk group patients	3,793,308	36%
All patients	22,438,463	28%

* The “other” group tend to be carers and health workers

Vaccine effectiveness

RSC data was one of the primary data sources for UKHSA’s evaluation of COVID-19 and influenza vaccine effectiveness and safety during the 2023/24 season. The text below is taken from one of the published evaluations.

The 2022/23 influenza season in the United Kingdom saw the return of influenza to prepandemic levels following two seasons with low influenza activity. The early season was dominated by A(H3N2), with cocirculation of A(H1N1), reaching a peak late December 2022, while influenza B circulated at low levels during the latter part of the season. From September to March 2022/23, influenza vaccines were offered, free of charge, to all aged 2-13 (and 14-15 in Scotland and Wales), adults up to 49 years of age with clinical risk conditions and adults aged 50 and above across the mainland United Kingdom.

End-of-season adjusted vaccine effectiveness (VE) estimates against sentinel primary-care attendance for influenza-like illness, where influenza infection was laboratory confirmed, were calculated using the test negative design, adjusting for potential confounders.

In the mainland United Kingdom, end-of-season vaccine effectiveness (VE) against all laboratory-confirmed influenza for all those > 65 years of age, most of whom received adjuvanted quadrivalent vaccines, was 30% (95% confidence interval (CI): -6% to 54%). VE for those aged 18-64, who largely received cell-based vaccines, was 47% (95% CI: 37%-56%). Overall VE for 2-17 year olds, predominantly receiving live attenuated vaccines, was 66% (95% CI: 53%-76%)¹⁹.

6. Disease incidence

At RSC, we monitor and report the incidence of 41 conditions in our weekly disease surveillance reports. The incidence was presented by regions and age bands, and it was also compared with our five-year average (Appendix B).

Graphs showing the weekly incidence of all monitored conditions in the 2023/24 season are included in Appendix B. These graphs follow the same format as those in the RSC weekly surveillance report but are presented as an annual amalgamation. However, the 2023/24 season saw changes to the conditions covered in the weekly reports, as well as modifications to the reporting format. The five-year average presented in the graphs was calculated using data from the five-year period prior to the start of the season.

Disparities in the presentation of monitored conditions (Appendix C) indicate that health inequalities linked to deprivation, ethnicity, and rurality strongly influence the distribution of monitored conditions in England. Respiratory and infectious diseases are more frequently recorded among patients registered with practices in more deprived areas, highlighting a persistent association between deprivation and overall disease burden. Ethnic variation is also evident, with infections such as viral hepatitis and intestinal infections occurring more often among Asian and Black populations, while some respiratory conditions, including asthma and acute bronchitis, are more common among White groups.

There is no uniform urban–rural gradient across all monitored conditions. Many chronic and respiratory disorders show elevated rates in rural practices, possibly reflecting demographic structure (older populations), occupational exposures, and patterns of healthcare utilisation. In contrast, several communicable diseases and environmentally driven infections remain more frequent in urban and conurbation areas, consistent with higher population density and transmission opportunities. Age-related patterns are also apparent, with children and older adults contributing most to respiratory and infectious disease presentations.

The data are presented in this report by disease chapter. The key points for each chapter are as follows:

Respiratory infections: The incidence rates of acute respiratory infections, ECLD, LRTI, URTI, asthma exacerbations, croup, and tonsillitis/pharyngitis generally followed seasonal patterns consistent with the five-year average, although rates were occasionally slightly lower. While influenza-like illness mirrored the overall seasonal pattern of the five-year average, the winter peak was notably reduced. The incidence rates of chronic obstructive pulmonary disease (COPD) exacerbations, bronchiolitis, otitis media, and sinusitis were in line with the five-year average. Pneumonia showed a slightly higher national incidence rate in the 2023/24 season compared to the five-year average, while acute bronchitis and laryngitis had a substantially lower incidence rate than the five-year average. COVID-19 peaked higher in September 2023 and lower in December during the 2023/24 season, with notably elevated incidence rates observed among individuals aged 85 and above.

Water and food-borne disorders: Presentations of intestinal infections were slightly below the five-year average during this season, although the London area recorded higher rates between January and March 2023. The incidence of non-infective enteritis/colitis and viral hepatitis mostly aligned with the five-year average.

Environmentally-sensitive disorders: In the 2023/24 season, the incidence of asthma was mostly aligned with the five-year average. Conjunctivitis followed a lower-than-average trend, while hay fever/allergic rhinitis showed a similar seasonal pattern but with a significantly higher peak in June 2023. The incidence of infected insect bites was elevated during the summer months, with a peak that was flatter but more prolonged compared to the five-year average.

Vaccine-sensitive disorders: Measles and whooping cough followed similar trends to the five-year average but began to rise above that average in 2024. The incidence rate of mumps remained below the five-year average, while rubella remained consistent with it.

Skin contagions: Bullous dermatoses and general skin symptoms largely aligned with the five-year average in the 2023/24 season. Chickenpox showed a significant reduction compared to the previous year and remained below the five-year average. Herpes simplex, herpes zoster, skin and subcutaneous infections, and impetigo were also slightly below the five-year average. In contrast, the incidence of scabies was slightly above the five-year average, particularly in the North West region.

Disorders affecting the nervous system: Peripheral neuropathy, musculoskeletal symptoms and meningitis and encephalitis rates were mostly at the five-year average in the 2023/24 season.

Genitourinary system disorders: The national incidence rate of urinary tract infections was lower than the five-year average in the 2023/24 season.

7. Research Projects

Project name	Funder	Documents
Data and Connectivity: COVID-19 Vaccine Uptake, Safety and Effectiveness (DaCVaP-2)	Health Data Research UK (HDR UK)	Webpage
RECAP (Remote Covid Assessment in Primary Care): a learning system approach to develop an early warning score for use by primary care practitioners	ESRC Economic & Social Research Council	Protocol 1 Protocol 2 Publication 1 Publication 2
The dynamics of frailty in older people: modelling impact on health care demand and outcomes to inform service planning and commissioning	National Institute for Health and Care Research (NIHR) Health and Social Care Delivery Research (HSDR)	Publication 1 Publication 2 Publication 3 Publication 4
Long COvid Multidisciplinary consortium Optimising Treatments and services across the NHS (LOCOMOTION)	NIHR	Protocol Publication 1 Publication 2 Publication 3
CASNET2: Evaluation of an e-safety netting cancer template in primary care: a pragmatic stepped-wedge RCT	Cancer Research UK	Publication

Audit-based education to implement NICE Do-Not-Do recommendations in people with cardiometabolic multimorbidity (MONITORY): a cluster randomised trial	NIHR Applied Research Collaborations (ARC)	Protocol
Integrated Network for Surveillance, Trials and Investigations into COVID-19 Transmission (INSTINCT)	NIHR	
Oxford-RCGP RSC quinquagenarian (QQG) practice network. Creating a longitudinal linked sentinel database of 50 years clinical and virology data and prospective research	Wellcome Trust	Publication
IID3 - The third study of Infectious Intestinal Disease in the UK	Food Standards Agency	Webpage Publication
The impact of the COVID-19 pandemic on childhood vaccination uptake and vaccine preventable disease in England	University of Oxford COVID-19 Research Response Fund Call 4	Publication
RAPid community Testing FOR COVID-19 (RAPTOR-C19)	University of Oxford MSD: COVID-19 Research Response Fund (SPCR grant)	Publication
Effectiveness of the Adjuvanted Trivalent Inactivated Influenza Vaccine in Preventing Influenza-like Illness During the 2018-2019 and 2019-2020 Influenza Season in Adults ≥ 65 Years in the United Kingdom	Seqirus	Publication
Variation in renal function in people with non-valvular atrial fibrillation (NVAf)	B-MSUK Bristol-Myers Squibb Pharmaceuticals Ltd	
Epidemiology of thrombotic thrombocytopenia syndrome in integrated health-care database in England -Secondary data analysis using a cohort design	AstraZeneca	Publication
Real-world effectiveness of the Oxford/AstraZeneca COVID-19 vaccine in England (RAVEN)	AstraZeneca	Publication 1 Publication 2
RSV ComNet: Disease burden of RSV in young children in primary care: Italy, United Kingdom and the Netherlands, winter of 2021/22 (RSV ComNet III)	NIVEL/Sanofi Pasteur SA	Protocol Publication 1 Publication 2 Publication 3
Hepatitis A vaccination coverage rates amongst people with Chronic Liver Disease in England: a retrospective cohort study using national-level routine data (HEALD)	GlaxoSmithKline	Protocol Publication
PIAMS study - effect of Point of care testing for Influenza on AntiMicrobial Stewardship in primary care in the UK	Roche Pharma	Protocol Publication 1 Publication 2
A retrospective observational database cohort study assessing the effects on renal endpoints of combining SGLT2 inhibitor and GLP-1 RA therapies compared to SGLT2 inhibitor therapy or GLP-RA monotherapies, in	Merck Sharp & Dohme	Protocol

the routine management of type 2 diabetes (COMBI-KID)		
Incidence and Clinical Characteristics of Virologically Confirmed RSV: An Observational Study of Acute Respiratory Illness (ObservatARI)	Moderna	Protocol
Screening for Atrial Fibrillation with ECG to Reduce Stroke - a randomised controlled trial (SAFER)	NIHR Programme Grants for Applied Research (PGfAR) and NIHR School for Primary Care Research (SPCR)	Webpage
Determining Generalisability of the CREDENCE Renal Outcomes Trial to People with Type 2 Diabetes in Real-World Clinical Practice (CREDENCE)	Diabetes Therapy Evaluation (DTE) Net	
The OSCAR Study: Optimising Structured Medication Reviews	NIHR	
The SHIP Study: A Service Evaluation and Mixed Methods Implementation Research Study of Hypertension Plus	NIHR	Protocol

8. RSC Publications

- Hodkinson A, Zghebi SS, Kontopantelis E, Grigoroglou C, Ashcroft DM, Hann M, Chew-Graham CA, Payne RA, Little P, de Lusignan S, Zhou A, Esmail A, Panagioti M. Association of strong opioids and antibiotics prescribing with GP burnout: a retrospective cross-sectional study. *Br J Gen Pract.* 2023 Jul 27;73(733):e634-e643. doi: 10.3399/BJGP.2022.0394. PMID: 37500457; PMCID: PMC10227993.
- Nicholson BD, Turner PJ, Fanshawe TR, Williams AJ, Amirthalingam G, Tonner S, Zambon M, Body R, Davies K, Perera R, de Lusignan S, Hayward GN, Hobbs FDR; RAPTOR-C19 Study Group and the CONDOR Steering Committee. Evaluation of the diagnostic accuracy of two point-of-care tests for COVID-19 when used in symptomatic patients in community settings in the UK primary care COVID diagnostic accuracy platform trial (RAPTOR-C19). *PLoS One.* 2023 Jul 21;18(7):e0288612. doi: 10.1371/journal.pone.0288612. PMID: 37478103; PMCID: PMC10361479.
- Gu X, Watson C, Agrawal U, Whitaker H, Elson WH, Anand S, Borrow R, Buckingham A, Button E, Curtis L, Dunn D, Elliot AJ, Ferreira F, Goudie R, Hoang U, Hoschler K, Jamie G, Kar D, Kele B, Leston M, Linley E, Macartney J, Marsden GL, Okusi C, Parvizi O, Quinot C, Sebastianpillai P, Sexton V, Smith G, Suli T, Thomas NPB, Thompson C, Todkill D, Wimalaratna R, Inada-Kim M, Andrews N, Tzortziou-Brown V, Byford R, Zambon M, Lopez-Bernal J, de Lusignan S. Postpandemic Sentinel Surveillance of Respiratory Diseases in the Context of the World Health Organization Mosaic Framework: Protocol for a Development and Evaluation Study Involving the English Primary Care Network 2023-2024. *JMIR Public Health Surveill.* 2024 Apr 3;10:e52047. doi: 10.2196/52047. PMID: 38569175; PMCID: PMC11024753.

4. Joy M, Agrawal U, Fan X, Robertson C, Anand SN, Ordonez-Mena J, Byford R, Goudie R, Jamie G, Kar D, Williams J, Marsden GL, Tzortziou-Brown V, Sheikh SA, Hobbs FDR, de Lusignan S. Thrombocytopenic, thromboembolic and haemorrhagic events following second dose with BNT162b2 and ChAdOx1: self-controlled case series analysis of the English national sentinel cohort. *Lancet Reg Health Eur*. 2023 Jul 18;32:100681. doi: 10.1016/j.lanepe.2023.100681. PMID: 37671127; PMCID: PMC10477035.
5. Whitaker HJ, Tsang RSM, Byford R, Aspden C, Button E, Sebastian Pillai P, Jamie G, Kar D, Williams J, Sinnathamby M, Marsden G, Elson WH, Leston M, Anand S, Okusi C, Fan X, Linley E, Rowe C, D'Arcangelo S, Otter AD, Ellis J, Hobbs FDR, Tzortziou-Brown V, Zambon M, Ramsay M, Brown KE, Amirthalingam G, Andrews NJ, de Lusignan S, Lopez Bernal J. COVID-19 vaccine effectiveness against hospitalisation and death of people in clinical risk groups during the Delta variant period: English primary care network cohort study. *J Infect*. 2023 Oct;87(4):315-327. doi: 10.1016/j.jinf.2023.08.005. Epub 2023 Aug 12. PMID: 37579793.
6. Meza-Torres B, Forbes A, Elson W, Kar D, Jamie G, Hinton W, Fan X, Byford R, Feher M, Whyte M, Joy M, de Lusignan S. Hepatitis A Vaccination Coverage Among People With Chronic Liver Disease in England (HEALD): Protocol for a Retrospective Cohort Study. *JMIR Res Protoc*. 2023 Oct 24;12:e51861. doi: 10.2196/51861. PMID: 37874614; PMCID: PMC10630863.
7. Nemeth B, Smeets M, Pedersen AB, Kristiansen EB, Nelissen R, Whyte M, Roberts L, de Lusignan S, le Cessie S, Cannegieter S, Arya R. Development and validation of a clinical prediction model for 90-day venous thromboembolism risk following total hip and total knee arthroplasty: a multinational study. *J Thromb Haemost*. 2024 Jan;22(1):238-248. doi: 10.1016/j.jtha.2023.09.033. Epub 2023 Nov 22. PMID: 38030547.
8. Hoang U, Williams A, Smylie J, Aspden C, Button E, Macartney J, Okusi C, Byford R, Ferreira F, Leston M, Xie CX, Joy M, Marsden G, Clark T, de Lusignan S. The Impact of Point-of-Care Testing for Influenza on Antimicrobial Stewardship (PIAMS) in UK Primary Care: Protocol for a Mixed Methods Study. *JMIR Res Protoc*. 2023 Jun 16;12:e46938. doi: 10.2196/46938. PMID: 37327029; PMCID: PMC10337326.
9. Fogg C, England T, Zhu S, Jones J, de Lusignan S, Fraser SDS, Roderick P, Clegg A, Harris S, Brailsford S, Barkham A, Patel HP, Walsh B. Primary and secondary care service use and costs associated with frailty in an ageing population: longitudinal analysis of an English primary care cohort of adults aged 50 and over, 2006-2017. *Age Ageing*. 2024 Feb 1;53(2):afae010. doi: 10.1093/ageing/afae010. PMID: 38337044; PMCID: PMC10857897.
10. Tsang RS, Agrawal U, Joy M, Byford R, Robertson C, Anand SN, Hinton W, Mayor N, Kar D, Williams J, Victor W, Akbari A, Bradley DT, Murphy S, O'Reilly D, Owen RK, Chuter A, Beggs J, Howsam G, Sheikh A, Richard Hobbs FD, Lusignan S. Adverse events after first and second doses of COVID-19 vaccination in England: a national vaccine surveillance platform self-controlled case series study. *J R Soc Med*. 2024 Apr;117(4):134-148. doi: 10.1177/01410768231205430. Epub 2023 Nov 3. Retraction in: *J R Soc Med*. 2025 Jan;118(1):30. doi: 10.1177/01410768251316750. PMID: 37921538; PMCID: PMC11100448.
11. Tsang RS, Joy M, Whitaker H, Sheppard JP, Williams J, Sherlock J, Mayor N, Meza-Torres B, Button E, Williams AJ, Kar D, Delanerolle G, McManus R, Hobbs FR, de Lusignan S. Development of a modified Cambridge Multimorbidity Score for use with SNOMED CT: an observational English primary care sentinel network study. *Br J Gen Pract*. 2023 May 25;73(731):e435-e442. doi: 10.3399/BJGP.2022.0235. PMID: 37130611; PMCID: PMC10170523.

12. Hayward G, Yu LM, Little P, Gbinigie O, Shanyinde M, Harris V, Dorward J, Saville BR, Berry N, Evans PH, Thomas NPB, Patel MG, Richards D, Hecke OV, Detry MA, Saunders C, Fitzgerald M, Robinson J, Latimer-Bell C, Allen J, Ogburn E, Grabey J, de Lusignan S, Hobbs FR, Butler CC; PRINCIPLE Trial Collaborative Group. Ivermectin for COVID-19 in adults in the community (PRINCIPLE): An open, randomised, controlled, adaptive platform trial of short- and longer-term outcomes. *J Infect.* 2024 Apr;88(4):106130. doi: 10.1016/j.jinf.2024.106130. Epub 2024 Feb 29. PMID: 38431155; PMCID: PMC10981761.
13. Whitaker HJ, Hassell K, Hoschler K, Power L, Stowe J, Boddington NL, Tsang C, Zhao H, Linley E, Button E, Okusi C, Aspden C, Byford R, deLusignan S, Amirthalingam G, Zambon M, Andrews NJ, Watson C. Influenza vaccination during the 2021/22 season: A data-linkage test-negative case-control study of effectiveness against influenza requiring emergency care in England and serological analysis of primary care patients. *Vaccine.* 2024 Mar 7;42(7):1656-1664. doi: 10.1016/j.vaccine.2024.02.006. Epub 2024 Feb 10. PMID: 38342716.
14. Whitaker HJ, Willam N, Cottrell S, Goudie R, Andrews N, Evans J, Moore C, Agrawal U, Hassell K, Gunson R, Zitha J, Anand S, Sebastian-Pillai P, Kalapotharakou P, Okusi C, Hoschler K, Jamie G, Kele B, Hamilton M, Couzens A, Quinot C, Pheasant K, Byford R, Marsh K, Robertson C, de Lusignan S, Williams C, Zambon M, McMenemy J, Watson CH. End of 2022/23 Season Influenza Vaccine Effectiveness in Primary Care in Great Britain. *Influenza Other Respir Viruses.* 2024 May;18(5):e13295. doi: 10.1111/irv.13295. PMID: 38744684; PMCID: PMC11093773.
15. Whitaker H, Findlay B, Zitha J, Goudie R, Hassell K, Evans J, Kalapotharakou P, Agrawal U, Kele B, Hamilton M, Moore C, Byford R, Stowe J, Robertson C, Couzens A, Jamie G, Hoschler K, Pheasant K, Button E, Quinot C, Jones T, Anand S, Watson C, Andrews N, de Lusignan S, Zambon M, Williams C, Cottrell S, Marsh K, McMenemy J, Lopez Bernal J. Interim 2023/2024 Season Influenza Vaccine Effectiveness in Primary and Secondary Care in the United Kingdom. *Influenza Other Respir Viruses.* 2024 May;18(5):e13284. doi: 10.1111/irv.13284. PMID: 38773753; PMCID: PMC11109477.
16. Forbes AK, Hinton W, Feher MD, Elson W, Joy M, Ordóñez-Mena JM, Fan X, Cole NI, Banerjee D, Suckling RJ, de Lusignan S, Swift PA. Implementation of chronic kidney disease guidelines for sodium-glucose co-transporter-2 inhibitor use in primary care in the UK: a cross-sectional study. *EClinicalMedicine.* 2024 Jan 19;68:102426. doi: 10.1016/j.eclim.2024.102426. PMID: 38304744; PMCID: PMC10831804.
17. Cogdale J, Kele B, Myers R, Harvey R, Lofts A, Mikael T, Hoschler K, Banyard AC, James J, Mollett BC, Byrne AM, Lopez-Bernal J, Watson CH, Chand M, Welfare W, Williamson DA, Oliver I, Padfield S, Lee A, Calvert S, Bewley MA, Wallace L, deLusignan S, Lewis NS, Brown IH, Zambon M; Influenza A(H1N2)v Incident Management Team. A case of swine influenza A(H1N2)v in England, November 2023. *Euro Surveill.* 2024 Jan;29(3):2400002. doi: 10.2807/1560-7917.ES.2024.29.3.2400002. Erratum in: *Euro Surveill.* 2024 Jan;29(4). doi: 10.2807/1560-7917.ES.2024.29.4.250125c. PMID: 38240057; PMCID: PMC10797662.
18. Meeraus W, Joy M, Ouwers M, Taylor KS, Venkatesan S, Dennis J, Tran TN, Dashtban A, Fan X, Williams R, Morris T, Carty L, Kar D, Hoang U, Feher M, Forbes A, Jamie G, Hinton W, Sanecka K, Byford R, Anand SN, Hobbs FDR, Clifton DA, Pollard AJ, Taylor S, de Lusignan S. AZD1222 effectiveness against severe COVID-19 in individuals with comorbidity or frailty: The RAVEN cohort study. *J Infect.* 2024 Apr;88(4):106129. doi: 10.1016/j.jinf.2024.106129. Epub 2024 Feb 29. PMID: 38431156.

9. Contributors

University of Oxford

Xinchun Gu, Martin Waugh, Neil Deo, Uy Hoang, Elizabeth Button, Shuma Banik, Karina O'Neill, Filipa Ferreira, Simon de Lusignan

UK Health Security Agency

Conall Watson, Nick Andrews, Maria Zambo, Jamie Lopez-Bernal

Royal College of General Practitioner

Rosa Lau, Nicholas Thomas

XG wrote this report. ND and MW completed the data extraction and visualisation. SdeL, UH, EB, SB, KO, and FF contributed to the report. JLB, MZ, NA, and CW managed the surveillance services during the season. SdeL, DA, WV, and NT managed the RCGP RSC work.

10. References

1. de Lusignan S, Correa A, Smith GE, et al. RCGP Research and Surveillance Centre: 50 years' surveillance of influenza, infections, and respiratory conditions. *Br J Gen Pract* 2017;67(663):440-41. doi: 10.3399/bjgp17X692645
2. de Lusignan S, Lopez Bernal J, Zambon M, et al. Emergence of a Novel Coronavirus (COVID-19): Protocol for Extending Surveillance Used by the Royal College of General Practitioners Research and Surveillance Centre and Public Health England. *JMIR Public Health Surveill* 2020;6(2):e18606. doi: 10.2196/18606 [published Online First: 20200402]
3. de Lusignan S, Hobbs FDR, Sheikh A. Lessons from the English primary care sentinel network's response to the COVID-19 pandemic. *The Lancet Infectious Diseases* 2024;24(1):14-16. doi: 10.1016/S1473-3099(23)00736-3
4. Ziegler T, Moen A, Zhang W, et al. Global Influenza Surveillance and Response System: 70 years of responding to the expected and preparing for the unexpected. *The Lancet* 2022;400(10357):981-82. doi: [https://doi.org/10.1016/S0140-6736\(22\)01741-X](https://doi.org/10.1016/S0140-6736(22)01741-X)
5. ORCHID. Surveillance 2015 [Available from: <https://orchid.phc.ox.ac.uk/surveillance> accessed 8 Aug 2025].
6. de Lusignan S, Jones N, Dorward J, et al. The Oxford Royal College of General Practitioners Clinical Informatics Digital Hub: Protocol to Develop Extended COVID-19 Surveillance and Trial Platforms. *JMIR Public Health Surveill* 2020;6(3):e19773. doi: 10.2196/19773 [published Online First: 20200702]
7. Tippu Z, Correa A, Liyanage H, et al. Ethnicity Recording in Primary Care Computerised Medical Record Systems: An Ontological Approach. *J Innov Health Inform* 2017;23(4):920. doi: 10.14236/jhi.v23i4.920 [published Online First: 20170314]
8. Tsang RS, Joy M, Whitaker H, et al. Development of a modified Cambridge Multimorbidity Score for use with SNOMED CT: an observational English primary care sentinel network study. *Br J Gen Pract* 2023;73(731):e435-e42. doi: 10.3399/bjgp.2022.0235 [published Online First: 20230525]
9. Leston M, Elson WH, Watson C, et al. Representativeness, Vaccination Uptake, and COVID-19 Clinical Outcomes 2020-2021 in the UK Oxford-Royal College of General Practitioners Research and Surveillance

Network: Cohort Profile Summary. *JMIR Public Health Surveill* 2022;8(12):e39141. doi: 10.2196/39141 [published Online First: 20221219]

10. Walsh B, Fogg C, England T, et al. Impact of frailty in older people on health care demand: simulation modelling of population dynamics to inform service planning. *Health Soc Care Deliv Res* 2024;12(44):1-140. doi: 10.3310/lkjf3976
11. de Lusignan S, Borrow R, Tripathy M, et al. Serological surveillance of influenza in an English sentinel network: pilot study protocol. *BMJ Open* 2019;9(3):e024285. doi: 10.1136/bmjopen-2018-024285 [published Online First: 20190308]
12. Whitaker H, Tsang RSM, Button E, et al. Sociodemographic disparities in COVID-19 seroprevalence across England in the Oxford RCGP primary care sentinel network. *J Infect* 2022;84(6):814-24. doi: 10.1016/j.jinf.2022.04.016 [published Online First: 20220409]
13. de Lusignan S, Lopez Bernal J, Byford R, et al. Influenza and Respiratory Virus Surveillance, Vaccine Uptake, and Effectiveness at a Time of Cocirculating COVID-19: Protocol for the English Primary Care Sentinel System for 2020-2021. *JMIR Public Health Surveill* 2021;7(2):e24341. doi: 10.2196/24341 [published Online First: 20210219]
14. Meeraus W, Joy M, Ouwens M, et al. AZD1222 effectiveness against severe COVID-19 in individuals with comorbidity or frailty: The RAVEN cohort study. *J Infect* 2024;88(4):106129. doi: 10.1016/j.jinf.2024.106129 [published Online First: 20240229]
15. Elson WH, Jamie G, Wimalaratna R, et al. Validation of an acute respiratory infection phenotyping algorithm to support robust computerised medical record-based respiratory sentinel surveillance, England, 2023. *Euro Surveill* 2024;29(35) doi: 10.2807/1560-7917.Es.2024.29.35.2300682
16. Gu X, Watson C, Agrawal U, et al. Postpandemic Sentinel Surveillance of Respiratory Diseases in the Context of the World Health Organization Mosaic Framework: Protocol for a Development and Evaluation Study Involving the English Primary Care Network 2023-2024. *JMIR Public Health Surveill* 2024;10:e52047. doi: 10.2196/52047 [published Online First: 20240403]
17. Annual flu programme 2013 [cited 2024 27 June]. Available from: <https://www.gov.uk/government/collections/annual-flu-programme> accessed 27 June 2024.
18. de Lusignan S, Hoghton M, Rafi I. Flu vaccination by pharmacists leads to suboptimal medical records. *BMJ* 2017;359:j5084. doi: 10.1136/bmj.j5084
19. Whitaker HJ, Willam N, Cottrell S, et al. End of 2022/23 Season Influenza Vaccine Effectiveness in Primary Care in Great Britain. *Influenza Other Respir Viruses* 2024;18(5):e13295. doi: 10.1111/irv.13295

11. Appendices

Appendix A

Representativeness of the Oxford-RCGP RSC


This section shows the demographic (age and gender) breakdown of our sample population, and how it compares with that of England as a whole. This report covers the period 8th May 2023 to the 5th of May 2024 (ISO Week 19 of 2023 to ISO Week 18 of 2024). This includes all patients who were registered for at least one week during the reporting period, within a practice from the RCGP RSC network for which we received data.

Age Sex Breakdown by NHS Region

NHS Region	Gender	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	F	7,255	38,510	118,350	115,848	290,547	274,479	114,390	86,328	41,730
	M	7,697	40,792	123,943	116,478	287,550	278,909	110,472	74,937	25,694
North West	F	11,368	59,384	167,505	199,889	411,425	342,473	134,272	102,198	48,483
	M	12,163	62,475	175,830	195,306	447,654	366,886	131,567	88,855	30,451
East of England	F	6,308	34,788	106,135	105,882	276,782	229,876	88,377	72,257	38,322
	M	6,577	36,575	111,111	104,636	271,057	238,877	82,832	61,975	23,896
London	F	16,606	81,170	208,427	259,895	751,708	389,462	108,183	69,453	35,596
	M	17,274	85,112	218,167	242,063	795,502	447,293	103,893	55,919	21,819
Midlands	F	13,725	72,164	206,236	231,745	493,957	422,266	165,931	132,197	65,655
	M	14,153	75,777	217,067	230,700	517,101	441,846	160,680	114,545	40,992
South East	F	14,741	79,099	230,608	243,587	549,886	495,725	184,511	150,012	79,207
	M	15,596	83,609	243,618	245,666	561,019	512,861	176,286	127,830	49,278
South West	F	8,574	45,941	136,990	146,230	343,226	323,619	140,813	117,911	60,456
	M	9,112	48,734	143,679	144,398	346,222	323,161	132,729	102,256	37,866
National	F	78,577	411,056	1,174,251	1,303,076	3,117,531	2,477,900	936,477	730,356	369,449
	M	82,572	433,074	1,233,415	1,279,247	3,226,105	2,609,833	898,459	626,317	229,996

We work very hard to ensure that the demographics of our sample population closely resemble the country as a whole. This correspondence can be seen in the age-sex profile below; the bars show the number of patients within our dataset, broken down by gender and age-band, and the lines show the distribution of the corresponding population of England as a whole.


Age Sex Profile



The trends of sum of MalePop, sum of MaleONS, sum of FemalePop and sum of FemaleONS for Age in 5-year age bands. Color shows details about Gender.

As can be seen from the map below, practices within the Network are spread across England in order to reflect the distribution of the population as a whole. We vary our priorities for recruiting to try to ensure an even spread of practices.

Distribution of RSC practices among NHS regions in England



NHS Regions

- | | |
|--------------------------|------------|
| East of England | North West |
| London | South East |
| Midlands | South West |
| North East and Yorkshire | |


Appendix B

Weekly incidence of the conditions monitored
by the Oxford-RCGP RSC


1. Respiratory Infections




Acute Respiratory Infections (ARI)



Influenza-like illness (ILI)




Exacerbations of Chronic Lung Disease (ECLD)







Lower Respiratory Tract Infections (LRTI)



Upper Respiratory Tract Infections (URTI)




ECLD - Asthma Exacerbations







ECLD - COPD Exacerbations



LRTI - Pneumonia




LRTI - Acute Bronchitis







LRTI - Bronchiolitis



URTI - Croup




URTI - Tonsillitis / Pharyngitis







URTI - Otitis Media



URTI - Sinusitis




URTI - Laryngitis




2. Water and Food Borne Disorders

National London North East and Yorkshire South East 5yr Avg
East of England Midlands North West South West


Intestinal Infections (All ages) (ICD10 : A00-A09)



Intestinal Infections (0-4 years) (ICD10 : A00-A09)




Non-infective Enteritis / Colitis (ICD10 : K50-K52)






Viral Hepatitis (ICD10 : B15-B19)




3. Environmentally Sensitive Disorders




Asthma (ICD10 : J45 - J46)



Conjunctivitis (ICD10 : H10 - H13)




Hayfever/Allergic Rhinitis (ICD10: J30)






Infected Insect Bites




4. Vaccine Sensitive Disorders:




Measles (ICD10 : B05)



Mumps (ICD10 : B26)




Rubella (ICD10 : B06)






Whooping Cough (ICD10: A37)




5. Skin Contagions:

■ National ■ East of England ■ North East and Yorkshire ■ South East ■ 5yr Avg
■ London ■ Midlands ■ North West ■ South West


Bullous Dermatoses (ICD10 : L10 - L14)



Chickenpox (ICD10 : B01)




Herpes Simplex (ICD10 : B00)




■ National
 ■ East of England
 ■ North East and Yorkshire
 ■ South East
 ■ 5yr Avg
■ London
 ■ Midlands
 ■ North West
 ■ South West


Herpes Zoster (ICD10 : B02)



Skin / subcutaneous infections (ICD10 : L00 - L08)




Scabies (ICD10 : B86)




■ National	■ East of England	■ North East and Yorkshire	■ South East	■ 5yr Avg
■ London	■ Midlands	■ North West	■ South West	

Skin symptoms (ICD10 : R20 - R23)




Impetigo (ICD10 - L01)




6. Disorders Affecting the Nervous System:

■ National ■ East of England ■ North East and Yorkshire ■ South East ■ 5yr Avg
■ London ■ Midlands ■ North West ■ South West


Peripheral Neuropathy (ICD10 : G50 - G64; G70 - G72)



Meningitis and Encephalitis (ICD10 : A170-A171; A390; A83-A85; A87; G00-G05)




Musculoskeletal symptoms (ICD10 : R25 - R29)





7. Genitourinary System Disorders:







Urinary Tract Infections (ICD10 : N30; N390)







8. Other Disorders



Weekly disease incidence by age group






Appendix C

Disparities in the presentation of monitored conditions
by age and gender, ethnicity, socioeconomic status
(measured using IMD) and rurality


1. Respiratory Infections

Acute Respiratory Infections (ARI)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Influenza-like illness (ILI)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Exacerbations of Chronic Lung Disease (ECLD)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Lower Respiratory Tract Infections (LRTI)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living



Upper Respiratory Tract Infections (URTI)

Age-sex profile




Condition Female Rate

Condition Male Rate


RSC Female Rate

RSC Male Rate


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




ECLD - Asthma Exacerbations


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




ECLD - COPD Exacerbations


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living






LRTI - Pneumonia

Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	0.24	0.34	86	120
1-4yrs	2.31	2.64	842	919
5-14yrs	2.94	3.17	1,075	1,103
15-24yrs	2.63	2.11	960	734
25-44yrs	12.15	9.60	4,436	3,342
45-64yrs	19.54	19.72	7,136	6,866
65-74yrs	15.65	18.15	5,715	6,319
75-84yrs	22.82	26.05	8,334	9,071
85+yrs	21.73	18.23	7,935	6,348



LRTI - Acute Bronchitis


Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	2.20	4.95	333	503
1-4yrs	3.59	6.48	544	659
5-14yrs	4.48	6.85	679	696
15-24yrs	6.39	5.49	968	558
25-44yrs	25.34	20.67	3,838	2,102
45-64yrs	30.67	27.11	4,646	2,756
65-74yrs	13.06	13.81	1,978	1,404
75-84yrs	9.96	10.59	1,509	1,077
85+yrs	4.30	4.05	652	412

Condition Female Rate Condition Male Rate RSC Female Rate RSC Male Rate


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




LRTI - Bronchiolitis

Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	70.73	74.53	8,724	13,582
1-4yrs	25.51	23.64	3,146	4,308
5-14yrs	0.45	0.46	55	83
15-24yrs	0.19	0.07	24	12
25-44yrs	0.62	0.33	76	60
45-64yrs	1.19	0.42	147	76
65-74yrs	0.66	0.33	81	61
75-84yrs	0.49	0.15	60	28
85+yrs	0.17	0.07	21	13


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




URTI - Croup

Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	13.11	12.56	960	1,701
1-4yrs	65.82	64.43	4,820	8,724
5-14yrs	19.46	22.75	1,425	3,080
15-24yrs	0.34	0.09	25	12
25-44yrs	0.46	0.04	34	6
45-64yrs	0.49	0.10	36	13
65-74yrs	0.15	0.01	11	1
75-84yrs	0.11	0.03	8	4
85+yrs	0.05	0.00	4	0


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




URTI - Tonsillitis / Pharyngitis

Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	1.10	2.24	2,488	3,381
1-4yrs	13.70	24.63	31,030	37,190
5-14yrs	25.18	32.78	57,035	49,498
15-24yrs	21.00	15.48	47,560	23,377
25-44yrs	30.12	18.78	68,210	28,348
45-64yrs	7.24	4.74	16,400	7,158
65-74yrs	1.09	0.85	2,470	1,281
75-84yrs	0.45	0.38	1,018	573
85+yrs	0.12	0.12	271	175


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




URTI - Otitis Media


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




URTI - Sinusitis

Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	0.03	0.06	30	32
1-4yrs	0.25	0.64	293	317
5-14yrs	2.10	4.58	2,463	2,258
15-24yrs	6.78	8.53	7,955	4,202
25-44yrs	39.51	34.59	46,343	17,035
45-64yrs	34.66	32.70	40,654	16,103
65-74yrs	10.54	11.73	12,364	5,775
75-84yrs	5.18	6.18	6,073	3,044
85+yrs	0.95	0.98	1,116	484


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




URTI - Laryngitis


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




2. Water and Food Borne Disorders

Intestinal Infections (ICD10 : A00-A09)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living



Non-infective Enteritis / Colitis (ICD10 : K50-K52)


Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	9.20	11.87	2,065	2,557
1-4yrs	4.56	6.27	1,024	1,351
5-14yrs	2.47	3.49	555	752
15-24yrs	5.73	6.75	1,286	1,454
25-44yrs	24.16	23.66	5,424	5,095
45-64yrs	27.57	24.97	6,190	5,376
65-74yrs	12.82	11.68	2,878	2,514
75-84yrs	9.87	9.25	2,215	1,991
85+ysrs	3.63	2.06	814	443

Condition Female Rate Condition Male Rate RSC Female Rate RSC Male Rate


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living






Viral Hepatitis (ICD10 : B15-B19)

Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	0.18	0.04	3	1
1-4yrs	0.70	0.39	12	11
5-14yrs	0.76	0.93	13	26
15-24yrs	6.33	4.14	108	116
25-44yrs	45.49	40.69	776	1,140
45-64yrs	34.82	42.93	594	1,203
65-74yrs	7.27	7.82	124	219
75-84yrs	3.05	2.71	52	76
85+yrs	1.41	0.36	24	10




3. Environmentally Sensitive Disorders

Asthma (ICD10 : J45 - J46)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living



Conjunctivitis (ICD10 : H10 - H13)


Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	7.75	10.56	7,396	8,482
1-4yrs	15.64	21.79	14,932	17,498
5-14yrs	9.86	13.11	9,410	10,529
15-24yrs	5.65	4.99	5,391	4,008
25-44yrs	17.52	14.40	16,722	11,570
45-64yrs	19.24	16.24	18,367	13,044
65-74yrs	9.56	7.94	9,126	6,378
75-84yrs	8.72	7.15	8,320	5,742
85+yrs	6.06	3.82	5,789	3,070

■ Condition Female Rate
 ■ Condition Male Rate
 — RSC Female Rate
 — RSC Male Rate


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Hayfever/Allergic Rhinitis (ICD10: J30)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Infected Insect Bites

Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	0.06	0.22	13	25
1-4yrs	1.35	2.75	302	316
5-14yrs	6.77	11.26	1,511	1,295
15-24yrs	7.97	8.97	1,781	1,031
25-44yrs	33.00	31.38	7,371	3,609
45-64yrs	33.49	29.99	7,480	3,449
65-74yrs	10.07	9.35	2,250	1,075
75-84yrs	6.05	5.25	1,351	604
85+yrs	1.24	0.83	276	96


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




4. Vaccine Sensitive Disorders

Measles (ICD10 : B05)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Mumps (ICD10 : B26)

Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	0.00	0.24	0	1
1-4yrs	14.36	23.54	55	97
5-14yrs	25.33	35.68	97	147
15-24yrs	12.01	7.77	46	32
25-44yrs	30.29	16.99	116	70
45-64yrs	12.27	13.11	47	54
65-74yrs	2.61	1.21	10	5
75-84yrs	1.57	1.46	6	6
85+yrs	1.57	0.00	6	0


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Rubella (ICD10 : B06)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Whooping Cough (ICD10 : A37)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




5. Skin Contagions

Bullous Dermatoses (ICD10 : L10 - L14)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Chickenpox (ICD10 : B01)

Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	6.91	8.10	1,019	1,123
1-4yrs	38.79	44.81	5,718	6,210
5-14yrs	31.65	35.06	4,665	4,858
15-24yrs	4.78	3.02	705	418
25-44yrs	15.26	6.83	2,250	946
45-64yrs	1.85	1.53	272	212
65-74yrs	0.40	0.41	59	57
75-84yrs	0.24	0.19	36	26
85+yrs	0.11	0.05	16	7


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Herpes Simplex (ICD10 : B00)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Herpes Zoster (ICD10 : B02)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Skin / subcutaneous infections (ICD10 : L00 - L08)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living



Scabies (ICD10 : B86)


Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	0.85	1.21	92	135
1-4yrs	5.35	5.33	578	594
5-14yrs	12.97	15.69	1,400	1,749
15-24yrs	25.31	31.73	2,733	3,538
25-44yrs	24.88	21.46	2,686	2,393
45-64yrs	16.42	14.08	1,773	1,570
65-74yrs	4.63	4.30	500	479
75-84yrs	5.12	4.07	553	454
85+ysrs	4.46	2.13	482	238

■ Condition Female Rate
 ■ Condition Male Rate
 ■ RSC Female Rate
 ■ RSC Male Rate


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living



Skin symptoms (ICD10 : R20 - R23)


Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	2.27	2.69	16,710	15,848
1-4yrs	4.67	6.04	34,429	35,517
5-14yrs	6.84	8.24	50,371	48,464
15-24yrs	6.51	5.39	47,977	31,727
25-44yrs	20.58	15.76	151,607	92,715
45-64yrs	25.03	23.92	184,404	140,715
65-74yrs	13.45	15.50	99,115	91,201
75-84yrs	13.62	15.82	100,372	93,039
85+ysrs	7.03	6.64	51,792	39,038

Condition Female Rate Condition Male Rate RSC Female Rate RSC Male Rate


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Impetigo (ICD10 - L01)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




6. Disorders Affective the Nervous System

Peripheral Neuropathy (ICD10 : G50 - G64; G70 - G72)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Meningitis and Encephalitis (ICD10 : A170 - A171; A 390; A83 - A85; A87; G00 - G05)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Musculoskeletal symptoms (ICD10 : R25 - R29)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




7. Genitourinary System Disorders

Urinary Tract Infections (ICD10 : N30; N390)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




8. Other Disorders

Strep throat, scarlatina and peritonsillar abscess (ICD10 :
A38; J020; J36)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Infectious Mononucleosis (ICD10 : B27)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group



Conurbation, Urban and Rural Living



Appendix D

Numeric data tables matching Appendix B

These data tables show the incidence of monitored diseases by age, gender and region, by 4-week period, quarter and year.

1. Respiratory Infections

Acute Respiratory Infections

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1,069	742	250	114	98	117	193	266	364	870	671	265	212	216	211	246	270	340
	2	804	570	220	109	94	101	162	225	313	648	519	236	194	187	175	209	227	284
	3	952	661	227	103	88	98	162	217	314	762	585	244	200	200	180	206	221	275
	4	811	451	122	100	88	109	183	247	351	634	417	139	186	179	191	228	258	328
	5	872	504	158	100	81	103	170	223	330	727	446	170	184	168	177	208	240	293
	6	1,743	1,082	300	145	110	137	219	291	430	1,452	976	312	264	255	255	276	305	396
	7	2,211	1,402	335	153	128	159	250	327	459	1,791	1,345	343	280	279	289	315	346	454
	8	2,423	1,502	555	178	154	191	292	375	543	2,075	1,456	571	312	355	358	372	406	518
	9	1,739	1,020	400	170	177	232	344	451	650	1,473	957	434	292	375	402	437	496	627
	10	1,614	1,387	559	195	170	207	285	378	553	1,361	1,312	581	317	367	358	361	388	526
	11	1,597	1,220	491	172	153	180	264	336	449	1,311	1,144	521	291	329	312	335	356	434
	12	1,590	1,142	508	170	141	163	251	322	435	1,318	1,070	535	278	308	288	323	348	427
	13	1,267	837	351	152	133	163	250	327	439	1,051	774	371	251	265	273	317	348	419
Quarter	1	939	647	226	108	94	106	174	236	332	755	584	242	202	201	189	222	241	302
	2	1,309	783	210	120	97	122	200	265	384	1,069	715	222	221	211	220	248	279	355
	3	2,002	1,326	481	178	161	204	300	392	567	1,692	1,268	503	305	354	363	382	420	547
	4	1,502	1,096	460	166	144	171	258	333	448	1,243	1,025	485	275	306	295	328	354	432
Year	23/24	1,436	963	344	143	124	151	233	307	433	1,188	898	364	251	268	267	295	324	410
Episodes	F/N	61,162	200,875	210,442	86,892	188,647	194,125	102,817	91,209	41,348	47,774	178,008	211,363	150,760	388,197	328,431	137,076	113,815	63,886

Mean weekly incidence rate per 100,000 Persons.

Acute Respiratory Infections

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	1,154	691	237	118	101	117	202	279	383	913	647	263	232	224	211	251	281	342
		2	1,534	873	224	126	112	132	226	306	438	1,320	813	258	241	239	243	282	328	392
		3	2,402	1,440	544	202	194	233	343	438	637	1,996	1,389	586	368	413	403	422	478	607
		4	1,873	1,180	461	178	168	187	296	383	524	1,504	1,123	506	316	335	319	374	411	499
	Year	23/24	1,740	1,046	367	156	144	167	267	352	496	1,431	992	403	289	303	294	332	375	461
Episodes	F/N	7,160	21,119	22,975	8,896	20,260	23,463	14,653	12,559	5,381	5,441	19,140	24,087	16,201	43,211	40,855	19,039	15,692	8,246	
North West	Quarter	1	1,143	773	268	129	120	146	226	316	430	912	717	297	244	263	259	309	336	412
		2	1,739	1,075	277	138	129	174	275	354	493	1,402	987	299	274	291	312	349	386	478
		3	2,223	1,585	628	225	217	276	400	526	697	1,898	1,490	683	384	495	497	531	567	718
		4	1,800	1,321	532	192	188	233	347	444	596	1,468	1,235	580	332	418	403	447	484	578
	Year	23/24	1,724	1,189	427	171	164	207	312	411	555	1,419	1,107	465	309	368	368	409	444	547
Episodes	F/N	10,710	35,771	37,154	15,836	34,496	37,572	20,142	17,134	6,889	8,218	31,879	38,513	28,254	70,388	62,735	27,224	21,579	10,951	
East of England	Quarter	1	931	662	212	105	89	94	151	212	299	763	560	213	198	178	159	182	209	265
		2	1,176	658	176	120	88	101	169	224	366	987	613	173	204	176	176	196	220	297
		3	2,132	1,379	440	168	149	175	262	344	503	1,740	1,338	451	279	303	304	317	343	486
		4	1,551	1,127	473	165	139	147	215	286	402	1,284	1,046	492	269	265	246	275	296	355
	Year	23/24	1,445	955	326	139	116	129	199	267	393	1,190	888	333	238	231	221	243	267	351
Episodes	F/N	5,101	17,357	18,174	7,079	15,393	15,401	8,211	7,983	4,012	3,960	15,354	17,777	12,058	30,884	25,528	10,768	9,421	5,884	
Midlands	Quarter	1	1,005	693	242	116	106	118	192	262	371	795	616	267	216	233	212	244	270	328
		2	1,374	869	241	128	114	135	219	291	405	1,124	806	248	236	245	246	270	299	373
		3	1,921	1,316	481	185	182	221	323	416	577	1,680	1,261	510	315	394	384	406	441	566
		4	1,489	1,119	484	174	161	184	267	352	461	1,261	1,049	518	292	341	315	339	370	452
	Year	23/24	1,444	999	362	151	141	165	250	331	454	1,212	933	386	265	304	290	315	345	430
Episodes	F/N	10,655	36,583	38,859	16,503	34,376	36,053	19,793	17,916	7,587	8,622	32,484	39,346	28,430	70,670	60,952	25,937	21,851	11,747	
London	Quarter	1	825	601	220	83	70	88	147	203	252	704	541	224	146	149	165	198	206	234
		2	1,091	671	191	98	70	97	168	224	290	896	586	195	157	150	181	217	260	305
		3	1,710	1,206	435	145	112	162	259	355	484	1,475	1,143	427	227	249	316	349	392	453
		4	1,239	931	403	139	98	130	211	282	353	1,026	860	388	200	212	240	285	291	342
	Year	23/24	1,215	853	313	117	88	119	196	266	345	1,026	783	308	183	190	226	263	287	334
Episodes	F/N	10,320	33,374	33,008	13,006	31,453	25,418	9,668	6,960	3,112	8,254	29,205	31,161	21,150	62,105	42,242	13,708	9,468	5,027	
South East	Quarter	1	858	638	227	113	99	98	158	209	313	692	580	237	210	213	173	202	215	293
		2	1,223	732	197	128	98	113	177	241	371	980	667	209	236	223	204	225	252	360
		3	2,068	1,354	471	175	166	191	273	365	580	1,690	1,289	482	309	375	342	349	400	556
		4	1,468	1,113	471	169	152	162	237	298	416	1,220	1,042	496	285	330	281	295	329	428
	Year	23/24	1,402	959	342	147	129	141	211	279	420	1,142	894	356	260	286	250	268	299	410
Episodes	F/N	11,339	38,778	41,165	16,924	34,281	35,660	18,276	16,847	8,510	8,682	34,162	40,625	28,957	73,346	61,389	24,479	21,557	13,473	
South West	Quarter	1	732	462	157	97	81	82	130	176	272	552	410	177	181	164	141	159	174	240
		2	1,083	576	148	102	86	99	155	208	325	860	516	163	205	176	171	184	214	279
		3	1,805	1,027	363	152	139	172	232	304	477	1,549	1,007	393	275	299	289	289	321	435
		4	1,309	925	394	149	137	157	215	277	391	1,109	867	423	259	282	254	271	287	362
	Year	23/24	1,229	746	265	125	111	127	183	241	367	1,014	699	289	230	231	214	226	249	329
Episodes	F/N	5,877	17,893	19,107	8,648	18,388	20,558	12,074	11,810	5,857	4,597	15,784	19,854	15,710	37,593	34,730	15,921	14,247	8,558	

Mean weekly incidence rate per 100,000 Persons.

		Influenza-like illness (ILI)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	2	2	1	1	1	1	1	1	0	2	1	1	1	2	2	1	1	1
	2	3	1	1	1	1	1	0	1	1	1	1	1	1	2	1	1	1	1
	3	2	1	0	1	1	1	1	1	1	1	2	0	1	2	2	1	1	1
	4	1	1	0	1	1	1	1	1	2	2	1	0	1	2	2	2	2	1
	5	3	1	0	1	1	1	1	1	1	2	1	1	1	2	2	2	2	1
	6	6	3	2	3	3	2	2	2	2	2	4	2	4	5	4	4	3	2
	7	8	4	2	3	3	3	2	2	2	7	5	2	4	5	5	3	3	2
	8	7	6	4	4	5	4	3	3	4	6	7	4	6	8	7	4	4	4
	9	12	10	4	5	7	7	7	9	14	12	10	4	7	11	11	9	11	13
	10	20	17	9	7	8	8	7	10	20	16	18	9	10	14	13	9	12	24
	11	17	11	5	5	6	6	6	7	13	12	10	5	7	10	9	7	8	12
	12	11	5	3	4	4	4	4	5	7	6	5	4	5	7	6	5	5	7
	13	3	3	2	3	3	2	2	3	4	2	2	1	4	5	4	3	4	3
Quarter	1	2	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1
	2	4	2	1	2	2	2	2	1	2	3	2	1	3	3	3	3	3	2
	3	11	10	5	5	6	6	5	6	11	11	11	5	7	10	9	6	8	11
	4	12	7	4	4	5	4	4	5	9	7	6	4	5	8	7	5	6	9
Year	23/24	7	5	3	3	3	3	3	4	6	5	5	3	4	6	5	4	4	6
Episodes	F/N	310	1,047	1,617	1,729	5,237	4,066	1,280	1,061	534	220	988	1,469	2,450	8,437	6,328	1,805	1,534	877

Mean weekly incidence rate per 100,000 Persons.

Influenza-like illness (ILI)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	3	3	1	1	1	1	1	1	1	6	3	1	2	2	2	2	1	0
		2	4	3	1	2	2	2	2	2	0	10	4	1	2	3	3	3	3	1
		3	18	9	6	5	7	6	6	6	11	21	9	6	8	11	9	7	7	11
		4	16	11	5	3	5	5	5	6	16	9	9	4	6	8	7	6	8	10
	Year	23/24	10	6	3	3	4	4	4	4	7	12	6	3	4	6	5	4	5	6
	Episodes	F/N	42	129	209	154	528	495	196	141	78	44	121	171	250	845	728	251	209	103
North West	Quarter	1	1	1	1	1	1	1	0	1	1	0	1	0	1	2	2	1	1	1
		2	5	1	1	2	3	2	2	2	3	0	1	1	3	4	4	3	3	2
		3	15	9	5	5	8	6	6	8	16	10	9	5	7	13	11	7	9	14
		4	14	7	4	5	5	5	4	6	12	7	6	3	6	10	8	6	7	11
	Year	23/24	9	5	3	3	4	4	3	4	8	4	4	3	4	7	6	4	5	7
	Episodes	F/N	53	138	245	272	904	648	213	169	100	24	122	215	388	1,383	1,012	271	250	144
East of England	Quarter	1	0	1	0	1	1	1	1	1	0	0	1	0	1	1	1	1	1	1
		2	0	3	1	1	1	1	1	1	1	4	3	0	1	2	2	1	1	2
		3	14	10	4	3	5	3	3	4	7	10	13	4	4	6	5	5	6	10
		4	10	9	3	4	3	3	3	7	7	7	6	4	5	5	4	4	6	12
	Year	23/24	6	6	2	2	3	2	2	3	4	5	6	2	3	4	3	3	4	6
	Episodes	F/N	21	100	109	123	339	241	84	95	40	17	96	118	140	487	349	124	127	105
Midlands	Quarter	1	1	0	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1
		2	4	2	1	1	2	2	2	1	2	3	1	1	3	3	3	2	3	1
		3	6	6	4	3	4	5	4	5	8	7	7	3	5	8	8	6	7	10
		4	9	4	3	3	4	3	4	5	9	4	5	3	4	6	5	5	6	8
	Year	23/24	5	3	2	2	3	3	3	3	5	4	4	2	3	5	4	4	4	5
	Episodes	F/N	37	109	205	236	662	561	212	165	81	26	124	161	349	1,094	897	291	265	137
London	Quarter	1	5	1	1	2	1	1	1	2	2	2	1	1	1	3	3	2	3	1
		2	6	4	2	2	2	2	2	2	1	5	3	2	4	4	4	5	3	2
		3	10	13	8	7	6	7	7	10	11	14	13	6	9	10	13	10	10	11
		4	11	7	5	4	4	4	5	3	7	3	5	5	6	7	8	7	5	8
	Year	23/24	8	6	4	4	3	4	4	4	5	6	6	4	5	6	7	6	5	6
	Episodes	F/N	69	244	401	413	1,206	806	192	111	47	48	214	363	577	2,007	1,349	307	174	86
South East	Quarter	1	4	1	1	1	1	1	1	1	1	1	1	0	1	2	1	1	1	0
		2	5	1	1	2	2	2	1	2	2	1	1	1	2	3	3	2	3	1
		3	9	12	5	5	7	5	4	6	12	9	13	5	7	11	9	7	8	12
		4	10	8	4	4	5	4	4	5	7	12	7	3	6	9	6	5	5	7
	Year	23/24	7	6	2	3	4	3	2	3	6	6	6	2	4	6	5	4	4	5
	Episodes	F/N	57	224	288	326	992	773	209	206	114	43	212	275	458	1,641	1,221	336	292	177
South West	Quarter	1	0	1	0	1	1	1	1	1	1	0	0	0	1	1	1	1	1	1
		2	0	1	1	1	2	2	1	2	1	0	1	1	2	3	3	2	2	2
		3	13	8	4	5	5	6	4	6	9	8	11	5	8	10	8	5	7	8
		4	13	7	3	4	6	5	4	6	8	8	6	4	6	9	7	5	5	8
	Year	23/24	6	4	2	3	4	3	3	4	5	4	4	2	4	6	5	3	4	5
	Episodes	F/N	31	103	160	205	606	542	174	174	74	18	99	166	288	980	772	225	217	125

Mean weekly incidence rate per 100,000 Persons.

		Exacerbations of Chronic Lung Disease (ECLD)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	2	6	2	3	9	23	36	32	0	2	3	4	7	19	32	37	26
	2	0	1	5	4	4	9	21	31	29	0	1	3	5	8	17	31	32	27
	3	0	2	5	2	3	8	20	30	27	0	1	4	3	8	15	28	32	22
	4	0	1	3	2	3	8	23	33	31	0	1	2	4	6	17	31	36	26
	5	0	3	6	2	3	8	21	28	27	0	2	4	4	7	16	27	31	22
	6	0	5	11	5	4	11	26	36	33	0	3	7	7	12	23	36	39	26
	7	0	5	10	5	5	14	31	44	38	0	4	7	8	13	27	41	48	38
	8	0	4	13	5	5	16	36	48	47	0	3	10	8	14	31	49	52	38
	9	0	2	7	4	6	16	38	52	50	0	2	4	6	14	31	51	58	41
	10	0	3	10	4	5	15	30	46	46	0	1	7	6	13	28	44	48	38
	11	0	2	9	3	4	13	31	43	41	0	1	6	6	10	25	41	47	34
	12	0	3	10	4	4	12	29	40	39	0	2	7	6	10	24	42	47	35
	13	0	2	9	4	5	15	34	49	41	0	2	6	6	12	29	47	53	39
Quarter	1	0	2	5	3	3	9	22	32	31	0	1	3	4	8	17	31	34	25
	2	0	3	7	4	4	10	24	34	31	0	2	5	5	9	20	32	37	26
	3	0	3	10	4	5	16	34	48	46	0	2	7	7	14	30	47	52	40
	4	0	2	9	4	4	14	32	44	41	0	2	6	6	11	26	43	49	36
Year	23/24	0	3	8	4	4	12	28	40	37	0	2	5	6	10	23	38	43	32
Episodes	F/N	1	563	4,873	2,193	6,167	15,318	12,326	11,810	3,533	2	383	3,126	3,390	14,901	28,599	17,873	15,146	4,948

Mean weekly incidence rate per 100,000 Persons.

Exacerbations of Chronic Lung Disease (ECLD)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	3	7	3	5	12	27	39	43	0	2	5	5	11	24	42	47	35
		2	0	6	10	4	5	13	32	43	41	0	3	6	6	14	26	44	53	32
		3	0	5	14	5	8	21	44	53	63	1	3	10	9	20	39	62	67	54
		4	0	3	10	4	6	17	40	53	55	0	2	7	9	15	31	56	62	49
	Year	23/24	0	4	10	4	6	16	36	47	51	0	3	7	7	15	30	51	57	42
	Episodes	F/N	0	84	644	236	834	2,214	1,966	1,683	548	1	49	410	413	2,154	4,162	2,916	2,394	756
North West	Quarter	1	0	2	6	3	4	13	29	43	43	0	2	4	4	10	26	49	53	37
		2	0	3	11	5	5	15	35	46	36	0	3	7	7	15	32	52	57	41
		3	0	4	15	6	8	24	51	68	54	0	4	10	9	21	46	76	80	60
		4	0	3	11	5	7	21	44	60	52	0	3	7	7	15	41	67	73	50
	Year	23/24	0	3	11	5	6	18	40	54	46	0	3	7	7	15	36	61	66	47
	Episodes	F/N	0	83	933	434	1,265	3,268	2,580	2,268	574	0	83	563	649	2,959	6,214	4,064	3,198	942
East of England	Quarter	1	0	1	5	3	3	6	16	28	23	1	0	3	4	7	13	22	24	17
		2	0	4	6	4	4	8	16	26	28	0	1	3	7	7	15	21	25	16
		3	0	6	10	4	4	13	25	42	43	0	3	6	6	12	24	34	39	26
		4	0	4	9	4	4	10	23	36	34	0	1	7	6	9	19	30	35	27
	Year	23/24	0	4	7	4	4	9	20	33	32	0	1	5	6	9	17	27	31	22
	Episodes	F/N	0	68	412	192	477	1,097	829	992	328	1	24	261	287	1,192	2,005	1,186	1,084	362
Midlands	Quarter	1	0	3	5	3	4	10	27	41	41	0	2	3	5	10	19	35	41	29
		2	0	4	7	3	4	11	28	45	36	0	3	5	5	10	22	37	44	30
		3	0	4	10	5	5	18	40	55	53	0	2	7	6	14	32	53	57	45
		4	0	3	9	4	5	14	36	54	47	0	2	6	6	12	28	46	56	43
	Year	23/24	0	3	8	4	5	13	33	49	44	0	2	5	5	12	25	43	50	37
	Episodes	F/N	0	120	845	421	1,104	2,923	2,604	2,639	740	0	74	535	584	2,681	5,350	3,520	3,138	1,010
London	Quarter	1	0	2	5	3	2	6	17	29	24	0	1	4	3	4	12	23	28	20
		2	0	3	6	3	2	7	18	30	26	0	2	4	4	4	13	23	34	23
		3	0	2	8	3	3	10	26	47	42	0	1	6	5	7	20	34	46	38
		4	0	1	7	3	2	9	26	39	42	0	1	5	4	6	18	33	37	32
	Year	23/24	0	2	7	3	2	8	22	36	33	0	1	5	4	5	16	28	36	28
	Episodes	F/N	1	83	710	325	794	1,742	1,085	952	301	0	46	473	450	1,743	2,917	1,464	1,197	427
South East	Quarter	1	0	1	5	2	3	7	17	26	21	0	1	3	4	7	13	25	26	21
		2	0	2	6	3	3	7	19	24	24	0	2	4	5	7	15	23	27	22
		3	0	2	8	3	4	12	25	40	38	0	2	6	6	12	23	35	39	32
		4	0	2	8	4	4	11	25	35	33	0	2	6	6	11	23	34	42	29
	Year	23/24	0	2	7	3	3	9	22	31	29	0	2	4	5	9	19	29	34	26
	Episodes	F/N	0	75	788	354	897	2,287	1,861	1,897	589	0	65	511	574	2,375	4,615	2,663	2,413	855
South West	Quarter	1	0	1	4	3	3	8	15	21	22	0	1	3	5	8	14	20	22	19
		2	0	2	6	3	4	9	18	23	27	0	2	4	5	9	17	25	24	19
		3	0	3	10	5	7	15	26	35	35	0	1	8	9	15	26	36	39	27
		4	0	3	10	3	5	13	25	34	30	0	2	7	7	12	25	36	35	27
	Year	23/24	0	2	8	3	5	11	21	28	28	0	2	5	6	11	21	29	30	23
	Episodes	F/N	0	50	541	231	796	1,787	1,401	1,379	453	0	42	373	433	1,797	3,336	2,060	1,722	596

Mean weekly incidence rate per 100,000 Persons.

		Lower Respiratory Tract Infections (LRTI)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	279	103	26	19	28	59	117	178	271	177	95	25	31	54	90	132	166	241
	2	193	76	24	22	28	51	101	155	234	126	69	23	30	47	75	117	144	205
	3	220	92	25	19	25	48	99	144	236	146	80	26	32	48	75	109	136	195
	4	189	66	19	18	25	53	109	160	253	113	66	19	31	46	80	120	151	227
	5	202	84	22	18	24	50	97	137	221	127	71	20	28	44	73	109	136	195
	6	517	206	47	31	37	66	125	181	291	355	186	41	48	73	107	141	171	262
	7	938	339	66	37	46	83	152	215	343	680	315	62	57	88	133	172	211	321
	8	1,045	338	111	43	56	100	178	250	392	818	323	100	66	113	164	206	252	367
	9	647	207	91	43	65	123	211	292	461	483	192	93	63	121	186	243	309	438
	10	499	236	103	49	64	109	178	251	399	339	224	97	69	116	165	198	243	369
	11	472	218	97	43	56	97	166	233	351	323	204	95	62	101	143	188	229	327
	12	492	216	107	46	51	88	162	224	335	357	204	105	60	93	133	186	226	325
	13	367	146	76	41	49	88	157	222	336	259	144	75	56	82	123	177	221	310
Quarter	1	228	90	25	20	27	53	106	160	247	149	81	25	31	50	80	120	149	216
	2	393	149	34	25	31	60	117	167	268	267	137	31	38	59	93	130	160	241
	3	794	279	97	44	60	107	184	258	409	589	261	92	66	113	167	211	262	384
	4	450	198	94	43	53	92	163	229	344	319	189	93	59	94	135	185	227	324
Year	23/24	465	179	63	33	43	78	143	204	317	330	167	60	49	79	119	162	200	291
Episodes	F/N	19,814	37,324	38,330	20,116	64,961	100,433	62,952	60,469	30,284	13,271	33,132	35,027	29,296	114,525	146,276	75,049	70,184	45,429

Mean weekly incidence rate per 100,000 Persons.

Lower Respiratory Tract Infections (LRTI)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	303	100	24	21	32	62	127	197	294	184	90	23	35	59	93	142	182	254
		2	485	180	37	27	39	67	137	199	317	328	159	39	41	74	108	153	196	284
		3	1,030	329	118	56	79	127	218	301	470	742	286	113	80	140	195	245	311	438
		4	616	201	92	47	63	105	192	271	408	397	213	88	66	105	152	216	269	374
	Year	23/24	608	202	68	38	54	90	169	243	373	412	187	66	56	94	137	189	240	338
	Episodes	F/N	2,502	4,087	4,249	2,143	7,542	12,655	9,263	8,657	4,040	1,566	3,602	3,924	3,121	13,452	19,043	10,838	10,033	6,053
North West	Quarter	1	286	110	32	26	40	82	148	228	333	175	109	32	41	74	121	179	216	317
		2	586	227	51	33	47	96	174	237	370	395	208	45	54	92	147	198	238	343
		3	899	362	142	63	90	161	264	372	543	686	329	135	95	178	254	315	381	537
		4	565	242	105	53	74	133	230	319	477	379	225	102	75	140	197	265	326	457
	Year	23/24	582	235	82	44	63	118	204	290	431	408	218	79	66	121	180	240	291	414
	Episodes	F/N	3,619	7,079	7,181	4,087	13,300	21,316	13,163	12,093	5,355	2,362	6,275	6,519	6,072	23,223	30,634	15,945	14,148	8,289
East of England	Quarter	1	227	91	24	19	26	45	91	141	211	149	88	22	31	41	66	94	132	181
		2	300	120	26	21	24	46	98	132	237	225	110	22	34	46	68	95	124	197
		3	868	296	81	42	52	89	152	215	345	577	273	78	54	90	130	163	202	320
		4	500	212	96	40	49	75	133	193	307	343	198	98	53	77	106	151	184	263
	Year	23/24	473	179	57	31	38	64	118	170	275	322	167	55	43	64	93	126	161	240
	Episodes	F/N	1,668	3,262	3,178	1,555	4,983	7,597	4,875	5,094	2,810	1,071	2,884	2,949	2,184	8,559	10,673	5,590	5,656	4,029
Midlands	Quarter	1	259	105	29	23	33	60	118	175	274	171	91	29	33	62	94	132	169	231
		2	440	171	41	25	39	68	128	186	290	317	169	36	42	73	111	148	171	259
		3	757	275	92	45	69	123	201	278	431	554	265	88	69	130	181	230	282	406
		4	425	201	97	47	62	101	170	239	353	333	194	94	62	108	147	193	235	340
	Year	23/24	469	188	65	35	51	88	154	220	338	343	180	62	52	93	133	176	215	309
	Episodes	F/N	3,460	6,878	6,936	3,842	12,349	19,295	12,195	11,912	5,638	2,437	6,259	6,307	5,549	21,737	28,054	14,470	13,583	8,450
London	Quarter	1	164	74	25	16	18	37	77	119	166	117	63	24	23	31	59	91	105	149
		2	257	104	27	20	18	41	88	122	181	169	92	27	24	35	65	97	128	179
		3	567	211	79	33	35	73	141	208	315	433	204	75	46	70	128	170	215	293
		4	300	147	76	36	30	59	116	175	237	214	133	73	43	58	95	138	169	228
	Year	23/24	321	134	52	27	25	52	106	156	225	233	123	50	34	49	87	124	154	213
	Episodes	F/N	2,730	5,247	5,449	2,954	9,025	11,147	5,216	4,089	2,029	1,878	4,582	5,011	3,965	15,880	16,227	6,476	5,079	3,203
South East	Quarter	1	210	91	25	19	28	47	96	136	233	141	82	26	33	52	71	108	131	202
		2	363	138	32	26	31	54	100	149	254	232	126	28	42	62	82	114	142	237
		3	845	302	101	43	61	98	166	227	403	627	279	95	66	119	154	193	242	379
		4	453	221	112	45	57	88	152	205	321	344	217	111	64	102	132	167	209	321
	Year	23/24	466	188	68	33	44	72	129	180	303	334	176	65	51	84	110	145	182	285
	Episodes	F/N	3,773	7,597	8,161	3,862	11,797	18,180	11,119	10,876	6,133	2,541	6,711	7,415	5,706	21,527	27,026	13,289	13,067	9,377
South West	Quarter	1	189	57	14	15	21	40	77	119	205	125	47	15	25	38	57	85	106	172
		2	347	105	20	17	26	45	86	129	219	238	93	17	32	45	68	91	120	182
		3	770	199	65	32	47	85	136	195	344	611	206	61	50	84	125	150	191	306
		4	426	169	77	33	49	85	133	190	303	282	155	77	51	82	111	152	185	266
	Year	23/24	431	132	44	24	36	64	108	158	268	312	125	42	40	62	90	120	151	232
	Episodes	F/N	2,062	3,174	3,176	1,673	5,965	10,243	7,121	7,748	4,279	1,416	2,819	2,902	2,699	10,147	14,619	8,441	8,618	6,028

Mean weekly incidence rate per 100,000 Persons.

		Upper Respiratory Tract Infections (URTI)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	857	682	221	91	64	45	46	43	35	736	615	243	179	153	99	78	58	45
	2	665	525	193	80	59	38	38	36	30	550	477	214	158	132	81	62	48	35
	3	776	600	201	80	58	40	37	36	31	646	535	221	164	142	86	67	50	38
	4	658	410	102	78	56	42	44	42	37	551	372	121	152	122	86	70	59	47
	5	681	438	130	77	48	38	39	38	39	598	387	147	148	107	74	61	52	39
	6	1,343	927	243	103	60	48	53	46	46	1,165	829	266	202	155	102	81	68	55
	7	1,498	1,177	265	108	71	55	60	58	51	1,276	1,121	283	214	174	124	97	78	66
	8	1,667	1,300	447	126	85	67	72	69	70	1,458	1,249	479	236	223	155	115	92	80
	9	1,282	903	312	116	97	82	85	80	77	1,118	842	352	217	233	172	133	106	86
	10	1,253	1,232	455	138	93	75	73	69	70	1,120	1,157	492	238	231	159	118	86	77
	11	1,284	1,117	405	123	90	69	69	61	53	1,103	1,040	442	226	221	149	111	84	63
	12	1,263	1,025	412	120	84	63	62	58	57	1,072	947	447	216	209	137	105	80	60
	13	1,024	751	280	107	80	62	64	60	55	871	690	306	194	177	129	104	84	66
Quarter	1	764	592	199	84	60	41	41	39	33	641	534	220	167	142	88	69	52	40
	2	995	677	170	89	57	44	47	44	42	851	611	190	173	133	93	74	62	49
	3	1,425	1,152	384	125	88	72	75	71	70	1,254	1,095	418	229	221	158	119	93	80
	4	1,201	991	375	118	85	65	66	60	56	1,026	917	407	214	205	139	108	83	64
Year	23/24	1,095	853	282	104	73	56	57	54	50	942	789	309	196	176	120	93	73	58
Episodes	F/N	46,635	177,884	172,403	63,007	110,423	71,651	25,257	15,942	4,790	37,876	156,455	179,637	117,647	254,031	147,132	43,006	25,557	9,078

Mean weekly incidence rate per 100,000 Persons.

Upper Respiratory Tract Infections (URTI)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	941	631	211	91	63	41	45	42	35	783	594	243	191	155	94	71	51	37
		2	1,170	741	179	91	61	45	49	45	38	1,052	687	217	190	143	97	80	68	49
		3	1,729	1,241	432	136	100	78	80	76	76	1,466	1,202	487	277	252	169	121	98	89
		4	1,493	1,083	382	127	97	66	70	63	64	1,232	1,009	438	244	221	144	116	91	70
	Year	23/24	1,333	924	301	111	80	57	61	57	53	1,132	872	346	226	193	126	97	77	61
	Episodes	F/N	5,483	18,659	18,860	6,352	11,312	8,068	3,354	2,021	580	4,304	16,827	20,682	12,628	27,486	17,520	5,561	3,231	1,095
North West	Quarter	1	947	707	237	99	75	51	51	47	41	802	658	271	204	182	112	88	71	54
		2	1,304	928	223	99	72	56	59	59	62	1,116	844	255	214	177	122	94	81	69
		3	1,636	1,386	494	156	114	88	87	86	82	1,432	1,285	565	283	301	199	148	114	101
		4	1,439	1,211	440	134	108	82	83	74	70	1,225	1,119	501	256	274	178	135	101	79
	Year	23/24	1,330	1,058	349	122	92	69	70	66	64	1,143	976	398	240	234	153	116	92	76
	Episodes	F/N	8,261	31,836	30,352	11,271	19,454	12,508	4,516	2,772	794	6,621	28,112	32,978	21,892	44,832	26,088	7,732	4,471	1,513
Midlands	Quarter	1	802	624	212	87	65	44	43	41	32	651	557	241	176	158	97	75	55	40
		2	1,024	748	194	96	65	47	51	44	37	875	677	211	185	154	100	75	62	45
		3	1,354	1,151	392	131	102	76	78	70	63	1,256	1,087	434	241	246	166	124	91	74
		4	1,195	1,015	396	123	94	69	64	59	54	1,041	938	440	231	227	148	107	84	61
	Year	23/24	1,092	885	299	109	82	59	59	54	47	954	815	332	208	197	128	95	73	55
	Episodes	F/N	8,056	32,390	32,071	11,980	19,927	12,928	4,684	2,914	782	6,784	28,369	33,814	22,337	45,756	26,854	7,853	4,630	1,508
London	Quarter	1	692	555	194	64	48	42	47	49	42	613	502	200	120	112	88	79	64	45
		2	875	592	159	70	45	42	52	55	51	754	515	164	122	102	89	84	74	66
		3	1,294	1,073	351	101	66	67	81	79	86	1,161	1,009	353	165	160	151	130	108	90
		4	1,043	854	333	97	62	59	66	66	72	883	785	319	150	146	126	115	86	71
	Year	23/24	975	769	259	83	55	53	61	62	63	854	703	260	140	130	114	102	83	68
	Episodes	F/N	8,285	30,084	27,389	9,267	19,764	11,221	3,029	1,632	569	6,868	26,227	26,222	16,136	42,414	21,263	5,329	2,733	1,030
South East	Quarter	1	694	585	200	90	65	40	38	38	33	578	530	216	175	153	84	67	49	41
		2	920	636	159	97	58	42	43	40	38	769	570	178	188	142	88	71	59	50
		3	1,424	1,156	371	124	91	69	69	71	67	1,196	1,105	394	235	236	150	110	91	77
		4	1,165	985	371	122	90	63	62	58	52	972	912	404	221	224	135	101	81	64
	Year	23/24	1,049	840	276	108	76	54	53	52	48	876	779	298	205	189	114	87	70	58
	Episodes	F/N	8,486	33,978	33,211	12,494	20,205	13,609	4,578	3,152	966	6,661	29,760	34,032	22,783	48,483	28,048	7,986	5,049	1,914
South West	Quarter	1	573	429	141	79	54	30	31	26	24	439	383	164	151	116	65	47	38	30
		2	779	496	120	79	49	33	34	32	36	647	444	143	161	109	69	51	48	33
		3	1,192	892	291	110	76	61	58	56	57	1,065	862	331	212	189	125	95	73	60
		4	1,009	823	319	109	78	57	54	48	41	903	773	355	203	187	118	85	66	52
	Year	23/24	886	659	218	94	64	45	44	40	39	761	615	248	182	150	94	70	57	44
	Episodes	F/N	4,239	15,795	15,678	6,518	10,641	7,303	2,913	1,978	629	3,450	13,881	17,029	12,417	24,524	15,289	4,918	3,231	1,137
East of England	Quarter	1	753	605	183	78	56	37	36	34	25	668	495	190	160	125	76	59	42	36
		2	932	558	142	90	51	39	40	41	38	806	518	147	157	113	78	65	48	42
		3	1,475	1,175	353	118	83	66	74	65	70	1,308	1,142	373	215	193	141	105	82	80
		4	1,180	1,000	384	118	85	60	62	57	51	1,059	921	404	213	182	124	98	79	52
	Year	23/24	1,084	833	266	101	69	51	53	49	46	958	768	278	186	153	105	82	63	53
	Episodes	F/N	3,825	15,142	14,842	5,125	9,120	6,014	2,183	1,473	470	3,188	13,279	14,880	9,454	20,536	12,070	3,627	2,212	881

Mean weekly incidence rate per 100,000 Persons.

		ECLD - Asthma Exacerbations																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	2	6	2	2	4	5	5	3	0	2	3	4	7	11	9	9	5
	2	0	1	5	4	4	4	4	4	4	0	1	3	5	7	10	8	8	7
	3	0	2	5	2	3	3	4	3	3	0	1	4	3	7	9	9	8	4
	4	0	1	3	2	2	3	5	4	4	0	1	2	4	6	9	8	7	6
	5	0	3	6	2	3	3	4	3	3	0	2	4	4	7	9	7	6	5
	6	0	5	11	5	4	5	6	4	4	0	3	7	7	11	14	11	9	6
	7	0	5	10	5	5	7	6	6	5	0	4	7	8	12	17	13	12	10
	8	0	4	13	5	5	8	8	8	5	0	3	10	8	13	21	17	14	10
	9	0	2	7	4	5	8	10	9	6	0	2	4	6	14	20	18	15	12
	10	0	3	10	4	4	7	7	7	6	0	1	7	6	12	18	14	13	9
	11	0	2	9	3	4	6	6	5	5	0	1	6	6	10	15	13	11	9
	12	0	2	10	4	4	6	6	6	5	0	2	7	6	10	15	14	11	9
	13	0	2	9	4	5	9	12	12	9	0	2	6	6	12	21	22	20	13
Quarter	1	0	2	5	3	3	4	4	4	4	0	1	3	4	7	10	9	8	6
	2	0	3	7	3	3	4	5	4	4	0	2	5	5	9	12	10	8	6
	3	0	3	10	4	5	8	8	8	6	0	2	7	7	13	19	16	14	10
	4	0	2	9	4	4	7	8	8	6	0	2	6	6	11	17	16	14	10
Year	23/24	0	3	8	4	4	6	6	6	5	0	2	5	6	10	14	13	11	8
Episodes	F/N	0	546	4,849	2,167	5,747	7,479	2,853	1,740	465	1	367	3,102	3,342	14,375	17,740	5,917	3,869	1,277

Mean weekly incidence rate per 100,000 Persons.

ECLD - Asthma Exacerbations

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	3	7	3	4	5	7	4	7	0	2	5	5	11	14	11	10	7
		2	0	6	10	4	5	6	7	4	6	0	3	6	6	14	16	12	11	9
		3	0	5	14	5	7	11	13	9	5	0	3	9	9	19	25	21	17	11
		4	0	2	10	4	6	9	11	10	6	0	2	7	9	15	19	18	16	12
	Year	23/24	0	4	10	4	5	8	9	7	6	0	2	7	7	15	19	15	13	10
	Episodes	F/N	0	79	637	234	770	1,131	518	241	65	0	45	403	408	2,098	2,589	882	556	175
North West	Quarter	1	0	2	6	3	4	5	5	5	4	0	2	4	4	9	13	12	12	8
		2	0	3	11	5	5	6	7	5	4	0	3	7	7	14	16	14	11	7
		3	0	4	15	6	8	11	12	10	10	0	4	10	9	21	28	24	20	15
		4	0	3	11	5	6	10	11	11	8	0	2	7	7	15	24	23	19	14
	Year	23/24	0	3	11	5	6	8	9	8	6	0	3	7	7	15	20	18	16	11
	Episodes	F/N	0	82	929	427	1,166	1,462	563	322	77	0	80	559	642	2,843	3,442	1,224	757	215
East of England	Quarter	1	0	1	5	3	3	3	5	4	3	1	0	3	4	7	8	7	6	5
		2	0	4	6	4	3	4	4	3	2	0	1	3	7	7	10	8	7	5
		3	0	6	10	4	4	8	7	5	6	0	3	6	6	12	16	14	12	7
		4	0	4	9	4	3	6	6	6	5	0	1	7	6	9	14	12	11	7
	Year	23/24	0	4	7	4	3	5	6	5	4	0	1	5	6	9	12	10	9	6
	Episodes	F/N	0	68	412	192	456	634	230	139	40	1	24	257	282	1,161	1,376	455	308	100
Midlands	Quarter	1	0	3	5	3	3	4	4	5	4	0	2	3	5	9	11	9	7	6
		2	0	4	7	3	4	5	5	5	6	0	2	5	5	10	13	10	9	8
		3	0	4	10	5	5	9	9	7	6	0	2	7	6	13	20	16	14	11
		4	0	3	9	4	4	7	8	7	7	0	2	6	6	12	17	15	15	10
	Year	23/24	0	3	8	4	4	6	7	6	6	0	2	5	5	11	15	12	11	9
	Episodes	F/N	0	120	842	415	1,002	1,339	519	333	94	0	70	530	576	2,537	3,180	1,028	728	241
London	Quarter	1	0	2	5	3	2	3	4	4	3	0	1	3	3	4	8	7	8	6
		2	0	3	6	3	2	3	4	3	3	0	2	4	4	4	8	8	8	6
		3	0	2	8	3	3	5	6	9	5	0	1	6	5	7	13	14	14	10
		4	0	1	7	3	2	5	8	8	7	0	1	5	4	6	12	14	12	10
	Year	23/24	0	2	7	3	2	4	6	6	4	0	1	5	4	5	10	11	11	8
	Episodes	F/N	0	81	707	323	756	861	272	159	40	0	42	471	446	1,697	1,936	565	348	122
South East	Quarter	1	0	1	5	2	3	3	3	4	2	0	1	3	4	6	8	7	7	4
		2	0	2	6	3	3	3	4	3	3	0	2	4	5	7	9	8	6	5
		3	0	2	8	3	4	6	5	8	4	0	2	6	6	12	16	13	11	11
		4	0	2	8	4	4	6	7	7	6	0	1	6	6	10	16	15	13	10
	Year	23/24	0	2	7	3	3	5	5	5	4	0	2	4	5	9	12	11	9	7
	Episodes	F/N	0	70	785	351	853	1,157	410	328	77	0	64	511	566	2,300	3,029	973	654	243
South West	Quarter	1	0	1	4	3	3	3	3	3	3	0	1	3	4	7	8	6	6	4
		2	0	2	6	3	4	4	4	3	3	0	2	4	5	9	11	8	6	6
		3	0	2	10	4	6	8	7	6	5	0	1	8	9	14	18	15	11	8
		4	0	3	10	3	5	7	7	6	6	0	2	7	6	12	17	16	12	10
	Year	23/24	0	2	7	3	4	6	5	4	5	0	2	5	6	11	13	11	9	7
	Episodes	F/N	0	46	537	225	744	895	341	218	72	0	42	371	422	1,739	2,188	790	518	181

Mean weekly incidence rate per 100,000 Persons.

ECLD - COPD Exacerbations

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	5	18	30	27	0	0	0	0	0	8	22	28	19
	2	0	0	0	0	0	5	17	26	25	0	0	0	0	0	7	22	23	20
	3	0	0	0	0	0	5	16	26	23	0	0	0	0	0	7	19	23	17
	4	0	0	0	0	0	5	17	28	27	0	0	0	0	0	8	22	27	20
	5	0	0	0	0	0	5	17	24	22	0	0	0	0	0	7	19	24	16
	6	0	0	0	0	0	6	20	31	29	0	0	0	0	0	9	24	29	19
	7	0	0	0	0	0	7	25	37	32	0	0	0	0	0	10	27	35	27
	8	0	0	0	0	0	8	27	39	41	0	0	0	0	0	10	31	37	27
	9	0	0	0	0	0	8	27	42	43	0	0	0	0	0	11	32	42	28
	10	0	0	0	0	0	7	23	39	38	0	0	0	0	0	10	30	34	28
	11	0	0	0	0	0	7	24	37	34	0	0	0	0	0	10	27	34	24
	12	0	0	0	0	0	6	22	33	32	0	0	0	0	0	9	27	34	24
	13	0	0	0	0	0	6	22	37	31	0	0	0	0	0	8	25	31	26
Quarter	1	0	0	0	0	0	5	17	27	26	0	0	0	0	0	7	22	25	19
	2	0	0	0	0	0	5	19	29	26	0	0	0	0	0	8	22	28	19
	3	0	0	0	0	0	8	26	40	39	0	0	0	0	0	10	30	37	28
	4	0	0	0	0	0	6	23	36	33	0	0	0	0	0	9	27	33	25
Year	23/24	0	0	0	0	0	6	21	33	31	0	0	0	0	0	9	25	31	23
Episodes	F/N	1	1	4	2	344	7,777	9,321	9,828	2,982	0	2	2	2	406	10,746	11,693	10,842	3,546

Mean weekly incidence rate per 100,000 Persons.

ECLD - COPD Exacerbations

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	0	0	0	7	20	33	33	0	0	0	0	0	10	30	35	27	
		2	0	0	0	0	0	7	24	38	33	0	0	0	0	0	10	31	39	22	
		3	0	0	0	0	0	9	30	42	55	0	0	0	0	0	13	41	48	42	
		4	0	0	0	0	0	8	28	42	47	0	0	0	0	0	12	38	44	35	
	Year	23/24	0	0	0	0	0	7	26	39	42	0	0	0	0	0	11	35	42	31	
	Episodes	F/N	0	1	0	0	51	1,051	1,405	1,377	458	0	0	0	1	45	1,548	1,991	1,742	563	
North West	Quarter	1	0	0	0	0	0	7	24	37	38	0	0	0	0	0	13	36	41	29	
		2	0	0	0	0	0	9	28	40	32	0	0	0	0	0	16	37	44	33	
		3	0	0	0	0	0	13	39	57	44	0	0	0	0	1	19	51	59	43	
		4	0	0	0	0	0	11	32	48	43	0	0	0	0	1	17	43	52	35	
	Year	23/24	0	0	0	0	0	10	31	46	39	0	0	0	0	1	16	42	49	35	
	Episodes	F/N	0	0	1	1	80	1,801	1,993	1,908	487	0	0	0	0	99	2,753	2,791	2,373	705	
East of England	Quarter	1	0	0	0	0	0	3	11	23	20	0	0	0	0	0	4	14	17	11	
		2	0	0	0	0	0	3	11	23	25	0	0	0	0	0	5	12	18	11	
		3	0	0	0	0	0	5	18	36	36	0	0	0	0	0	8	20	27	19	
		4	0	0	0	0	0	4	17	30	29	0	0	0	0	0	5	18	23	19	
	Year	23/24	0	0	0	0	0	4	14	28	28	0	0	0	0	0	5	16	21	15	
	Episodes	F/N	0	0	0	0	18	470	589	838	283	0	0	1	0	23	624	705	741	252	
Midlands	Quarter	1	0	0	0	0	0	6	23	36	37	0	0	0	0	1	9	25	32	22	
		2	0	0	0	0	0	6	23	38	30	0	0	0	0	0	10	27	33	22	
		3	0	0	0	0	0	9	31	47	47	0	0	0	0	0	12	36	42	34	
		4	0	0	0	0	0	7	28	46	39	0	0	0	0	0	10	31	40	32	
	Year	23/24	0	0	0	0	0	7	26	42	38	0	0	0	0	0	10	30	37	27	
	Episodes	F/N	0	0	1	1	82	1,569	2,061	2,257	636	0	2	0	0	108	2,152	2,447	2,322	750	
London	Quarter	1	0	0	0	0	0	3	13	25	21	0	0	0	0	0	4	15	19	13	
		2	0	0	0	0	0	4	14	26	22	0	0	0	0	0	5	14	26	17	
		3	0	0	0	0	0	5	20	37	36	0	0	0	0	0	6	21	31	28	
		4	0	0	0	0	0	4	18	32	35	0	0	0	0	0	5	18	24	21	
	Year	23/24	0	0	0	0	0	4	16	30	29	0	0	0	0	0	5	17	25	20	
	Episodes	F/N	1	0	1	0	35	879	811	781	258	0	0	1	1	39	963	882	831	297	
South East	Quarter	1	0	0	0	0	0	4	14	22	18	0	0	0	0	0	5	17	18	15	
		2	0	0	0	0	0	4	15	21	20	0	0	0	0	0	6	15	20	16	
		3	0	0	0	0	0	6	19	32	34	0	0	0	0	0	8	22	28	20	
		4	0	0	0	0	0	5	18	28	26	0	0	0	0	0	7	19	28	19	
	Year	23/24	0	0	0	0	0	4	17	25	24	0	0	0	0	0	6	18	23	18	
	Episodes	F/N	0	0	0	0	37	1,122	1,432	1,539	492	0	0	0	0	51	1,572	1,658	1,687	579	
South West	Quarter	1	0	0	0	0	0	4	12	18	18	0	0	0	0	0	6	13	15	14	
		2	0	0	0	0	0	5	13	19	23	0	0	0	0	0	6	15	17	12	
		3	0	0	0	0	0	7	19	28	29	0	0	0	0	0	9	20	26	18	
		4	0	0	0	0	0	6	18	27	22	0	0	0	0	0	8	20	22	17	
	Year	23/24	0	0	0	0	0	5	16	23	23	0	0	0	0	0	7	17	20	15	
	Episodes	F/N	0	0	1	0	41	885	1,030	1,128	368	0	0	0	0	41	1,134	1,219	1,146	400	

Mean weekly incidence rate per 100,000 Persons.

		LRTI - Pneumonia																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1	3	1	0	2	4	14	28	64	1	3	1	1	2	5	11	20	42
	2	2	2	1	1	1	4	13	28	53	1	1	1	1	2	4	10	19	40
	3	1	2	0	1	1	4	13	25	55	0	1	1	1	1	4	8	18	36
	4	2	2	0	1	1	5	12	24	56	1	1	0	1	1	4	9	18	41
	5	1	2	1	1	1	4	11	21	50	1	2	1	1	2	4	10	18	40
	6	4	5	1	1	2	5	13	29	63	1	5	1	1	2	5	11	20	46
	7	4	6	2	1	2	5	14	30	68	2	6	2	1	3	6	12	24	54
	8	7	8	2	1	3	5	15	32	75	4	7	3	2	4	7	15	28	56
	9	4	5	3	2	3	7	18	39	85	5	5	3	3	5	8	17	32	71
	10	4	6	3	2	3	7	17	37	83	2	6	3	3	5	7	14	28	64
	11	2	5	3	2	3	6	16	35	73	4	7	3	2	5	8	14	29	60
	12	2	7	3	2	3	6	16	36	67	4	6	4	2	4	7	14	27	57
	13	4	5	3	2	3	6	15	33	71	2	4	3	3	4	7	14	26	53
Quarter	1	1	2	1	1	1	4	13	27	57	1	2	1	1	2	4	10	19	40
	2	2	3	1	1	2	4	12	26	59	1	3	1	1	2	5	10	19	44
	3	5	6	3	2	3	6	16	35	79	4	6	3	2	4	7	15	29	62
	4	3	6	3	2	3	6	16	35	71	3	6	3	2	5	7	14	27	57
Year	23/24	3	4	2	1	2	5	14	31	67	2	4	2	2	3	6	12	24	51
Episodes	F/N	120	919	1,103	734	3,342	6,866	6,319	9,071	6,348	86	842	1,075	960	4,436	7,136	5,715	8,334	7,935

Mean weekly incidence rate per 100,000 Persons.

LRTI - Pneumonia

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	3	1	0	2	5	15	29	71	1	2	0	1	2	5	12	23	49
		2	2	5	1	1	2	5	16	32	79	0	3	1	1	2	6	11	22	51
		3	4	5	3	2	4	7	19	39	90	4	8	4	2	6	8	15	36	76
		4	5	7	2	2	3	6	20	38	77	3	6	3	2	4	8	15	32	71
	Year	23/24	3	5	2	1	3	6	18	35	79	2	5	2	2	4	7	13	28	62
	Episodes	F/N	11	96	109	79	396	834	970	1,234	858	8	92	114	94	506	929	760	1,187	1,105
North West	Quarter	1	1	2	1	1	2	6	18	35	64	0	2	1	1	2	6	14	26	52
		2	3	4	1	1	2	6	16	32	67	1	2	1	1	2	6	13	25	51
		3	6	6	3	2	3	8	18	45	92	3	5	3	3	6	9	20	36	69
		4	1	3	3	2	3	8	17	42	96	2	4	2	3	6	10	19	35	76
	Year	23/24	3	4	2	1	3	7	17	38	80	2	3	2	2	4	7	17	31	62
	Episodes	F/N	17	114	173	124	557	1,277	1,129	1,603	992	9	94	144	182	766	1,276	1,098	1,486	1,242
East of England	Quarter	1	0	1	1	1	1	3	9	20	40	4	1	1	0	1	4	6	16	29
		2	0	3	1	1	1	4	9	17	49	0	3	1	1	1	3	7	15	35
		3	3	6	2	2	2	4	14	27	62	2	5	3	1	3	5	10	21	53
		4	3	6	2	2	3	5	12	27	56	5	4	3	2	4	5	12	20	45
	Year	23/24	2	4	1	1	2	4	11	23	52	3	3	2	1	2	4	9	18	40
	Episodes	F/N	6	68	78	63	257	456	461	679	530	9	56	101	63	303	472	383	628	677
Midlands	Quarter	1	3	1	0	0	1	4	12	28	62	1	1	0	1	2	4	10	19	39
		2	3	2	0	1	2	5	11	26	61	2	3	0	1	2	4	9	19	49
		3	5	4	2	1	3	6	15	36	81	1	3	1	2	4	6	14	29	61
		4	2	3	2	1	3	5	14	35	63	4	4	2	2	4	6	13	25	55
	Year	23/24	3	2	1	1	2	5	13	31	67	2	3	1	1	3	5	11	23	51
	Episodes	F/N	24	91	111	104	533	1,061	1,049	1,683	1,112	14	97	102	156	645	1,120	942	1,459	1,397
London	Quarter	1	1	2	1	0	1	3	9	22	35	0	2	1	1	1	3	8	13	24
		2	3	3	1	1	1	3	9	21	41	0	3	1	0	1	3	9	14	32
		3	4	7	2	1	2	5	13	32	59	5	7	3	2	3	6	11	22	50
		4	3	6	3	2	2	5	12	26	57	3	7	4	2	3	6	11	22	40
	Year	23/24	3	4	2	1	1	4	11	25	48	2	5	2	1	2	5	10	18	37
	Episodes	F/N	24	175	191	126	483	839	534	663	433	16	170	214	142	659	873	512	583	552
South East	Quarter	1	2	3	1	1	2	5	13	27	61	2	2	1	1	2	4	10	19	43
		2	0	4	1	1	2	4	11	27	61	2	5	1	1	2	5	11	20	47
		3	4	8	3	2	4	6	17	34	85	6	8	3	3	5	7	17	30	66
		4	1	8	4	2	3	7	17	38	73	4	7	3	3	6	8	14	30	61
	Year	23/24	2	6	2	1	3	6	15	31	70	3	5	2	2	4	6	13	25	54
	Episodes	F/N	15	228	269	161	688	1,451	1,255	1,901	1,421	25	204	227	206	988	1,459	1,190	1,792	1,781
South West	Quarter	1	2	3	1	1	2	4	13	22	53	0	3	1	1	2	5	9	15	37
		2	3	4	1	1	2	4	12	23	52	3	4	1	1	2	5	9	18	39
		3	8	9	3	1	3	7	15	29	74	1	7	3	2	4	7	14	25	56
		4	6	9	4	1	4	8	16	33	72	1	9	5	3	5	8	15	25	50
	Year	23/24	5	6	2	1	3	6	14	27	63	1	6	3	2	3	6	12	21	45
	Episodes	F/N	23	147	172	77	428	948	921	1,308	1,002	5	129	173	117	569	1,007	830	1,199	1,181

Mean weekly incidence rate per 100,000 Persons.

		LRTI - Acute Bronchitis																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	9	2	0	1	1	2	3	2	3	6	2	0	1	2	3	4	4	3
	2	8	2	0	1	1	1	2	2	3	4	1	0	1	2	2	3	3	3
	3	6	2	1	0	1	1	2	2	2	4	2	1	1	2	2	2	3	1
	4	6	1	0	0	1	1	2	2	4	3	1	0	1	1	2	3	3	3
	5	6	2	1	1	1	1	2	2	2	5	1	1	1	2	2	3	2	3
	6	15	4	1	1	1	2	3	3	3	9	3	1	2	3	3	3	4	3
	7	20	5	1	1	2	2	3	4	5	20	5	1	2	3	4	5	5	6
	8	27	5	2	1	2	3	4	5	6	18	5	2	2	4	6	6	6	6
	9	14	4	2	1	2	4	5	6	7	8	4	2	2	4	6	7	8	7
	10	11	5	2	2	2	3	4	5	7	7	3	2	2	4	5	5	6	6
	11	13	4	2	1	2	2	4	4	5	8	3	2	2	3	5	5	5	5
	12	12	3	2	1	2	2	3	4	4	9	3	2	2	3	4	5	5	4
	13	7	2	1	1	1	2	3	4	5	7	2	1	1	2	3	5	4	4
Quarter	1	7	2	0	1	1	1	2	2	3	5	2	1	1	2	2	3	3	3
	2	11	3	1	1	1	2	2	3	3	9	2	1	1	2	3	3	3	3
	3	19	5	2	1	2	3	4	5	6	12	4	2	2	4	6	6	6	7
	4	11	3	2	1	2	2	4	4	5	8	3	2	2	3	4	5	5	4
Year	23/24	12	3	1	1	1	2	3	4	4	8	3	1	2	3	4	4	4	4
Episodes	F/N	503	659	696	558	2,102	2,756	1,404	1,077	412	333	544	679	968	3,838	4,646	1,978	1,509	652

Mean weekly incidence rate per 100,000 Persons.

LRTI - Acute Bronchitis

			M										F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs		
North East and Yorkshire	Quarter	1	18	2	1	1	1	2	2	2	4	6	1	1	1	1	2	3	4	1		
		2	12	3	1	1	1	2	3	3	3	5	3	1	2	3	3	3	4	3		
		3	21	4	2	2	3	4	4	5	6	14	5	2	3	5	6	8	7	7		
		4	13	3	2	1	2	3	4	5	3	14	2	2	2	3	5	6	5	4		
	Year	23/24	16	3	1	1	2	2	3	4	4	10	3	1	2	3	4	5	5			
	Episodes	F/N	66	60	70	61	257	347	180	126	44	37	53	79	107	449	565	290	210	64		
North West	Quarter	1	4	2	1	0	1	1	3	3	2	3	2	0	1	2	2	3	3	3		
		2	12	3	1	1	1	2	3	3	5	11	3	1	1	2	3	4	3	4		
		3	20	4	2	1	2	4	5	6	6	14	4	2	2	5	7	6	8	5		
		4	14	2	1	1	2	3	4	5	5	3	3	2	2	3	4	4	4	4		
	Year	23/24	12	3	1	1	1	2	4	4	5	8	3	1	2	3	4	4	5	4		
	Episodes	F/N	77	88	114	85	300	438	239	186	56	46	84	106	143	545	686	285	224	77		
East of England	Quarter	1	11	2	1	0	1	2	4	3	4	6	2	1	2	2	3	3	4	3		
		2	12	4	1	1	1	2	3	2	5	11	2	1	1	2	3	2	4	3		
		3	32	10	3	2	2	4	5	6	8	13	8	3	2	4	6	8	7	9		
		4	17	7	4	2	2	3	4	6	8	12	6	3	2	4	5	6	7	5		
	Year	23/24	18	6	2	1	2	3	4	4	6	11	4	2	2	3	4	5	5	5		
	Episodes	F/N	64	104	118	58	227	305	166	131	63	35	76	96	92	411	512	222	193	83		
Midlands	Quarter	1	6	3	1	1	1	1	2	2	4	7	3	0	2	2	2	3	3	4		
		2	15	3	1	1	1	1	2	2	3	8	3	1	1	3	3	4	3	4		
		3	17	4	2	1	2	3	5	5	6	10	5	1	2	4	6	6	6	7		
		4	10	4	2	1	1	3	3	4	5	6	4	1	2	3	4	4	4	6		
	Year	23/24	12	4	1	1	2	2	3	3	4	8	4	1	2	3	4	4	4	5		
	Episodes	F/N	88	132	130	105	374	490	255	180	74	55	125	97	192	717	764	334	261	139		
London	Quarter	1	6	1	0	0	0	1	1	2	3	3	1	0	0	1	2	2	2	2		
		2	6	1	0	0	0	1	1	2	1	9	1	0	1	1	2	2	2	2		
		3	15	3	1	0	1	1	2	2	5	12	2	1	1	2	3	4	4	5		
		4	9	2	1	1	0	1	2	3	4	7	1	1	1	1	2	3	3	2		
	Year	23/24	9	2	1	0	1	1	2	2	3	8	1	1	1	1	2	3	3	3		
	Episodes	F/N	76	71	59	47	199	212	82	65	28	61	45	65	69	353	401	146	86	43		
South East	Quarter	1	5	1	0	1	1	1	2	2	2	3	2	1	1	2	3	3	2	2		
		2	8	3	1	1	1	2	3	3	3	8	3	1	2	3	3	3	4	3		
		3	15	5	2	2	2	4	4	5	6	8	4	2	2	5	6	5	7	8		
		4	6	2	1	1	2	2	4	4	4	8	3	2	2	3	5	5	5	5		
	Year	23/24	9	3	1	1	2	2	3	4	4	7	3	1	2	3	4	4	4	4		
	Episodes	F/N	69	108	126	122	428	561	283	222	75	52	107	136	214	811	1,019	367	321	147		
South West	Quarter	1	7	2	0	1	1	2	2	2	4	6	1	1	1	2	2	3	3	3		
		2	11	4	1	1	1	2	2	3	3	10	2	1	2	3	3	4	3	3		
		3	21	5	1	2	3	4	5	5	6	13	5	2	3	5	6	6	5	6		
		4	13	5	2	2	2	3	4	4	5	12	2	2	3	4	5	6	5	4		
	Year	23/24	13	4	1	1	2	2	3	3	5	10	2	1	2	3	4	5	4	4		
	Episodes	F/N	63	96	79	80	317	403	199	167	72	47	54	100	151	552	699	334	214	99		

Mean weekly incidence rate per 100,000 Persons.

		LRTI - Bronchiolitis																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	175	10	0	0	0	0	0	0	0	101	7	0	0	0	0	0	0	0
	2	113	7	0	0	0	0	0	0	0	68	5	0	0	0	0	0	0	0
	3	127	9	0	0	0	0	0	0	0	77	5	0	0	0	0	0	0	0
	4	114	7	0	0	0	0	0	0	0	62	5	0	0	0	0	0	0	0
	5	127	11	0	0	0	0	0	0	0	71	9	0	0	0	0	0	0	0
	6	361	29	0	0	0	0	0	0	0	234	20	0	0	0	0	0	0	0
	7	698	53	0	0	0	0	0	0	0	498	44	0	0	0	0	0	0	0
	8	802	48	0	0	0	0	0	0	0	603	38	0	0	0	0	0	0	0
	9	472	23	0	0	0	0	0	0	0	353	17	0	0	0	0	0	0	0
	10	325	21	0	0	0	0	0	0	0	214	16	0	0	0	0	0	0	0
	11	308	19	0	0	0	0	0	0	0	194	14	0	0	0	0	0	0	0
	12	312	19	0	0	0	0	0	0	0	215	14	0	0	0	0	0	0	0
	13	221	13	0	0	0	0	0	0	0	141	11	0	0	0	0	0	0	0
Quarter	1	138	9	0	0	0	0	0	0	0	82	6	0	0	0	0	0	0	0
	2	271	20	0	0	0	0	0	0	0	173	16	0	0	0	0	0	0	0
	3	586	36	0	0	0	0	0	0	0	428	29	0	0	0	0	0	0	0
	4	284	17	0	0	0	0	0	0	0	188	13	0	0	0	0	0	0	0
Year	23/24	319	21	0	0	0	0	0	0	0	217	16	0	0	0	0	0	0	0
Episodes	F/N	13,582	4,308	83	12	60	76	61	28	13	8,724	3,146	55	24	76	147	81	60	21

Mean weekly incidence rate per 100,000 Persons.

LRTI - Bronchiolitis

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	162	10	0	0	0	0	0	0	0	98	5	0	0	0	0	0	0	0
		2	339	23	0	0	0	0	0	0	0	230	18	0	0	0	0	0	0	0
		3	742	38	0	0	0	0	0	0	0	507	29	0	0	0	0	0	0	0
		4	376	14	0	0	0	0	0	0	0	241	17	0	0	0	0	0	0	0
	Year	23/24	405	21	0	0	0	0	0	0	0	268	17	0	0	0	0	0	0	0
	Episodes	F/N	1,665	430	6	0	2	8	8	3	1	1,019	331	4	3	13	15	8	9	3
North West	Quarter	1	154	11	0	0	0	0	0	0	0	84	6	0	0	0	0	0	0	0
		2	414	29	0	0	0	0	0	0	0	249	24	0	0	0	0	0	0	0
		3	631	42	0	0	0	0	0	0	0	482	31	0	0	0	0	0	0	0
		4	344	22	0	0	0	0	0	0	0	214	16	0	0	0	0	0	0	0
	Year	23/24	385	26	0	0	0	0	0	0	0	257	19	0	0	0	0	0	0	0
	Episodes	F/N	2,389	788	13	2	10	10	7	4	0	1,487	554	7	3	6	10	13	2	2
East of England	Quarter	1	129	8	0	0	0	0	0	0	0	83	7	0	0	0	0	1	0	0
		2	192	20	0	0	0	0	0	0	0	151	13	0	0	0	0	0	1	1
		3	658	43	0	0	0	0	1	0	0	408	33	0	0	0	0	0	1	0
		4	299	16	0	0	0	0	0	0	1	193	15	0	0	0	0	0	0	0
	Year	23/24	318	22	0	0	0	0	0	0	0	208	17	0	0	0	0	0	1	0
	Episodes	F/N	1,124	397	8	2	11	14	14	4	3	691	295	12	5	18	30	15	18	3
Midlands	Quarter	1	157	7	0	0	0	0	0	0	0	89	6	0	0	0	0	0	0	0
		2	275	16	0	0	0	0	0	0	0	189	13	0	0	0	0	0	0	0
		3	512	31	0	0	0	0	0	0	0	386	20	0	0	0	0	0	0	0
		4	262	13	0	0	0	0	0	0	0	177	10	0	0	0	0	0	0	0
	Year	23/24	301	17	0	0	0	0	0	0	0	210	12	0	0	0	0	0	0	0
	Episodes	F/N	2,217	617	15	1	6	7	6	3	3	1,491	425	8	1	7	16	6	6	5
London	Quarter	1	111	8	0	0	0	0	0	0	0	71	5	0	0	0	0	0	0	0
		2	168	16	0	0	0	0	0	0	0	107	11	0	0	0	0	0	0	0
		3	422	25	0	0	0	0	0	0	0	325	24	0	0	0	0	0	0	0
		4	200	16	0	0	0	0	0	0	0	125	10	0	0	0	0	0	0	0
	Year	23/24	225	17	0	0	0	0	0	0	0	157	13	0	0	0	0	0	0	0
	Episodes	F/N	1,909	649	10	3	8	9	5	2	1	1,261	471	7	1	6	11	3	1	2
South East	Quarter	1	131	8	0	0	0	0	0	0	0	80	6	0	0	0	0	0	0	0
		2	258	20	0	0	0	0	0	0	0	152	17	0	0	0	0	0	0	0
		3	648	44	0	0	0	0	0	0	0	459	36	0	0	0	0	0	1	0
		4	291	20	0	0	0	0	0	0	0	210	14	0	0	0	0	0	0	0
	Year	23/24	331	23	0	0	0	0	0	0	0	224	18	0	0	0	0	0	0	0
	Episodes	F/N	2,677	943	26	4	14	21	17	10	4	1,701	691	11	7	16	40	28	21	6
South West	Quarter	1	130	9	0	0	0	0	0	0	0	74	7	0	0	0	0	0	0	0
		2	281	21	0	0	0	0	0	0	0	174	15	0	0	0	0	0	0	0
		3	640	33	0	0	0	0	0	0	0	505	31	0	0	0	0	0	0	0
		4	293	18	0	0	0	0	0	0	0	201	15	0	0	0	0	0	0	0
	Year	23/24	335	20	0	0	0	0	0	0	0	237	17	0	0	0	0	0	0	0
	Episodes	F/N	1,601	484	5	0	9	7	4	2	1	1,074	379	6	4	10	25	8	3	0

Mean weekly incidence rate per 100,000 Persons.

		URTI - Croup																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	28	27	3	0	0	0	0	0	0	17	14	2	0	0	0	0	0	0
	2	17	20	3	0	0	0	0	0	0	11	10	1	0	0	0	0	0	0
	3	20	30	3	0	0	0	0	0	0	12	15	2	0	0	0	0	0	0
	4	18	16	1	0	0	0	0	0	0	10	10	1	0	0	0	0	0	0
	5	26	29	3	0	0	0	0	0	0	19	15	1	0	0	0	0	0	0
	6	52	55	6	0	0	0	0	0	0	36	30	3	0	0	0	0	0	0
	7	55	64	6	0	0	0	0	0	0	34	40	3	0	0	0	0	0	0
	8	62	62	9	0	0	0	0	0	0	29	41	5	0	0	0	0	0	0
	9	51	40	5	0	0	0	0	0	0	30	27	3	0	0	0	0	0	0
	10	55	64	8	0	0	0	0	0	0	36	36	4	0	0	0	0	0	0
	11	44	53	7	0	0	0	0	0	0	26	32	3	0	0	0	0	0	0
	12	50	43	7	0	0	0	0	0	0	28	24	4	0	0	0	0	0	0
	13	41	41	5	0	0	0	0	0	0	23	22	2	0	0	0	0	0	0
Quarter	1	21	25	3	0	0	0	0	0	0	13	13	1	0	0	0	0	0	0
	2	36	38	4	0	0	0	0	0	0	24	21	2	0	0	0	0	0	0
	3	56	57	7	0	0	0	0	0	0	32	36	4	0	0	0	0	0	0
	4	47	46	6	0	0	0	0	0	0	27	27	3	0	0	0	0	0	0
Year	23/24	40	42	5	0	0	0	0	0	0	24	24	2	0	0	0	0	0	0
Episodes	F/N	1,701	8,724	3,080	12	6	13	1	4	0	960	4,820	1,425	25	34	36	11	8	4

Mean weekly incidence rate per 100,000 Persons.

URTI - Croup

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	22	22	3	0	0	0	0	0	0	16	10	2	0	0	0	0	0	0
		2	36	33	3	0	0	0	0	0	0	22	19	2	0	0	0	0	0	0
		3	49	51	7	0	0	0	0	0	0	20	33	5	0	0	0	0	0	0
		4	39	45	5	0	0	0	0	0	0	20	26	3	0	0	0	0	0	0
	Year	23/24	36	38	4	0	0	0	0	0	0	19	22	3	0	0	0	0	0	0
	Episodes	F/N	150	764	280	1	2	4	0	0	0	74	421	169	7	4	3	1	2	1
North West	Quarter	1	29	34	5	0	0	0	0	0	0	21	21	2	0	0	0	0	0	0
		2	55	66	6	0	0	0	0	0	0	38	39	3	0	0	0	0	0	0
		3	76	83	12	0	0	0	0	0	0	47	55	6	0	0	0	0	0	0
		4	76	62	9	0	0	0	0	0	0	38	41	5	0	0	0	0	0	0
	Year	23/24	59	61	8	0	0	0	0	0	0	36	39	4	0	0	0	0	0	0
	Episodes	F/N	364	1,844	715	3	2	1	0	0	0	207	1,119	328	4	7	4	0	1	1
East of England	Quarter	1	11	11	2	0	0	0	0	0	0	8	6	1	0	0	0	0	0	0
		2	17	18	2	0	0	0	0	0	0	16	10	1	0	0	0	0	0	0
		3	32	31	4	0	0	0	0	0	0	17	19	2	0	0	0	0	0	0
		4	25	30	4	0	0	0	0	0	0	13	14	2	0	0	0	0	0	0
	Year	23/24	21	22	3	0	0	0	0	0	0	14	12	2	0	0	0	0	0	0
	Episodes	F/N	75	406	156	1	0	2	1	0	0	45	207	84	1	7	7	2	1	1
Midlands	Quarter	1	20	24	3	0	0	0	0	0	0	13	13	1	0	0	0	0	0	0
		2	29	36	4	0	0	0	0	0	0	20	20	1	0	0	0	0	0	0
		3	51	49	6	0	0	0	0	0	0	38	30	3	0	0	0	0	0	0
		4	39	43	6	0	0	0	0	0	0	30	23	3	0	0	0	0	0	0
	Year	23/24	35	38	5	0	0	0	0	0	0	25	21	2	0	0	0	0	0	0
	Episodes	F/N	257	1,392	507	0	0	3	0	3	0	179	742	213	3	5	7	3	0	1
London	Quarter	1	14	18	2	0	0	0	0	0	0	10	9	1	0	0	0	0	0	0
		2	25	25	2	0	0	0	0	0	0	15	14	1	0	0	0	0	0	0
		3	44	40	4	0	0	0	0	0	0	21	25	2	0	0	0	0	0	0
		4	27	31	4	0	0	0	0	0	0	19	18	1	0	0	0	0	0	0
	Year	23/24	28	28	3	0	0	0	0	0	0	16	16	1	0	0	0	0	0	0
	Episodes	F/N	234	1,115	306	2	1	1	0	0	0	132	615	144	3	5	3	1	1	0
South East	Quarter	1	27	35	3	0	0	0	0	0	0	15	16	2	0	0	0	0	0	0
		2	49	48	4	0	0	0	0	0	0	31	26	2	0	0	0	0	0	0
		3	78	76	9	0	0	0	0	0	0	34	49	5	0	0	0	0	0	0
		4	59	58	8	0	0	0	0	0	0	31	34	4	0	0	0	0	0	0
	Year	23/24	53	54	6	0	0	0	0	0	0	27	31	3	0	0	0	0	0	0
	Episodes	F/N	429	2,189	758	3	0	2	0	0	0	209	1,195	335	4	4	9	2	1	0
South West	Quarter	1	22	25	3	0	0	0	0	0	0	6	14	2	0	0	0	0	0	0
		2	38	32	3	0	0	0	0	0	0	26	18	1	0	0	0	0	0	0
		3	44	61	8	0	0	0	0	0	0	39	35	3	0	0	0	0	0	0
		4	56	52	6	0	0	0	0	0	0	29	26	3	0	0	0	0	0	0
	Year	23/24	40	42	5	0	0	0	0	0	0	25	23	2	0	0	0	0	0	0
	Episodes	F/N	192	1,014	358	2	1	0	0	1	0	114	521	152	3	2	3	2	2	0

Mean weekly incidence rate per 100,000 Persons.

		URTI - Tonsillitis/Pharyngitis																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	71	168	78	40	19	5	3	2	2	58	139	92	80	48	13	5	2	1
	2	73	154	75	37	18	5	2	2	1	56	131	91	77	43	12	4	3	1
	3	67	155	78	36	19	5	2	1	2	61	142	90	78	47	12	5	3	1
	4	64	108	37	35	17	5	3	2	1	45	92	48	72	39	11	5	3	2
	5	67	106	42	34	14	4	3	2	2	55	88	54	69	31	9	4	2	1
	6	89	168	70	38	15	4	3	2	1	69	152	87	77	39	10	4	2	2
	7	101	204	73	40	17	5	3	2	2	76	183	87	84	42	11	6	2	2
	8	99	225	107	43	19	6	3	2	2	71	200	131	88	52	15	6	3	2
	9	71	176	81	40	23	7	4	2	4	63	154	101	85	56	18	7	4	2
	10	80	238	118	43	21	6	3	2	2	57	216	143	87	57	16	6	3	2
	11	84	227	107	41	22	6	3	2	2	68	203	131	83	57	17	6	3	2
	12	92	225	108	38	21	6	3	2	2	68	189	128	78	56	16	6	4	2
	13	73	163	79	36	19	6	3	2	3	57	146	93	72	46	14	6	4	2
Quarter	1	70	156	75	38	19	5	3	2	1	57	135	88	78	46	12	5	3	1
	2	80	138	52	36	15	5	3	2	1	62	120	65	74	36	10	4	2	2
	3	84	210	97	43	20	6	3	2	3	65	187	119	87	53	16	6	3	2
	4	83	209	100	38	21	6	3	2	2	64	184	119	78	54	15	6	3	2
Year	23/24	79	178	81	39	19	6	3	2	2	62	156	98	79	47	13	5	3	2
Episodes	F/N	3,381	37,190	49,498	23,377	28,348	7,158	1,281	573	175	2,488	31,030	57,035	47,560	68,210	16,400	2,470	1,018	271

Mean weekly incidence rate per 100,000 Persons.

URTI - Tonsillitis/Pharyngitis

			M										F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs		
North East and Yorkshire	Quarter	1	92	178	84	45	21	5	2	1	2	86	154	107	98	57	14	6	3	1		
		2	104	158	59	45	17	4	3	2	2	81	141	78	88	43	10	4	2	2		
		3	107	240	113	48	23	7	3	2	5	75	208	142	106	62	17	8	2	2		
		4	108	238	105	43	24	6	3	1	3	72	214	136	93	60	16	6	4	2		
	Year	23/24	103	203	90	45	21	6	3	2	3	79	179	116	96	55	14	6	3	2		
	Episodes	F/N	422	4,109	5,657	2,564	3,028	822	156	63	32	299	3,454	6,909	5,385	7,896	1,986	339	113	32		
North West	Quarter	1	101	199	93	44	23	6	2	1	1	84	176	113	95	58	15	4	4	1		
		2	118	201	69	41	18	6	3	2	2	91	169	91	93	47	13	6	2	2		
		3	119	279	134	55	27	8	4	2	2	94	252	173	107	75	20	7	4	2		
		4	108	268	124	44	26	7	4	4	2	103	242	155	96	71	18	7	3	2		
	Year	23/24	112	237	105	46	23	7	3	2	2	93	210	133	98	63	16	6	3	2		
	Episodes	F/N	693	7,120	9,155	4,260	4,927	1,248	211	101	22	539	6,040	11,018	8,913	12,050	2,801	411	169	38		
East of England	Quarter	1	46	158	71	38	18	5	3	1	1	38	130	72	75	41	11	4	2	0		
		2	71	120	47	38	15	4	2	3	2	58	106	50	68	32	9	5	3	1		
		3	89	222	94	42	21	6	3	1	2	73	193	105	85	46	13	5	2	2		
		4	93	212	100	37	21	5	2	2	2	70	181	110	77	45	14	5	3	2		
	Year	23/24	75	178	78	39	19	5	3	2	1	59	152	84	76	41	12	5	2	1		
	Episodes	F/N	264	3,231	4,352	1,974	2,462	610	110	50	14	198	2,634	4,492	3,868	5,471	1,341	215	87	24		
Midlands	Quarter	1	84	177	84	40	22	6	3	2	1	64	148	104	87	55	15	5	4	2		
		2	96	164	62	40	19	5	3	2	2	70	143	77	80	43	12	5	3	2		
		3	87	229	112	50	25	7	4	3	2	65	210	136	98	67	20	8	3	2		
		4	88	242	117	45	26	8	5	2	3	69	206	143	91	67	19	8	4	2		
	Year	23/24	89	203	94	44	23	6	4	2	2	67	177	115	89	58	16	6	4	2		
	Episodes	F/N	656	7,428	10,066	4,768	5,649	1,421	312	120	32	476	6,165	11,714	9,548	13,537	3,462	520	222	54		
London	Quarter	1	54	130	60	23	13	5	3	2	1	44	108	68	47	32	13	6	3	2		
		2	46	104	40	21	11	5	2	4	0	49	90	45	43	25	10	5	4	2		
		3	71	169	72	25	12	6	3	3	8	51	148	79	49	32	14	7	3	4		
		4	61	167	79	24	13	6	4	3	2	43	144	82	45	33	15	8	3	4		
	Year	23/24	58	142	63	23	12	5	3	3	3	47	123	68	46	31	13	7	3	3		
	Episodes	F/N	494	5,574	6,624	2,597	4,459	1,159	155	71	24	375	4,572	6,916	5,326	9,952	2,379	343	113	46		
South East	Quarter	1	71	153	75	40	20	5	2	2	2	51	143	87	82	48	12	5	2	2		
		2	78	133	49	38	15	4	2	2	1	59	113	62	79	38	9	3	2	2		
		3	82	211	93	42	21	6	2	2	1	66	185	114	90	55	14	5	4	2		
		4	88	208	96	40	22	6	2	2	2	68	183	120	80	58	13	6	3	1		
	Year	23/24	80	176	79	40	19	5	2	2	2	61	156	96	83	50	12	5	3	2		
	Episodes	F/N	644	7,133	9,465	4,628	5,106	1,274	195	103	33	462	5,960	10,932	9,235	12,803	2,928	426	189	59		
South West	Quarter	1	32	98	53	38	17	4	2	1	1	34	81	65	75	36	8	3	2	1		
		2	54	83	38	34	14	3	2	2	1	26	78	50	76	30	6	3	2	0		
		3	39	125	65	39	17	4	2	1	1	33	115	90	84	45	11	3	2	1		
		4	49	127	76	38	18	4	3	1	1	30	117	90	76	48	11	3	3	1		
	Year	23/24	43	108	58	37	16	4	2	1	1	31	98	74	77	40	9	3	2	1		
	Episodes	F/N	208	2,595	4,179	2,586	2,717	624	142	65	18	139	2,205	5,054	5,285	6,501	1,503	216	125	18		

Mean weekly incidence rate per 100,000 Persons.

		URTI - Otitis media																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	123	164	37	7	5	5	5	4	5	95	143	40	11	11	9	6	5	4
	2	98	119	30	5	5	5	4	4	3	80	105	33	9	10	8	6	5	3
	3	100	133	32	6	6	6	5	5	4	78	116	34	11	11	9	7	6	4
	4	100	89	20	8	6	6	6	5	5	65	79	23	11	11	9	7	6	4
	5	75	82	21	7	6	6	6	6	4	56	74	23	11	11	8	7	6	4
	6	132	183	35	7	6	6	6	5	4	107	158	36	13	13	9	7	6	5
	7	140	228	41	7	6	5	6	6	6	109	215	43	13	14	10	8	7	4
	8	153	272	75	9	7	6	5	5	6	114	266	79	15	15	11	8	6	4
	9	134	198	53	9	8	6	6	6	3	121	179	59	17	17	13	9	6	3
	10	153	274	71	10	7	6	7	5	5	121	253	77	17	17	12	10	6	4
	11	160	260	68	10	7	6	7	5	7	122	234	75	16	16	12	10	6	5
	12	156	241	73	10	7	5	6	4	4	113	216	75	16	15	11	8	5	4
	13	150	170	45	9	7	5	5	5	4	104	158	49	15	14	10	8	7	4
Quarter	1	107	136	32	6	5	5	5	4	4	83	119	35	10	11	8	7	5	4
	2	108	134	27	7	6	6	6	5	5	83	116	29	12	12	9	7	6	4
	3	143	242	62	9	7	6	6	5	5	116	232	67	16	16	11	8	6	4
	4	157	231	64	10	7	6	6	5	5	114	209	68	16	15	11	9	6	4
Year	23/24	129	186	46	8	6	6	6	5	5	99	169	50	13	13	10	8	6	4
Episodes	F/N	5,482	38,716	28,239	4,858	9,823	7,293	2,489	1,468	438	3,970	33,507	28,847	8,073	19,472	12,238	3,607	2,064	625

Mean weekly incidence rate per 100,000 Persons.

URTI - Otitis media

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	115	146	36	8	6	5	6	4	4	89	138	38	13	13	9	7	4	3
		2	115	140	28	8	7	7	5	5	3	95	134	32	14	14	11	8	6	4
		3	170	263	70	10	8	7	6	5	4	157	251	76	23	19	12	8	5	4
		4	212	260	68	12	8	6	7	6	4	130	223	75	21	18	13	9	6	3
	Year	23/24	153	202	51	10	7	6	6	5	4	118	186	56	18	16	11	8	5	4
	Episodes	F/N	629	4,080	3,167	548	1,045	830	326	181	41	448	3,595	3,315	985	2,326	1,530	465	220	63
North West	Quarter	1	150	162	38	8	7	7	7	6	6	114	140	41	13	14	12	8	8	5
		2	141	171	34	9	9	7	8	7	9	98	155	38	14	16	13	10	9	6
		3	195	302	80	12	9	8	8	8	8	138	267	87	21	23	16	12	9	7
		4	205	286	74	11	10	7	9	6	8	154	273	86	19	22	16	14	8	7
	Year	23/24	173	230	57	10	9	7	8	7	8	126	209	63	17	19	14	11	8	6
	Episodes	F/N	1,073	6,924	4,928	897	1,831	1,322	523	286	96	731	6,015	5,223	1,518	3,595	2,385	729	411	122
East of England	Quarter	1	122	134	30	6	6	5	4	4	4	92	112	32	12	11	7	7	4	5
		2	108	111	23	8	6	6	7	7	4	71	97	24	11	10	8	5	4	4
		3	131	246	57	8	8	6	6	5	4	136	246	62	15	14	10	7	5	3
		4	136	234	66	10	7	6	4	4	6	112	201	70	16	14	10	7	5	2
	Year	23/24	124	181	44	8	7	6	5	5	5	103	164	47	14	12	9	7	5	4
	Episodes	F/N	439	3,293	2,458	404	870	657	219	142	48	342	2,833	2,518	700	1,651	1,034	296	165	61
Midlands	Quarter	1	121	146	35	7	7	6	5	6	3	91	129	38	11	13	10	8	7	5
		2	125	160	30	8	8	7	8	7	6	87	132	32	14	16	10	9	8	5
		3	145	246	66	11	9	7	7	6	6	108	233	71	17	20	13	10	6	4
		4	155	242	65	10	8	7	7	5	5	128	221	73	17	18	12	10	9	6
	Year	23/24	136	199	49	9	8	7	7	6	5	104	179	53	15	17	11	9	7	5
	Episodes	F/N	1,005	7,268	5,292	1,006	1,936	1,482	522	323	84	736	6,235	5,441	1,604	3,909	2,399	764	463	138
London	Quarter	1	67	99	26	4	3	4	3	4	4	56	87	27	7	7	7	6	7	3
		2	67	92	19	5	4	4	5	5	4	53	77	20	7	8	8	6	5	3
		3	88	175	45	6	4	5	3	6	5	68	162	46	9	9	9	8	7	3
		4	94	147	42	7	4	4	4	5	4	70	130	41	8	9	8	8	6	7
	Year	23/24	79	128	33	6	4	4	4	5	4	62	114	34	8	8	8	7	6	4
	Episodes	F/N	673	5,024	3,474	630	1,403	914	206	123	39	496	4,253	3,386	893	2,706	1,467	368	200	62
South East	Quarter	1	102	145	34	7	5	5	4	4	4	81	129	36	10	11	8	6	4	3
		2	107	137	29	8	7	6	5	5	3	91	117	30	13	12	9	6	6	3
		3	161	265	64	8	8	6	6	5	4	130	266	68	17	16	10	7	5	3
		4	179	248	70	10	7	5	5	5	5	115	225	71	16	15	10	9	5	4
	Year	23/24	137	199	49	8	7	6	5	5	4	104	184	51	14	14	9	7	5	3
	Episodes	F/N	1,111	8,043	5,934	936	1,801	1,433	431	283	77	791	7,035	5,835	1,575	3,498	2,265	632	381	108
South West	Quarter	1	87	124	27	4	5	4	3	2	3	68	104	31	8	7	5	4	3	3
		2	103	120	23	6	5	4	3	2	3	91	106	26	10	9	6	3	5	3
		3	128	215	52	7	7	4	4	3	2	111	212	61	12	14	9	6	4	2
		4	144	223	64	8	6	5	5	3	4	107	205	65	17	14	8	6	4	3
	Year	23/24	115	170	41	6	6	4	4	3	3	94	157	46	12	11	7	5	4	3
	Episodes	F/N	552	4,084	2,986	437	937	655	262	130	53	426	3,541	3,129	798	1,787	1,158	353	224	71

Mean weekly incidence rate per 100,000 Persons.

URTI - Sinusitis

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1	1	3	6	10	11	11	9	4	2	2	3	11	26	27	24	14	6
	2	1	1	3	6	9	9	10	7	4	1	1	3	9	21	20	16	12	4
	3	1	1	2	5	8	9	10	8	5	0	1	3	10	23	23	21	13	7
	4	1	1	1	5	8	10	10	9	4	0	1	1	9	20	24	20	15	6
	5	0	1	2	5	6	9	9	7	5	0	1	2	8	16	20	18	13	6
	6	1	1	3	6	9	11	12	8	5	1	1	3	14	30	29	24	16	8
	7	1	1	3	7	12	13	14	10	3	1	2	4	15	34	36	28	18	7
	8	1	2	5	8	14	15	15	12	7	2	1	6	17	44	43	32	20	7
	9	2	2	4	9	15	18	17	13	5	1	1	5	15	45	46	35	21	9
	10	1	2	5	9	14	16	17	13	7	0	2	7	18	45	46	35	21	9
	11	1	2	6	9	14	15	17	13	5	1	2	6	17	42	42	33	21	9
	12	1	3	6	8	13	14	15	12	6	1	2	7	16	38	37	29	19	7
	13	1	2	4	8	13	14	15	11	6	0	1	5	13	32	36	30	21	8
Quarter	1	1	1	3	6	9	10	10	8	4	1	1	3	10	24	23	20	14	6
	2	0	1	2	5	9	10	11	9	5	0	1	2	11	23	26	22	15	7
	3	1	2	5	8	14	16	16	12	5	1	2	5	17	43	44	33	20	8
	4	1	2	6	8	13	14	16	12	6	1	2	7	16	38	39	31	21	8
Year	23/24	1	2	4	7	11	13	13	10	5	1	1	4	13	32	33	27	17	7
Episodes	F/N	32	317	2,258	4,202	17,035	16,103	5,775	3,044	484	30	293	2,463	7,955	46,343	40,654	12,364	6,073	1,116

Mean weekly incidence rate per 100,000 Persons.

URTI - Sinusitis

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	1	1	2	6	10	9	11	9	3	0	0	3	9	25	26	21	12	5
		2	0	1	1	4	9	9	10	7	3	0	1	3	10	25	28	24	15	8
		3	1	2	4	8	15	16	15	11	4	1	2	5	18	47	46	33	20	8
		4	0	2	5	8	15	15	15	11	7	0	1	7	16	39	40	32	21	10
	Year	23/24	0	2	3	7	12	12	13	9	4	0	1	4	13	34	35	27	17	8
	Episodes	F/N	2	31	201	376	1,679	1,749	697	335	46	1	22	264	749	4,838	4,852	1,574	714	136
North West	Quarter	1	1	2	3	7	12	14	14	11	7	1	2	4	14	34	33	29	20	11
		2	1	1	4	7	12	14	13	13	9	1	1	3	14	33	39	28	22	11
		3	3	3	7	11	20	21	21	18	7	1	4	8	24	64	63	47	28	10
		4	1	5	9	10	19	21	22	16	8	1	4	10	21	55	57	45	29	12
	Year	23/24	1	3	6	9	16	17	17	15	8	1	3	6	18	47	48	37	25	11
	Episodes	F/N	9	76	502	816	3,307	3,168	1,123	612	96	6	81	535	1,651	8,933	8,189	2,481	1,199	223
East of England	Quarter	1	0	1	2	6	9	8	9	6	4	0	2	3	9	22	21	17	11	6
		2	1	1	1	6	9	9	11	6	5	2	0	2	11	20	23	21	13	6
		3	1	1	5	10	14	14	17	10	5	0	2	6	14	40	40	29	17	7
		4	0	2	7	9	13	13	15	12	4	0	1	7	16	35	34	29	19	7
	Year	23/24	1	1	4	8	11	11	13	8	4	1	1	4	13	29	30	24	15	6
	Episodes	F/N	2	22	212	389	1,494	1,303	533	248	45	2	23	237	642	3,931	3,432	1,070	515	106
Midlands	Quarter	1	1	1	2	5	9	10	10	8	4	0	1	2	9	24	24	21	13	7
		2	1	0	2	5	9	11	10	9	4	0	1	2	9	25	26	21	15	5
		3	1	1	3	7	14	16	15	13	5	2	1	5	16	43	46	33	20	7
		4	1	1	5	7	14	15	15	13	7	0	1	6	15	38	39	32	21	7
	Year	23/24	1	1	3	6	12	13	13	11	5	0	1	4	12	33	34	27	17	7
	Episodes	F/N	8	35	324	675	2,823	2,819	991	574	84	3	46	386	1,315	7,615	7,142	2,210	1,100	180
London	Quarter	1	0	1	3	5	6	8	9	8	5	3	1	3	8	16	17	17	11	5
		2	0	1	2	5	6	7	9	8	4	0	1	2	7	15	18	17	12	6
		3	0	1	4	6	8	11	14	9	5	1	1	5	12	25	29	25	16	6
		4	0	2	5	7	8	9	11	10	3	1	2	5	11	23	26	21	14	4
	Year	23/24	0	2	3	6	7	9	11	9	4	1	1	4	10	20	23	20	13	5
	Episodes	F/N	3	59	352	624	2,545	1,875	525	226	39	10	47	377	1,103	6,479	4,217	1,040	431	80
South East	Quarter	1	1	2	3	6	11	10	10	8	4	0	2	3	12	27	23	20	15	5
		2	0	1	2	6	9	11	11	9	5	1	1	2	13	27	27	23	15	7
		3	0	1	5	9	16	18	16	14	6	2	1	5	16	51	45	34	21	9
		4	1	2	6	9	16	15	18	13	7	1	2	7	17	46	40	32	21	9
	Year	23/24	1	2	4	8	13	14	14	11	5	1	2	4	15	38	34	27	18	8
	Episodes	F/N	7	66	491	891	3,440	3,422	1,193	647	109	6	60	492	1,642	9,750	8,350	2,487	1,295	249
South West	Quarter	1	0	1	2	5	8	8	9	6	3	1	1	1	9	20	19	16	11	4
		2	0	1	1	5	8	8	9	8	5	0	0	1	11	20	20	16	12	4
		3	1	1	3	8	13	15	13	9	4	0	0	3	16	40	36	28	17	7
		4	0	2	4	7	13	12	12	10	5	1	1	4	14	37	35	25	17	7
	Year	23/24	0	1	2	6	11	11	11	8	4	0	1	3	12	29	28	21	14	5
	Episodes	F/N	1	28	176	431	1,747	1,767	713	402	65	2	14	172	853	4,797	4,472	1,502	819	142

Mean weekly incidence rate per 100,000 Persons.

		URTI - Laryngitis																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	3	2	1	0	0	0	0	0	0	2	1	0	1	2	2	2	1	1
	2	2	1	0	0	0	0	0	0	0	1	1	0	1	2	2	1	1	1
	3	2	2	0	0	0	0	0	0	0	1	1	1	1	1	2	2	1	1
	4	1	1	0	0	0	0	0	1	1	0	1	0	1	1	1	1	1	1
	5	0	1	0	0	0	0	0	0	0	1	1	0	1	1	1	1	0	1
	6	3	3	1	0	0	0	0	0	0	2	2	1	1	2	2	1	1	0
	7	4	3	1	0	0	0	0	1	1	2	2	1	1	2	2	2	1	1
	8	4	3	1	0	1	1	1	0	1	2	3	1	1	3	3	2	1	1
	9	2	2	1	0	1	1	0	1	1	1	1	1	1	3	3	2	1	1
	10	4	3	1	1	1	1	1	1	1	1	2	1	2	3	3	2	1	1
	11	1	2	1	0	1	1	0	0	1	2	2	1	2	3	3	2	1	1
	12	3	2	1	1	1	1	1	1	0	2	1	1	1	2	3	2	1	1
	13	2	1	1	1	1	1	1	1	0	1	1	1	1	2	3	2	1	1
Quarter	1	2	2	0	0	0	0	0	0	0	1	1	0	1	2	2	1	1	1
	2	2	2	0	0	0	0	0	0	0	1	1	0	1	1	1	1	1	1
	3	3	3	1	0	1	1	1	1	1	2	2	1	1	3	3	2	1	1
	4	2	2	1	1	1	1	1	1	0	2	1	1	1	2	3	2	1	1
Year	23/24	2	2	1	0	0	0	0	0	0	1	1	1	1	2	2	1	1	1
Episodes	F/N	99	442	403	220	708	642	212	136	42	54	274	391	752	3,052	2,796	693	369	144

Mean weekly incidence rate per 100,000 Persons.

URTI - Laryngitis

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	9	3	1	0	0	0	1	0	0	4	3	0	1	1	2	1	1	0
		2	4	6	1	0	0	0	0	1	0	1	3	1	1	2	1	1	1	1
		3	8	7	2	0	1	1	1	0	0	4	5	1	1	3	3	1	1	1
		4	3	4	1	1	1	1	1	0	0	5	5	1	2	2	2	1	2	1
	Year	23/24	6	5	1	0	1	0	1	0	0	4	4	1	1	2	2	1	1	1
	Episodes	F/N	24	101	76	22	73	61	28	14	4	14	76	51	71	286	269	58	49	17
North West	Quarter	1	2	1	0	0	0	0	0	0	0	1	0	0	1	2	2	1	1	1
		2	1	0	0	0	0	0	0	0	0	1	0	0	1	2	2	1	1	1
		3	1	1	0	1	1	1	0	1	1	1	0	1	2	4	4	2	1	1
		4	0	1	1	0	1	1	1	1	0	1	0	1	2	3	3	2	1	1
	Year	23/24	1	1	0	0	1	1	1	1	0	1	0	1	2	3	3	2	1	1
	Episodes	F/N	6	18	33	36	121	125	33	26	3	5	9	42	139	514	489	114	53	24
East of England	Quarter	1	6	7	1	0	0	0	0	0	0	2	3	1	2	1	1	1	1	0
		2	11	7	1	0	0	1	0	1	0	4	3	1	1	1	1	1	0	0
		3	6	11	1	0	1	0	0	1	1	4	5	1	1	2	2	2	1	1
		4	7	6	1	1	1	0	0	0	0	2	3	1	1	2	2	1	1	0
	Year	23/24	7	8	1	0	0	0	0	0	0	3	4	1	1	2	2	1	1	1
	Episodes	F/N	26	137	53	16	63	50	12	13	3	10	65	47	54	214	190	50	28	9
Midlands	Quarter	1	1	0	0	0	0	0	0	0	0	0	1	0	1	2	2	2	1	1
		2	3	2	0	0	0	0	0	0	0	0	1	0	1	1	1	1	1	1
		3	2	2	1	0	1	1	1	1	0	2	1	1	2	3	3	2	1	2
		4	2	2	1	1	1	1	1	1	0	2	0	1	1	3	3	2	1	1
	Year	23/24	2	1	1	0	0	0	0	0	0	1	1	1	1	2	2	2	1	1
	Episodes	F/N	13	52	61	40	118	109	38	25	3	6	35	59	151	573	522	133	63	36
London	Quarter	1	1	1	1	0	0	0	0	0	0	1	1	1	1	1	2	1	1	0
		2	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1	1	1	1
		3	1	1	1	0	0	0	1	1	0	0	1	1	1	2	3	2	1	2
		4	1	1	0	0	0	1	1	0	1	0	0	1	1	2	2	1	1	1
	Year	23/24	1	1	0	0	0	0	1	1	1	0	0	1	1	1	2	2	1	1
	Episodes	F/N	8	31	47	30	104	87	29	15	5	1	15	58	109	476	380	84	29	13
South East	Quarter	1	0	0	0	0	0	0	0	0	0	1	0	0	1	2	2	2	1	0
		2	0	1	0	0	0	0	0	0	1	1	1	0	1	2	2	1	1	0
		3	3	1	1	1	1	1	1	1	1	1	1	1	2	4	4	2	2	1
		4	0	1	1	1	1	1	1	0	1	1	1	1	2	3	4	2	2	2
	Year	23/24	1	1	1	0	1	1	0	0	0	1	1	1	1	3	3	2	2	1
	Episodes	F/N	9	40	82	50	146	127	43	25	10	5	26	83	159	699	656	170	110	28
South West	Quarter	1	2	3	0	0	0	0	0	0	1	2	1	0	1	1	2	1	0	1
		2	0	2	1	0	0	0	0	0	1	2	1	0	1	1	1	1	0	1
		3	6	3	1	0	1	1	1	1	1	4	3	1	1	2	2	1	1	1
		4	3	3	1	0	1	1	1	1	0	4	3	2	1	2	2	2	1	0
	Year	23/24	3	3	1	0	1	1	0	0	1	3	2	1	1	2	2	1	1	1
	Episodes	F/N	13	63	51	26	83	83	29	18	14	13	48	51	69	290	290	84	37	17

2. Water and Food Borne Disorders

Mean weekly incidence rate per 100,000 Persons.

Intestinal Infectious Diseases (ICD10: A00-A09)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	55	43	13	4	4	4	5	6	6	49	41	11	6	6	5	5	7	6
	2	69	47	15	5	5	5	6	6	6	60	44	13	6	7	5	6	7	7
	3	59	40	12	6	5	5	5	6	7	61	36	10	6	7	6	6	7	7
	4	51	29	7	5	5	5	5	6	6	45	23	6	5	6	6	7	7	7
	5	59	30	11	5	5	5	5	6	7	54	27	8	5	6	7	6	7	6
	6	74	41	10	5	4	4	5	5	6	58	35	8	5	6	6	6	7	8
	7	73	41	10	5	4	5	6	5	7	67	37	9	6	6	6	6	7	6
	8	86	50	14	5	4	4	5	6	7	75	44	12	6	6	5	6	7	7
	9	62	33	10	4	4	4	4	5	7	56	30	9	5	5	5	5	6	9
	10	67	43	15	5	4	4	5	5	9	59	39	12	6	6	5	5	7	7
	11	63	39	12	5	4	4	5	5	5	50	39	11	6	6	5	6	5	8
	12	62	38	11	4	4	4	5	5	6	56	41	11	6	6	5	6	6	8
	13	50	39	13	5	5	4	5	5	7	50	37	11	6	6	6	5	6	8
Quarter	1	59	42	13	5	4	5	5	6	6	57	40	11	6	6	5	6	7	7
	2	65	34	9	5	5	4	5	6	6	55	29	7	5	6	6	6	7	7
	3	72	42	13	5	4	4	5	6	8	64	38	11	6	6	5	6	6	8
	4	59	39	12	5	5	4	5	5	6	53	39	11	6	6	5	5	6	8
Year	23/24	64	39	12	5	4	4	5	6	7	57	36	10	6	6	6	6	6	7
Episodes	F/N	2,719	8,212	7,194	2,898	6,680	5,579	2,268	1,654	628	2,292	7,229	5,844	3,468	8,865	6,875	2,705	2,273	1,130

Mean weekly incidence rate per 100,000 Persons.

Intestinal Infectious Diseases (ICD10: A00-A09)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	77	45	14	5	5	5	5	5	6	73	46	11	7	6	5	7	8	8
		2	91	38	9	4	4	4	6	6	7	88	32	8	6	6	6	6	9	6
		3	80	41	10	5	4	4	5	5	6	59	38	11	5	5	5	5	7	10
		4	65	36	10	4	4	4	4	5	10	62	37	8	7	6	5	6	6	10
	Year	23/24	78	40	11	5	4	4	5	5	7	70	38	9	6	6	5	6	8	8
	Episodes	F/N	322	814	667	262	584	606	273	186	79	268	738	555	347	837	717	365	315	152
North West	Quarter	1	74	47	14	5	5	6	6	7	7	66	48	11	6	7	6	7	8	8
		2	67	35	10	5	7	6	7	6	8	63	29	8	6	8	7	8	8	9
		3	67	42	13	5	5	5	6	7	9	78	40	10	6	6	6	7	9	11
		4	71	41	12	5	6	5	6	7	7	47	42	11	6	6	6	7	7	11
	Year	23/24	70	41	12	5	6	5	6	7	8	64	40	10	6	7	6	7	8	10
	Episodes	F/N	434	1,239	1,062	470	1,180	986	406	289	95	368	1,141	838	547	1,275	1,087	477	385	191
East of England	Quarter	1	74	36	11	4	3	3	4	4	7	58	35	8	5	4	4	4	5	6
		2	70	35	9	4	3	3	4	5	5	43	24	6	5	4	5	4	5	5
		3	96	38	11	4	3	3	3	5	8	78	41	8	4	3	3	4	4	6
		4	80	38	11	3	3	3	3	4	8	53	35	8	4	4	3	3	4	5
	Year	23/24	80	37	10	4	3	3	4	5	7	58	34	7	4	4	4	4	4	6
	Episodes	F/N	282	671	580	201	410	368	157	139	70	193	584	397	219	536	429	167	157	95
Midlands	Quarter	1	60	46	12	4	4	4	4	6	4	49	37	10	5	7	6	5	6	6
		2	55	29	8	4	4	4	5	5	7	41	32	6	4	6	6	5	6	7
		3	57	41	11	3	4	4	5	6	7	50	39	10	5	6	5	5	8	9
		4	52	41	12	3	4	4	6	4	4	51	39	11	5	5	5	5	6	6
	Year	23/24	56	39	11	4	4	4	5	5	6	48	36	9	5	6	5	5	7	7
	Episodes	F/N	413	1,426	1,161	399	982	897	399	281	97	338	1,268	932	502	1,341	1,133	421	412	189
London	Quarter	1	55	51	20	7	5	5	6	4	4	56	47	18	7	7	7	7	6	6
		2	67	46	16	7	5	4	6	4	6	58	38	12	7	7	8	9	7	5
		3	75	55	21	7	4	5	6	7	7	69	48	20	8	7	7	7	7	8
		4	58	47	19	7	5	5	6	4	5	56	46	17	7	7	7	7	7	6
	Year	23/24	64	50	19	7	5	5	6	5	6	60	45	17	7	7	7	8	7	6
	Episodes	F/N	542	1,951	2,017	772	1,745	987	285	123	50	482	1,673	1,693	834	2,373	1,346	403	232	94
South East	Quarter	1	47	37	11	5	4	5	6	7	8	51	34	9	7	7	6	6	8	9
		2	64	30	8	5	4	5	5	6	6	53	27	6	6	7	6	7	8	7
		3	79	38	11	5	4	4	5	5	9	68	34	10	6	6	5	6	6	8
		4	52	37	11	5	5	4	5	7	6	51	37	10	6	6	6	6	6	8
	Year	23/24	61	36	10	5	4	5	5	6	7	56	33	9	6	7	6	6	7	8
	Episodes	F/N	490	1,439	1,207	579	1,185	1,143	472	378	151	422	1,257	980	692	1,692	1,432	535	499	261
South West	Quarter	1	41	29	7	4	4	4	5	7	5	54	28	7	5	5	5	5	6	5
		2	47	25	5	3	4	4	4	5	6	47	17	4	5	5	5	4	5	7
		3	63	32	8	3	3	4	4	5	6	45	26	7	4	5	4	6	4	5
		4	46	27	7	3	3	3	3	5	4	50	30	8	5	5	4	4	4	6
	Year	23/24	49	28	7	3	4	4	4	5	5	49	25	7	5	5	5	5	5	6
	Episodes	F/N	236	672	500	215	594	592	276	258	86	221	568	449	327	811	731	337	273	148

Mean weekly incidence rate per 100,000 Persons.

Non-infective Enteritis and Colitis (ICD10: K50-K52)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	59	6	1	2	3	4	5	6	5	57	5	1	2	4	5	6	7	5
	2	58	7	1	2	4	4	6	6	4	59	5	1	2	3	5	6	6	5
	3	64	7	1	2	3	4	6	7	6	49	5	1	2	4	5	6	7	5
	4	52	6	1	2	4	4	6	6	4	45	5	1	2	3	5	6	6	6
	5	58	6	1	3	3	4	6	8	5	50	5	1	2	4	5	7	6	4
	6	52	7	1	3	3	5	5	7	4	48	6	1	3	4	5	7	6	5
	7	64	7	1	3	3	4	5	7	5	55	6	1	2	4	5	6	7	6
	8	62	7	1	2	4	4	6	7	4	43	6	1	2	4	5	6	7	6
	9	48	5	1	2	3	4	5	5	4	47	3	1	2	3	4	5	5	5
	10	72	7	2	2	4	4	7	7	5	57	6	1	2	4	6	6	5	4
	11	65	7	1	2	3	4	6	8	5	52	5	1	2	4	6	6	7	5
	12	59	6	1	2	3	4	5	6	4	50	5	1	2	3	5	6	6	4
	13	67	6	1	3	3	4	6	7	4	55	6	1	2	4	5	7	7	6
Quarter	1	60	7	1	2	3	4	6	6	5	54	5	1	2	4	5	6	7	5
	2	54	6	1	3	3	4	5	7	5	49	5	1	2	4	5	6	6	5
	3	62	7	1	2	3	4	6	6	5	50	5	1	2	4	5	6	6	5
	4	64	6	1	2	3	4	6	7	4	53	6	1	2	4	5	7	7	5
Year	23/24	60	6	1	2	3	4	6	7	5	51	5	1	2	4	5	6	6	5
Episodes	F/N	2,557	1,351	752	1,454	5,095	5,376	2,514	1,991	443	2,065	1,024	555	1,286	5,424	6,190	2,878	2,215	814

Mean weekly incidence rate per 100,000 Persons.

Non-infective Enteritis and Colitis (ICD10: K50-K52)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	73	5	1	3	4	5	6	5	3	80	2	1	2	4	5	5	7	7
		2	78	8	1	2	2	4	5	7	3	75	7	1	2	4	5	7	7	5
		3	72	6	1	2	4	4	6	5	4	57	6	1	2	4	4	7	6	5
		4	82	7	1	2	3	4	5	6	5	55	4	1	2	4	5	6	7	6
	Year	23/24	76	6	1	2	3	4	5	6	4	67	5	1	2	4	5	6	7	6
	Episodes	F/N	313	131	65	127	456	578	301	208	43	254	93	41	115	519	660	357	284	105
North West	Quarter	1	67	8	1	2	4	5	6	7	3	51	7	1	2	4	7	7	9	6
		2	55	6	1	3	4	5	5	8	7	49	5	1	2	5	6	7	7	5
		3	66	7	1	3	3	5	6	5	5	52	5	1	2	4	6	8	7	7
		4	68	6	2	2	4	5	7	8	5	61	7	1	2	4	7	9	7	6
	Year	23/24	64	7	1	2	4	5	6	7	5	53	6	1	2	4	6	8	7	6
	Episodes	F/N	397	201	113	230	780	891	396	295	62	309	177	73	185	830	1,053	512	363	122
East of England	Quarter	1	74	7	1	2	3	3	5	5	4	74	5	1	2	3	4	4	5	3
		2	70	7	1	3	3	4	5	5	3	62	3	1	2	3	4	5	4	3
		3	78	9	1	2	2	3	4	6	4	83	4	1	1	3	3	5	4	6
		4	88	5	1	2	2	3	5	5	4	97	6	1	2	3	4	4	6	5
	Year	23/24	77	7	1	2	3	3	5	5	4	79	4	1	2	3	4	5	4	4
	Episodes	F/N	273	127	71	98	331	374	203	163	40	263	77	53	89	399	439	205	158	69
Midlands	Quarter	1	61	6	1	2	3	4	5	7	5	59	6	1	2	4	4	6	6	3
		2	63	6	1	3	3	4	6	7	4	53	5	1	2	4	5	6	5	6
		3	67	6	1	2	3	4	6	6	3	56	5	1	1	4	5	5	5	5
		4	62	7	1	2	3	4	5	7	4	48	5	1	2	4	5	6	6	4
	Year	23/24	63	6	1	2	3	4	6	7	4	54	5	1	2	4	5	6	6	4
	Episodes	F/N	467	221	98	234	777	923	438	368	67	383	176	88	194	857	1,049	478	360	122
London	Quarter	1	38	6	1	3	3	4	5	7	9	30	5	1	2	3	3	6	7	5
		2	27	4	1	2	3	3	5	6	5	29	4	1	2	3	4	5	6	5
		3	35	5	2	3	3	3	6	8	6	29	4	1	2	3	4	6	4	6
		4	53	5	2	3	3	4	5	6	4	33	4	1	2	3	4	6	6	7
	Year	23/24	38	5	1	3	3	3	5	7	6	30	4	1	2	3	4	6	6	6
	Episodes	F/N	325	190	152	297	1,046	715	251	179	54	244	161	111	261	974	743	297	197	86
South East	Quarter	1	65	8	2	3	4	5	7	6	5	59	6	1	2	4	5	7	7	7
		2	62	8	2	3	4	5	7	8	5	49	6	1	3	5	6	6	7	7
		3	68	7	1	2	5	5	6	9	6	46	5	1	3	4	6	6	6	5
		4	61	8	2	3	5	5	7	8	5	55	7	1	2	5	6	8	7	5
	Year	23/24	64	8	2	3	4	5	7	8	5	52	6	1	3	4	6	7	7	6
	Episodes	F/N	517	322	184	310	1,130	1,237	570	461	107	399	231	136	296	1,155	1,423	639	498	195
South West	Quarter	1	59	7	1	3	3	4	5	7	5	51	4	1	2	4	5	6	6	4
		2	46	6	1	2	3	4	5	7	6	42	5	1	2	5	5	6	6	5
		3	63	8	1	3	4	4	5	5	4	49	5	1	2	4	5	5	6	5
		4	54	5	1	2	3	4	6	7	3	46	5	1	2	4	6	6	8	4
	Year	23/24	55	7	1	2	3	4	5	6	4	47	5	1	2	4	5	6	6	4
	Episodes	F/N	265	159	69	158	575	658	355	317	70	213	109	53	146	690	823	390	355	115

Mean weekly incidence rate per 100,000 Persons.

		Viral Hepatitis (ICD10: B15-B19)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	1	1	1	0	0	0	0	0	0	1	1	0	0	0
	3	0	0	0	0	1	1	0	0	0	1	0	0	0	0	0	0	0	0
	4	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	1	1	1	0	0	0	0	0	0	0	1	0	0	0
	8	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0
	9	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	1	1	1	0	0	0	0	0	0	1	1	0	0	0
	11	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1	0	0	0
	12	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	13	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1	0	0	0
Quarter	1	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0
	2	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1	0	0	0
	4	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1	0	0	0
Year	23/24	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0
Episodes	F/N	1	11	26	116	1,140	1,203	219	76	10	3	12	13	108	776	594	124	52	24

Mean weekly incidence rate per 100,000 Persons.

Viral Hepatitis (ICD10: B15-B19)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	
		2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	1	1	0	0	0	0	0	0	1	0	0	0	0	0	
	Year	23/24	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	2	4	12	108	83	17	5	1	0	2	2	9	68	33	5	3	2	
North West	Quarter	1	0	0	0	0	1	1	0	1	0	1	0	0	0	1	1	0	0	0	
		2	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	0	0	
		3	0	0	0	0	1	2	1	0	0	0	0	0	1	1	0	0	0	0	
		4	0	0	0	0	1	1	0	0	0	0	0	0	1	1	0	0	0	0	
	Year	23/24	0	0	0	0	1	1	1	0	0	0	0	0	1	1	0	0	0	0	
	Episodes	F/N	0	2	3	11	202	265	34	15	1	1	1	6	23	120	126	18	5	3	
East of England	Quarter	1	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	23/24	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	1	1	5	77	51	13	4	2	0	1	1	7	33	28	4	5	1	
Midlands	Quarter	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	1	1	0	0	0	0	0	0	1	0	0	0	0	0	
		4	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
	Year	23/24	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	1	1	17	151	152	22	12	0	0	2	1	16	107	66	13	7	2	
London	Quarter	1	0	0	0	0	1	1	1	1	0	1	0	0	0	1	1	1	1	1	
		2	0	0	0	0	1	2	1	0	0	0	0	0	1	1	1	0	0	0	
		3	0	0	0	0	1	2	2	1	0	0	0	0	1	1	1	1	1	1	
		4	0	0	0	0	1	2	1	1	1	0	0	0	1	1	1	0	1	1	
	Year	23/24	0	0	0	0	1	2	1	1	0	0	0	0	1	1	1	1	1	1	
	Episodes	F/N	0	3	6	34	310	359	65	19	3	1	3	2	17	236	197	51	17	11	
South East	Quarter	1	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
		3	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	
		4	0	0	0	0	1	1	0	0	0	1	0	0	0	0	0	0	0	0	
	Year	23/24	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
	Episodes	F/N	0	1	6	21	158	176	41	15	3	1	1	1	16	111	82	19	8	3	
South West	Quarter	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	0	0	0	1	1	1	0	0	0	0	0	1	0	0	0	0	0	
		3	1	0	0	0	1	1	0	0	0	0	0	0	1	1	0	0	0	0	
		4	0	0	0	0	1	1	0	0	0	0	0	0	1	0	0	0	0	0	
	Year	23/24	0	0	0	0	1	1	0	0	0	0	0	0	1	0	0	0	0	0	
	Episodes	F/N	1	1	5	16	134	117	27	6	0	0	2	0	20	101	62	14	7	2	

3. Environmentally Sensitive Disorders

Mean weekly incidence rate per 100,000 Persons.

Asthma (ICD10: J45-J46)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	2	14	15	6	7	8	7	6	6	1	13	13	9	10	10	10	7	6
	2	0	16	20	12	12	10	9	8	7	0	12	15	12	13	12	10	8	7
	3	0	14	16	8	9	9	8	8	5	2	10	12	9	11	12	11	8	5
	4	0	12	13	7	8	8	9	6	7	1	8	11	10	10	10	10	7	6
	5	1	15	15	7	7	8	7	6	5	0	12	11	9	10	10	8	7	6
	6	1	17	20	9	9	8	8	6	5	0	11	16	12	11	11	9	8	6
	7	1	19	21	9	11	10	9	8	6	1	15	16	12	14	12	10	8	7
	8	1	20	22	10	11	11	10	8	7	0	14	19	14	14	14	12	10	7
	9	0	13	17	8	9	9	8	6	5	0	10	14	11	12	12	10	7	5
	10	0	16	21	9	11	12	11	9	9	0	13	16	14	16	15	11	11	9
	11	1	13	20	9	10	11	11	9	8	1	11	17	12	14	13	12	9	9
	12	2	14	19	8	9	9	9	8	7	0	8	17	11	11	11	9	9	7
	13	1	12	21	8	8	9	9	8	6	1	11	20	10	12	11	10	10	7
Quarter	1	1	14	17	8	9	9	8	7	6	1	11	13	10	11	11	10	7	6
	2	1	15	17	8	8	8	8	6	6	0	11	13	11	11	10	9	7	6
	3	1	17	20	9	11	11	9	8	7	0	13	16	13	14	13	11	9	7
	4	1	13	20	8	9	10	10	8	7	1	10	17	11	12	12	10	9	8
Year	23/24	1	15	18	8	9	9	9	7	6	1	11	15	11	12	12	10	8	7
Episodes	F/N	34	3,106	11,268	5,057	14,292	12,025	3,860	2,161	614	22	2,258	8,816	6,727	17,612	14,349	4,653	2,926	1,036

Mean weekly incidence rate per 100,000 Persons.

Asthma (ICD10: J45 - J46)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	3	15	16	8	9	8	8	8	5	2	16	13	9	10	12	11	7	6
		2	0	20	16	7	9	9	10	5	6	0	9	12	10	9	10	9	7	6
		3	2	17	20	8	11	11	9	8	8	0	14	19	11	13	13	12	9	4
		4	1	12	21	8	11	10	9	9	8	1	11	17	10	13	12	8	10	8
	Year	23/24	1	16	18	8	10	10	9	7	7	1	12	15	10	11	12	10	8	6
	Episodes	F/N	6	329	1,140	442	1,419	1,361	498	266	73	3	237	905	548	1,623	1,617	566	345	109
North West	Quarter	1	1	16	16	8	10	9	8	6	7	1	12	12	8	11	12	11	7	4
		2	3	16	17	8	9	8	9	8	6	0	11	14	10	13	11	9	7	7
		3	0	18	21	10	12	10	9	9	7	1	14	18	13	15	12	10	10	6
		4	1	12	21	8	10	10	10	8	6	1	10	18	11	14	13	10	8	8
	Year	23/24	1	16	19	9	10	9	9	7	7	1	12	15	11	13	12	10	8	6
	Episodes	F/N	7	472	1,639	795	2,181	1,715	570	313	82	3	336	1,277	966	2,580	2,032	669	390	127
East of England	Quarter	1	0	16	18	8	10	9	7	9	8	5	12	11	9	11	12	10	7	5
		2	0	18	14	8	8	8	9	7	3	2	12	13	10	10	9	8	7	6
		3	1	20	19	9	11	11	9	7	5	0	16	15	13	12	12	12	8	7
		4	3	17	19	7	8	9	9	6	2	1	12	18	12	10	11	8	10	10
	Year	23/24	1	18	17	8	9	9	9	7	5	2	13	14	11	11	11	9	8	7
	Episodes	F/N	4	320	975	412	1,222	1,106	355	216	47	7	223	758	548	1,442	1,249	421	282	116
Midlands	Quarter	1	0	15	17	8	10	9	8	7	4	0	11	14	11	12	11	9	9	5
		2	0	13	16	8	9	8	7	7	5	1	14	14	11	12	11	9	7	6
		3	1	16	19	8	10	11	9	7	6	0	12	17	12	14	13	10	8	8
		4	1	13	19	8	10	10	9	8	8	0	9	18	11	14	12	10	8	8
	Year	23/24	0	14	18	8	10	9	8	7	6	0	11	16	11	13	12	9	8	7
	Episodes	F/N	2	522	1,913	872	2,372	2,061	646	384	96	1	389	1,610	1,193	3,013	2,492	778	505	187
London	Quarter	1	0	12	14	7	7	7	8	7	10	1	8	12	9	9	10	9	7	8
		2	0	15	16	7	6	6	6	6	9	1	10	12	9	8	9	7	8	6
		3	1	16	17	7	7	8	9	7	10	1	11	14	11	11	11	9	9	7
		4	1	11	17	7	6	7	8	10	3	0	8	13	9	10	9	8	8	7
	Year	23/24	1	13	16	7	7	7	8	8	8	1	9	13	10	10	10	8	8	7
	Episodes	F/N	7	521	1,683	762	2,392	1,479	397	198	72	6	339	1,268	1,113	3,138	1,815	438	269	105
South East	Quarter	1	1	13	19	10	10	9	9	6	5	0	12	14	12	13	11	10	8	6
		2	0	15	18	10	8	8	7	6	7	0	12	14	12	11	11	9	8	5
		3	0	17	22	10	12	12	10	8	7	0	13	16	14	15	14	11	10	7
		4	1	14	20	9	10	11	10	8	8	1	12	19	14	14	13	11	11	8
	Year	23/24	1	15	20	10	10	10	9	7	7	0	12	16	13	13	12	10	9	6
	Episodes	F/N	5	590	2,392	1,122	2,722	2,523	754	416	136	1	469	1,811	1,425	3,428	2,979	949	667	212
South West	Quarter	1	1	12	17	9	11	10	9	7	6	0	12	16	11	13	12	11	7	6
		2	0	14	19	7	11	9	8	6	5	0	11	15	13	14	11	10	8	8
		3	1	19	25	11	14	13	11	9	5	0	13	18	17	18	16	14	8	8
		4	1	14	25	10	12	12	11	8	10	1	11	19	13	13	14	13	9	6
	Year	23/24	1	15	21	9	12	11	10	8	7	0	12	17	14	15	13	12	8	7
	Episodes	F/N	3	352	1,526	652	1,984	1,780	640	368	108	1	265	1,187	934	2,388	2,165	832	468	180

Mean weekly incidence rate per 100,000 Persons.

		Conjunctivitis (ICD10: H10-H13)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	231	114	29	7	10	11	15	19	34	205	110	30	11	17	17	22	25	38
	2	208	106	44	11	11	12	16	21	38	194	80	35	13	18	18	22	25	37
	3	149	63	21	7	8	12	15	22	32	140	55	17	9	12	16	20	22	40
	4	127	37	12	6	7	10	16	19	29	103	32	10	8	11	14	20	26	38
	5	90	32	14	6	7	10	15	19	33	101	27	12	8	10	14	19	25	35
	6	123	48	14	7	7	10	15	19	34	123	41	14	9	11	15	19	23	36
	7	158	58	12	6	7	10	14	18	31	141	55	13	9	10	14	18	22	36
	8	199	97	14	6	7	9	13	18	28	176	94	14	9	10	14	18	23	35
	9	242	91	11	5	6	9	13	17	28	233	82	11	8	10	13	18	21	32
	10	267	143	13	6	7	10	15	20	32	253	127	15	9	11	15	19	25	37
	11	312	129	13	7	7	10	14	21	35	274	120	15	8	10	15	20	25	41
	12	269	99	13	5	7	9	13	19	33	240	96	13	7	10	14	18	23	36
	13	211	73	15	6	8	11	15	20	33	207	60	12	8	11	16	23	25	41
Quarter	1	191	90	30	8	9	11	15	21	34	175	78	26	11	15	17	22	24	38
	2	119	41	13	6	7	10	15	19	32	112	36	12	9	10	14	19	24	36
	3	220	99	12	5	7	9	14	18	30	206	91	13	9	10	14	18	23	35
	4	267	105	14	6	7	10	14	20	33	242	97	14	8	11	15	20	24	39
Year	23/24	199	84	17	7	8	10	14	19	32	184	75	16	9	12	15	20	24	37
Episodes	F/N	8,482	17,498	10,529	4,008	11,570	13,044	6,378	5,742	3,070	7,396	14,932	9,410	5,391	16,722	18,367	9,126	8,320	5,789

Mean weekly incidence rate per 100,000 Persons.

Conjunctivitis (ICD10: H10-H13)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	229	93	27	7	10	11	12	17	28	195	77	25	9	14	15	17	20	37
		2	145	37	11	6	7	11	13	16	27	97	36	10	8	9	13	17	21	31
		3	253	99	11	5	6	9	11	17	28	250	99	12	8	9	12	15	21	30
		4	289	100	11	6	7	8	12	17	21	253	84	13	7	9	13	17	20	33
	Year	23/24	229	82	15	6	8	10	12	17	26	199	74	15	8	10	13	17	21	33
	Episodes	F/N	942	1,660	929	343	1,057	1,369	669	600	280	757	1,426	897	454	1,484	1,797	947	859	582
North West	Quarter	1	232	97	29	10	11	13	19	22	40	239	83	26	12	17	20	24	28	53
		2	169	55	16	8	9	13	17	25	41	149	50	15	9	13	19	25	30	48
		3	308	132	11	6	8	11	17	21	43	282	118	13	9	13	17	21	29	48
		4	346	114	14	7	9	11	17	25	49	310	112	14	9	13	19	27	30	55
	Year	23/24	263	99	18	7	9	12	17	23	43	245	91	17	10	14	19	24	29	51
	Episodes	F/N	1,637	2,993	1,524	685	1,956	2,204	1,124	963	538	1,422	2,608	1,388	884	2,674	3,179	1,606	1,421	1,019
East of England	Quarter	1	189	97	29	8	10	9	13	20	25	211	86	25	12	15	14	19	20	34
		2	108	38	10	6	6	8	11	12	25	123	32	9	8	8	11	14	23	28
		3	212	93	10	4	6	8	12	15	24	177	88	11	7	8	11	16	18	28
		4	253	108	11	5	6	8	12	15	30	229	95	13	6	9	13	16	23	37
	Year	23/24	190	84	15	6	7	8	12	15	26	185	75	15	8	10	12	16	21	32
	Episodes	F/N	672	1,522	833	293	925	1,008	500	458	266	616	1,297	777	411	1,331	1,402	714	735	530
Midlands	Quarter	1	200	88	28	9	10	11	17	22	34	177	78	28	11	16	18	22	25	36
		2	112	38	13	7	8	10	17	18	34	130	38	13	9	12	14	21	23	35
		3	244	107	14	6	7	10	14	18	30	212	94	14	10	10	15	19	24	36
		4	281	101	14	7	8	9	14	22	35	248	93	14	11	11	16	21	24	36
	Year	23/24	209	83	17	7	8	10	15	20	33	192	76	17	10	12	16	21	24	36
	Episodes	F/N	1,543	3,053	1,834	776	1,959	2,232	1,220	1,085	554	1,363	2,637	1,755	1,072	2,842	3,325	1,699	1,530	980
London	Quarter	1	181	112	44	10	8	13	19	27	41	149	87	36	12	16	19	27	29	42
		2	97	46	18	7	7	10	16	23	33	97	38	16	10	11	15	18	29	36
		3	147	84	18	6	6	10	17	18	19	141	79	17	9	10	16	24	25	30
		4	208	107	21	7	6	10	17	23	33	181	89	18	8	11	18	26	27	42
	Year	23/24	159	87	25	7	7	11	17	23	32	142	73	22	10	12	17	24	27	38
	Episodes	F/N	1,349	3,409	2,656	835	2,491	2,261	847	597	284	1,146	2,734	2,228	1,141	3,870	3,147	1,232	905	567
South East	Quarter	1	171	82	27	8	9	11	15	22	37	152	78	22	10	16	16	23	24	41
		2	116	40	11	6	7	10	14	21	34	103	33	10	7	10	14	18	25	43
		3	213	101	11	5	7	9	13	19	31	228	92	11	8	10	14	18	21	39
		4	269	113	12	6	7	10	14	20	35	261	107	12	8	11	14	20	26	42
	Year	23/24	192	84	16	6	7	10	14	21	34	186	78	14	8	12	15	20	24	41
	Episodes	F/N	1,553	3,404	1,874	710	1,987	2,528	1,205	1,248	690	1,413	2,966	1,591	930	2,979	3,589	1,805	1,722	1,353
South West	Quarter	1	147	60	20	6	8	10	12	17	33	129	51	17	8	12	12	18	20	28
		2	92	30	10	6	7	9	13	16	25	81	20	9	8	8	13	15	20	29
		3	183	72	9	4	7	8	13	16	27	162	65	10	7	9	12	15	21	30
		4	235	83	10	5	7	9	12	16	30	228	89	9	6	9	11	15	20	29
	Year	23/24	164	61	12	5	7	9	12	16	29	150	56	11	7	9	12	16	20	29
	Episodes	F/N	786	1,457	879	366	1,195	1,442	813	791	458	679	1,264	774	499	1,542	1,928	1,123	1,148	758

Mean weekly incidence rate per 100,000 Persons.

		Hayfever/Allergic Rhinitis (ICD10: J30)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	17	23	37	18	11	8	8	7	5	20	16	23	19	21	14	12	8	7
	2	25	52	117	74	47	24	15	12	10	27	31	71	75	70	34	18	15	13
	3	6	11	19	12	8	7	7	6	5	2	7	14	12	12	9	8	7	4
	4	1	6	10	6	5	4	4	4	3	1	4	8	7	7	6	5	4	4
	5	1	5	12	7	4	3	4	3	2	3	3	6	6	6	4	4	3	3
	6	1	3	10	5	3	3	3	3	3	0	3	7	6	5	4	4	3	2
	7	1	3	9	5	4	3	4	3	2	0	2	6	6	5	4	3	3	1
	8	0	2	8	5	3	3	3	3	2	0	2	6	4	5	4	4	2	1
	9	0	1	6	4	3	2	2	1	1	0	1	4	4	3	3	3	1	0
	10	1	3	9	5	4	3	3	3	2	0	1	5	5	5	5	4	3	1
	11	1	4	9	6	5	4	4	4	2	1	2	7	6	7	6	6	5	2
	12	0	4	11	8	5	5	4	4	3	1	3	9	8	8	7	7	5	3
	13	2	10	23	14	9	8	8	7	6	3	6	17	14	15	13	11	8	6
Quarter	1	15	27	54	33	21	12	9	8	6	15	17	34	33	32	18	12	9	8
	2	1	4	10	6	4	3	4	3	3	1	3	7	6	6	4	4	4	2
	3	1	2	8	4	3	3	3	3	2	0	2	5	5	5	4	3	2	1
	4	1	6	14	9	6	6	5	5	4	1	3	11	9	9	9	8	6	3
Year	23/24	4	10	21	13	8	6	5	5	4	4	6	14	13	13	9	7	5	4
Episodes	F/N	186	2,019	13,095	7,822	12,889	7,563	2,361	1,397	335	176	1,224	8,223	7,947	18,655	10,591	3,138	1,828	549

Mean weekly incidence rate per 100,000 Persons.

Hayfever/Allergic Rhinitis (ICD10: J30)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	25	29	43	25	15	9	8	6	6	19	16	27	27	25	12	8	8	5
		2	1	3	7	4	3	2	3	3	2	0	2	5	4	4	3	3	3	1
		3	0	1	5	2	2	2	1	3	0	0	1	4	2	3	3	3	1	0
		4	0	5	8	5	4	4	3	4	1	1	2	7	6	6	6	6	4	3
	Year	23/24	7	10	16	9	6	4	4	4	2	5	5	11	10	9	6	5	4	2
	Episodes	F/N	27	193	984	518	901	576	200	134	25	19	106	631	542	1,346	815	280	159	38
North West	Quarter	1	18	28	57	34	23	13	10	10	9	23	18	33	39	40	20	13	12	9
		2	0	5	12	6	5	4	5	4	4	1	2	8	7	8	5	5	4	4
		3	1	2	8	5	4	3	3	3	1	1	3	6	5	5	5	4	3	1
		4	1	7	14	9	7	7	5	5	4	2	4	11	10	12	9	8	5	3
	Year	23/24	5	10	23	13	10	7	6	5	5	7	7	15	15	16	10	8	6	4
	Episodes	F/N	31	314	1,988	1,231	2,082	1,194	370	225	57	40	200	1,221	1,355	3,079	1,627	517	294	81
East of England	Quarter	1	17	23	40	24	15	8	7	6	4	12	16	27	25	20	11	7	6	6
		2	1	3	7	4	3	2	3	3	1	1	2	5	3	3	2	3	3	2
		3	1	2	5	3	2	2	2	1	1	0	1	4	4	3	2	2	1	0
		4	1	6	11	7	4	4	3	3	4	1	3	8	5	7	5	6	5	3
	Year	23/24	5	9	16	9	6	4	4	3	3	4	5	11	9	8	5	5	4	3
	Episodes	F/N	18	160	869	466	807	470	160	100	28	12	93	579	452	1,080	611	208	136	46
Midlands	Quarter	1	15	30	55	35	22	11	10	9	7	21	19	34	34	33	17	12	9	6
		2	2	4	9	7	4	3	4	3	3	3	3	5	8	6	5	4	4	2
		3	0	2	6	5	3	3	3	3	2	0	1	4	4	5	4	4	3	1
		4	1	6	11	9	6	6	4	5	4	2	3	10	9	8	8	7	5	3
	Year	23/24	5	10	20	14	8	6	5	5	4	6	7	13	13	13	8	7	5	3
	Episodes	F/N	34	382	2,167	1,521	2,070	1,257	416	269	65	45	237	1,355	1,442	2,967	1,787	560	348	85
London	Quarter	1	7	27	70	32	22	20	19	13	10	8	18	45	35	37	32	23	17	13
		2	0	6	16	7	4	4	5	6	4	0	4	10	8	7	6	6	4	3
		3	1	3	11	5	4	3	4	2	4	0	2	8	5	5	5	5	2	2
		4	2	8	22	11	7	8	9	7	5	0	5	18	13	11	12	10	10	7
	Year	23/24	3	11	30	14	9	9	9	7	6	2	8	20	15	15	14	11	8	6
	Episodes	F/N	24	429	3,161	1,553	3,287	1,850	455	183	51	17	280	2,038	1,725	4,884	2,552	566	277	92
South East	Quarter	1	14	29	60	41	26	13	9	9	5	11	16	38	38	37	18	12	11	11
		2	1	4	11	6	4	3	4	3	3	2	3	7	8	6	5	4	4	3
		3	0	3	9	5	3	3	3	3	2	0	2	6	6	5	4	3	2	1
		4	1	4	16	11	8	6	7	6	5	1	3	12	10	12	11	10	7	4
	Year	23/24	4	10	24	16	10	6	6	5	4	3	6	16	16	15	9	7	6	5
	Episodes	F/N	35	408	2,899	1,834	2,735	1,594	509	314	73	26	224	1,797	1,736	3,834	2,291	681	415	151
South West	Quarter	1	14	17	36	26	15	7	5	6	4	13	10	23	26	22	11	7	5	4
		2	0	3	7	5	3	2	2	2	1	0	2	4	4	3	3	2	2	1
		3	0	1	6	3	3	2	2	2	2	0	1	3	4	4	3	2	2	1
		4	0	2	8	7	4	4	5	4	2	2	2	6	6	7	6	6	5	2
	Year	23/24	4	6	14	10	6	4	4	4	2	4	4	9	10	9	6	5	3	2
	Episodes	F/N	17	133	1,027	699	1,007	622	251	172	36	17	84	602	695	1,465	908	326	199	56

Mean weekly incidence rate per 100,000 Persons.

		Infected Insect Bites																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	175	10	0	0	0	0	0	0	0	101	7	0	0	0	0	0	0	0
	2	113	7	0	0	0	0	0	0	0	68	5	0	0	0	0	0	0	0
	3	127	9	0	0	0	0	0	0	0	77	5	0	0	0	0	0	0	0
	4	114	7	0	0	0	0	0	0	0	62	5	0	0	0	0	0	0	0
	5	127	11	0	0	0	0	0	0	0	71	9	0	0	0	0	0	0	0
	6	361	29	0	0	0	0	0	0	0	234	20	0	0	0	0	0	0	0
	7	698	53	0	0	0	0	0	0	0	498	44	0	0	0	0	0	0	0
	8	802	48	0	0	0	0	0	0	0	603	38	0	0	0	0	0	0	0
	9	472	23	0	0	0	0	0	0	0	353	17	0	0	0	0	0	0	0
	10	325	21	0	0	0	0	0	0	0	214	16	0	0	0	0	0	0	0
	11	308	19	0	0	0	0	0	0	0	194	14	0	0	0	0	0	0	0
	12	312	19	0	0	0	0	0	0	0	215	14	0	0	0	0	0	0	0
	13	221	13	0	0	0	0	0	0	0	141	11	0	0	0	0	0	0	0
Quarter	1	138	9	0	0	0	0	0	0	0	82	6	0	0	0	0	0	0	0
	2	271	20	0	0	0	0	0	0	0	173	16	0	0	0	0	0	0	0
	3	586	36	0	0	0	0	0	0	0	428	29	0	0	0	0	0	0	0
	4	284	17	0	0	0	0	0	0	0	188	13	0	0	0	0	0	0	0
Year	23/24	319	21	0	0	0	0	0	0	0	217	16	0	0	0	0	0	0	0
Episodes	F/N	13,582	4,308	83	12	60	76	61	28	13	8,724	3,146	55	24	76	147	81	60	21

Mean weekly incidence rate per 100,000 Persons.

Infected Insect Bites

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	162	10	0	0	0	0	0	0	0	98	5	0	0	0	0	0	0	0
		2	339	23	0	0	0	0	0	0	0	230	18	0	0	0	0	0	0	0
		3	742	38	0	0	0	0	0	0	0	507	29	0	0	0	0	0	0	0
		4	376	14	0	0	0	0	0	0	0	241	17	0	0	0	0	0	0	0
	Year	23/24	405	21	0	0	0	0	0	0	0	268	17	0	0	0	0	0	0	0
	Episodes	F/N	1,665	430	6	0	2	8	8	3	1	1,019	331	4	3	13	15	8	9	3
North West	Quarter	1	154	11	0	0	0	0	0	0	0	84	6	0	0	0	0	0	0	0
		2	414	29	0	0	0	0	0	0	0	249	24	0	0	0	0	0	0	0
		3	631	42	0	0	0	0	0	0	0	482	31	0	0	0	0	0	0	0
		4	344	22	0	0	0	0	0	0	0	214	16	0	0	0	0	0	0	0
	Year	23/24	385	26	0	0	0	0	0	0	0	257	19	0	0	0	0	0	0	0
	Episodes	F/N	2,389	788	13	2	10	10	7	4	0	1,487	554	7	3	6	10	13	2	2
East of England	Quarter	1	129	8	0	0	0	0	0	0	0	83	7	0	0	0	0	1	0	0
		2	192	20	0	0	0	0	0	0	0	151	13	0	0	0	0	0	1	1
		3	658	43	0	0	0	0	1	0	0	408	33	0	0	0	0	0	1	0
		4	299	16	0	0	0	0	0	0	1	193	15	0	0	0	0	0	0	0
	Year	23/24	318	22	0	0	0	0	0	0	0	208	17	0	0	0	0	0	1	0
	Episodes	F/N	1,124	397	8	2	11	14	14	4	3	691	295	12	5	18	30	15	18	3
Midlands	Quarter	1	157	7	0	0	0	0	0	0	0	89	6	0	0	0	0	0	0	0
		2	275	16	0	0	0	0	0	0	0	189	13	0	0	0	0	0	0	0
		3	512	31	0	0	0	0	0	0	0	386	20	0	0	0	0	0	0	0
		4	262	13	0	0	0	0	0	0	0	177	10	0	0	0	0	0	0	0
	Year	23/24	301	17	0	0	0	0	0	0	0	210	12	0	0	0	0	0	0	0
	Episodes	F/N	2,217	617	15	1	6	7	6	3	3	1,491	425	8	1	7	16	6	6	5
London	Quarter	1	111	8	0	0	0	0	0	0	0	71	5	0	0	0	0	0	0	0
		2	168	16	0	0	0	0	0	0	0	107	11	0	0	0	0	0	0	0
		3	422	25	0	0	0	0	0	0	0	325	24	0	0	0	0	0	0	0
		4	200	16	0	0	0	0	0	0	0	125	10	0	0	0	0	0	0	0
	Year	23/24	225	17	0	0	0	0	0	0	0	157	13	0	0	0	0	0	0	0
	Episodes	F/N	1,909	649	10	3	8	9	5	2	1	1,261	471	7	1	6	11	3	1	2
South East	Quarter	1	131	8	0	0	0	0	0	0	0	80	6	0	0	0	0	0	0	0
		2	258	20	0	0	0	0	0	0	0	152	17	0	0	0	0	0	0	0
		3	648	44	0	0	0	0	0	0	0	459	36	0	0	0	0	0	1	0
		4	291	20	0	0	0	0	0	0	0	210	14	0	0	0	0	0	0	0
	Year	23/24	331	23	0	0	0	0	0	0	0	224	18	0	0	0	0	0	0	0
	Episodes	F/N	2,677	943	26	4	14	21	17	10	4	1,701	691	11	7	16	40	28	21	6
South West	Quarter	1	130	9	0	0	0	0	0	0	0	74	7	0	0	0	0	0	0	0
		2	281	21	0	0	0	0	0	0	0	174	15	0	0	0	0	0	0	0
		3	640	33	0	0	0	0	0	0	0	505	31	0	0	0	0	0	0	0
		4	293	18	0	0	0	0	0	0	0	201	15	0	0	0	0	0	0	0
	Year	23/24	335	20	0	0	0	0	0	0	0	237	17	0	0	0	0	0	0	0
	Episodes	F/N	1,601	484	5	0	9	7	4	2	1	1,074	379	6	4	10	25	8	3	0

4. Vaccine Sensitive Disorders

Mean weekly incidence rate per 100,000 Persons.

		Measles (ICD10: B05)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	10	5	2	1	0	0	0	0	0	0	2	2	1	0	0	0	0	0	0
	11	3	2	1	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0
	12	2	2	1	0	0	0	0	0	0	4	2	1	0	0	0	0	0	0
	13	3	2	0	0	0	0	0	0	0	3	2	0	0	0	0	0	0	0
Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	4	3	2	1	0	0	0	0	0	0	3	2	0	0	0	0	0	0	0
Year	23/24	1	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
Episodes	F/N	57	192	138	44	40	10	4	0	0	37	177	111	34	51	18	1	2	1

Mean weekly incidence rate per 100,000 Persons.

Measles (ICD10: B05)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		4	1	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
	Year	23/24	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	Episodes	F/N	2	13	8	1	2	3	0	0	0	2	9	6	1	3	4	0	0	0
North West	Quarter	1	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		2	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
		3	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
		4	5	3	1	0	0	0	0	0	0	3	4	0	0	0	0	0	0	0
	Year	23/24	1	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
	Episodes	F/N	9	36	19	7	6	1	1	0	0	5	41	12	1	5	1	0	0	0
East of England	Quarter	1	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		4	1	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
	Year	23/24	0	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
	Episodes	F/N	1	11	5	2	2	1	0	0	0	3	10	9	1	0	1	0	0	0
Midlands	Quarter	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	4	3	1	0	0	0	0	0	0	1	3	1	0	0	0	0	0	0
		4	4	2	1	0	0	0	0	0	0	3	3	1	0	0	0	0	0	0
	Year	23/24	2	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
	Episodes	F/N	18	51	56	17	11	2	2	0	0	7	47	40	12	24	5	0	2	1
London	Quarter	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		2	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	5	4	1	0	0	0	0	0	0	4	4	1	0	0	0	0	0	0
	Year	23/24	2	1	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0
	Episodes	F/N	21	48	36	15	13	1	0	0	0	13	43	26	14	12	4	0	0	0
South East	Quarter	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	1	1	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0
	Year	23/24	1	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
	Episodes	F/N	5	23	9	1	4	1	0	0	0	4	23	12	2	3	3	1	0	0
South West	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	1	1	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	Year	23/24	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	Episodes	F/N	1	10	5	1	2	1	1	0	0	3	4	6	3	4	0	0	0	0

Mean weekly incidence rate per 100,000 Persons.

		Mumps (ICD10: B26)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	13	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Year	23/24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Episodes	F/N	1	97	147	32	70	54	5	6	0	0	55	97	46	116	47	10	6	6

Mean weekly incidence rate per 100,000 Persons.

Mumps (ICD10: B26)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	23/24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	1	10	17	3	5	5	1	0	0	0	4	14	5	12	5	2	2	0
North West	Quarter	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
		4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	23/24	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	16	28	8	19	10	2	0	0	0	10	20	10	28	9	1	1	1
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	23/24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	8	11	3	3	1	0	1	0	0	6	7	1	1	4	1	0	2
Midlands	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	23/24	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	21	27	6	7	8	2	0	0	0	7	13	6	20	7	2	3	1
London	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	Year	23/24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	14	19	4	13	7	0	0	0	0	13	16	5	19	4	1	0	1
South East	Quarter	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	Year	23/24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	20	32	3	14	13	0	4	0	0	11	14	11	23	13	2	0	1
South West	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	23/24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	8	13	5	9	10	0	1	0	0	4	13	8	13	5	1	0	0

Mean weekly incidence rate per 100,000 Persons.

		Rubella (ICD10: B06)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00
	2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00
	3	0.00	0.06	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00
	4	0.30	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.00	0.00	0.00	0.01	0.00	0.03	0.00	0.00
	5	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.02	0.00	0.00	0.00
	6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.01	0.06	0.00	0.00
	7	0.00	0.06	0.04	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00
	8	0.00	0.06	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.01	0.01	0.00	0.00	0.00
	9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
	10	0.00	0.00	0.04	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.02	0.00	0.00	0.00
	11	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.02	0.00	0.00	0.00	0.00	0.00	0.00
	12	0.00	0.00	0.04	0.00	0.00	0.01	0.00	0.00	0.00	0.32	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	13	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.02	0.02	0.00	0.00	0.00	0.00	0.00
Quarter	1	0.09	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00
	2	0.00	0.04	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.10	0.04	0.00	0.00	0.00	0.01	0.03	0.00	0.00
	3	0.00	0.04	0.03	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.00	0.00	0.00
	4	0.00	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00
Year	23/24	0.02	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.03	0.01	0.00	0.00	0.01	0.01	0.00	0.00
Episodes	F/N	1.00	7.00	8.00	0.00	5.00	1.00	0.00	0.00	0.00	3.00	6.00	4.00	2.00	4.00	11.00	4.00	0.00	0.00

Mean weekly incidence rate per 100,000 Persons.

Rubella (ICD10: B06)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.20	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	23/24	0.00	0.05	0.03	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
	Episodes	F/N	0.00	1.00	2.00	0.00	2.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
North West	Quarter	1	0.64	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.06	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.00	0.05	0.00	0.00	0.00
		3	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	23/24	0.16	0.03	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.03	0.02	0.00	0.00
	Episodes	F/N	1.00	1.00	2.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	0.00	0.00	0.00	5.00	1.00	0.00	0.00
East of England	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00
		4	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.00	0.08	0.00	0.00	0.00	0.00	0.00
	Year	23/24	0.00	0.06	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.02	0.00	0.01	0.00	0.00	0.00
	Episodes	F/N	0.00	1.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	2.00	0.00	1.00	0.00	1.00	0.00	0.00	0.00
Midlands	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.56	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00
		3	0.00	0.11	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.02	0.00	0.00	0.00
		4	0.00	0.11	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	23/24	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00
	Episodes	F/N	0.00	2.00	0.00	0.00	1.00	1.00	0.00	0.00	0.00	1.00	0.00	1.00	0.00	0.00	2.00	0.00	0.00	0.00
London	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.01	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.03	0.00	0.00	0.00	0.00	0.00
	Year	23/24	0.00	0.03	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.03	0.01	0.01	0.00	0.00	0.00	0.00	0.00
	Episodes	F/N	0.00	1.00	2.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00
South East	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.13	0.00	0.00
		3	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00
	Year	23/24	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.02	0.00	0.00	0.01	0.03	0.00	0.00
	Episodes	F/N	0.00	0.00	1.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	1.00	2.00	0.00	0.00	3.00	3.00	0.00	0.00
South West	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00
		2	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00
		3	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	23/24	0.00	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
	Episodes	F/N	0.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	2.00	0.00	0.00	0.00	0.00

Mean weekly incidence rate per 100,000 Persons.

		Whooping Cough (ICD10: A37)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.2	0.3	0.0	0.0	0.1	0.0
	2	1.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.3	0.1	0.1	0.2	0.0	0.0	0.0	0.0
	3	0.6	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.6	0.2	0.0	0.1	0.2	0.1	0.0	0.0	0.0
	4	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.1	0.2	0.3	0.0	0.0	0.0	0.0
	5	0.3	0.2	0.1	0.1	0.0	0.0	0.1	0.0	0.0	1.6	0.2	0.1	0.0	0.2	0.0	0.0	0.0	0.1
	6	1.2	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.3	0.3	0.2	0.1	0.2	0.1	0.0	0.0	0.0
	7	0.0	0.2	0.1	0.1	0.0	0.0	0.1	0.0	0.0	1.0	0.3	0.1	0.1	0.2	0.1	0.0	0.0	0.0
	8	0.0	0.1	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.4	0.2	0.2	0.1	0.1	0.0	0.0
	9	1.6	0.3	0.4	0.2	0.0	0.1	0.1	0.0	0.0	2.0	0.6	0.5	0.2	0.3	0.1	0.1	0.0	0.1
	10	1.5	0.7	0.7	0.3	0.1	0.2	0.1	0.0	0.1	1.0	0.7	1.1	0.4	0.3	0.4	0.1	0.1	0.0
	11	1.5	0.7	1.3	0.4	0.2	0.3	0.1	0.1	0.0	2.3	0.9	1.5	0.5	0.4	0.4	0.3	0.1	0.0
	12	4.0	1.2	1.7	0.6	0.3	0.4	0.2	0.2	0.3	4.5	1.2	2.5	0.6	0.6	0.6	0.3	0.4	0.2
	13	3.3	1.8	2.2	1.0	0.5	0.6	0.3	0.4	0.0	9.5	1.8	2.9	1.1	0.8	0.7	0.5	0.3	0.2
Quarter	1	0.7	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.2	0.1	0.1	0.2	0.0	0.0	0.0	0.0
	2	0.5	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.7	0.2	0.1	0.1	0.2	0.0	0.0	0.0	0.0
	3	0.7	0.3	0.4	0.2	0.0	0.1	0.1	0.0	0.0	1.1	0.5	0.5	0.2	0.3	0.2	0.1	0.0	0.0
	4	3.0	1.2	1.7	0.7	0.3	0.4	0.2	0.2	0.1	5.3	1.3	2.2	0.7	0.6	0.6	0.3	0.3	0.1
Year	23/24	1.2	0.5	0.6	0.2	0.1	0.1	0.1	0.1	0.0	2.1	0.5	0.7	0.3	0.3	0.2	0.1	0.1	0.0
Episodes	F/N	51.0	98.0	346.0	151.0	140.0	181.0	40.0	20.0	3.0	85.0	109.0	429.0	173.0	471.0	249.0	50.0	30.0	6.0

Mean weekly incidence rate per 100,000 Persons.

Whooping Cough (ICD10: A37)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0.0	0.2	0.2	0.0	0.0	0.1	0.0	0.0	0.0	3.1	0.6	0.3	0.4	0.0	0.1	0.0	0.0	0.0
		2	1.9	0.4	0.1	0.0	0.0	0.1	0.1	0.0	0.0	1.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.2
		3	1.0	0.6	0.3	0.1	0.1	0.1	0.0	0.0	0.0	2.1	0.8	0.7	0.1	0.2	0.2	0.1	0.1	0.0
		4	2.0	2.8	1.3	0.4	0.3	0.3	0.2	0.2	0.0	5.2	1.7	2.4	0.6	0.4	0.5	0.4	0.4	0.0
	Year	23/24	1.2	1.0	0.4	0.1	0.1	0.1	0.1	0.1	0.0	2.9	0.8	0.9	0.3	0.2	0.2	0.1	0.1	0.1
	Episodes	F/N	5.0	20.0	28.0	8.0	15.0	17.0	4.0	2.0	0.0	11.0	16.0	53.0	15.0	22.0	28.0	7.0	5.0	1.0
North West	Quarter	1	1.3	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.7	0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0
		2	0.6	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.6	0.1	0.0	0.1	0.0	0.0	0.1	0.0
		3	1.9	0.5	0.7	0.2	0.0	0.1	0.1	0.1	0.0	1.4	1.0	0.7	0.2	0.3	0.2	0.1	0.0	0.0
		4	5.2	1.3	1.5	0.4	0.2	0.3	0.1	0.3	0.3	8.9	0.8	1.3	0.4	0.4	0.3	0.1	0.3	0.0
	Year	23/24	2.3	0.6	0.6	0.2	0.1	0.1	0.0	0.1	0.1	3.1	0.6	0.5	0.2	0.2	0.1	0.0	0.1	0.0
	Episodes	F/N	14.0	17.0	51.0	18.0	15.0	23.0	3.0	4.0	1.0	18.0	18.0	43.0	15.0	46.0	20.0	3.0	5.0	0.0
East of England	Quarter	1	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.0	1.2	0.2	0.0	0.0	0.1	0.0	0.0	0.1	0.0
		2	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0
		3	0.0	0.2	0.1	0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.2	0.3	0.1	0.0	0.0	0.0	0.0
		4	4.5	0.9	0.9	0.5	0.2	0.3	0.3	0.0	0.0	3.6	0.5	1.0	0.3	0.3	0.4	0.4	0.1	0.2
	Year	23/24	1.1	0.3	0.3	0.2	0.1	0.1	0.2	0.0	0.0	1.2	0.2	0.3	0.2	0.1	0.1	0.1	0.1	0.1
	Episodes	F/N	4.0	5.0	16.0	8.0	11.0	9.0	8.0	0.0	0.0	4.0	4.0	18.0	9.0	18.0	17.0	4.0	2.0	1.0
Midlands	Quarter	1	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.1	0.1	0.2	0.2	0.0	0.0	0.0	0.0
		2	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.6	0.2	0.0	0.1	0.4	0.0	0.0	0.0	0.0
		3	0.5	0.1	0.3	0.2	0.0	0.0	0.1	0.0	0.0	2.3	0.2	0.2	0.2	0.3	0.2	0.1	0.1	0.0
		4	2.2	1.0	1.0	0.6	0.3	0.3	0.1	0.1	0.0	2.3	1.5	1.8	0.7	0.7	0.5	0.2	0.1	0.1
	Year	23/24	0.9	0.3	0.4	0.2	0.1	0.1	0.0	0.0	0.0	1.5	0.5	0.5	0.3	0.4	0.2	0.1	0.0	0.0
	Episodes	F/N	7.0	11.0	38.0	22.0	23.0	21.0	3.0	2.0	0.0	11.0	18.0	54.0	32.0	98.0	38.0	8.0	3.0	1.0
London	Quarter	1	1.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.1	0.0	0.2	0.5	0.0	0.0	0.1	0.0
		2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.3	0.3	0.2	0.4	0.0	0.0	0.0	0.0
		3	1.0	0.5	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	0.2	0.5	0.1	0.1	0.0	0.0
		4	2.3	0.7	1.2	0.4	0.1	0.1	0.0	0.2	0.0	4.4	1.5	1.1	0.7	0.5	0.4	0.2	0.0	0.0
	Year	23/24	1.2	0.5	0.4	0.1	0.0	0.1	0.0	0.0	0.0	2.2	0.6	0.5	0.3	0.5	0.2	0.1	0.0	0.0
	Episodes	F/N	10.0	20.0	40.0	16.0	15.0	13.0	0.0	1.0	0.0	18.0	23.0	46.0	39.0	163.0	29.0	4.0	1.0	0.0
South East	Quarter	1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.5	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0
		2	1.0	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0
		3	0.0	0.1	0.5	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.5	0.7	0.2	0.1	0.1	0.0	0.1	0.0
		4	2.0	0.8	1.8	0.5	0.4	0.6	0.3	0.1	0.4	5.8	1.0	2.6	0.8	0.7	0.7	0.3	0.3	0.0
	Year	23/24	0.7	0.2	0.6	0.3	0.1	0.2	0.1	0.0	0.1	1.7	0.4	0.8	0.3	0.2	0.2	0.1	0.1	0.0
	Episodes	F/N	6.0	10.0	74.0	33.0	30.0	49.0	8.0	2.0	2.0	13.0	16.0	95.0	30.0	63.0	52.0	9.0	6.0	0.0
South West	Quarter	1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0
		2	0.0	0.2	0.1	0.2	0.0	0.0	0.1	0.2	0.0	0.0	0.2	0.2	0.0	0.1	0.1	0.1	0.1	0.0
		3	0.0	0.3	0.7	0.3	0.0	0.1	0.1	0.0	0.0	1.8	0.5	0.6	0.3	0.1	0.3	0.1	0.0	0.2
		4	4.2	2.0	4.7	2.2	0.6	1.0	0.6	0.6	0.0	7.1	1.8	6.1	1.6	1.1	1.2	0.7	0.5	0.3
	Year	23/24	1.0	0.6	1.4	0.7	0.2	0.3	0.2	0.2	0.0	2.2	0.6	1.7	0.5	0.4	0.4	0.2	0.1	0.1
	Episodes	F/N	5.0	15.0	99.0	46.0	31.0	49.0	14.0	9.0	0.0	10.0	14.0	120.0	33.0	61.0	65.0	15.0	8.0	3.0

5. Skin Contagions

Mean weekly incidence rate per 100,000 Persons.

		Bullous Dermatoses (ICD10: L10-L14)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	3
	2	0	0	0	0	0	0	0	2	4	0	0	0	0	0	0	1	2	2
	3	0	0	0	0	0	0	1	2	3	0	0	0	0	0	0	0	1	3
	4	0	0	0	0	0	0	0	2	4	0	0	0	0	0	0	1	1	2
	5	0	0	0	0	0	0	0	2	3	0	0	0	0	0	0	0	1	3
	6	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	1	2
	7	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	3
	8	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	1	1	2
	9	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	1
	10	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	2
	11	0	0	0	0	0	0	1	1	4	0	0	0	0	0	0	0	1	2
	12	0	0	0	0	0	0	1	2	3	0	0	0	0	0	0	0	1	2
	13	0	0	0	0	0	0	0	1	3	1	0	0	0	0	0	0	1	2
Quarter	1	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	3
	2	0	0	0	0	0	0	0	2	3	0	0	0	0	0	0	0	1	3
	3	0	0	0	0	0	0	1	1	3	0	0	0	0	0	0	0	1	2
	4	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2
Year	23/24	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2
Episodes	F/N	6	19	33	25	77	205	217	405	304	7	20	42	60	154	241	199	396	379

Mean weekly incidence rate per 100,000 Persons.

Bullous Dermatoses (ICD10: L10-L14)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	1	2	6	
		2	0	0	0	0	0	0	0	1	2	6	1	0	0	0	0	0	1	2	4
		3	0	0	0	0	0	0	0	1	1	4	0	0	0	0	0	0	1	2	3
		4	0	0	0	0	0	0	0	0	2	4	0	0	0	0	0	0	1	2	3
	Year	23/24	0	0	0	0	0	0	0	1	5	0	0	0	0	0	0	1	2	4	
	Episodes	F/N	0	3	5	2	9	28	27	51	50	1	3	3	6	20	44	45	69	74	
North West	Quarter	1	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2	
		2	0	0	0	0	0	0	0	1	2	1	0	0	0	0	0	0	1	2	
		3	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	1	
		4	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	1	
	Year	23/24	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2	
	Episodes	F/N	0	0	0	6	10	18	28	47	23	1	1	4	13	30	26	19	45	31	
East of England	Quarter	1	1	0	0	0	0	0	1	2	5	0	0	0	0	0	0	0	1	4	
		2	0	0	0	0	0	0	1	2	4	0	0	0	0	0	0	1	2	5	
		3	0	1	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	3	
		4	0	0	0	0	0	0	1	1	3	1	0	0	0	0	0	0	1	2	
	Year	23/24	0	0	0	0	0	0	1	1	4	0	0	0	0	0	0	0	1	3	
	Episodes	F/N	1	6	5	6	7	23	26	42	38	1	3	4	6	17	28	19	42	55	
Midlands	Quarter	1	0	0	0	0	0	0	1	1	5	1	0	0	0	0	0	0	2	3	
		2	0	0	0	0	0	0	0	2	2	1	0	0	0	0	0	0	1	3	
		3	1	0	0	0	0	0	1	1	3	0	0	0	0	0	0	0	1	2	
		4	1	0	0	0	0	0	1	2	3	0	0	0	0	0	0	0	1	1	
	Year	23/24	0	0	0	0	0	0	1	2	3	0	0	0	0	0	0	0	1	2	
	Episodes	F/N	2	4	5	4	19	53	45	87	53	2	4	8	7	16	55	34	81	61	
London	Quarter	1	0	0	0	0	0	0	1	2	5	0	0	0	0	0	0	0	2	2	
		2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	2	
		3	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	1	
		4	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	1	1	3	
	Year	23/24	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2	
	Episodes	F/N	0	1	8	3	9	28	24	36	28	0	1	9	7	32	18	25	36	33	
South East	Quarter	1	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2	
		2	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	3	
		3	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	0	2	
		4	1	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	2	
	Year	23/24	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2	
	Episodes	F/N	3	4	4	3	13	30	39	73	60	0	5	9	11	28	43	34	60	66	
South West	Quarter	1	0	0	0	0	0	0	0	2	3	1	0	0	0	0	0	0	1	3	
		2	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	2	
		3	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	1	1	2	
		4	0	0	0	0	0	0	1	1	3	1	0	0	0	0	0	0	1	3	
	Year	23/24	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2	
	Episodes	F/N	0	1	6	1	10	25	28	69	52	2	3	5	10	11	27	23	63	59	

Mean weekly incidence rate per 100,000 Persons.

		Chickenpox (ICD10: B01)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	42	46	15	1	1	0	0	0	0	36	44	14	2	2	0	0	0	0
	2	45	46	16	1	1	0	0	0	0	47	49	16	2	2	0	0	0	0
	3	23	32	10	1	1	0	0	0	0	39	32	10	1	2	0	0	0	0
	4	26	27	6	1	1	0	0	0	0	21	24	6	1	2	0	0	0	0
	5	19	19	4	0	0	0	0	0	0	13	21	4	1	1	0	0	0	0
	6	18	21	4	0	0	0	0	0	0	17	20	4	1	1	0	0	0	0
	7	27	24	4	0	0	0	0	0	0	22	18	5	1	1	0	0	0	0
	8	20	26	6	1	0	0	0	0	0	12	23	6	1	1	0	0	0	0
	9	20	24	6	1	1	0	0	0	0	20	23	7	1	1	0	0	0	0
	10	23	26	6	1	1	0	0	0	0	21	27	7	1	1	0	0	0	0
	11	28	31	8	1	1	0	0	0	0	26	30	8	1	2	0	0	0	0
	12	26	31	9	1	0	0	0	0	0	29	31	9	1	1	0	0	0	0
	13	26	33	9	1	1	0	0	0	0	25	33	8	1	2	0	0	0	0
Quarter	1	36	40	13	1	1	0	0	0	0	39	40	13	2	2	0	0	0	0
	2	22	22	4	0	0	0	0	0	0	18	21	4	1	1	0	0	0	0
	3	22	25	6	1	1	0	0	0	0	18	23	6	1	1	0	0	0	0
	4	26	32	9	1	1	0	0	0	0	26	31	8	1	2	0	0	0	0
Year	23/24	26	30	8	1	1	0	0	0	0	25	29	8	1	2	0	0	0	0
Episodes	F/N	1,123	6,210	4,858	418	946	212	57	26	7	1,019	5,718	4,665	705	2,250	272	59	36	16

Mean weekly incidence rate per 100,000 Persons.

Chickenpox (ICD10: B01)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	29	39	10	0	1	0	0	0	1	28	39	10	3	4	0	0	0	0
		2	38	23	4	0	0	0	0	0	0	16	22	3	3	4	0	0	0	0
		3	32	26	5	0	0	0	0	0	0	23	23	6	3	4	0	0	0	0
		4	32	31	6	1	0	0	0	0	0	31	31	7	3	4	0	0	0	0
	Year	23/24	33	30	6	0	0	0	0	0	0	25	29	6	3	4	0	0	0	0
	Episodes	F/N	135	600	396	25	63	25	8	3	3	94	550	378	172	591	35	8	6	4
North West	Quarter	1	40	36	10	1	1	0	0	0	0	47	35	10	1	1	0	0	0	0
		2	23	26	5	0	0	0	0	0	0	23	21	6	0	1	0	0	0	0
		3	23	29	6	1	1	0	0	0	0	21	27	7	1	1	0	0	0	0
		4	34	38	9	1	1	0	0	0	0	33	43	7	1	1	0	0	0	0
	Year	23/24	30	32	7	1	1	0	0	0	0	31	31	7	1	1	0	0	0	0
	Episodes	F/N	188	962	642	64	137	39	10	2	0	180	906	609	73	185	27	10	9	1
East of England	Quarter	1	30	35	13	1	1	0	0	0	0	35	37	11	1	1	0	0	0	0
		2	19	15	2	0	0	0	0	0	0	14	15	4	1	0	0	0	0	0
		3	16	15	3	0	1	0	0	0	0	11	15	4	0	0	0	0	0	0
		4	25	24	6	0	0	0	0	0	0	19	22	6	1	0	0	0	0	0
	Year	23/24	23	23	6	0	0	0	0	0	0	20	22	6	1	1	0	0	0	0
	Episodes	F/N	80	409	349	21	57	15	4	1	0	67	385	332	33	74	26	4	4	3
Midlands	Quarter	1	44	46	13	1	1	0	0	0	0	37	45	14	1	2	0	0	0	0
		2	23	26	4	0	1	0	0	0	0	18	22	5	1	1	0	0	0	0
		3	21	26	7	0	0	0	0	0	0	15	26	7	1	1	0	0	0	0
		4	21	31	9	1	1	0	0	0	0	23	28	8	0	1	0	0	0	0
	Year	23/24	27	32	8	1	1	0	0	0	0	23	30	9	1	1	0	0	0	0
	Episodes	F/N	201	1,179	888	72	164	35	11	4	1	165	1,061	873	84	264	54	12	1	4
London	Quarter	1	35	49	22	2	1	0	0	0	0	36	47	21	2	2	0	0	0	0
		2	18	25	5	1	1	0	0	1	0	16	23	6	1	1	0	0	0	0
		3	21	27	9	1	1	0	0	0	0	13	22	9	1	1	0	0	0	0
		4	21	33	13	1	1	0	0	0	0	22	31	14	1	1	0	0	0	0
	Year	23/24	24	33	12	1	1	0	0	0	0	22	31	12	1	1	0	0	0	0
	Episodes	F/N	201	1,307	1,307	140	282	47	9	4	0	174	1,146	1,262	153	410	59	5	2	1
South East	Quarter	1	33	39	12	1	1	0	0	0	0	51	40	12	1	1	0	0	0	0
		2	17	21	4	0	0	0	0	0	0	14	21	3	0	1	0	0	0	0
		3	23	25	5	0	1	0	0	0	0	22	22	5	1	1	0	0	0	0
		4	27	31	7	1	1	0	0	0	0	25	29	7	1	1	0	0	0	0
	Year	23/24	25	29	7	1	1	0	0	0	0	28	28	7	1	1	0	0	0	0
	Episodes	F/N	202	1,163	850	63	158	28	10	6	2	213	1,081	780	81	230	42	9	8	2
South West	Quarter	1	32	31	9	1	1	0	0	0	0	30	31	9	2	4	0	0	0	0
		2	22	17	3	1	0	0	0	0	0	25	18	3	1	3	0	0	0	0
		3	20	21	4	1	0	0	0	0	0	21	25	5	1	3	0	0	0	0
		4	23	29	8	0	1	0	0	0	0	35	30	9	2	3	0	0	0	0
	Year	23/24	24	25	6	0	1	0	0	0	0	28	26	6	2	3	0	0	0	0
	Episodes	F/N	116	590	426	33	85	23	5	6	1	126	589	431	109	496	29	11	6	1

Mean weekly incidence rate per 100,000 Persons.

		Skin / Subcutaneous Infection (ICD10: L00-L08)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	185	156	88	63	57	65	86	111	162	165	144	85	72	70	74	87	115	193
	2	167	147	98	78	70	81	101	131	185	166	128	101	87	92	96	107	138	202
	3	183	148	91	71	63	71	94	112	173	169	138	92	77	81	85	94	126	185
	4	174	143	81	73	65	73	100	119	166	168	127	83	81	83	88	97	130	196
	5	172	138	92	72	64	72	95	119	162	167	137	98	85	85	87	94	125	186
	6	232	209	94	70	59	68	87	112	161	226	197	93	79	77	77	85	113	179
	7	254	211	91	66	53	60	78	104	148	232	195	91	73	68	68	77	104	173
	8	239	206	94	63	52	59	78	102	150	205	188	91	70	64	64	76	102	180
	9	174	144	80	56	44	52	69	89	141	153	136	78	57	54	56	64	91	168
	10	194	181	103	69	54	62	81	109	165	160	167	100	74	68	67	74	104	190
	11	207	182	99	67	52	61	81	105	161	186	164	100	72	66	66	80	108	179
	12	185	178	100	62	50	58	78	103	159	180	164	101	68	62	63	72	100	182
	13	192	177	104	69	58	68	91	115	163	174	157	105	77	73	71	87	114	184
Quarter	1	179	150	91	70	63	72	94	117	171	166	136	92	78	81	85	95	126	193
	2	203	171	90	71	61	69	91	115	162	195	161	92	81	80	82	89	120	185
	3	211	183	92	64	50	58	77	100	152	182	170	89	68	63	63	72	99	177
	4	195	178	101	66	53	62	83	107	159	179	161	102	72	67	67	79	106	183
Year	23/24	197	171	93	68	57	65	86	110	161	181	157	94	75	73	74	84	113	185
Episodes	F/N	8,382	35,595	57,061	41,027	86,337	84,033	38,013	32,633	15,379	7,270	31,156	54,539	44,828	104,867	91,082	39,062	39,666	28,777

Mean weekly incidence rate per 100,000 Persons.

Skin / Subcutaneous Infection (ICD10: L00-L08)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	193	163	90	73	67	69	91	115	151	203	154	86	85	82	82	94	116	175
		2	226	177	88	75	66	69	87	109	150	228	179	89	82	85	82	84	116	165
		3	221	186	94	65	50	55	72	90	142	174	177	88	70	60	60	71	96	167
		4	190	178	96	68	52	58	78	99	150	208	158	96	70	66	62	71	93	160
	Year	23/24	208	176	92	70	59	63	82	103	148	203	167	90	77	73	71	80	105	167
	Episodes	F/N	854	3,557	5,770	4,009	8,244	8,785	4,518	3,681	1,609	772	3,222	5,381	4,298	10,437	9,910	4,581	4,406	2,985
North West	Quarter	1	220	171	109	92	90	102	129	154	217	205	159	114	102	117	118	128	168	265
		2	266	211	116	90	86	98	121	153	215	247	205	118	106	120	121	130	178	272
		3	268	218	114	81	67	80	103	138	193	242	199	117	90	89	88	102	139	268
		4	255	227	126	88	73	89	112	151	219	217	204	131	95	97	94	112	150	273
	Year	23/24	252	207	116	88	79	92	116	149	211	228	192	120	98	106	105	118	159	269
	Episodes	F/N	1,567	6,218	10,138	8,102	16,657	16,708	7,494	6,224	2,620	1,318	5,522	9,925	8,957	20,225	17,950	7,862	7,720	5,395
East of England	Quarter	1	169	130	72	51	47	55	69	93	155	152	123	72	63	59	66	76	105	161
		2	170	147	66	54	43	51	66	93	147	171	130	71	59	56	61	66	92	151
		3	219	157	73	45	36	42	59	81	123	175	154	69	50	44	45	53	78	141
		4	157	145	77	50	38	46	60	85	148	149	136	77	53	45	46	56	82	144
	Year	23/24	179	145	72	50	41	48	63	88	143	162	136	72	56	51	55	63	89	149
	Episodes	F/N	631	2,632	4,024	2,538	5,414	5,765	2,606	2,632	1,462	538	2,347	3,857	2,856	6,824	6,305	2,783	3,144	2,502
Midlands	Quarter	1	180	145	92	70	66	77	99	122	176	172	133	93	79	85	90	101	129	203
		2	196	171	89	71	65	72	94	120	170	187	170	90	84	82	85	91	121	186
		3	196	180	92	61	51	58	78	103	147	165	169	89	65	63	62	70	100	183
		4	182	178	104	65	55	62	86	109	148	167	155	102	71	68	67	77	110	185
	Year	23/24	188	168	94	67	59	67	89	113	160	173	157	94	75	74	76	85	115	189
	Episodes	F/N	1,389	6,167	10,112	7,310	14,471	14,733	7,019	6,146	2,677	1,228	5,461	9,526	8,013	17,276	15,982	6,981	7,264	5,169
London	Quarter	1	177	152	97	67	52	64	95	121	167	162	138	94	68	66	78	95	124	171
		2	181	156	90	67	52	62	93	120	151	172	144	90	69	65	76	90	114	161
		3	202	163	84	58	44	53	82	103	156	163	147	83	59	53	62	74	99	138
		4	193	161	96	56	47	56	87	105	141	177	143	93	63	58	65	82	102	164
	Year	23/24	188	158	92	62	49	59	89	112	154	168	143	90	65	60	70	85	110	158
	Episodes	F/N	1,598	6,186	9,700	6,901	17,406	12,531	4,387	2,935	1,386	1,354	5,334	9,067	7,489	19,642	13,142	4,436	3,609	2,387
South East	Quarter	1	157	155	94	67	63	70	93	119	192	141	129	94	77	88	85	98	134	215
		2	187	173	91	70	60	68	92	116	169	191	149	98	80	83	79	89	125	202
		3	207	192	91	64	50	58	77	100	176	182	181	90	68	68	63	74	102	190
		4	190	186	103	66	55	62	81	111	177	188	173	109	74	72	66	82	114	198
	Year	23/24	185	176	95	67	57	64	86	112	178	175	158	98	75	78	73	86	119	201
	Episodes	F/N	1,496	7,133	11,457	7,680	15,154	16,272	7,419	6,749	3,610	1,332	6,034	11,177	8,326	19,922	17,983	7,827	8,537	6,611
South West	Quarter	1	161	122	73	64	59	62	75	93	132	136	115	76	71	68	68	69	100	146
		2	198	158	76	66	57	60	74	93	129	185	151	77	76	67	64	68	89	148
		3	168	179	88	64	50	53	61	80	117	181	161	83	67	61	53	58	78	136
		4	181	159	89	66	51	54	67	83	126	141	147	92	72	63	56	66	82	144
	Year	23/24	177	154	81	65	54	57	69	87	126	161	143	82	72	65	60	65	87	143
	Episodes	F/N	847	3,702	5,860	4,487	8,991	9,239	4,570	4,266	2,015	728	3,236	5,606	4,889	10,541	9,810	4,592	4,986	3,728

Mean weekly incidence rate per 100,000 Persons.

		Scabies (ICD10: B86)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	4	2	2	4	1	1	1	1	2	1	2	2	3	1	1	1	1	4
	2	2	2	2	3	1	1	1	1	2	4	2	2	3	1	1	1	1	2
	3	3	2	2	3	1	1	1	1	1	1	2	1	2	1	1	1	1	1
	4	3	2	2	4	1	1	1	2	3	0	2	2	3	2	1	1	2	4
	5	2	2	2	4	1	1	1	1	2	1	3	2	3	2	1	1	1	2
	6	4	3	3	6	2	1	1	1	2	2	2	3	4	2	2	1	1	3
	7	3	3	3	7	2	1	1	1	3	4	3	2	5	2	2	1	2	3
	8	3	3	4	7	2	2	1	2	3	3	3	2	6	2	2	1	2	3
	9	3	4	4	8	2	1	1	1	2	5	3	3	5	2	2	1	1	3
	10	3	3	3	8	2	2	2	2	3	1	4	3	6	2	2	2	2	4
	11	4	4	4	8	2	2	1	2	3	2	4	3	7	2	2	1	1	5
	12	4	4	3	7	2	1	1	2	4	1	3	3	6	2	2	1	2	4
	13	4	4	3	7	2	2	1	2	4	5	5	3	6	2	2	1	2	3
Quarter	1	3	2	2	4	1	1	1	1	1	2	2	2	3	1	1	1	1	2
	2	3	3	3	5	2	1	1	1	2	2	3	2	4	2	1	1	2	3
	3	3	3	4	8	2	1	1	2	3	3	3	3	6	2	2	1	2	3
	4	4	4	3	7	2	2	1	2	3	3	4	3	6	2	2	1	2	4
Year	23/24	3	3	3	6	2	1	1	2	2	2	3	2	5	2	1	1	2	3
Episodes	F/N	135	594	1,749	3,538	2,393	1,570	479	454	238	92	578	1,400	2,733	2,686	1,773	500	553	482

Mean weekly incidence rate per 100,000 Persons.

Scabies (ICD10: B86)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	8	3	2	4	1	1	1	1	1	2	2	2	3	1	1	0	2	3
		2	6	3	3	5	2	1	1	1	1	2	3	3	4	2	1	1	2	1
		3	6	3	4	7	2	2	1	2	4	2	4	3	7	2	2	1	1	4
		4	4	5	5	7	2	2	1	2	3	6	4	4	5	2	2	1	1	3
	Year	23/24	6	3	4	6	1	1	1	1	2	3	3	3	5	2	2	1	1	3
	Episodes	F/N	24	69	228	331	200	185	51	50	25	12	67	181	268	291	210	58	54	48
North West	Quarter	1	3	2	3	5	2	1	1	1	3	3	4	3	4	2	2	1	3	6
		2	6	6	5	8	3	2	3	5	9	3	5	4	6	4	2	2	6	13
		3	4	6	5	9	3	2	3	6	11	5	4	5	9	4	3	3	5	10
		4	5	6	5	10	3	3	3	5	12	4	5	6	10	4	3	3	5	14
	Year	23/24	4	5	5	8	3	2	2	4	9	4	4	5	7	4	3	2	5	11
	Episodes	F/N	26	147	408	751	585	367	151	181	108	23	129	374	665	679	444	145	237	217
East of England	Quarter	1	2	0	1	3	1	1	0	0	1	0	1	1	2	0	0	0	0	0
		2	3	2	1	3	1	1	0	0	1	1	1	1	2	1	1	1	0	2
		3	2	1	2	4	1	1	0	1	1	4	2	2	2	1	1	0	1	1
		4	6	3	1	4	1	1	1	1	2	1	1	2	3	1	1	1	1	1
	Year	23/24	3	2	1	3	1	1	0	1	1	2	1	1	2	1	1	0	1	1
	Episodes	F/N	12	28	72	166	111	92	20	17	11	5	21	71	103	90	84	21	25	19
Midlands	Quarter	1	2	2	1	3	1	1	1	1	3	1	2	1	2	1	1	1	2	3
		2	2	1	2	4	1	1	1	1	2	2	3	2	3	2	1	1	1	3
		3	2	3	4	6	2	1	1	1	2	3	3	2	5	2	1	1	2	2
		4	5	2	3	7	1	1	1	2	3	3	3	2	5	2	1	1	1	5
	Year	23/24	3	2	2	5	1	1	1	2	2	2	3	2	4	2	1	1	1	4
	Episodes	F/N	19	75	262	537	304	221	81	83	39	16	91	195	379	360	237	86	92	97
London	Quarter	1	2	2	2	3	1	1	1	2	1	3	2	2	2	1	2	1	1	1
		2	2	3	3	4	2	1	1	2	0	2	3	2	3	2	2	2	1	1
		3	5	4	4	6	2	1	2	2	3	3	3	3	3	2	2	1	1	2
		4	2	3	4	5	2	1	2	1	2	1	5	3	4	2	2	2	2	1
	Year	23/24	3	3	3	5	2	1	1	2	2	2	4	3	3	2	2	1	1	1
	Episodes	F/N	24	128	325	518	630	271	68	40	14	17	131	279	359	562	304	75	44	20
South East	Quarter	1	1	2	1	3	1	1	0	1	0	1	1	1	3	1	1	0	1	0
		2	2	2	1	4	1	1	0	1	1	1	1	1	3	1	1	1	1	1
		3	2	2	2	8	1	1	1	1	1	2	3	2	5	2	2	1	1	2
		4	2	3	2	7	1	1	1	1	1	3	3	2	6	2	1	1	1	1
	Year	23/24	2	2	2	6	1	1	1	1	1	1	2	1	4	1	1	1	1	1
	Episodes	F/N	16	87	230	644	281	251	61	40	18	11	72	159	470	359	298	75	50	30
South West	Quarter	1	5	1	2	4	1	1	0	1	1	1	2	1	3	1	1	0	1	2
		2	1	1	3	7	1	1	1	1	2	1	2	1	5	2	1	1	1	1
		3	1	4	4	11	2	1	1	1	2	4	3	3	9	3	2	1	1	3
		4	5	4	4	12	2	2	1	1	2	1	4	3	11	2	1	1	1	2
	Year	23/24	3	3	3	9	2	1	1	1	1	2	3	2	7	2	1	1	1	2
	Episodes	F/N	14	60	224	591	282	183	47	43	23	8	67	141	489	345	196	40	51	51

Mean weekly incidence rate per 100,000 Persons.

		Skin symptoms (ICD10: R20-R23)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	370	171	73	51	62	106	195	297	397	376	169	79	85	106	146	206	292	341
	2	342	154	79	61	72	125	234	349	459	398	149	83	96	129	174	251	339	398
	3	357	147	69	56	66	115	218	330	428	417	155	76	81	113	161	231	308	346
	4	345	144	66	56	65	117	228	341	423	407	147	71	81	108	161	236	316	367
	5	320	139	70	54	64	116	224	322	418	400	155	79	81	109	159	225	307	346
	6	380	169	68	51	61	113	214	317	397	456	176	76	79	107	154	217	279	320
	7	390	166	68	49	58	107	203	305	388	436	174	75	74	96	142	202	269	306
	8	386	171	74	49	55	105	198	310	411	436	181	80	72	93	136	198	263	301
	9	332	136	65	41	46	83	154	237	320	329	146	69	60	78	109	148	199	239
	10	395	197	91	53	63	113	210	327	441	429	196	100	80	107	156	219	290	345
	11	431	205	95	54	61	107	206	317	411	444	202	104	81	104	152	216	287	325
	12	385	196	99	49	56	97	187	284	382	433	203	108	77	98	136	197	262	321
	13	404	219	114	59	67	117	215	338	448	441	206	125	92	116	164	229	307	364
Quarter	1	356	156	73	56	66	115	217	327	428	396	157	78	87	115	160	230	313	362
	2	355	153	68	52	62	114	218	321	407	423	161	76	80	106	155	221	294	337
	3	372	167	75	48	55	101	189	292	388	404	175	81	70	93	133	188	250	291
	4	405	206	102	53	61	107	203	313	414	439	201	112	83	106	151	215	287	338
Year	23/24	372	170	79	52	61	109	207	313	409	415	174	87	80	105	150	213	286	332
Episodes	F/N	15,848	35,517	48,464	31,727	92,715	140,715	91,201	93,039	39,038	16,710	34,429	50,371	47,977	151,607	184,404	99,115	100,372	51,792

Mean weekly incidence rate per 100,000 Persons.

			Skin symptoms (ICD10: R20-R23)																			
			M									F										
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs		
North East and Yorkshire	Quarter	1	370	136	61	52	66	108	192	282	373	423	143	64	84	106	148	205	276	301		
		2	390	136	59	48	61	110	195	284	380	415	144	66	74	97	145	187	257	290		
		3	372	139	63	39	49	96	165	238	322	411	160	70	62	83	120	172	210	251		
		4	404	170	80	44	57	96	177	262	341	439	172	83	74	92	131	182	238	273		
	Year	23/24	384	145	66	46	58	103	182	266	354	422	155	71	74	94	136	187	245	279		
North West	Episodes	F/N	1,579	2,933	4,111	2,600	8,210	14,397	10,024	9,506	3,835	1,606	2,983	4,217	4,119	13,427	18,902	10,687	10,252	4,990		
		Quarter	1	414	192	89	74	91	159	290	432	577	481	197	105	120	167	221	313	424	522	
			2	432	210	86	68	86	156	286	413	545	520	224	98	108	152	210	302	400	469	
			3	430	215	97	65	75	137	247	387	498	515	222	105	100	133	182	249	333	398	
	4		506	269	125	72	86	145	267	398	554	522	259	137	119	148	207	284	387	482		
Year	23/24	446	222	99	70	85	149	272	407	544	510	225	111	112	150	205	287	386	467			
East of England	Episodes	F/N	2,768	6,666	8,653	6,453	17,789	27,069	17,578	17,001	6,750	2,952	6,486	9,216	10,202	28,690	34,948	19,083	18,771	9,356		
		Quarter	1	350	118	53	40	45	85	154	232	316	382	124	59	63	76	113	163	216	242	
			2	383	107	47	37	41	86	167	234	291	403	116	49	55	66	112	157	203	228	
			3	385	126	53	35	39	76	140	210	269	399	127	57	48	59	94	138	169	190	
	4		368	140	70	36	43	76	152	234	295	426	141	83	53	66	106	151	200	230		
Year	23/24	372	123	55	37	42	81	153	228	292	403	127	62	55	67	106	152	197	222			
Midlands	Episodes	F/N	1,312	2,231	3,093	1,870	5,557	9,610	6,307	6,810	2,985	1,340	2,196	3,315	2,782	8,937	12,273	6,757	6,935	3,727		
		Quarter	1	332	133	65	51	62	110	196	298	376	391	140	69	80	103	145	210	280	307	
			2	321	133	64	46	57	108	207	296	356	386	148	70	71	96	140	197	260	284	
			3	352	152	67	43	50	93	177	271	347	377	162	74	60	82	119	167	227	251	
	4		347	177	96	47	55	100	187	282	366	380	179	104	71	93	135	191	256	286		
Year	23/24	338	149	73	47	56	103	192	287	361	383	157	79	71	93	135	191	256	282			
London	Episodes	F/N	2,493	5,445	7,848	5,121	13,660	22,486	15,144	15,531	6,031	2,727	5,471	8,076	7,566	21,710	28,436	15,770	16,185	7,706		
		Quarter	1	358	170	86	55	57	89	192	273	352	378	168	87	78	102	147	207	284	337	
			2	324	151	76	54	54	86	178	273	323	370	160	82	74	94	138	200	266	320	
			3	349	159	77	45	47	78	155	245	303	380	162	82	62	83	118	159	219	271	
	4		392	200	102	50	50	84	168	266	327	403	189	106	71	92	133	190	251	308		
Year	23/24	356	170	85	51	52	84	173	264	326	383	170	89	71	93	134	189	255	309			
South East	Episodes	F/N	3,021	6,642	9,009	5,688	18,491	17,914	8,515	6,907	2,942	3,081	6,338	9,016	8,235	30,267	25,059	9,847	8,387	4,656		
		Quarter	1	335	176	82	58	74	130	253	396	533	386	171	86	93	135	177	261	370	443	
			2	336	176	76	55	70	129	250	383	489	448	171	85	89	124	177	253	346	401	
			3	374	198	84	53	64	115	219	350	490	379	204	93	81	111	153	220	298	356	
	4		435	256	127	61	75	127	238	382	511	480	248	142	98	138	179	257	347	418		
Year	23/24	370	201	92	57	71	125	240	378	506	424	198	101	90	127	171	248	340	404			
South West	Episodes	F/N	2,990	8,144	11,088	6,569	18,861	31,665	20,738	22,844	10,235	3,220	7,583	11,559	10,008	32,609	42,097	22,643	24,485	13,305		
		Quarter	1	340	133	56	52	68	113	204	303	385	335	131	65	77	109	148	212	286	329	
			2	342	126	54	48	61	115	203	301	392	426	135	60	72	100	144	211	277	322	
			3	361	146	67	46	56	102	181	275	385	384	155	69	66	87	127	182	241	275	
	4		366	173	83	52	60	107	195	302	406	430	176	96	82	96	140	206	271	314		
Year	23/24	352	144	65	50	61	109	196	295	392	394	149	72	74	98	140	203	269	310			
South West	Episodes	F/N	1,685	3,456	4,662	3,426	10,147	17,574	12,895	14,440	6,260	1,784	3,372	4,972	5,065	15,967	22,689	14,328	15,357	8,052		

Mean weekly incidence rate per 100,000 Persons.

		Impetigo (ICD10 : L01)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	13	21	10	2	1	1	1	1	1	14	18	10	3	2	1	1	1	2
	2	11	20	10	3	1	1	1	1	1	11	18	10	3	2	1	1	1	1
	3	10	23	11	3	1	1	0	1	0	9	19	11	4	2	1	1	1	2
	4	11	22	9	3	1	1	1	1	1	9	18	9	4	2	1	1	1	1
	5	11	24	13	3	1	1	1	1	1	11	23	14	4	3	1	1	1	1
	6	20	38	15	4	1	1	1	1	1	17	34	13	5	3	2	1	1	1
	7	22	41	14	4	1	1	1	1	2	17	39	14	4	3	2	1	1	1
	8	21	40	15	4	1	1	1	1	1	17	35	14	4	3	2	1	1	1
	9	11	26	11	3	1	1	1	1	1	12	24	11	4	2	2	1	1	1
	10	14	27	13	3	1	1	0	1	1	12	28	12	4	3	2	1	1	1
	11	14	24	10	2	1	1	1	1	1	12	21	9	3	2	1	1	1	1
	12	18	20	9	3	1	1	1	1	2	15	21	9	3	2	1	1	1	1
	13	13	21	9	3	1	1	1	1	2	11	16	8	3	2	1	1	1	1
Quarter	1	11	22	10	3	1	1	1	1	1	11	19	10	4	2	1	1	1	1
	2	16	30	13	4	1	1	1	1	1	13	27	13	4	3	2	1	1	1
	3	17	33	14	3	1	1	1	1	1	15	32	13	4	3	2	1	1	1
	4	15	22	9	2	1	1	1	1	2	12	20	9	3	2	1	1	1	1
Year	23/24	15	27	12	3	1	1	1	1	1	13	24	11	4	2	1	1	1	1
Episodes	F/N	624	5,572	7,033	1,862	1,640	1,023	306	251	114	515	4,811	6,492	2,275	3,426	1,782	471	363	185

Mean weekly incidence rate per 100,000 Persons.

Impetigo (ICD10: L01)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	10	27	13	4	2	1	1	1	1	14	20	11	7	3	2	2	1	1
		2	17	37	13	4	2	1	0	1	0	21	37	14	4	4	2	1	1	2
		3	22	39	17	4	1	1	1	1	1	13	36	15	5	3	2	1	1	2
		4	9	25	10	3	1	1	1	1	2	12	21	10	4	2	1	1	1	1
	Year	23/24	14	32	13	4	1	1	1	1	1	15	29	13	5	3	1	1	1	1
	Episodes	F/N	59	648	833	210	188	103	39	39	12	56	551	751	276	445	207	65	52	22
North West	Quarter	1	15	25	13	4	1	1	1	1	2	14	22	12	4	3	2	1	1	2
		2	17	34	16	5	1	1	1	1	1	18	35	14	5	4	2	1	1	2
		3	22	39	17	4	2	1	1	1	2	15	37	16	5	4	2	2	1	2
		4	22	25	11	3	1	1	1	1	2	11	20	11	4	3	2	1	2	1
	Year	23/24	19	31	14	4	1	1	1	1	2	15	29	13	5	3	2	1	1	2
	Episodes	F/N	119	924	1,231	361	297	194	47	43	21	85	824	1,080	423	653	330	81	55	36
East of England	Quarter	1	9	18	9	2	1	1	1	1	0	7	20	10	3	2	1	0	2	1
		2	18	25	10	3	1	1	0	1	1	12	20	11	3	2	1	1	1	1
		3	14	32	12	3	1	1	0	1	2	12	31	11	4	2	1	1	1	1
		4	14	19	8	3	1	1	0	1	1	11	20	7	4	2	1	1	1	0
	Year	23/24	14	23	10	2	1	1	0	1	1	11	23	10	4	2	1	1	1	1
	Episodes	F/N	48	427	548	126	120	81	15	22	10	35	394	521	182	236	139	33	40	12
Midlands	Quarter	1	6	21	10	3	1	1	1	1	1	10	17	10	3	2	1	1	1	1
		2	13	29	12	3	1	1	1	0	1	12	25	11	4	3	1	1	1	1
		3	17	29	12	3	1	1	1	1	1	16	33	13	5	3	2	1	1	1
		4	15	22	9	2	1	1	1	1	1	11	19	8	3	2	1	1	1	2
	Year	23/24	13	25	10	3	1	1	1	1	1	12	23	11	4	3	1	1	1	1
	Episodes	F/N	94	923	1,121	295	266	162	66	40	18	87	813	1,072	405	601	290	82	69	33
London	Quarter	1	12	15	6	1	1	0	1	1	0	9	14	7	2	1	1	1	0	1
		2	12	19	8	1	1	0	1	1	1	7	17	8	2	1	1	0	1	1
		3	12	23	8	1	1	1	1	1	0	11	20	8	2	1	1	1	1	2
		4	14	17	6	2	0	1	1	1	3	12	13	6	2	1	1	0	1	1
	Year	23/24	13	18	7	1	1	1	1	1	1	10	16	7	2	1	1	1	1	1
	Episodes	F/N	107	723	746	158	217	113	32	22	11	77	593	707	205	381	155	39	26	16
South East	Quarter	1	11	24	12	3	1	1	1	1	1	13	20	11	3	2	2	1	1	1
		2	14	35	16	4	1	1	0	1	1	13	29	16	5	3	2	1	1	1
		3	18	37	15	3	1	1	1	1	2	19	34	14	4	3	2	1	1	1
		4	13	22	10	3	1	1	1	1	2	14	24	10	3	2	1	1	1	1
	Year	23/24	14	30	13	3	1	1	1	1	1	15	27	13	4	3	2	1	1	1
	Episodes	F/N	114	1,201	1,605	394	302	190	53	46	28	112	1,016	1,454	442	652	400	96	66	36
South West	Quarter	1	15	23	11	5	2	1	1	1	1	10	18	12	5	3	1	1	1	1
		2	23	35	14	5	2	1	1	1	2	17	33	15	6	3	2	1	1	2
		3	14	39	17	5	2	1	1	1	0	17	36	15	6	3	2	1	1	1
		4	17	24	10	3	1	1	1	1	1	12	23	11	4	2	1	1	1	1
	Year	23/24	17	30	13	5	2	1	1	1	1	14	27	13	5	3	2	1	1	1
	Episodes	F/N	83	726	949	318	250	180	54	39	14	63	620	907	342	458	261	75	55	30

Mean weekly incidence rate per 100,000 Persons.

Herpes Simplex (ICD10: B00)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	2	2	1	1	2	1	1	1	2	3	2	1	6	7	5	3	2	1
	2	2	2	2	2	2	2	2	1	2	2	2	2	6	8	5	3	3	2
	3	2	2	1	1	2	2	1	1	1	2	2	2	5	8	5	3	2	1
	4	3	2	1	2	2	1	2	1	1	1	2	1	6	7	4	3	2	1
	5	2	2	2	1	2	1	1	1	2	1	2	2	6	7	5	3	2	2
	6	3	3	1	1	2	1	2	1	1	2	3	2	6	8	4	3	2	2
	7	3	4	2	1	2	1	1	1	1	2	4	2	6	7	4	3	2	2
	8	2	3	2	2	2	1	2	2	1	2	3	2	6	8	5	3	2	2
	9	3	2	2	2	1	1	1	1	1	2	3	1	5	6	4	2	1	2
	10	2	3	2	2	2	1	1	2	1	1	2	2	7	8	5	3	2	1
	11	2	3	1	1	2	1	1	1	1	3	3	2	5	7	5	3	2	1
	12	3	3	1	1	2	1	1	1	0	1	3	2	5	6	4	3	2	1
	13	1	2	1	2	2	2	2	1	1	1	2	2	6	7	5	3	2	2
Quarter	1	2	2	1	1	2	2	1	1	2	2	2	1	5	8	5	3	2	1
	2	3	3	1	1	2	1	2	1	1	2	3	2	6	7	5	3	2	2
	3	2	3	2	2	2	1	2	1	1	2	3	2	6	7	5	3	2	2
	4	2	3	1	1	2	1	1	1	1	2	2	2	5	7	5	3	2	2
Year	23/24	2	3	2	1	2	1	1	1	1	2	3	2	6	7	5	3	2	2
Episodes	F/N	94	529	917	868	2,589	1,841	640	379	117	67	499	991	3,435	10,576	5,706	1,373	680	251

Mean weekly incidence rate per 100,000 Persons.

Herpes Simplex (ICD10: B00)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	2	2	2	1	2	1	1	1	1	1	3	2	6	8	5	2	2	1
		2	2	4	2	2	1	1	2	1	1	0	3	2	7	8	5	2	1	2
		3	1	2	2	2	2	1	2	1	0	0	3	2	7	8	4	2	2	1
		4	1	3	2	1	2	1	1	1	1	3	3	2	6	7	5	3	2	1
	Year	23/24	1	3	2	1	2	1	1	1	1	1	3	2	7	7	5	2	2	1
	Episodes	F/N	6	55	106	84	222	165	76	33	10	4	53	129	366	1,062	661	140	71	21
North West	Quarter	1	3	3	2	1	2	2	2	1	3	3	3	2	7	11	7	3	3	1
		2	3	4	2	2	2	2	2	2	3	2	4	3	8	10	6	4	2	2
		3	4	4	3	2	2	1	1	2	2	3	4	2	8	10	6	3	2	2
		4	1	5	2	2	2	2	1	1	3	3	3	2	8	11	6	4	3	2
	Year	23/24	3	4	2	2	2	2	2	2	3	3	4	2	8	11	6	4	2	2
	Episodes	F/N	16	115	200	185	457	312	104	68	34	16	101	196	711	2,027	1,048	241	118	34
East of England	Quarter	1	0	2	1	1	1	1	0	1	2	5	0	1	3	5	3	2	1	1
		2	2	1	1	1	1	1	1	1	1	0	1	1	4	5	3	1	1	0
		3	2	2	1	1	1	1	1	0	1	5	1	1	3	5	4	2	1	1
		4	0	1	1	1	1	1	1	1	0	0	2	1	3	4	3	2	1	1
	Year	23/24	1	1	1	1	1	1	1	1	1	2	1	1	3	5	3	2	1	1
	Episodes	F/N	4	25	46	50	153	131	33	22	12	8	17	43	175	609	365	81	49	16
Midlands	Quarter	1	2	2	1	1	2	1	2	1	1	2	2	2	5	6	4	3	2	1
		2	4	3	1	1	1	1	1	1	1	2	3	2	5	6	4	3	1	1
		3	2	3	2	1	1	1	2	1	1	1	3	2	6	7	4	3	2	2
		4	3	2	1	1	1	1	1	1	1	1	3	2	5	6	4	2	2	1
	Year	23/24	3	3	1	1	1	1	1	1	1	2	3	2	5	6	4	3	2	1
	Episodes	F/N	19	93	141	141	322	271	108	62	13	11	100	169	588	1,450	878	221	108	30
London	Quarter	1	1	3	1	2	2	2	2	2	0	1	3	2	4	7	4	4	2	2
		2	2	3	2	1	2	1	2	1	0	2	3	2	5	7	4	4	2	3
		3	3	4	2	2	2	2	3	2	1	2	2	2	5	7	5	4	3	3
		4	3	3	2	1	2	2	2	2	1	2	3	2	4	6	4	4	2	3
	Year	23/24	2	3	2	2	2	2	2	2	1	2	3	2	4	7	4	4	2	3
	Episodes	F/N	18	126	186	173	656	333	92	45	7	14	105	192	513	2,155	819	200	78	41
South East	Quarter	1	3	1	1	1	2	2	1	2	1	2	1	1	5	8	5	3	2	2
		2	2	2	2	1	2	1	2	2	1	3	3	2	5	8	4	3	2	3
		3	2	2	2	1	2	1	2	2	1	1	2	2	5	7	5	3	2	2
		4	1	2	1	1	2	1	2	1	1	1	2	1	5	7	5	3	3	2
	Year	23/24	2	2	1	1	2	1	1	2	1	1	2	2	5	7	5	3	2	2
	Episodes	F/N	19	73	173	138	435	365	128	94	19	11	76	172	581	1,904	1,163	289	149	67
South West	Quarter	1	4	2	1	2	2	2	1	1	3	2	2	2	7	9	5	3	2	2
		2	3	1	1	1	2	2	2	1	2	1	2	1	8	8	4	2	2	2
		3	0	2	1	2	2	1	1	1	1	0	3	2	8	8	5	3	1	1
		4	3	2	1	1	2	2	2	1	0	0	1	1	7	9	5	3	2	2
	Year	23/24	3	2	1	1	2	2	2	1	1	1	2	1	7	8	5	3	2	2
	Episodes	F/N	12	42	65	97	344	264	99	55	22	3	47	90	501	1,369	772	201	107	42

Mean weekly incidence rate per 100,000 Persons.

		Herpes Zoster (ICD10: B02)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	1	2	2	2	5	9	9	14	1	1	2	2	4	9	12	12	15
	2	0	1	2	2	3	5	9	9	11	0	1	2	2	4	10	12	12	18
	3	0	0	2	2	2	6	10	10	12	0	1	2	2	4	10	14	13	18
	4	0	1	2	2	2	5	10	10	14	1	1	2	2	4	9	14	14	15
	5	1	1	2	2	2	5	9	10	13	0	1	3	2	4	9	13	13	17
	6	0	1	3	3	2	5	10	11	12	0	1	2	3	4	9	14	14	16
	7	0	1	2	2	2	5	9	8	14	1	1	2	2	4	10	12	11	15
	8	0	0	2	2	2	5	9	8	10	0	0	2	2	4	9	12	12	16
	9	0	0	1	2	2	5	8	9	10	0	1	2	2	4	8	11	10	14
	10	0	1	2	2	2	5	9	7	11	0	1	2	3	4	9	12	11	17
	11	0	1	2	2	2	4	8	8	11	0	1	2	2	4	8	13	11	14
	12	0	0	2	2	2	4	9	7	10	0	1	2	2	3	8	12	10	15
	13	1	1	2	2	2	5	8	7	11	0	1	2	2	4	9	12	11	16
Quarter	1	0	1	2	2	2	5	9	10	13	0	1	2	2	4	9	13	13	17
	2	0	1	2	2	2	5	10	10	13	0	1	2	2	4	9	13	13	16
	3	0	1	2	2	2	5	9	8	11	0	1	2	2	4	9	12	11	15
	4	0	1	2	2	2	4	8	8	11	0	1	2	2	4	8	12	11	15
Year	23/24	0	1	2	2	2	5	9	9	12	0	1	2	2	4	9	12	12	16
Episodes	F/N	10	162	1,176	1,224	3,436	6,224	4,034	2,592	1,122	11	175	1,245	1,364	5,471	10,889	5,769	4,159	2,479

Mean weekly incidence rate per 100,000 Persons.

Herpes Zoster (ICD10: B02)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	2	2	3	5	8	9	12	1	1	3	2	5	10	12	12	18
		2	0	1	2	2	2	5	10	10	11	1	1	2	2	4	9	12	14	14
		3	0	0	2	2	2	6	9	7	13	0	1	2	3	4	9	11	10	15
		4	0	1	2	2	2	5	7	8	12	0	1	2	3	4	8	11	8	12
	Year	23/24	0	1	2	2	2	5	8	9	12	1	1	2	3	4	9	11	11	15
	Episodes	F/N	0	12	123	111	336	723	467	312	131	2	21	136	141	605	1,265	654	455	264
North West	Quarter	1	0	1	3	2	3	6	11	11	18	1	1	3	3	5	11	16	15	17
		2	2	2	2	3	2	7	12	11	17	1	1	3	3	5	12	17	17	24
		3	1	1	3	2	3	6	9	10	12	0	1	3	3	5	11	14	11	20
		4	0	1	2	2	2	5	11	8	14	0	2	3	3	5	10	16	14	21
	Year	23/24	1	1	2	2	3	6	11	10	15	1	1	3	3	5	11	16	14	20
	Episodes	F/N	4	29	217	218	540	1,070	695	413	187	3	37	233	253	935	1,855	1,046	698	409
East of England	Quarter	1	0	1	1	1	2	5	8	7	6	0	1	2	2	4	8	12	9	12
		2	0	1	1	2	2	4	9	8	13	1	1	1	2	3	7	10	12	14
		3	0	0	2	2	2	4	9	7	9	0	0	2	2	3	7	9	9	13
		4	1	0	2	1	2	3	8	6	9	0	1	1	2	3	6	11	10	12
	Year	23/24	0	1	1	2	2	4	8	7	9	0	1	2	2	3	7	11	10	13
	Episodes	F/N	1	10	83	85	254	500	338	214	95	1	14	85	99	411	850	466	360	216
Midlands	Quarter	1	1	1	2	2	2	6	10	10	14	0	1	2	2	4	9	14	14	16
		2	1	1	2	2	3	5	10	9	10	1	1	2	2	4	9	12	12	14
		3	0	1	2	2	2	5	8	8	12	1	0	2	2	4	8	13	11	14
		4	0	2	2	2	2	4	8	8	12	1	1	2	2	4	9	11	12	15
	Year	23/24	0	1	2	2	2	5	9	9	12	0	1	2	2	4	9	12	12	15
	Episodes	F/N	3	31	215	211	559	1,078	719	469	196	3	26	212	223	890	1,850	1,011	777	397
London	Quarter	1	0	1	1	2	2	4	8	9	10	0	0	1	1	3	7	11	11	14
		2	0	1	1	2	2	4	9	10	12	0	1	2	2	3	6	11	13	15
		3	0	1	1	1	2	3	9	7	8	0	0	1	2	3	6	10	9	12
		4	0	0	1	1	2	3	10	7	10	0	1	2	2	2	7	10	10	14
	Year	23/24	0	1	1	2	2	3	9	8	10	0	0	1	2	3	7	11	11	14
	Episodes	F/N	0	22	113	175	659	742	440	217	89	1	16	140	194	864	1,226	560	360	207
South East	Quarter	1	0	1	3	2	3	5	10	11	13	0	1	3	3	4	9	12	12	21
		2	0	1	3	3	3	5	10	10	12	0	1	2	3	4	10	14	13	17
		3	0	1	2	3	2	5	9	8	10	0	1	3	3	4	9	11	12	17
		4	0	1	2	2	2	5	9	8	8	0	1	3	2	4	9	14	11	15
	Year	23/24	0	1	2	2	3	5	9	9	11	0	1	3	3	4	9	13	12	18
	Episodes	F/N	1	38	268	268	668	1,287	803	568	221	0	36	288	304	1,109	2,298	1,159	867	576
South West	Quarter	1	0	1	3	2	3	6	9	9	13	0	1	2	2	5	10	13	12	18
		2	0	1	3	2	3	5	9	10	16	1	2	3	3	4	11	13	11	14
		3	0	1	1	2	3	5	9	8	12	0	1	2	2	4	9	12	11	15
		4	1	1	2	2	2	4	7	6	11	0	1	2	2	4	8	11	10	16
	Year	23/24	0	1	2	2	3	5	9	8	13	0	1	2	2	4	10	12	11	16
	Episodes	F/N	1	20	157	156	420	824	572	399	203	1	25	151	150	657	1,545	873	642	410

6. Disorders Affecting the Nervous System

Mean weekly incidence rate per 100,000 Persons.

		Peripheral Neuropathy (ICD10: G50-G64,G70-G72)																			
		M										F									
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs		
6.	4 weekly	1	3	1	1	4	13	27	33	39	33	2	1	1	7	22	38	40	45	35	
		2	2	1	2	4	14	29	35	43	38	2	1	1	7	22	41	43	53	45	
		3	1	1	1	4	13	27	36	40	36	2	1	1	7	23	38	43	47	37	
		4	2	0	2	3	13	27	35	40	32	1	1	2	7	22	38	42	49	36	
		5	2	1	1	4	13	27	35	39	29	1	1	2	6	23	38	40	45	33	
		6	2	1	1	4	13	28	34	41	30	2	1	2	8	24	40	40	46	36	
		7	3	1	1	4	13	27	34	41	31	2	1	1	7	23	39	39	45	38	
		8	2	1	2	3	13	27	36	38	34	1	1	2	7	22	38	39	46	33	
		9	3	1	1	3	11	23	27	30	26	3	1	1	5	18	30	32	36	30	
		10	2	2	2	4	14	28	36	43	37	2	1	2	7	24	40	41	46	37	
		11	4	1	2	5	13	27	36	44	35	2	1	2	7	24	40	40	47	37	
		12	2	1	1	3	12	24	32	35	32	3	1	2	6	21	36	36	41	35	
		13	3	1	2	3	13	28	36	42	35	3	1	2	7	24	43	44	51	36	
Quarter	1	2	1	1	4	13	28	35	40	35	35	2	1	1	7	22	39	42	49	39	
	2	2	1	1	4	13	27	34	40	31	31	1	1	2	7	23	39	40	46	35	
	3	3	1	1	3	12	26	33	37	31	31	2	1	2	7	22	36	37	43	34	
	4	3	1	2	4	13	26	35	41	35	35	2	1	2	7	23	40	40	46	36	
Year	23/24	2	1	1	4	13	27	34	40	33	33	2	1	2	7	22	39	40	46	36	
Episodes	F/N	103	227	876	2,167	19,527	34,461	15,158	11,760	3,141	3,141	81	190	920	4,024	32,423	47,390	18,565	16,114	5,600	

Mean weekly incidence rate per 100,000 Persons.

Peripheral Neuropathy (ICD10: G50-G64,G70-G72)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	1	1	1	3	17	29	35	39	32	0	1	1	7	25	40	42	45	40
		2	1	1	2	4	16	29	32	38	27	0	0	1	8	26	41	41	47	28
		3	3	1	1	4	15	27	32	36	25	1	1	1	9	23	36	35	39	33
		4	4	0	2	4	15	27	35	39	31	3	1	2	8	24	38	35	43	32
	Year	23/24	2	1	2	4	15	28	34	38	29	1	1	1	8	25	39	38	44	33
	Episodes	F/N	9	17	98	215	2,183	3,917	1,843	1,363	311	4	16	77	442	3,500	5,373	2,196	1,824	592
North West	Quarter	1	3	1	2	4	15	32	41	41	42	2	1	2	8	26	44	50	53	45
		2	2	1	2	4	16	31	36	40	32	1	1	2	7	27	44	47	51	41
		3	4	1	2	4	15	30	35	41	33	4	1	2	8	27	42	43	45	36
		4	4	1	2	4	15	32	39	47	32	3	1	2	7	28	46	45	51	44
	Year	23/24	3	1	2	4	15	31	38	43	35	3	1	2	8	27	44	46	50	42
	Episodes	F/N	19	34	150	360	3,231	5,679	2,440	1,775	432	15	39	154	699	5,145	7,538	3,083	2,427	833
East of England	Quarter	1	0	0	1	5	12	23	35	37	28	1	1	1	7	19	34	35	42	31
		2	1	0	0	3	11	23	30	38	33	1	0	1	7	19	30	37	40	30
		3	2	0	1	3	10	22	30	34	30	2	1	2	6	19	32	34	39	35
		4	1	1	1	3	11	22	33	35	30	2	1	1	7	19	32	35	37	29
	Year	23/24	1	1	1	4	11	23	32	36	30	2	1	1	7	19	32	35	39	31
	Episodes	F/N	4	11	45	178	1,456	2,692	1,315	1,072	308	6	11	76	337	2,504	3,692	1,567	1,390	524
Midlands	Quarter	1	2	1	1	4	15	29	35	40	33	1	1	2	7	23	40	38	47	37
		2	1	1	1	3	13	28	33	40	33	3	1	1	7	24	39	36	42	30
		3	2	1	2	3	13	27	32	36	26	3	1	1	6	23	35	35	43	27
		4	1	1	1	4	14	28	34	36	35	2	1	2	6	24	41	40	44	31
	Year	23/24	1	1	1	4	14	28	34	38	32	3	1	2	6	23	39	37	44	31
	Episodes	F/N	9	43	157	386	3,333	6,087	2,658	2,057	529	18	31	153	684	5,458	8,173	3,066	2,775	852
London	Quarter	1	2	1	1	3	9	24	33	40	27	2	1	1	5	18	42	42	46	38
		2	5	1	1	4	9	25	30	35	27	2	1	1	5	18	43	42	44	29
		3	1	1	1	3	9	23	31	35	27	1	1	1	5	17	37	41	40	30
		4	2	1	1	3	9	22	32	36	36	2	1	2	6	18	42	44	44	36
	Year	23/24	2	1	1	3	9	23	31	36	30	2	1	1	5	18	41	42	44	33
	Episodes	F/N	21	40	112	372	3,271	4,976	1,541	953	266	15	32	118	585	5,909	7,629	2,208	1,435	500
South East	Quarter	1	3	1	2	3	15	28	36	44	35	2	1	1	8	22	36	43	54	44
		2	1	1	2	4	13	26	35	44	33	1	1	2	7	24	36	41	51	42
		3	3	2	2	3	13	25	35	38	35	2	1	2	7	24	34	36	45	37
		4	4	1	2	4	14	27	37	45	40	4	1	2	6	25	40	41	52	40
	Year	23/24	3	1	2	4	14	27	36	43	36	2	1	2	7	24	37	40	50	41
	Episodes	F/N	23	47	203	411	3,647	6,731	3,076	2,573	727	15	39	205	758	6,059	8,988	3,690	3,632	1,338
South West	Quarter	1	2	1	2	4	15	27	31	39	41	3	1	2	7	24	37	42	49	35
		2	5	1	1	4	14	28	36	42	31	1	1	3	8	24	37	38	46	36
		3	6	2	1	4	15	27	36	38	34	2	1	2	7	22	36	37	44	38
		4	3	1	2	3	14	27	35	42	36	1	1	2	8	25	38	40	46	39
	Year	23/24	4	1	2	4	15	27	35	40	36	2	1	2	8	24	37	39	46	37
	Episodes	F/N	18	35	111	245	2,406	4,379	2,285	1,967	568	8	22	137	519	3,848	5,997	2,755	2,631	961

Mean weekly incidence rate per 100,000 Persons.

		Meningitis and Encephalitis (ICD10: A170 - A171; A 390; A83 - A85; A87; G00 - G05)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	6	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
	2	7	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	3	6	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
	4	6	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0
	5	5	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	6	6	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	7	7	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0
	8	4	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	9	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	10	3	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
	11	5	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	1	0
	12	5	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	13	5	1	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
Quarter	1	6	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	2	6	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
	3	4	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	4	5	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
Year	23/24	5	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
Episodes	F/N	227	63	112	111	314	290	131	90	19	129	50	90	155	480	302	130	91	24

Mean weekly incidence rate per 100,000 Persons.

Meningitis and Encephalitis (ICD10: A170 - A171; A 390; A83 - A85; A87; G00 - G05)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	10	0	0	0	0	0	0	0	0	8	0	0	0	0	0	0	1	1
		2	6	0	0	0	0	0	0	0	0	7	1	0	0	0	0	0	0	0
		3	6	0	0	0	0	0	0	0	1	4	1	0	1	0	0	0	0	0
		4	4	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
	Year	23/24	6	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0
	Episodes	F/N	26	7	13	12	44	27	11	6	5	21	7	8	20	47	29	15	17	7
North West	Quarter	1	6	0	0	0	0	0	0	0	1	3	1	0	0	0	0	0	0	0
		2	4	0	0	0	0	0	0	0	0	3	0	0	0	1	0	0	0	0
		3	3	1	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	0
		4	5	0	0	1	0	0	0	0	0	4	0	0	0	1	1	1	0	0
	Year	23/24	4	0	0	0	0	0	0	1	0	3	0	0	0	1	0	0	0	0
	Episodes	F/N	27	10	16	25	50	60	25	21	3	17	11	13	24	98	66	30	4	1
East of England	Quarter	1	7	0	0	0	0	0	1	0	0	5	0	0	0	0	0	0	0	0
		2	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	1	0
		3	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
		4	5	0	0	0	0	0	0	0	0	4	1	0	0	0	0	0	0	0
	Year	23/24	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	Episodes	F/N	12	4	8	7	22	24	10	4	1	11	4	4	13	29	19	10	10	1
Midlands	Quarter	1	6	1	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
		2	10	0	0	0	0	0	1	0	0	4	0	0	0	0	0	0	0	0
		3	4	1	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
		4	5	0	0	0	0	0	1	0	0	2	0	0	0	0	0	0	0	0
	Year	23/24	7	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	Episodes	F/N	48	16	18	20	44	40	36	15	1	19	3	20	26	61	58	17	11	4
London	Quarter	1	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
		2	4	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
		3	4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		4	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1
	Year	23/24	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	Episodes	F/N	26	10	23	24	44	44	9	9	0	21	6	15	22	63	39	13	9	2
South East	Quarter	1	8	0	0	0	0	0	0	0	0	5	1	0	0	0	0	0	0	0
		2	8	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
		3	6	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
		4	4	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0
	Year	23/24	7	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
	Episodes	F/N	56	6	19	14	61	69	21	18	6	28	15	20	35	96	50	20	25	7
South West	Quarter	1	8	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
		2	5	0	0	0	0	0	0	0	0	3	0	0	0	1	0	0	0	0
		3	3	0	0	0	0	0	0	1	0	3	0	0	0	0	0	0	0	0
		4	11	1	0	0	0	0	0	0	0	5	0	0	0	1	0	0	0	0
	Year	23/24	7	0	0	0	0	0	0	0	0	3	0	0	0	1	0	0	0	0
	Episodes	F/N	32	10	15	9	49	26	19	17	3	12	4	10	15	86	41	25	15	2

Mean weekly incidence rate per 100,000 Persons.

		Musculoskeletal Symptoms (ICD10: R25-R29)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	23	7	4	3	3	10	29	70	163	24	7	3	5	6	14	35	78	174
	2	20	7	5	3	4	11	33	75	177	22	7	4	5	7	16	39	87	178
	3	22	8	4	3	4	11	34	70	161	24	6	3	6	7	15	38	81	175
	4	21	5	3	3	4	10	32	72	161	21	5	3	5	6	15	35	80	173
	5	22	7	4	3	4	10	31	65	159	25	6	3	6	6	14	33	77	167
	6	17	7	4	4	4	11	30	72	170	25	5	4	6	6	16	35	78	180
	7	29	7	4	3	4	11	32	79	186	31	5	4	5	6	15	34	80	184
	8	23	6	4	3	4	11	29	74	184	25	5	3	4	6	15	35	80	188
	9	19	5	3	2	3	9	27	65	167	22	4	2	4	5	12	28	67	169
	10	21	7	4	3	4	11	34	75	197	26	6	4	6	7	16	36	81	200
	11	23	5	4	3	4	11	33	76	186	19	6	3	5	6	15	35	78	188
	12	21	6	4	3	3	10	30	64	155	24	6	3	5	6	14	32	69	169
	13	23	8	4	3	4	11	31	69	172	27	6	3	5	7	15	35	74	173
Quarter	1	21	7	4	3	4	11	32	71	166	24	7	3	5	7	15	37	82	176
	2	22	6	4	3	4	11	31	71	168	24	5	3	6	6	15	34	77	174
	3	22	6	4	3	3	11	30	74	181	26	5	3	5	6	14	33	77	184
	4	22	7	4	3	4	11	31	70	173	24	6	3	5	6	15	34	74	178
Year	23/24	22	6	4	3	4	11	31	71	172	24	6	3	5	6	15	35	78	178
Episodes	F/N	931	1,342	2,306	1,794	5,422	13,689	13,707	21,190	16,425	982	1,118	1,873	3,088	9,252	18,084	16,090	27,230	27,809

Mean weekly incidence rate per 100,000 Persons.

Musculoskeletal Symptoms (ICD10: R25-R29)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	24	9	3	3	4	13	37	81	194	16	7	3	6	8	16	38	96	224
		2	42	8	3	2	3	11	32	76	201	28	6	3	6	8	17	37	88	222
		3	27	7	4	3	4	11	33	82	212	40	7	3	6	7	16	34	88	222
		4	27	9	4	3	4	12	35	82	201	27	8	3	6	6	15	37	84	228
	Year	23/24	30	9	3	3	4	12	34	80	202	28	7	3	6	7	16	36	89	224
	Episodes	F/N	124	173	215	146	535	1,644	1,870	2,851	2,189	105	137	182	337	1,055	2,235	2,086	3,728	4,007
North West	Quarter	1	29	9	5	4	4	15	43	81	165	24	9	4	7	9	21	53	100	174
		2	19	8	5	5	6	15	44	73	173	25	5	4	6	9	20	51	89	169
		3	25	8	4	4	4	15	39	82	177	27	5	3	5	7	20	45	91	188
		4	22	7	5	4	4	16	39	76	172	33	7	4	7	8	19	44	79	171
	Year	23/24	24	8	5	4	5	15	41	78	172	27	6	4	6	8	20	48	89	176
	Episodes	F/N	148	235	412	364	989	2,794	2,668	3,261	2,133	158	187	313	570	1,626	3,470	3,221	4,346	3,516
East of England	Quarter	1	10	7	3	3	3	8	32	68	179	19	8	4	5	6	12	32	80	184
		2	7	4	4	3	3	9	30	74	192	7	7	3	4	4	14	29	79	184
		3	13	6	3	3	2	9	28	75	182	16	5	3	4	5	11	31	69	190
		4	7	9	4	2	3	8	27	73	183	13	6	2	4	5	11	29	66	183
	Year	23/24	9	6	3	3	3	9	29	72	184	14	6	3	4	5	12	30	74	185
	Episodes	F/N	32	116	182	132	366	1,029	1,211	2,169	1,878	46	110	146	224	657	1,393	1,346	2,591	3,103
Midlands	Quarter	1	27	5	4	3	4	10	27	70	148	30	4	4	4	6	13	35	74	165
		2	26	6	4	3	4	9	27	69	164	30	4	3	5	6	14	30	72	155
		3	24	6	4	3	3	10	26	65	158	25	4	3	4	6	12	26	71	161
		4	24	4	4	3	4	9	27	60	149	25	4	3	5	6	12	27	61	150
	Year	23/24	25	5	4	3	4	10	26	66	155	28	4	3	5	6	13	30	69	158
	Episodes	F/N	186	197	390	307	900	2,095	2,090	3,577	2,581	197	144	316	505	1,401	2,677	2,448	4,400	4,309
London	Quarter	1	14	6	4	3	3	9	36	70	143	22	6	3	5	6	14	36	81	146
		2	18	6	3	3	3	9	31	74	140	20	3	3	5	5	16	36	83	159
		3	15	5	4	3	3	9	32	81	152	16	4	3	4	5	15	35	81	161
		4	20	6	4	3	3	10	31	67	146	16	6	3	4	5	17	37	84	155
	Year	23/24	17	6	3	3	3	9	33	73	145	18	5	3	4	5	16	36	83	155
	Episodes	F/N	142	226	368	307	1,027	2,022	1,602	1,908	1,311	148	179	295	512	1,765	2,947	1,886	2,718	2,339
South East	Quarter	1	24	7	4	3	4	9	28	64	151	30	7	3	5	7	13	33	71	151
		2	24	6	5	3	4	10	27	66	142	32	6	4	7	6	13	31	66	164
		3	26	5	4	3	4	10	28	64	170	33	5	4	5	6	13	31	66	161
		4	27	6	4	3	5	10	29	65	159	27	7	3	6	9	15	32	70	164
	Year	23/24	25	6	4	3	4	10	28	65	156	30	6	3	6	7	14	32	68	160
	Episodes	F/N	204	237	507	353	1,079	2,505	2,424	3,914	3,153	230	246	399	623	1,841	3,367	2,907	4,918	5,261
South West	Quarter	1	18	8	4	3	4	10	26	69	191	20	6	3	5	6	14	32	80	202
		2	17	7	3	3	3	10	26	68	181	17	7	3	5	5	12	29	75	182
		3	19	5	3	2	3	10	28	78	216	29	4	3	4	5	12	30	82	221
		4	25	7	3	3	3	10	32	72	209	21	4	3	5	5	12	33	79	207
	Year	23/24	20	7	3	3	3	10	28	72	199	22	5	3	5	6	12	31	79	203
	Episodes	F/N	95	158	232	185	526	1,600	1,842	3,510	3,180	98	115	222	317	907	1,995	2,196	4,529	5,274

7. Genitourinary System Disorders

Mean weekly incidence rate per 100,000 Persons.

Urinary Tract Infections / Cystitis (ICD10: N30,N390)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	17	6	3	2	3	8	24	49	102	18	21	16	33	34	35	50	86	120
	2	16	5	3	2	3	9	26	53	99	18	21	17	35	34	34	50	83	126
	3	21	6	3	3	4	9	28	54	110	20	19	14	37	39	39	58	89	129
	4	14	6	2	2	4	9	29	54	109	21	20	13	37	40	40	57	95	132
	5	17	6	3	2	3	9	28	53	104	23	22	16	38	39	38	55	93	132
	6	17	5	3	2	3	9	26	52	109	19	21	17	40	41	41	58	92	131
	7	21	7	3	2	4	9	28	55	111	24	25	18	39	39	40	57	96	134
	8	18	6	3	2	3	10	25	53	107	18	24	18	37	37	38	55	92	128
	9	20	5	2	2	3	9	25	50	104	14	23	15	32	34	35	51	84	121
	10	17	6	3	2	4	9	28	54	104	19	26	20	37	35	39	55	90	136
	11	16	6	4	3	4	10	27	54	101	15	24	18	37	38	40	53	91	124
	12	16	7	3	3	4	10	25	51	102	20	21	16	34	36	38	52	83	123
	13	20	6	3	2	3	10	27	55	106	22	22	18	37	39	40	58	93	129
Quarter	1	17	6	3	2	3	9	26	52	105	19	20	15	35	36	36	53	87	126
	2	18	6	3	2	3	9	28	53	108	22	22	16	39	40	40	57	94	132
	3	18	6	3	2	4	9	26	52	106	17	24	18	36	36	37	54	89	128
	4	18	6	3	3	4	10	26	53	103	19	23	17	36	38	39	54	89	126
Year	23/24	18	6	3	2	3	9	27	53	105	19	22	17	36	37	38	55	90	128
Episodes	F/N	760	1,235	1,857	1,370	5,277	12,032	11,755	15,690	10,057	780	4,388	9,684	21,842	54,016	47,053	25,352	31,536	19,941

Mean weekly incidence rate per 100,000 Persons.

Urinary Tract Infections / Cystitis (ICD10: N30,N390)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	25	9	3	3	5	11	29	65	113	35	30	19	42	45	40	62	101	136
		2	26	9	4	2	4	12	35	65	130	31	30	22	51	46	46	65	105	146
		3	25	7	4	3	5	12	33	62	122	18	34	24	47	42	42	62	103	147
		4	24	13	4	4	5	13	35	62	121	21	31	23	50	46	47	60	99	141
	Year	23/24	25	9	4	3	5	12	33	63	121	26	32	22	47	45	44	62	102	142
	Episodes	F/N	104	187	238	174	638	1,724	1,816	2,261	1,316	100	608	1,319	2,654	6,350	6,088	3,565	4,262	2,550
North West	Quarter	1	17	6	3	3	4	10	28	54	106	18	23	17	36	44	41	57	98	139
		2	15	4	3	3	3	10	30	57	107	23	23	18	39	47	46	60	102	144
		3	16	6	4	2	4	11	28	52	111	17	26	21	38	42	45	59	100	142
		4	17	6	3	3	4	11	29	55	109	19	22	19	39	46	46	60	100	137
	Year	23/24	16	6	3	3	4	10	29	54	108	19	24	18	38	45	44	59	100	140
	Episodes	F/N	100	170	285	246	767	1,877	1,852	2,267	1,344	111	678	1,526	3,484	8,546	7,576	3,921	4,870	2,810
East of England	Quarter	1	18	5	4	3	4	10	26	54	121	17	25	16	42	35	37	61	96	129
		2	17	7	3	3	4	9	27	56	122	24	25	16	45	39	43	59	99	143
		3	22	8	3	2	4	9	23	57	107	18	24	20	42	35	37	57	93	131
		4	20	6	3	3	3	9	23	56	108	21	28	18	39	35	36	53	93	131
	Year	23/24	19	6	3	3	4	9	25	56	115	20	25	17	42	36	38	57	95	134
	Episodes	F/N	68	113	184	129	520	1,099	1,028	1,668	1,169	66	437	917	2,131	4,858	4,403	2,540	3,353	2,240
Midlands	Quarter	1	14	7	3	2	3	9	23	46	94	12	17	14	36	38	38	47	77	110
		2	12	4	2	2	3	9	25	47	91	12	19	15	39	44	41	53	84	125
		3	12	6	2	2	4	9	24	47	99	10	19	16	34	39	37	47	80	117
		4	15	6	4	2	3	8	23	45	103	8	18	15	34	38	39	48	78	111
	Year	23/24	14	6	3	2	3	9	24	47	97	10	18	15	36	40	39	49	80	116
	Episodes	F/N	100	205	307	213	834	1,900	1,884	2,521	1,617	73	627	1,526	3,860	9,263	8,148	3,999	5,038	3,158
London	Quarter	1	12	4	2	1	3	6	23	44	70	15	13	10	21	27	27	42	61	95
		2	18	5	2	2	3	7	22	42	69	17	15	10	24	29	30	45	74	107
		3	18	5	2	2	2	7	23	46	79	17	19	13	22	27	27	43	75	92
		4	13	6	3	2	3	8	22	45	75	17	17	13	22	27	28	44	70	101
	Year	23/24	15	5	2	2	3	7	22	44	73	16	16	11	22	27	28	44	70	99
	Episodes	F/N	127	192	251	199	903	1,555	1,104	1,161	660	132	598	1,140	2,546	8,902	5,239	2,274	2,316	1,492
South East	Quarter	1	20	7	3	2	3	8	28	53	114	21	20	16	34	35	35	53	87	133
		2	17	6	3	2	4	9	29	54	119	29	23	16	39	39	39	57	94	132
		3	21	7	3	2	4	9	27	52	104	21	28	18	36	36	35	56	87	130
		4	21	6	3	2	4	10	26	54	106	28	26	20	40	41	39	56	90	131
	Year	23/24	20	6	3	2	4	9	27	53	111	25	24	18	37	38	37	56	89	131
	Episodes	F/N	162	260	362	251	966	2,320	2,350	3,222	2,243	189	924	1,996	4,154	9,704	9,153	5,084	6,431	4,317
South West	Quarter	1	21	3	3	2	4	10	26	51	108	23	19	18	42	37	37	54	88	130
		2	23	5	3	2	4	9	27	53	109	27	23	18	48	43	41	58	98	130
		3	19	5	3	2	4	9	25	53	115	20	27	19	43	38	40	56	90	132
		4	19	5	4	3	4	11	27	55	96	26	22	18	43	39	41	57	93	128
	Year	23/24	21	5	3	2	4	10	26	53	107	24	23	18	44	39	40	56	92	130
	Episodes	F/N	99	108	230	158	649	1,557	1,721	2,590	1,708	109	516	1,260	3,013	6,393	6,446	3,969	5,266	3,374

8. Other disorders

Mean weekly incidence rate per 100,000 Persons.

Strep Sore Throat, Scarlatina and Peritonsillar Abscess (ICD10: A38,J020,J36)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	3	19	7	2	1	0	0	0	0	4	15	7	2	1	1	0	0	0
	2	2	12	5	1	1	0	0	0	0	3	10	5	2	1	0	0	0	0
	3	3	13	5	1	1	0	0	0	0	3	12	6	2	1	0	0	0	0
	4	3	7	2	1	1	0	0	0	0	3	7	2	2	1	0	0	0	0
	5	2	7	2	1	1	0	0	0	0	3	7	2	2	1	0	0	0	0
	6	4	11	4	1	0	0	0	0	0	3	10	5	2	1	0	0	0	0
	7	3	15	5	1	1	0	0	0	0	4	15	6	2	1	0	0	0	0
	8	4	23	10	2	1	0	0	0	0	4	25	12	2	1	0	0	0	0
	9	3	19	9	2	1	0	0	0	0	3	19	10	2	2	1	0	0	0
	10	6	36	16	1	1	0	0	0	0	2	37	18	2	2	0	0	0	0
	11	6	34	15	2	1	0	0	0	0	4	33	19	2	2	1	0	0	0
	12	4	37	18	2	1	1	0	0	0	5	37	23	2	2	1	0	0	0
	13	3	27	10	2	1	1	0	0	0	3	21	12	2	2	1	0	0	0
Quarter	1	3	14	6	1	1	0	0	0	0	3	12	6	2	1	0	0	0	0
	2	3	9	3	1	1	0	0	0	0	3	9	4	2	1	0	0	0	0
	3	4	24	10	2	1	0	0	0	0	3	24	11	2	2	0	0	0	0
	4	5	33	15	2	1	1	0	0	0	4	31	18	2	2	1	0	0	0
Year	23/24	4	20	8	2	1	0	0	0	0	3	19	10	2	1	0	0	0	0
Episodes	F/N	155	4,182	5,153	925	1,333	505	99	31	8	137	3,768	5,678	1,152	2,031	576	110	40	7

Mean weekly incidence rate per 100,000 Persons.

Strep Sore Throat, Scarletina and Peritonsillar Abscess (ICD10: A38,J020,J36)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	3	13	6	1	1	0	0	0	0	3	13	6	1	1	0	0	0	0
		2	2	8	3	2	1	0	0	0	0	6	11	4	2	1	0	0	0	0
		3	5	23	10	2	1	0	0	0	0	5	27	10	2	2	1	0	0	0
		4	1	31	13	2	1	0	0	0	0	3	32	14	2	2	1	0	0	0
	Year	23/24	3	19	8	2	1	0	0	0	0	4	21	8	2	2	1	0	0	0
	Episodes	F/N	11	380	490	100	122	44	12	3	1	17	396	501	117	217	77	12	7	1
North West	Quarter	1	4	16	6	2	1	0	0	0	0	6	14	7	1	2	0	0	0	0
		2	3	13	4	1	1	0	0	0	0	5	12	5	3	1	0	0	0	0
		3	6	33	13	2	1	0	0	0	0	4	31	15	2	2	1	0	0	0
		4	7	41	18	2	1	1	0	0	0	4	35	21	3	3	0	0	0	0
	Year	23/24	5	26	10	1	1	0	0	0	0	5	23	12	2	2	0	0	0	0
	Episodes	F/N	33	775	898	138	219	87	18	6	0	28	663	1,005	208	351	73	13	5	0
East of England	Quarter	1	2	14	5	2	1	1	0	0	0	4	12	4	1	1	1	0	0	0
		2	1	8	2	1	1	0	0	0	0	0	6	2	2	1	0	0	0	0
		3	8	19	10	1	1	0	0	0	0	0	21	11	2	1	0	0	0	0
		4	6	26	13	1	2	0	0	0	0	1	22	16	3	1	0	0	0	0
	Year	23/24	4	17	8	1	1	0	0	0	0	1	15	8	2	1	0	0	0	0
	Episodes	F/N	15	305	420	74	145	46	2	2	2	4	265	442	105	159	53	9	4	0
Midlands	Quarter	1	4	13	5	2	1	0	0	0	0	3	12	5	2	1	0	0	0	0
		2	6	8	3	1	1	0	0	0	0	3	8	4	1	1	0	0	0	0
		3	3	23	11	2	1	0	0	0	0	3	26	12	2	2	0	0	0	0
		4	5	34	15	2	1	1	0	0	0	5	36	19	2	2	1	0	0	0
	Year	23/24	4	20	9	2	1	0	0	0	0	3	20	10	2	2	0	0	0	0
	Episodes	F/N	33	721	926	171	232	81	22	5	2	23	713	1,029	199	370	101	21	5	2
London	Quarter	1	2	14	6	1	0	0	0	0	0	1	10	5	1	1	0	0	0	0
		2	2	6	2	1	0	0	0	0	0	3	7	2	1	1	0	0	0	0
		3	3	15	7	1	0	0	0	0	0	2	13	7	1	1	0	0	0	0
		4	3	22	12	1	1	0	0	0	0	5	19	14	1	1	0	0	0	0
	Year	23/24	3	15	7	1	0	0	0	0	0	3	12	7	1	1	0	0	0	0
	Episodes	F/N	23	569	714	91	166	51	8	1	1	22	451	703	145	238	42	11	6	1
South East	Quarter	1	2	16	6	2	1	0	0	0	0	4	12	7	2	1	1	0	0	0
		2	4	10	4	2	1	0	0	0	0	4	8	3	2	1	0	0	0	0
		3	4	27	10	2	1	0	0	0	0	3	28	12	2	2	1	0	0	0
		4	5	39	17	2	1	1	0	0	0	3	36	21	2	2	1	0	0	0
	Year	23/24	4	23	9	2	1	0	0	0	0	3	21	11	2	2	1	0	0	0
	Episodes	F/N	31	936	1,077	224	261	112	19	7	1	25	807	1,229	207	393	141	25	10	2
South West	Quarter	1	1	12	5	2	1	1	1	0	0	3	12	6	3	1	0	0	0	0
		2	0	11	3	2	1	0	0	0	0	4	8	4	2	1	0	0	0	0
		3	1	25	12	2	1	0	0	0	0	4	26	14	3	2	1	0	0	0
		4	6	35	15	2	1	1	0	0	0	6	37	20	2	2	1	0	0	0
	Year	23/24	2	21	9	2	1	1	0	0	0	4	21	11	3	2	1	0	0	0
	Episodes	F/N	9	496	628	127	188	84	18	7	1	18	473	769	171	303	89	19	3	1

Mean weekly incidence rate per 100,000 Persons.

		Infectious Mononucleosis (ICD10: B27)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	2	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	3	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	4	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	5	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	6	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	7	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	8	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	9	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	10	0	0	0	2	0	0	0	0	0	0	0	1	2	0	0	0	0	0
	11	0	0	0	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0
	12	0	0	0	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0
	13	0	0	1	2	0	0	0	0	0	0	0	1	2	0	0	0	0	0
Quarter	1	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	2	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	3	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	4	0	0	1	2	0	0	0	0	0	0	0	1	2	0	0	0	0	0
Year	23/24	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
Episodes	F/N	1	47	213	1,083	337	45	11	2	1	3	24	255	1,397	409	59	5	5	0

Mean weekly incidence rate per 100,000 Persons.


Infectious Mononucleosis (ICD10: B27)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
		2	0	0	0	2	0	0	0	0	0	1	0	0	3	0	0	0	0	0
		3	0	0	0	2	0	0	0	0	0	0	1	0	2	0	0	0	0	0
		4	0	0	0	3	0	0	0	0	0	0	0	1	2	0	0	0	0	0
	Year	23/24	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	Episodes	F/N	0	3	24	112	30	4	0	0	0	1	6	23	132	30	3	1	1	0
North West	Quarter	1	0	0	0	2	0	0	0	0	0	0	0	1	2	0	0	0	0	0
		2	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
		3	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
		4	0	0	0	2	0	0	0	0	0	0	0	1	2	0	0	0	0	0
	Year	23/24	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	Episodes	F/N	0	9	30	160	63	3	3	0	0	0	0	39	213	48	13	0	0	0
East of England	Quarter	1	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
		2	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
		3	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
		4	0	0	0	2	0	0	0	0	0	0	0	1	3	1	0	0	0	0
	Year	23/24	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	Episodes	F/N	0	5	19	88	16	6	0	0	0	0	1	22	122	45	7	2	0	0
Midlands	Quarter	1	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
		2	0	0	0	2	0	0	0	0	0	1	0	0	2	0	0	0	0	0
		3	0	1	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
		4	0	0	1	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0
	Year	23/24	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	Episodes	F/N	0	12	36	180	53	6	1	1	0	1	5	39	248	67	8	2	1	0
London	Quarter	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		2	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		3	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		4	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	Year	23/24	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	Episodes	F/N	1	3	23	100	55	5	0	0	0	0	5	24	133	72	7	0	3	0
South East	Quarter	1	0	0	0	3	0	0	0	0	0	1	0	0	3	0	0	0	0	0
		2	0	0	0	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0
		3	0	0	0	3	0	0	0	0	0	0	0	1	4	0	0	0	0	0
		4	0	0	1	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0
	Year	23/24	0	0	0	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0
	Episodes	F/N	0	10	43	277	69	15	6	1	0	1	4	66	373	105	16	0	0	0
South West	Quarter	1	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
		2	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
		3	0	0	0	3	0	0	0	0	0	0	0	1	2	0	0	0	0	0
		4	0	0	1	3	0	0	0	0	0	0	0	1	3	0	0	0	0	0
	Year	23/24	0	0	1	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0
	Episodes	F/N	0	5	38	166	51	6	1	0	1	0	3	42	176	42	5	0	0	0


Appendix E

COVID-19 incidence, disparities in presentation, and
data tables

Weekly disease incidence by region




Weekly disease incidence by age group




COVID-19

Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
85+ysrs	9.18	10.95	7,013	5,311
75-84ysrs	12.39	18.66	9,467	9,047
65-74ysrs	13.05	16.99	9,974	8,239
45-64ysrs	33.36	26.90	25,496	13,043
25-44ysrs	23.29	15.04	17,801	7,293
15-24ysrs	4.64	3.88	3,548	1,881
5-14ysrs	1.84	3.11	1,404	1,506
1-4ysrs	0.85	1.60	651	774
<1yr	1.41	2.87	1,078	1,392


Index of Multiple Deprivation (IMD)



Ethnic group



Conurbation, Urban and Rural Living



Mean weekly incidence rate per 100,000 Persons.

		COVID-19																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	20	7	3	5	7	14	27	42	69	23	5	3	9	17	25	28	34	55
	2	13	1	1	2	3	6	11	15	30	10	2	1	3	6	11	13	14	22
	3	20	1	1	2	3	6	11	15	25	16	1	1	3	7	13	14	13	19
	4	31	3	1	3	6	12	24	35	54	25	3	2	7	14	26	28	30	45
	5	67	6	7	7	10	19	35	50	79	52	6	7	13	26	42	42	47	65
	6	66	7	7	8	11	24	43	66	101	53	6	7	16	32	53	51	57	81
	7	38	3	2	3	5	11	18	29	58	26	3	2	6	12	21	19	26	46
	8	34	4	3	3	5	11	19	33	67	37	4	3	5	13	22	21	28	53
	9	73	6	2	4	6	15	28	53	107	52	6	2	7	15	30	31	50	94
	10	37	6	3	3	4	8	16	32	82	33	4	3	4	10	17	17	28	58
	11	12	1	1	1	1	3	4	10	20	10	1	0	1	3	5	6	10	19
	12	8	1	1	1	1	1	3	7	13	5	1	0	1	2	3	3	6	12
	13	8	1	0	1	1	2	4	8	18	6	1	0	1	1	3	5	8	16
Episodes	F/N	1,392	774	1,506	1,881	7,293	13,043	8,239	9,047	5,311	1,078	651	1,404	3,548	17,801	25,496	9,974	9,467	7,013
Quarter	1	18	3	2	3	4	9	17	24	42	17	3	2	5	10	17	19	21	32
	2	55	5	5	6	9	18	33	49	78	43	5	5	12	24	39	39	44	65
	3	48	5	3	3	5	11	20	38	82	40	5	3	6	13	23	23	34	65
	4	10	1	1	1	1	2	4	10	20	9	1	1	1	2	4	5	9	18
Year	23/24	33	4	2	3	5	10	19	30	56	27	3	2	6	12	21	21	27	45

Mean weekly incidence rate per 100,000 Persons.

COVID-19

			F									M								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
East of England	Episodes	F/N	83	47	102	256	1,223	1,934	802	754	599	114	52	117	150	541	975	661	804	460
	Quarter	1	18	2	1	3	7	13	16	14	21	22	2	1	2	3	6	13	20	32
		2	40	4	3	12	17	30	34	34	46	51	4	5	6	8	15	29	42	66
		3	39	4	3	5	11	22	19	30	60	54	5	3	3	4	10	20	38	71
		4	4	1	0	1	2	3	4	8	16	2	1	0	0	1	2	3	7	12
	Year	23/24	25	3	2	5	9	17	18	21	36	32	3	2	3	4	8	16	27	45
London	Episodes	F/N	196	106	214	511	2,617	2,811	942	846	606	243	127	200	289	1,235	1,527	770	725	435
	Quarter	1	16	2	1	3	6	11	15	19	22	19	1	1	2	3	6	14	21	27
		2	33	4	4	8	14	26	30	38	61	42	5	3	5	6	12	23	39	61
		3	40	5	3	5	10	19	22	39	66	44	5	3	3	4	9	21	40	87
		4	10	0	1	1	2	3	5	8	11	10	1	1	1	1	2	4	11	18
	Year	23/24	24	3	2	4	8	15	18	26	40	29	3	2	3	3	7	16	28	48
Midlands	Episodes	F/N	146	134	277	760	3,537	4,774	1,880	1,823	1,266	200	170	334	417	1,389	2,478	1,574	1,816	976
	Quarter	1	16	7	3	10	20	24	27	31	49	12	10	4	5	7	14	26	39	64
		2	30	4	5	12	26	42	39	44	59	48	4	6	6	10	19	31	49	81
		3	27	4	2	5	13	21	20	30	56	41	4	2	3	5	10	18	36	66
		4	10	1	1	1	2	4	5	10	21	8	1	0	1	1	2	5	10	23
	Year	23/24	21	4	3	7	15	23	23	29	46	27	5	3	4	6	11	20	34	58
North East and Yorkshire	Episodes	F/N	105	74	137	379	1,755	2,691	1,077	1,087	868	141	76	142	166	700	1,292	962	1,028	646
	Quarter	1	14	1	1	6	9	13	14	19	34	15	1	1	2	4	7	14	17	41
		2	47	8	6	13	27	42	39	45	78	69	7	5	6	10	19	34	55	94
		3	36	5	2	6	10	18	16	30	63	37	6	2	3	4	9	17	32	81
		4	15	1	1	2	3	5	7	10	20	17	1	1	1	2	2	5	12	22
	Year	23/24	28	4	2	7	12	19	19	26	49	34	4	2	3	5	9	18	29	60
North West	Episodes	F/N	178	70	206	492	2,531	3,855	1,441	1,404	973	262	103	219	246	1,008	1,961	1,223	1,298	728
	Quarter	1	19	1	1	4	9	16	18	19	29	28	2	1	2	3	8	14	21	42
		2	52	5	5	11	28	45	42	51	80	73	6	6	5	10	21	37	53	91
		3	44	3	3	6	13	24	22	35	68	57	6	3	3	5	12	20	41	86
		4	8	1	0	1	3	5	5	10	17	10	1	1	1	1	3	5	10	16
	Year	23/24	31	2	2	5	13	23	22	29	49	42	3	3	3	5	11	19	31	59
South East	Episodes	F/N	242	152	289	701	3,829	5,746	2,253	2,120	1,615	290	161	317	379	1,533	2,895	1,753	1,918	1,227
	Quarter	1	18	2	1	5	10	17	19	21	34	19	2	1	2	4	8	17	23	42
		2	54	6	5	13	28	43	44	46	64	55	6	5	6	10	21	36	52	80
		3	49	6	3	7	19	28	31	43	79	56	7	4	4	7	14	25	43	100
		4	7	2	0	1	3	5	5	9	20	14	1	1	0	1	3	4	9	22
	Year	23/24	32	4	3	6	15	23	25	29	49	36	4	3	3	6	11	20	32	61
South West	Episodes	F/N	128	68	179	449	2,309	3,685	1,579	1,433	1,086	142	85	177	234	887	1,915	1,296	1,458	839
	Quarter	1	17	2	1	5	11	18	17	19	26	12	1	2	3	4	9	16	22	37
		2	47	5	6	15	29	44	42	44	66	54	6	5	7	10	22	38	50	71
		3	41	5	3	6	15	24	25	30	57	42	5	2	4	6	14	21	38	78
		4	8	1	1	1	2	5	5	8	18	10	2	1	1	1	2	4	10	24
	Year	23/24	28	3	3	7	14	23	22	25	42	30	4	2	3	5	12	20	30	53