

Name of Investigator: PIL: PPL: contact number (24/7)

Animal ID #: Starting weight: Procedure: Start date:

	Score	Days after treatment							
		0	1 st	2 nd	3 rd	4 th	5 th	6 th	7 th
GENERAL APPEARANCE									
Normal	0								
General lack of grooming	1								
Coat scruffy, ocular discolouration	2								
Piloerection, hunched up	3								
APPEARANCE OF WOUND									
Normal	0								
Slight inflammation at wound/eye margins	1								
Bleeding, local infection, torn sutures	2								
WEIGHT									
Within 5% of starting weight	0								
5-10% less than starting weight	1								
10-15% less than starting weight	2								
More than 15% less than starting weight	3								
SPONTANEOUS BEHAVIOUR									
Normal	0								
Slightly uncoordinated, minor changes	1								
Reluctant to move, isolated	2								
Paralysis, vocalisation, self-mutilation	*								
PROVOKED BEHAVIOUR									
Normal	0								
Minor changes	1								
Moves only when handled, vocalisation	2								
Reacts violently or no response, pre-comatose	*								
SCORE ADJUSTMENT									
+1 point for each score of 3 after first	0-3								
TOTAL SCORE	0-13								

- 0-4** Normal No action required
- 5-8** Mild distress Ensure the animals are warm enough (provide a heat source if necessary), and give analgesics if behavioural changes are apparent. Monitor twice daily, and alert PPL Holder and NACWO.
- 9-11** Distress Provide wet mash, ensure the animals are warm enough (provide a heat source if necessary) and give analgesics if behavioural changes are apparent. Seek second opinion from PPL Holder and NACWO/NVS. Consider antibiotics or other interventions.
- 12-13** Severe distress Animal to be culled by a Schedule 1 or Non-Schedule 1 method immediately. Report to NACWO/NVS and PPL Holder
- * **If paralysed, self-mutilated or pre-comatose the animal will be culled by a Schedule 1 or Non-Schedule 1 method immediately.**