

# Nexus Approaches to Global Sustainable Development

Jianguo Liu<sup>1</sup>, Vanessa Hull<sup>2</sup>, H. Charles J. Godfray<sup>3</sup>, David Tilman<sup>4</sup>, Peter Gleick<sup>5</sup>,  
Holger Hoff<sup>6</sup>, Claudia Pahl-Wostl<sup>7</sup>, Zhenci Xu<sup>1</sup>, Min Gon Chung<sup>1</sup>, Jing Sun<sup>1,8</sup>, Shuxin Li<sup>1</sup>

<sup>1</sup>Center for Systems Integration and Sustainability, Department of Fisheries and Wildlife,  
Michigan State University, East Lansing, MI, USA 48824, USA

<sup>2</sup>Department of Wildlife Ecology and Conservation, University of Florida, Gainesville, FL  
32603, USA

<sup>3</sup>Oxford Martin School & Department of Zoology, University of Oxford, 34 Broad St, Oxford  
OX1 3BD, UK

<sup>4</sup>Department of Ecology, Evolution and Behavior, University of Minnesota, St Paul, MN, 55108,  
USA

<sup>5</sup>Pacific Institute, Oakland, CA, 94612, USA

<sup>6</sup>Potsdam Institute for Climate Impact Research, Potsdam, 14473, Germany and  
Stockholm Environment Institute, Stockholm 11523, Sweden

<sup>7</sup>Institute for Environmental Systems Research, University of Osnabrück, Osnabrück, 49069,  
Germany

<sup>8</sup>Key Laboratory of Agricultural Remote Sensing, Ministry of Agriculture/Institute of  
Agricultural Resources and Regional Planning, Chinese Academy of  
Agricultural Sciences, 100081 Beijing, China

\*Corresponding author email: [liuji@msu.edu](mailto:liuji@msu.edu)

## Abstract

Many global challenges, though interconnected, have been addressed singly, at times reducing one problem while exacerbating others. Nexus approaches simultaneously examine interactions among multiple sectors. Recent quantitative studies have revealed that nexus approaches can uncover synergies and detect trade-offs among sectors. If well implemented, nexus approaches have the potential to reduce negative surprises and promote integrated planning, management and governance. However, application and implementation of nexus approaches are in their infancy. No studies have explicitly quantified the contributions of nexus approaches to progress toward meeting Sustainable Development Goals (SDGs). To further implement nexus approaches and realize their potential, we propose a systematic procedure and provide perspectives on future directions. These include expanding nexus frameworks that consider interactions among more sectors, across scales, between adjacent and distant places, and linkages with SDGs; incorporating overlooked drivers and regions; diversifying nexus toolboxes; and making these strategies central in policy-making and governance for integrated SDG implementation.

## 1. Introduction

With global population projected to exceed 9 billion and per capita buying power expected to more than double by 2050, global challenges such as reducing food insecurity, water scarcity and fossil energy use, as well as improving human health and protecting the environment, are increasingly pressing and deeply interconnected<sup>1</sup>. Major threats such as climate change and its likely social, political and economic consequences compound the challenges and add further interlinkages<sup>2</sup>. To address global challenges and threats, the United Nations has set 17 Sustainable Development Goals (SDGs) for 2030, including the provision of sufficient food, energy, and water for all<sup>3</sup>. But taking the SDG agenda seriously, and operationalizing it on the ground, is far from straightforward.

Achieving the SDGs requires all relevant stakeholders to work together and manage the synergies and trade-offs among different management or governance sectors (e.g. food, health, water, and energy)<sup>4</sup>. While focused expertise and management remain important, traditional “silo” approaches by specialized institutions and agencies alone cannot effectively address the linked challenges. Consider, for example, the Aral Sea. River water that had flowed into the Aral Sea was diverted to create irrigated desert croplands but also led to a substantial loss of a productive fishery as the lake dried and shrank to a tenth of its original size<sup>5</sup>. These major impacts were avoidable. Well-made canals and efficient irrigation could have allowed agriculture to flourish while protecting the lake’s biodiversity so that it provided a sustainable fishery<sup>6</sup>.

New integrated approaches and tools are needed to address the challenges posed by multiple and often conflicting human needs and demands, and to achieve the SDGs successfully. Numerous approaches have been developed to help address these issues, including the concepts of natural capital and ecosystem services<sup>7,8</sup>, quantification of environmental footprints<sup>9</sup> and planetary boundaries<sup>10</sup>, integrated water resource management and “soft path” approaches to improve water use efficiency<sup>11</sup>, multifunctional landscapes<sup>12</sup>, and integrated ecosystem management<sup>13</sup>.

Each of these concepts has multiple dimensions and is valuable for addressing some of the SDGs, and they can be extended to address synergies and trade-offs among sectors <sup>14</sup>.

The nexus concept builds on many of these approaches by emphasizing the importance of understanding connections, synergies and trade-offs. The word "nexus" (from the Latin *nectare*, to connect<sup>15</sup>) has long been used in philosophy, cell biology, and economics, to refer to approaches that address the linkages between multiple distinct entities <sup>16</sup>. Nexus terminology was first used in the natural resource realm in 1983 under the Food-Energy Nexus Programme, which sought integrated solutions to food and energy scarcity <sup>16</sup>. Since then, it has been applied most frequently to studying connections among food, water and energy, sometimes with the addition of issues like biodiversity protection and human health, or within specific framings such as responding to climate change. Although the term can be overused <sup>17,18</sup>, we argue it is valuable to avoid the natural tendency to retreat into intellectual and institutional silos. Compared to previous integrated concepts, there has been a stronger demand for operationalization and solution-orientation by resource managers, policy makers, and other stakeholders. With broad interest and impetus, there is an opportunity for co-development of actionable knowledge from nexus assessments for problem solving such as simultaneously achieving multiple SDGs (Table 1). Cross-sectoral integration is a major issue for both nexus approaches and SDGs.

In this article, we address three key questions: What are the major advantages and costs of nexus approaches? What steps are essential for implementing nexus approaches? What are the main research gaps and directions? We also discuss how nexus thinking can help improve policy, management, and governance to ensure environmental sustainability while meeting human needs worldwide.

### **Advantages and Costs of Nexus Approaches**

By identifying positive synergies and negative trade-offs, nexus approaches can help enhance sustainability pathways through promoting higher resource-use efficiency <sup>11</sup>, lower production of pollutants <sup>19</sup> and wastes <sup>20</sup>, and more coherent policy <sup>21</sup>. This point has in the past been argued through chiefly qualitative analysis <sup>18,22</sup>, and we see a need to extend this to more quantitative approaches. To demonstrate advantages, here we examine several recent quantitative studies on the food-energy-water nexus, which addresses fundamental human needs. Despite huge progress, 660 million people still lack access to safe drinking water, 2.4 billion do not have good sanitation services <sup>23</sup>, 795 million people face chronic food shortage <sup>24</sup>, and 1.2 billion have no electricity <sup>25</sup>. Food, energy and water interact and can affect all the SDGs (Figure 1), yet each is often treated in isolation.

**Uncovering synergies and co-benefits.** Nexus approaches can identify synergistic effects and co-benefits that might otherwise be missed in complex production systems and supply chains. This is particularly important in densely populated urban areas where the benefits of more efficient resource consumption are high. For example, multi-sectoral systems analysis reveals that in London implementing urine separation technology (UST) that requires less water than conventional methods could lead to a 10% reduction in water needs <sup>26</sup>. This reduction would lower the energy use in water supply by about 10% and wastewater treatment by nearly 25%.

The energy savings in wastewater treatment result from fewer toilet flushes (since the technology relies on urine diversion and composting as opposed to flushing with water) and reduced nutrient levels in sewage. Furthermore, nutrients captured by the UST would contain on average 2,300 tonnes of phosphorus and 24,000 tonnes of nitrogen annually that would be valuable as fertilizers<sup>26</sup>. These nitrogen fertilizers could satisfy the nitrogen needs for growing almost one million tons of wheat in the United Kingdom (~6% annual production)<sup>27</sup>.

**Detecting harmful trade-offs.** Nexus approaches can help detect and minimize harmful trade-offs<sup>28</sup>. For example, trade-offs occur in drier regions where farmers choose between multiple types of crops that have different water and energy demands. In a recent integrated assessment of the Mediterranean region, researchers used geographic information systems and a gridded water balance model to examine water productivity and carbon footprints across eight crop types<sup>29</sup>. Among the crops examined, citrus had the highest water productivity (yield per unit water applied) at around 3,200 t of crop/Mm<sup>3</sup> water per year and the lowest carbon footprint at approximately 12 kg CO<sub>2</sub>/t per year of emissions. Sunflower had the reverse, with the highest carbon footprint (73 kg CO<sub>2</sub>/t per year) and among the lowest water productivity (~510 t/Mm<sup>3</sup> per year). Regional differences also occurred. For instance, water demand for irrigation per unit of product was 75% higher in Egypt than Spain, yet the local carbon footprint was three times lower. This difference is due to the predominance of gravity-fed (more water intensive) irrigation in Egypt compared to pressurized (more energy intensive) irrigation in Spain. Scenario analysis (a process of projecting future possibilities under different assumptions about the future) found that switching from surface (gravity-fed) to pressurized irrigation would reduce the water demand by 13% but increase the carbon footprint by 135%<sup>29</sup>. Switching from rain-fed to irrigated agriculture, which increases land productivity, would increase both the water demand and carbon footprint by 168% and 270%, respectively<sup>29</sup>. Possible net economic return from these crops also varies. For example, in Turkey, citrus crops yield roughly 1,790-3,400 USD/ha<sup>30</sup>, but sunflower yields 570-1,690 USD/ha in Italy<sup>31</sup>. The relative benefits of different irrigation systems are variable across systems. Accordingly, a nexus approach helps to identify context-specific solutions adapted to the respective resource scarcities.

**Unveiling unexpected consequences.** Nexus approaches can assist in identifying unexpected consequences<sup>32-34</sup>. For example, biofuels were proposed as part of the solution to increased CO<sub>2</sub> emissions from burning fossil fuels, but unexpected side effects occurred<sup>35</sup>. World consumption of biofuels increased by 78% from 1950 to 2010<sup>36</sup> and currently 64 countries have biofuel targets or mandates<sup>35</sup>. However, biofuels can have profound negative consequences for water scarcity as their production, processing and distribution can require up to 500 times more water per unit of energy than oil and gas. Biofuels may also have unintended consequences for food security and social stability: the large and rapidly-imposed US biofuel mandate was associated with a spike in global cereal prices<sup>37</sup>, and in a tighter coupling of world market prices for energy and food, though the pattern of causation is debated. Roughly 25-50% of the net calories diverted from food to ethanol are never replaced in the agricultural sector (based on US and EU biofuel data)<sup>38</sup> and the consequent increase in food prices particularly impacts the world's poorest people with clear ethical implications. The food calories that were replaced came partly from increased productivity on existing farmland but also from conversion of land to agriculture. Both, and in particular the second, lead to GHG emissions that are frequently not considered<sup>39</sup>. There may be advantages of producing rain-fed biofuels on non-agricultural land, but it is

important to consider possible trade-offs such as the loss of ecosystem integrity and biodiversity, and alternatives such as using the land for carbon storage <sup>40</sup>.

**Enhancing integrated planning, decision-making, governance, and management.** By bringing together actors involved in different sectors, nexus approaches can promote cooperation, coordination <sup>41</sup> and policy coherence <sup>21</sup>. For example, there has been a global boom in hydropower dam construction with nearly 4,000 major dams, each with a capacity of more than 1 MW, either planned or under construction <sup>42</sup>. A nexus approach has been incorporated into a hydro-economic systems model and scenario analysis to investigate resource security and allocation in the Brahmaputra River Basin in South Asia which is home to 130 million people across four countries: Bhutan, China, India, and Bangladesh <sup>43</sup>. As in many large watersheds, there are conflicts of interest over water. The political economy of this watershed is complex as it contains two regional superpowers (China and India) as well as a much smaller country – Bhutan – that is dependent on hydropower generation for export income <sup>43</sup>. By tracking current and proposed water uses in the basin over space and time, the model elucidated the potential sustainability of alternative development pathways. Several insights emerged, including the need for thresholds of total allowable water diversion, which if exceeded would cause collapse of water security in the region <sup>43</sup>. Differences in the effects of human activities on different sectors were also revealed. For instance, China's planned water diversions <sup>44</sup> would affect India's water availability for rice production but not hydropower (which comes from other locations). Such information is useful for international water treaty negotiations that decide how water and associated benefits are divided among the multiple competing users. There are similar upstream-downstream relationships in other river basins such as the Ganges, Brahmaputra, Nile, and Meghna basins, where cooperative efforts are needed to address challenges such as floods, erosion, water storage facilities and demand, and spatial separation between hydropower potential and energy market <sup>45</sup>. Thus, it would be helpful to account for cross-sectoral and transboundary interlinkages in planning and governance to ensure system resilience and sustainability in the face of future uncertainties <sup>46</sup>.

**Costs of nexus approaches:** The costs of nexus approaches are generally higher than those of silo approaches, but no quantitative information is available about the additional expertise, time, coordination, and financial resources required. Nexus approaches need expertise in all relevant sectors instead of just one sector. Furthermore, it is necessary to coordinate experts in different sectors. For example, research on food-energy-water nexus requires expertise on food, energy, and water as well as coordination of experts in these sectors. To accomplish the common overall goal, experts need to understand each other's work. As a result, it takes more time and financial resources to conduct nexus research.

### **Implementation of Nexus Approaches**

Nexus approaches are increasingly being used in quantitative research <sup>47</sup> and in policy implementation <sup>26,28</sup>. To help their operationalization, we propose five major steps (Figure 2), though noting different steps may be returned to more than once.

**Formulating nexus research goals.** Research goals may be motivated by practical problems that require understanding specific interrelationships among sectors or analyzing nexus dynamics in defined regions. More foundational work includes developing new nexus methods and exploring mechanisms underlying nexus dynamics. So far, nexus studies often have aimed to detect nexus co-benefits<sup>48</sup>, trade-offs,<sup>49</sup> and synergies<sup>34</sup> in order to optimize resource use and production and to achieve water security<sup>50</sup>, food security<sup>15,51</sup>, human health<sup>52</sup>, and energy security<sup>53</sup>. Most studies have focused on specific nexus questions<sup>54</sup> (e.g., How can we benefit across sectors from the association of the water sector with new technologies?<sup>26</sup>). Others have concentrated on solving specific problems<sup>56</sup> such as the sustainability of the food-energy-water nexus in BRICS (Brazil, the Russian Federation, India, China, and South Africa)<sup>57</sup>, while a few have tested specific hypotheses such as energy efficiency techniques can be extended to improve efficiency of other sectors, especially water<sup>58</sup>. However, no quantitative nexus studies have linked with specific SDGs.

**Defining nexus systems of interest.** Systems(s) of interest can be socially or spatially defined or bounded. Their boundaries may be geographical, political, or administrative. Examples include studies on watersheds such as the nine river basins in Sri Lanka<sup>59</sup>, cities such as London, UK<sup>26</sup> and Bologna, Italy<sup>58</sup>, and countries like Brazil, the Russian Federation, India, China, and South Africa<sup>57</sup>. Defining systems using administrative and political rather than geographical boundaries has immediate policy relevance because policies are usually developed and implemented within those boundaries<sup>56</sup>. However, other criteria (e.g., geographical boundaries such as river basins) are also needed to define boundaries for managing transboundary resource stocks and flows that pose special judiciary difficulties and require unique political agreements.

**Developing nexus conceptual frameworks.** Developing nexus conceptual frameworks is essential to clarify complex relationships across sectors and provide a foundation for further analysis. Many conceptual frameworks have been developed for nexus research. For food-energy-water nexus, food systems may include fisheries, aquaculture, and land-based agricultural production; energy systems may consist of geothermal, fossil fuels, hydro, shale gas, and renewables; and water resources may range from ground water, surface water, recycled and desalinated water to precipitation<sup>55</sup>. Another nexus framework put forward by the World Economic Forum<sup>50</sup> focuses on assessing risks across the sectors. Some other frameworks highlight key points of interest such as ecosystem services<sup>34</sup> or the role of stakeholders in achieving policy objectives<sup>60</sup>. However, few frameworks have integrated sectors across regions or made specific linkages to SDG goals, targets and indicators<sup>61</sup>. Furthermore, more efforts should be placed on integrating sociopolitical and biophysical processes to make the frameworks more applicable to the real world. An example is an actor-ecosystem services approach that integrated multi-level governance concepts in a livestock-biogas-drinking water system in Europe<sup>62</sup>.

**Quantitatively analyzing nexus relationships.** Many methods can be used for quantitative nexus analysis. For example, nexus relationships can be represented by a suite of indices, in particular cross-resource or cross-sectoral input intensities such as the amount of energy used for food production (e.g., production of fertilizer) and water production (for pumping and extraction of water)<sup>22</sup>, amount of water for food production (especially irrigation)

and energy production<sup>63</sup>, and associated food security, energy security, and water security in food-energy-water studies<sup>64</sup>. Some studies have developed nexus indices that collapse the main nexus variables into a single number that is convenient for assessing different strategies and scenarios<sup>65</sup>. Some indices in nexus studies overlap with SDG indicators<sup>66</sup>, such as CO<sub>2</sub> emissions and environmental footprints<sup>26,29</sup>, facilitating direct connections between nexus research and SDGs.

Nexus relationships can be analyzed using a variety of tools such as life cycle assessment, material flow analysis, input-output analysis<sup>67</sup>, Multi-sectoral System Analysis<sup>26</sup>, Integrated Assessment Models<sup>68</sup> and general linear model statistical analyses (Table 2). There are different types of data available, such as resource production, productivity, use, attitudes, intentions, and perceptions<sup>69</sup>, biophysical measurements<sup>69</sup>, and remote sensing data<sup>70</sup>. Data may come from different sources, including experiments, the literature, governmental agencies, and international organizations<sup>67</sup>. Different tools serve different purposes. For example, network analysis quantifies embodied energy and GHG emissions from irrigation through virtual water transfers in food trade<sup>71</sup>. Sankey diagrams<sup>72</sup> are useful to visualize the relationships and flows among different components. While multi-objective optimization has been used in other fields, the method has just begun to be used in food-energy-water nexus research and decision-making<sup>73</sup>, such as optimizing cropping pattern for maximum economic water and energy productivity and minimum use<sup>65</sup>.

**Simulating nexus dynamics.** Nexus studies can benefit from computer simulations, which can evaluate temporal nexus dynamics (e.g., intergenerational trade-offs, time lags, and legacy effects) in the absence of long-term empirical data and project when SDGs may be achieved. Nexus models can elucidate the consequences of various scenarios such as different technology adoptions<sup>26</sup> and different levels of savings and cost effectiveness<sup>74</sup>. Scenarios can also identify complex and dynamic interactions such as temporal trade-offs<sup>75</sup>, co-benefits<sup>76</sup> and synergies<sup>70</sup> among different nexus sectors or components<sup>26,75</sup>. Model simulation results may include values of various environmental and socio-economic nexus indicators and indices.

It is challenging to examine the performance of nexus models because outputs of all sectors and their interactions need to be evaluated. For model validation, empirical data are needed for assessing all nexus sectors and their interactions instead of just one focal sector as in “silo” models. More efforts are needed to evaluate how sensitive each sector and its interactions are to changes in other model components or how uncertainty associated with errors or lack of knowledge affects all sectors and their interactions<sup>74</sup>.

**Engaging with stakeholders.** Working with relevant stakeholders to co-design, co-produce and co-implement the research<sup>77</sup> throughout all the steps illustrated above can enhance the relevance of research by incorporating experiences and needs from the stakeholders<sup>55</sup>. Stakeholder involvement is challenging<sup>78</sup> as it requires more time and money as well as more organizing and coordinating efforts, but it is essential to identify conflicts and solutions such as how the real-world conflicts might be overcome by nexus approaches. Although co-production of knowledge between scientists and stakeholders is not a new concept, it has gained more traction recently<sup>54</sup>. However, so far only a small proportion of studies have engaged stakeholders<sup>79</sup>. For example, stakeholders participated in collecting data for the simulation

model of water allocation for food production and hydropower generation in Sri Lanka , reviewing and implementing the water allocation plan, and reviewing the implementation outcomes <sup>59</sup>. Another example is a study where researchers engaged in scenario building with local stakeholders in Ethiopia and Rwanda to hone the design of a nexus toolkit for addressing interrelated issues such as biomass use, hydropower, and irrigation <sup>80</sup>.

## Future Directions

Application and implementation of nexus approaches are still in their infancy. Below we identify major research gaps and offer suggestions for enhancing their applications to research, policy, governance, and management.

**Expanding nexus frameworks.** Nexus frameworks need to be expanded in several different ways. First, more and different sectors need to be included, such as the health impacts of alternative diets, of alternative energy sources, and of alternative crops and agronomic practices. Indeed, the numerous linkages among agriculture, diet, health, GHG emissions, biodiversity, water and energy are sufficiently strong that effective policies may need to consider all of these sectors simultaneously. So far, most nexus studies focus on two sectors, such as energy and water, water and food, food and energy, and food and biodiversity (Table 1). New efforts are underway to evaluate nexuses with three sectors (Table 1), such as the food-energy-water nexus. Few studies have included four or more sectors <sup>67,81</sup> (Table 1). As new sectors are added, the number of interactions among sectors increases greatly and it is important to evaluate the benefits and costs of adding more sectors.

Second, it is important to bridge nexuses across small and large scales or levels (integrating both top-down and bottom-up approaches). For instance, food-energy-water nexus at the state level may affect various sectors at the county as well as national and international levels. California is a major food producer and exporter, which requires substantial energy and water, yet it also experiences growing conflicts over water resources and shortages <sup>82,83</sup>. Food-energy-water connections at the level of California have important impacts on health, food, energy, and water policies at the national and international levels.

Third, more widely applicable nexus frameworks are needed to simultaneously address nexuses in multiple places and the increasing spatial separation between resource production and consumption, which may reallocate costs and benefits across different places. In other words, achieving SDGs in one place may enhance or compromise achieving SDGs in other places. However, the current nexus conceptual frameworks often focus on a specific place or context <sup>84</sup>. The new integrated framework of metacoupling (socioeconomic and environmental interactions across space) can account for nexuses within a specific place (intracoupling), between adjacent places (pericoupling), and between distant places (telecoupling) <sup>85</sup> (Figure 3). Each place can be viewed as a coupled human and natural system <sup>86</sup>. Sustainability is a coupled human and natural systems issue, not just a technical issue, although techniques such as quantitative methods and computer models can help address drivers and dynamics of sustainability challenges such as growth in population size and number of households, economic growth, power relations, and



policies<sup>87</sup> (Figure 3). The metacoupling framework takes an interdisciplinary perspective to examine socioeconomic and environmental causes (drivers) and effects of flows (e.g., movement of matter, energy, information, people, organisms, and capital) between systems like countries facilitated by various agents such as investors, traders and policy makers. It can help identify and explicate nexuses within as well as between adjacent and distant systems. For example, food trade can affect the food-water-energy nexus i) in food exporting countries by increasing water and energy use for the food produced, ii) in food importing countries by reducing water and energy use for the food consumed, and iii) globally by increasing or decreasing overall global resource use efficiency and associated environmental impacts.

Fourth, it would be useful to apply nexus approaches to SDG implementation. Nexus approaches can help achieve SDGs because SDG goals are interconnected<sup>88</sup> and linked with the sectors of a particular nexus. For example, the food-energy-water nexus is directly linked with SDGs 2 (zero hunger), 6 (clean water and sanitation), and 7 (affordable and clean energy)<sup>3,89</sup>. This nexus also directly or indirectly affects all other SDGs (Figure 1), such as improving human health and well-being (SDG 3) by enhancing water quality and quantity, bolstering food safety and nutrition, and energy security; advancing economic development (SDG 8) through using food system residues to generate bioenergy, treating polluted water using the bioenergy, and using treated water to grow food; and mitigating climate change (SDG 13) through increasing resource efficiency and reducing CO<sub>2</sub> emissions. As nexus frameworks can make the direct or indirect relationships with and between SDGs clear (Table 1 and Figures 1 and 3), they can enable integrated SDG implementation as requested in the Agenda 2030. Accordingly, nexus approaches can also monitor progress towards integrated SDG implementation.

**Incorporating overlooked drivers and regions.** Some important drivers of (un)sustainability and geographic regions have been overlooked in nexus research. Below we highlight household dynamics and marine and coastal regions.

Households are the basic units of consumption (and production in many regions) and need to be linked with nexus approaches to improve understanding of synergies and trade-offs. Human population size has been widely recognized as a major driver of nexus dynamics, e.g., as a key determinant of GHG emissions<sup>90</sup> and demand for resources<sup>37</sup> with their consequent effects on the environment. During the 20<sup>th</sup> century, global population increased by 270% but inflation-adjusted global per capita buying power increased by 360%<sup>91</sup>. Household size influences per capita buying power. As recent advances show<sup>92,93</sup>, household perspectives can offer new insights that differ from population perspectives because globally the number of households increases faster than population size. The faster increase in household numbers and in household incomes leads to dramatically higher environmental impacts and demands for resources<sup>94,95</sup>. Building on the many studies that have evaluated household consumption of different resources separately<sup>96-98</sup>, more work is needed to assess the synergistic effects of consuming resources (e.g., changing food consumption may alter energy and water consumption as energy and water are needed to prepare food). Evaluating household consumption of resources simultaneously may lead to more accurate estimates of global demand for resources, with implications for more effective policies.

Nexus research should also be expanded to marine and coastal systems. Nexus efforts to date have focused mainly on terrestrial and freshwater systems, although marine systems make up around 70% of the earth's surface and have great potential for providing food, energy, and other ecosystem services<sup>99</sup>. Some studies have linked marine and terrestrial processes, for example, work on desalination of sea water to mitigate freshwater scarcity<sup>100</sup>, seafood as a partial solution to food security<sup>101</sup>, and offshore oil drilling as an important energy source<sup>102</sup>. However, little is known about nexus synergies and trade-offs, or the full potential of marine and coastal systems, including nearshore or open ocean cages for aquaculture, to help meet global resource needs and environmental sustainability. Marine aquaculture increasingly depends on crop-based feeds that indirectly impact the terrestrial food-energy-water nexus. For instance, one study estimates that for one tonne of salmon production, standard feed with high levels of fish meal and oil used 30.0 m<sup>3</sup> of water and 32,159 MJ of energy<sup>103</sup>. Estimates are similar in low-fishery feed which replaces fish meal and oil with plant-based sources (34.1 m<sup>3</sup> of water and 31,688 MJ of energy)<sup>103</sup>. Thus, intensifications of aquaculture may cause an increase of nutrient pollution and degrade coastal and marine ecosystems, e.g. through higher hypoxia rates<sup>104</sup>. On the other hand, sourcing fish meal from open oceans damages marine ecosystems, and genetically modified (GM) crops with healthy lipid precursors may serve as a potential promising alternative<sup>105</sup>. Nexus approaches such as those applied in the Sahara Forest Project in the coastal zones of Qatar and Jordan could change conventional thinking and practices by contributing a new and transdisciplinary lens to the emerging field of “blue growth”<sup>106</sup> that promotes sustainable development across marine, coastal and terrestrial systems.

**Enlarging and diversifying toolboxes.** There have recently been several advances in qualitative methods to understand nexus issues, including institutional network analysis and environmental justice frameworks<sup>107,108</sup>. However, the development of comprehensive quantitative or mixed quantitative/qualitative toolboxes for nexus research has lagged behind. Although a number of quantitative methods have been “borrowed” from different disciplines<sup>109</sup> (Table 2), their applications to nexus research could be improved. Traditional methods used within the individual sectors such as life cycle assessment<sup>110</sup> or footprint analysis<sup>9</sup> often cannot fully capture cross-sector interactions. Future methods should be more diverse and have the power to implement comprehensive nexus frameworks (e.g., Figure 3), quantify complex systems, collect and integrate data on relevant factors from multiple sources, transfer results from case studies to other contexts, and scale up findings from local to global levels as well as scale down large-scale sustainability criteria to local policy- and decision-making<sup>111</sup>. Tools are needed to work across all spatial scales at which nexus problems should be governed and managed, and to identify which positive and negative outcomes of the nexus are local, regional, and global<sup>112</sup>. Common standards are also needed to allow comparisons among studies using compatible boundaries, scales, units, and methods to avoid mismatches and minimize differences in estimates.

In the age of “Big Data”, greater efforts should be made to integrate data across sectors of the nexus, including remotely sensed data such as those from the Global Earth Observation System of Systems (GEOSS<sup>113</sup>). Predicting future resource demand and availability can benefit from the integration of environment and development scenario projections such as those from Shared

Socioeconomic Pathways <sup>114</sup>. There is great potential to integrate existing “Big Data” frameworks together to create an interdisciplinary repository of “Big Nexus Data”. However, harmonizing data and indicators globally is quite a challenge, as the current indicator effort related to the SDGs demonstrates.

New integrative metrics and methods are needed to measure interrelationships across sectors <sup>115</sup>. Some metrics relate to efficiency and productivity, such as water and food per unit energy, water and energy per unit crop yield, and energy and food per unit water <sup>116</sup>. These simple metrics can serve as a foundation for building more comprehensive cross-sector metrics and models. Besides considering social values, there are also technical and political difficulties in terms of how to weight the importance of different resource productivities in both models and management planning. Addressing these issues can help develop comprehensive and effective guidance for nexus planning and governance.

Toolboxes need to integrate both the advances in qualitative analysis and quantitative modeling for adaptive nexus governance and management processes. These processes should address uncertainties systematically and support robust decision-making for achieving SDGs. As addressing SDGs will be associated with considerable uncertainties, improved methods are needed to assess, communicate and manage interlinked risks in the face of global change.

**Transforming policy-making, governance, and management.** Researchers and stakeholders need to have closer dialogues to co-generate knowledge relevant for policy- and decision-makers and other stakeholders <sup>117</sup>, and for complementing sector-focused approaches with nexus-based approaches in support of more integrated policies. Such an enhancement can facilitate coherence, complementarities, and coordination among sectors <sup>64</sup>, detect major constraints and potential leverage points for triggering change, and map feasible and effective pathways for addressing multiple SDGs.

Nexus approaches can help to reconcile the human health-, environment- and development-oriented goals and targets within and across the SDGs <sup>52,115</sup>. For example, circular economy concepts that reframe wastes as valued resources instead of negative production externalities can help reduce environmental footprints and enhance economic efficiencies <sup>118</sup> and improve livelihoods. New uses for byproducts such as biogas from waste and bioenergy from plants with crassulacean acid metabolism also hold promise <sup>118</sup>. Rethinking trade-offs between bioenergy and food security can promote further synergies. For instance, well-designed biofuel programs might have positive effects on food security through diversifying income sources, increasing energy for food supply chain and domestic use, and generating beneficial spin-off effects on water and other sectors <sup>119</sup>.

Nexus approaches that consider inter-sectoral and inter-regional interactions help to avoid “leakage” or “spillovers”, i.e., transferring problems from one sector or region to another instead of solving them <sup>120</sup>. Reflexive governance offers potential to implement such approaches because it encompasses networks of relevant actors such as policy-makers, entrepreneurs, and civil society from multiple sectors that reshape governance structures as situations change <sup>120</sup>. Under a reflexive governance framework, actors engage in self-reflection that considers social

relationships and broader institutional structure and functioning that can be modified over time. Nexus research can also help design systemic and flexible governance instruments that support integration both horizontally (across organizations at the same level) and vertically (across organizations at lower and higher levels)<sup>121</sup> and also across regions. One example is an integrative social network approach that identified complex synergies across different levels of institutional structure for food-energy-water nexus management in the Blue Nile river in Ethiopia<sup>14</sup>. Stakeholders engaged in participatory network mapping, which revealed the complexity of conflicts and communication bottlenecks over in-demand resources such as land for food, water, and energy development. Such instruments need to integrate market-based and network-based approaches that support innovative co-production of knowledge and learning<sup>121</sup>. They should better account for the political economy and social science aspects of decision-making in the nexus to guide and influence consumers' choices. By doing so, nexus approaches could also improve political stability among countries competing for common resources (e.g., water in the Middle East) by enhancing human securities while reducing environmental pressures and resource demand.

There are many cross-sectoral coordination challenges<sup>122</sup>. Barriers to coordination arise from rigid sectoral regulatory frameworks as well as planning and implementation procedures, entrenched domain interests and power structures, and established sectoral communication structures. Currently, most educational and management systems do not embrace cross-cutting expertise and instead conform to traditional "silo" approaches<sup>122</sup>. Few policy frameworks exist that explicitly address nexus coordination. To address this gap, the nexus concept is entering the center stage of debates among private, public, academic, and other stakeholders<sup>123</sup>. Changes need to be implemented among institutions to harmonize cross-sectoral policies, align strategies across sectors and incentives, encourage cross-sectoral investment, and encourage the development of an interdisciplinary knowledge base<sup>122</sup>.

Nexus governance should be closely connected with the integrated SDG implementation because nexuses are directly or indirectly related to all SDGs (Figure 1). Although some studies have recognized synergies and trade-offs among SDGs within a place<sup>124</sup>, little is known about the SDG interrelationships among different places<sup>85</sup>. There are explicit and implicit statements that the goals should be achieved everywhere. For instance, SDG 1 aims "to end poverty in all its forms everywhere"<sup>3</sup>. However, the gaps between the current conditions and SDGs are vastly different among countries<sup>125</sup>. Applying the metacoupling framework would help enhance contributions of nexus approaches to achieving SDGs within as well as across adjacent and distant places<sup>126</sup>. Other advances such as integrating Advanced Sustainability Analysis and network analysis to quantify synergies among SDG indicators across different places<sup>127</sup> shows promise and should be combined with the nexus approaches explored in this article.

## Conclusions

The nexus approaches highlight the need for and potential benefits of taking a broad, multi-sector, multi-scale and multi-regional perspective to solve global challenges, such as those

related to the SDGs. Although giving a name to this perspective may be viewed as the needless creation of a buzzword<sup>17,18</sup>, the reason for bestowing this terminology is to remind researchers and policy makers of the strong linkages among sectors, scales and regions and the potential need to be aware of trade-offs and to seek synergies when solving major problems. Nexus approaches can help uncover synergies and detect harmful trade-offs among different sectors, scales and regions, reveal unexpected consequences, and promote integrated planning, decision-making, governance, and management. As a result, they can help enhance cooperation and reduce conflicts among sectors, scales and regions, increase resource-use efficiency, and reduce wastes and pollutants. Management of cross-sectoral, cross-scale and cross-regional integration is a major issue in both nexus approaches and SDGs.

There are reasons for optimism but the challenges are also great: providing an anticipated global population of 10 to 11 billion in 2100 with sustainable resources will require new perspectives and strong partnerships among science, government, industry and citizens. More efforts are needed to develop, implement, and apply comprehensive nexus frameworks; incorporate overlooked drivers and regions; expand and diversify nexus toolboxes; and mainstream nexus approaches into policy-making, governance, and management. Because nexus approaches require a broader range of expertise, more data, more coordination among sectors and more resources, they are challenging to implement. The examples so far demonstrate that nexus approaches can be feasible. However, it will be important to determine those problems for which nexus approaches would provide sufficient added value to justify the added effort. By continuing to expand the implementation efforts, novel interventions will emerge to meet the resource demands of a richer and more populous world while maintaining human well-being and building a sustainable and resilient planet.

## References

- 1 Liu, J. *et al.* Systems integration for global sustainability. *Science* **347**, doi:10.1126/science.1258832 (2015).
- 2 Pachauri, R. K. *et al.* *Climate change 2014: synthesis report. Contribution of Working Groups I, II and III to the fifth assessment report of the Intergovernmental Panel on Climate Change.* (IPCC, 2014).
- 3 United Nations. The sustainable development agenda. <http://www.un.org/sustainabledevelopment/development-agenda/>. (2016).
- 4 Rockström, J. Future Earth. *Science* **351**, 319-319, doi:10.1126/science.aaf2138 (2016).
- 5 Jin, Q., Wei, J., Yang, Z.-L. & Lin, P. Irrigation-induced environmental changes around the Aral Sea: An integrated view from multiple satellite observations. *Remote Sensing* **9**, 900 (2017).
- 6 Micklin, P. The Aral sea disaster. *Annu. Rev. Earth Planet. Sci.* **35**, 47-72 (2007).
- 7 Daily, G. *Nature's services: societal dependence on natural ecosystems.* (Island Press, 1997).
- 8 Costanza, R. *et al.* Changes in the global value of ecosystem services. *Global Environ. Change* **26**, 152-158 (2014).

548 9 Hoekstra, A. Y. & Wiedmann, T. O. Humanity's unsustainable environmental footprint.  
549 *Science* **344**, 1114-1117 (2014).

550 10 Steffen, W. *et al.* Planetary boundaries: Guiding human development on a changing  
551 planet. *Science*, doi:10.1126/science.1259855 (2015).

552 11 Biswas, A. K. Integrated water resources management: Is it working? *International*  
553 *Journal of Water Resources Development* **24**, 5-22 (2008).

554 12 Sayer, J. *et al.* Ten principles for a landscape approach to reconciling agriculture,  
555 conservation, and other competing land uses. *Proceedings of the national academy of*  
556 *sciences* **110**, 8349-8356 (2013).

557 13 Botey, A. P., Garvin, T. & Szostak, R. Interdisciplinary research for ecosystem  
558 management. *Ecosystems* **17**, 512-521 (2014).

559 14 Stein, C. *et al.* Advancing the water-energy-food nexus: social networks and institutional  
560 interplay in the Blue Nile. Report No. 9290907991, (CGIAR Research Program on  
561 Water, Land and Ecosystems (WLE), 2014).

562 15 De Laurentiis, V., Hunt, V. D. & Rogers, D. C. Overcoming Food Security Challenges  
563 within an Energy/Water/Food Nexus (EWFN) Approach. *Sustainability* **8**,  
564 doi:10.3390/su8010095 (2016).

565 16 Scott, C. A., Kurian, M. & Wescoat Jr, J. L. in *Governing the nexus* 15-38 (Springer,  
566 2015).

567 17 Wichelns, D. The water-energy-food nexus: Is the increasing attention warranted, from  
568 either a research or policy perspective? *Environmental Science & Policy* **69**, 113-123  
569 (2017).

570 18 Cairns, R. & Krzywoszynska, A. Anatomy of a buzzword: The emergence of 'the water-  
571 energy-food nexus' in UK natural resource debates. *Environmental Science & Policy* **64**,  
572 164-170 (2016).

573 19 Li, X., Feng, K., Siu, Y. L. & Hubacek, K. Energy-water nexus of wind power in China:  
574 the balancing act between CO<sub>2</sub> emissions and water consumption. *Energy policy* **45**, 440-  
575 448 (2012).

576 20 Amón, R., Maulhardt, M., Wong, T., Kazama, D. & Simmons, C. W. Waste heat and  
577 water recovery opportunities in California tomato paste processing. *Applied Thermal*  
578 *Engineering* **78**, 525-532 (2015).

579 21 United Nations. Development and globalization- facts and figures.  
580 [http://stats.unctad.org/Dgff2016/partnership/goal17/target\\_17\\_14.html](http://stats.unctad.org/Dgff2016/partnership/goal17/target_17_14.html). (2016).

581 22 Ringler, C., Bhaduri, A. & Lawford, R. The nexus across water, energy, land and food  
582 (WELF): potential for improved resource use efficiency? *Current Opinion in*  
583 *Environmental Sustainability* **5**, 617-624,  
584 doi:<https://doi.org/10.1016/j.cosust.2013.11.002> (2013).

585 23 United Nations. Progress on sanitation and drinking water - 2015 update and MDG  
586 assessment. World Health Organization and UNICEF.  
587 [http://www.wssinfo.org/fileadmin/user\\_upload/resources/JMP-Update-report-](http://www.wssinfo.org/fileadmin/user_upload/resources/JMP-Update-report-2015_English.pdf)  
588 [2015\\_English.pdf](http://www.wssinfo.org/fileadmin/user_upload/resources/JMP-Update-report-2015_English.pdf). (2015).

589 24 World Food Programme. Hunger statistics. <https://www.wfp.org/hunger/stats>. (2016).

590 25 International Energy Agency. World energy outlook 2015. Vienna: IEA. (2015).

591 26 Walker, R. V., Beck, M. B., Hall, J. W., Dawson, R. J. & Heidrich, O. The energy-water-  
592 food nexus: Strategic analysis of technologies for transforming the urban metabolism.  
593 *Journal of environmental management* **141**, 104-115 (2014).

- 594 27 Hawkesford, M. J. Reducing the reliance on nitrogen fertilizer for wheat production.  
595 *Journal of cereal science* **59**, 276-283 (2014).
- 596 28 Daher, B. T. & Mohtar, R. H. Water–energy–food (WEF) Nexus Tool 2.0: guiding  
597 integrative resource planning and decision-making. *Water International* **40**, 748-771,  
598 doi:[10.1080/02508060.2015.1074148](https://doi.org/10.1080/02508060.2015.1074148) (2015).
- 599 29 Daccache, A., Ciurana, J. S., Diaz, J. A. R. & Knox, J. W. Water and energy footprint of  
600 irrigated agriculture in the Mediterranean region. *Environmental Research Letters* **9**,  
601 124014 (2014).
- 602 30 Ozkan, B., Akcaoz, H. & Karadeniz, F. Energy requirement and economic analysis of  
603 citrus production in Turkey. *Energy Conversion and Management* **45**, 1821-1830,  
604 doi:<https://doi.org/10.1016/j.enconman.2003.10.002> (2004).
- 605 31 Rinaldi, M., Losavio, N. & Flagella, Z. Evaluation and application of the OILCROP–  
606 SUN model for sunflower in southern Italy. *Agricultural Systems* **78**, 17-30,  
607 doi:[https://doi.org/10.1016/S0308-521X\(03\)00030-1](https://doi.org/10.1016/S0308-521X(03)00030-1) (2003).
- 608 32 Hatfield-Dodds, S. *et al.* Australia is ‘free to choose’ economic growth and falling  
609 environmental pressures. *Nature* **527**, 49-53 (2015).
- 610 33 Jeswani, H. K., Burkinshaw, R. & Azapagic, A. Environmental sustainability issues in  
611 the food–energy–water nexus: Breakfast cereals and snacks. *Sustainable Production and*  
612 *Consumption* **2**, 17-28, doi:<http://dx.doi.org/10.1016/j.spc.2015.08.001> (2015).
- 613 34 Rasul, G. Food, water, and energy security in South Asia: A nexus perspective from the  
614 Hindu Kush Himalayan region. *Environmental Science & Policy* **39**, 35-48 (2014).
- 615 35 Lane, J. Biofuel targets around the world: 2016.  
616 [http://www.biofuelsdigest.com/bdigest/2016/01/03/biofuels-mandates-around-the-world-](http://www.biofuelsdigest.com/bdigest/2016/01/03/biofuels-mandates-around-the-world-2016/)  
617 [2016/](http://www.biofuelsdigest.com/bdigest/2016/01/03/biofuels-mandates-around-the-world-2016/). (2016).
- 618 36 Vlachogianni, T. & Valavanidis, A. Energy and Environmental Impact on the Biosphere  
619 Energy Flow, Storage and Conversion in Human Civilization. *American Journal of*  
620 *Educational Research* **1**, 68-78 (2013).
- 621 37 Hoff, H. Understanding the nexus: Background paper for the Bonn2011 Nexus  
622 Conference. [http://wef-](http://wef-conference.gwsp.org/fileadmin/documents_news/understanding_the_nexus.pdf)  
623 [conference.gwsp.org/fileadmin/documents\\_news/understanding\\_the\\_nexus.pdf](http://wef-conference.gwsp.org/fileadmin/documents_news/understanding_the_nexus.pdf). (2011).
- 624 38 Searchinger, T., Edwards, R., Mulligan, D., Heimlich, R. & Plevin, R. Do biofuel policies  
625 seek to cut emissions by cutting food? *Science* **347**, 1420-1422 (2015).
- 626 39 Searchinger, T. *et al.* Use of US croplands for biofuels increases greenhouse gases  
627 through emissions from land-use change. *Science* **319**, 1238-1240 (2008).
- 628 40 Francis, G., Edinger, R. & Becker, K. in *Natural Resources Forum*. 12-24 (Wiley Online  
629 Library).
- 630 41 Ross, A. & Connell, D. The evolution and performance of river basin management in the  
631 Murray-Darling Basin. *Ecol. Soc.* **21** (2016).
- 632 42 Zarfl, C., Lumsdon, A. E., Berlekamp, J., Tydecks, L. & Tockner, K. A global boom in  
633 hydropower dam construction. *Aquat. Sci.* **77**, 161-170 (2015).
- 634 43 Yang, Y. E., Wi, S., Ray, P. A., Brown, C. M. & Khalil, A. F. The future nexus of the  
635 Brahmaputra River Basin: Climate, water, energy and food trajectories. *Global*  
636 *Environmental Change* **37**, 16-30 (2016).
- 637 44 Liu, J. & Yang, W. Water sustainability for China and beyond. *Science* **337**, 649-650  
638 (2012).



- 45 Rasul, G. Water for growth and development in the Ganges, Brahmaputra, and Meghna basins: an economic perspective. *International Journal of River Basin Management* **13**, 387-400 (2015).
- 46 Rasul, G. Why Eastern Himalayan countries should cooperate in transboundary water resource management. *Water Policy* **16**, 19-38 (2014).
- 47 Kraucunas, I. *et al.* Investigating the nexus of climate, energy, water, and land at decision-relevant scales: the Platform for Regional Integrated Modeling and Analysis (PRIMA). *Climatic Change* **129**, 573-588, doi:10.1007/s10584-014-1064-9 (2015).
- 48 Bartos, M. D. & Chester, M. V. The Conservation Nexus: Valuing Interdependent Water and Energy Savings in Arizona. *Environmental Science & Technology* **48**, 2139-2149, doi:10.1021/es4033343 (2014).
- 49 de Strasser, L., Lipponen, A., Howells, M., Stec, S. & Bréthaut, C. A Methodology to Assess the Water Energy Food Ecosystems Nexus in Transboundary River Basins. *Water* **8**, doi:10.3390/w8020059 (2016).
- 50 World Economic Forum Water Initiative. *Water security: the water-food-energy-climate nexus*. (Island Press, 2012).
- 51 Mukuve, F. M. & Fenner, R. A. Scale variability of water, land, and energy resource interactions and their influence on the food system in Uganda. *Sustainable Production and Consumption* **2**, 79-95, doi:<http://dx.doi.org/10.1016/j.spc.2015.07.009> (2015).
- 52 Tilman, D. & Clark, M. Global diets link environmental sustainability and human health. *Nature* **515**, 518-522 (2014).
- 53 Hussey, K. & Pittock, J. The Energy-Water Nexus: Managing the Links between Energy and Water for a Sustainable Future. *Ecology and Society* **17**, doi:10.5751/ES-04641-170131 (2012).
- 54 Howarth, C. & Monasterolo, I. Opportunities for knowledge co-production across the energy-food-water nexus: Making interdisciplinary approaches work for better climate decision making. *Environmental Science & Policy* **75**, 103-110 (2017).
- 55 Endo, A. *et al.* Methods of the water-energy-food nexus. *Water* **7**, 5806-5830 (2015).
- 56 Conway, D. *et al.* Climate and southern Africa's water-energy-food nexus. *Nature Clim. Change* **5**, 837-846, doi:10.1038/nclimate2735
- <http://www.nature.com/nclimate/journal/v5/n9/abs/nclimate2735.html#supplementary-information> (2015).
- 57 Ozturk, I. Sustainability in the food-energy-water nexus: Evidence from BRICS (Brazil, the Russian Federation, India, China, and South Africa) countries. *Energy* **93**, Part 1, 999-1010, doi:<http://dx.doi.org/10.1016/j.energy.2015.09.104> (2015).
- 58 Topi, C., Esposto, E. & Govigli, V. M. The economics of green transition strategies for cities: Can low carbon, energy efficient development approaches be adapted to demand side urban water efficiency? *Environmental Science & Policy* **58**, 74-82 (2016).
- 59 Manthrithilake, H. & Liyanagama, B. S. Simulation model for participatory decision making: water allocation policy implementation in Sri Lanka. *Water international* **37**, 478-491 (2012).
- 60 Flammini, A., Puri, M., Pluschke, L. & Dubois, O. *Walking the nexus talk: assessing the water-energy-food nexus in the context of the sustainable energy for all initiative*. (FAO, 2017).



- 61 Weitz, N., Carlsen, H., Nilsson, M. & Skånberg, K. Towards systemic and contextual  
priority setting for implementing the 2030 Agenda. *Sustainability Science* **13**, 531-548  
(2018).
- 62 Pahl-Wostl, C. Governance of the water-energy-food security nexus: A multi-level  
coordination challenge. *Environmental Science & Policy*,  
doi:<https://doi.org/10.1016/j.envsci.2017.07.017> (2017).
- 63 El Gafy, I., Grigg, N. & Reagan, W. Dynamic Behaviour of the Water–Food–Energy  
Nexus: Focus on Crop Production and Consumption. *Irrigation and Drainage* **66**, 19-33  
(2017).
- 64 Lawford, R. *et al.* Basin perspectives on the Water–Energy–Food Security Nexus.  
*Current Opinion in Environmental Sustainability* **5**, 607-616,  
doi:<http://dx.doi.org/10.1016/j.cosust.2013.11.005> (2013).
- 65 El Gafy, I., Grigg, N. & Reagan, W. Water-food-energy nexus index to maximize the  
economic water and energy productivity in an optimal cropping pattern. *Water  
International*, 1-9 (2017).
- 66 Karnib, A. A Quantitative Nexus Approach to Analyze the Interlinkages across the  
Sustainable Development Goals. *Journal of Sustainable Development* **10**, 173 (2017).
- 67 Bleischwitz, R., Hoff, H., Spataru, C., van der Voet, E. & VanDeveer, S. D. *Routledge  
Handbook of the Resource Nexus*. (Routledge, 2018).
- 68 Welsch, M. *et al.* Adding value with CLEWS-modelling the energy system and its  
interdependencies for Mauritius. *Applied energy* **113**, 1434-1445 (2014).
- 69 Fasel, M., Brethaut, C., Rouholahnejad, E., Lacayo-Emery, M. A. & Lehmann, A. Blue  
water scarcity in the Black Sea catchment: Identifying key actors in the water-ecosystem-  
energy-food nexus. *Environmental Science & Policy* **66**, 140-150 (2016).
- 70 Mortensen, J. G. *et al.* Advancing the Food-Energy–Water Nexus: Closing Nutrient  
Loops in Arid River Corridors. *Environmental science & technology* **50**, 8485-8496  
(2016).
- 71 Vora, N., Shah, A., Bilec, M. M. & Khanna, V. Food–Energy–Water Nexus: Quantifying  
Embodied Energy and GHG Emissions from Irrigation through Virtual Water Transfers  
in Food Trade. *ACS Sustainable Chemistry & Engineering* **5**, 2119-2128 (2017).
- 72 Wicaksono, A., Jeong, G. & Kang, D. Water, energy, and food nexus: review of global  
implementation and simulation model development. *Water Policy*, wp2017214 (2017).
- 73 Dhaubanjari, S., Davidsen, C. & Bauer-Gottwein, P. Multi-Objective Optimization for  
Analysis of Changing Trade-Offs in the Nepalese Water–Energy–Food Nexus with  
Hydropower Development. *Water* **9**, 162 (2017).
- 74 Hussien, W. e. A., Memon, F. A. & Savic, D. A. An integrated model to evaluate water-  
energy-food nexus at a household scale. (2017).
- 75 Perrone, D. & Hornberger, G. Frontiers of the food–energy–water trilemma: Sri Lanka as  
a microcosm of tradeoffs. *Environmental Research Letters* **11**, 014005 (2016).
- 76 Ravi, S. *et al.* Colocation opportunities for large solar infrastructures and agriculture in  
drylands. *Applied Energy* **165**, 383-392 (2016).
- 77 Future Earth. *Research for global sustainability*, <<http://www.futureearth.org>> (2016).
- 78 Howarth, C. & Monasterolo, I. Understanding barriers to decision making in the UK  
energy-food-water nexus: The added value of interdisciplinary approaches.  
*Environmental Science & Policy* **61**, 53-60 (2016).

728 79 Endo, A., Tsurita, I., Burnett, K. & Orencio, P. M. A review of the current state of  
729 research on the water, energy, and food nexus. *Journal of Hydrology: Regional Studies*  
730 (2015).

731 80 Johnson, O. W. & Karlberg, L. Co-exploring the Water-Energy-Food Nexus: Facilitating  
732 Dialogue through Participatory Scenario Building. *Frontiers in Environmental Science* **5**,  
733 doi:10.3389/fenvs.2017.00024 (2017).

734 81 Beck, M. B. & Walker, R. V. On water security, sustainability, and the water-food-  
735 energy-climate nexus. *Frontiers of Environmental Science & Engineering* **7**, 626-639  
736 (2013).

737 82 Mann, M. E. & Gleick, P. H. Climate change and California drought in the 21st century.  
738 *Proceedings of the National Academy of Sciences* **112**, 3858-3859 (2015).

739 83 Fulton, J. & Cooley, H. The water footprint of California's energy system, 1990–2012.  
740 *Environ. Sci. Technol.* **49**, 3314-3321 (2015).

741 84 Leck, H., Conway, D., Bradshaw, M. & Rees, J. Tracing the water-energy-food nexus:  
742 description, theory and practice. *Geography Compass* **9**, 445-460 (2015).

743 85 Liu, J. Integration across a metacoupled planet. *Ecol. Soc.* **22**, 29 (2017).

744 86 Liu, J. *et al.* Framing sustainability in a telecoupled world. *Ecol. Soc.* **18**, doi:10.5751/es-  
745 05873-180226 (2013).

746 87 Meadows, D. & Randers, J. *The limits to growth: the 30-year update.* (Routledge, 2012).

747 88 Nilsson, M., Griggs, D. & Visbeck, M. Map the interactions between sustainable  
748 development goals: Mans Nilsson, Dave Griggs and Martin Visbeck present a simple  
749 way of rating relationships between the targets to highlight priorities for integrated  
750 policy. *Nature* **534**, 320-323 (2016).

751 89 Mohtar, R. The importance of the Water-Energy-Food Nexus in the implementation of  
752 The Sustainable Development Goals (SDGs). (OCP Policy Center, 2016).

753 90 Rosa, E. A. & Dietz, T. Human drivers of national greenhouse-gas emissions. *Nature*  
754 *Climate Change* **2**, 581-586 (2012).

755 91 Tilman, D. *et al.* Forecasting agriculturally driven global environmental change. *Science*  
756 **292**, 281-284 (2001).

757 92 Stern, P. C. Individual and household interactions with energy systems: toward integrated  
758 understanding. *Energy Research & Social Science* **1**, 41-48 (2014).

759 93 Jones, C. & Kammen, D. M. Spatial distribution of US household carbon footprints  
760 reveals suburbanization undermines greenhouse gas benefits of urban population density.  
761 *Environ. Sci. Technol.* **48**, 895-902 (2014).

762 94 Liu, J., Daily, G. C., Ehrlich, P. R. & Luck, G. W. Effects of household dynamics on  
763 resource consumption and biodiversity. *Nature* **421**, 530-533 (2003).

764 95 Tilman, D., Balzer, C., Hill, J. & Befort, B. L. Global food demand and the sustainable  
765 intensification of agriculture. *Proceedings of the National Academy of Sciences* **108**,  
766 20260-20264 (2011).

767 96 Carletto, C., Zezza, A. & Banerjee, R. Towards better measurement of household food  
768 security: Harmonizing indicators and the role of household surveys. *Global Food*  
769 *Security* **2**, 30-40 (2013).

770 97 Jorgensen, B. S., Martin, J. F., Pearce, M. W. & Willis, E. M. Predicting household water  
771 consumption with individual-level variables. *Environment and Behavior*,  
772 0013916513482462 (2013).

773 98 Kwac, J., Flora, J. & Rajagopal, R. Household energy consumption segmentation using  
774 hourly data. *IEEE Transactions on Smart Grid* **5**, 420-430 (2014).

775 99 Lubchenco, J., Cerny-Chipman, E. B., Reimer, J. N. & Levin, S. A. The right incentives  
776 enable ocean sustainability successes and provide hope for the future. *Proceedings of the*  
777 *National Academy of Sciences* **113**, 14507-14514, doi:10.1073/pnas.1604982113 (2016).

778 100 Elimelech, M. & Phillip, W. A. The future of seawater desalination: energy, technology,  
779 and the environment. *Science* **333**, 712-717 (2011).

780 101 Pauly, D., Watson, R. & Alder, J. Global trends in world fisheries: impacts on marine  
781 ecosystems and food security. *Philosophical Transactions of the Royal Society B:*  
782 *Biological Sciences* **360**, 5-12 (2005).

783 102 Bakke, T., Klungsøyr, J. & Sanni, S. Environmental impacts of produced water and  
784 drilling waste discharges from the Norwegian offshore petroleum industry. *Mar. Environ.*  
785 *Res.* **92**, 154-169 (2013).

786 103 Boissy, J. *et al.* Environmental impacts of plant-based salmonid diets at feed and farm  
787 scales. *Aquaculture* **321**, 61-70 (2011).

788 104 Troell, M. *et al.* Does aquaculture add resilience to the global food system? *Proceedings*  
789 *of the National Academy of Sciences* **111**, 13257-13263 (2014).

790 105 Napier, J. A., Usher, S., Haslam, R. P., Ruiz- Lopez, N. & Sayanova, O. Transgenic  
791 plants as a sustainable, terrestrial source of fish oils. *European journal of lipid science*  
792 *and technology* **117**, 1317-1324 (2015).

793 106 Børresen, T. Blue growth opportunities in sustainable marine and maritime sectors. *J.*  
794 *Aquat. Food Prod. Technol.* **22**, 217-218 (2013).

795 107 Middleton, C., Allouche, J., Gyawali, D. & Allen, S. The rise and implications of the  
796 water-energy-food nexus in Southeast Asia through an environmental justice lens. *Water*  
797 *Alternatives* **8** (2015).

798 108 Villamayor-Tomas, S., Grundmann, P., Epstein, G., Evans, T. & Kimmich, C. The water-  
799 energy-food security nexus through the lenses of the value chain and IAD frameworks.  
800 *Water Alternatives* **8** (2015).

801 109 Ferroukhi, R. *et al.* Renewable energy in the water, energy, and food nexus. United Arab  
802 Emirates: International Renewable Energy Agency (IRENA) Policy Unit. (2015).

803 110 Al-Ansari, T., Korre, A., Nie, Z. & Shah, N. Development of a life cycle assessment tool  
804 for the assessment of food production systems within the energy, water and food nexus.  
805 *Sustainable Production and Consumption* **2**, 52-66,  
806 doi:<http://dx.doi.org/10.1016/j.spc.2015.07.005> (2015).

807 111 Häyhä, T., Lucas, P. L., van Vuuren, D. P., Cornell, S. E. & Hoff, H. From Planetary  
808 Boundaries to national fair shares of the global safe operating space-how can the scales  
809 be bridged? *Global Environ. Change* **40**, 60-72 (2016).

810 112 Sharmina, M. *et al.* A nexus perspective on competing land demands: wider lessons from  
811 a UK policy case study. *Environmental Science & Policy* **59**, 74-84 (2016).

812 113 GEO. GEOSS- group on earth observations. <http://www.earthobservations.org/geoss.php>.  
813 (2016).

814 114 Krieglner, E. *et al.* The need for and use of socio-economic scenarios for climate change  
815 analysis: A new approach based on shared socio-economic pathways. *Global Environ.*  
816 *Change* **22**, 807-822, doi:<https://doi.org/10.1016/j.gloenvcha.2012.05.005> (2012).

Giupponi, C. & Gain, A. K. Integrated spatial assessment of the water, energy and food dimensions of the Sustainable Development Goals. *Regional Environmental Change*, 1-13 (2016).

Gleick, P. H., Christian-Smith, J. & Cooley, H. Water-use efficiency and productivity: rethinking the basin approach. *Water International* **36**, 784-798 (2011).

Mohtar, R. H. & Daher, B. Water-Energy-Food Nexus Framework for facilitating multi-stakeholder dialogue. *Water International* **41**, 655-661, doi:10.1080/02508060.2016.1149759 (2015).

Davis, S. C. *et al.* Closing the loop: integrative systems management of waste in food, energy, and water systems. *Journal of Environmental Studies and Sciences*, 1-14, doi:10.1007/s13412-016-0370-0 (2016).

Kline, K. L. *et al.* Reconciling food security and bioenergy: priorities for action. *GCB Bioenergy* (2016).

Halbe, J., Pahl-Wostl, C., A. Lange, M. & Velonis, C. Governance of transitions towards sustainable development-the water-energy-food nexus in Cyprus. *Water International* **40**, 877-894 (2015).

Pahl-Wostl, C. *Water Governance in the Face of Global Change: From Understanding to Transformation*. (Springer, 2015).

Rasul, G. Managing the food, water, and energy nexus for achieving the Sustainable Development Goals in South Asia. *Environmental Development* **18**, 14-25 (2016).

Pahl-Wostl, C. Governance of the water-energy-food security nexus: A multi-level coordination challenge. *Environmental Science & Policy* **In press** (2017).

Griggs, D., Nilsson, M., Stevance, A. & McCollum, D. (International Council for Science, Paris, 2017).

Sachs, J., Schmidt-Traub, G., Kroll, C., Durand-Delacre, D. & Teksoz, K. SDG Index and Dashboards Report 2017. *Bertelsmann Stiftung and Sustainable Development Solutions Network (SDSN): New York, NY, USA* (2017).

Liu, J. An integrated framework for achieving Sustainable Development Goals everywhere. *Ecology, Economy and Society* (in press).

Mainali, B., Luukkanen, J., Silveira, S. & Kaivo-oja, J. Evaluating Synergies and Trade-Offs among Sustainable Development Goals (SDGs): Explorative Analyses of Development Paths in South Asia and Sub-Saharan Africa. *Sustainability* **10**, 815 (2018).

Salah, A. H., Hassan, G. E., Fath, H., Elhelw, M. & Elsherbiny, S. Analytical investigation of different operational scenarios of a novel greenhouse combined with solar stills. *Applied Thermal Engineering* **122**, 297-310 (2017).

Sachs, I. & Silk, D. *Food and energy: strategies for sustainable development*. (United Nations University Press, 1990).

Tuninetti, M., Tamea, S., Laio, F. & Ridolfi, L. A Fast-Track approach to deal with the temporal dimension of crop water footprint. *Environmental Research Letters* (2017).

Ishimatsu, T., Doufene, A., Alawad, A. & de Weck, O. Desalination network model driven decision support system: A case study of Saudi Arabia. *Desalination* **423**, 65-78 (2017).

Cowan, W. N., Chang, T., Inglesi-Lotz, R. & Gupta, R. The nexus of electricity consumption, economic growth and CO<sub>2</sub> emissions in the BRICS countries. *Energy Policy* **66**, 359-368 (2014).

862 133 Kılıkış, Ş. & Kılıkış, B. Integrated circular economy and education model to address  
863 aspects of an energy-water-food nexus in a dairy facility and local contexts. *Journal of*  
864 *Cleaner Production* (2017).

865 134 Zhang, Y. Accelerating Sustainability by Hydropower Development in China: The Story  
866 of HydroLancang. *Sustainability* **9**, 1305 (2017).

867 135 Oyanedel-Craver, V. *et al.* (American Society of Civil Engineers, 2017).

868 136 Casillas, C. E. & Kammen, D. M. The energy-poverty-climate nexus. *Science* **330**, 1181-  
869 1182 (2010).

870 137 Miller-Robbie, L., Ramaswami, A. & Amerasinghe, P. Wastewater treatment and reuse in  
871 urban agriculture: exploring the food, energy, water, and health nexus in Hyderabad,  
872 India. *Environmental Research Letters* **12**, 075005 (2017).

873 138 LaVanchy, G. T. When wells run dry: Water and tourism in Nicaragua. *Annals of*  
874 *Tourism Research* **64**, 37-50 (2017).

875 139 Glamann, J., Hanspach, J., Abson, D. J., Collier, N. & Fischer, J. The intersection of food  
876 security and biodiversity conservation: a review. *Regional Environmental Change* **17**,  
877 1303-1313 (2017).

878 140 Marston, A. J. Alloyed waterscapes: mining and water at the nexus of corporate social  
879 responsibility, resource nationalism, and small- scale mining. *Wiley Interdisciplinary*  
880 *Reviews: Water* **4** (2017).

881 141 Alba, R., Bolding, A. & Ducrot, R. The politics of water payments and stakeholder  
882 participation in the Limpopo River Basin, Mozambique. *Water Alternatives* **9**, 569  
883 (2016).

884 142 Lotz-Sisitka, H. *et al.* Co-designing research on transgressive learning in times of climate  
885 change. *Current Opinion in Environmental Sustainability* **20**, 50-55 (2016).

886 143 Quezada, G., Walton, A. & Sharma, A. Risks and tensions in water industry innovation:  
887 understanding adoption of decentralised water systems from a socio-technical transitions  
888 perspective. *Journal of Cleaner Production* **113**, 263-273 (2016).

889 144 Sebri, M. Use renewables to be cleaner: Meta-analysis of the renewable energy  
890 consumption-economic growth nexus. *Renewable and Sustainable Energy Reviews* **42**,  
891 657-665 (2015).

892 145 Yang, Y. J. & Goodrich, J. A. Toward quantitative analysis of water-energy-urban-  
893 climate nexus for urban adaptation planning. *Current Opinion in Chemical Engineering*  
894 **5**, 22-28 (2014).

895 146 Keskinen, M., Someth, P., Salmivaara, A. & Kumm, M. Water-energy-food nexus in a  
896 transboundary river basin: The case of Tonle Sap Lake, Mekong River Basin. *Water* **7**,  
897 5416-5436 (2015).

898 147 Shrestha, S., Adhikari, S., Babel, M. S., Perret, S. R. & Dhakal, S. Evaluation of  
899 groundwater-based irrigation systems using a water-energy-food nexus approach: a case  
900 study from Southeast Nepal. *Journal of Applied Water Engineering and Research* **3**, 53-  
901 66 (2015).

902 148 Vlotman, W. F. & Ballard, C. Water, food and energy supply chains for a green  
903 economy. *Irrigation and Drainage* **63**, 232-240 (2014).

904 149 Zimmerman, R., Zhu, Q. & Dimitri, C. Promoting resilience for food, energy, and water  
905 interdependencies. *Journal of Environmental Studies and Sciences*, 1-12,  
906 doi:10.1007/s13412-016-0362-0 (2016).

150 Ng, T. L., Eheart, J. W., Cai, X. & Braden, J. B. An agent-based model of farmer  
decision-making and water quality impacts at the watershed scale under markets for  
carbon allowances and a second-generation biofuel crop. *Water Resources Research* **47**  
(2011).

## Acknowledgements

We are very grateful to *Nature Sustainability* for the invitation to write this paper, and to William Burnside and three anonymous reviewers for their helpful suggestions and comments on an earlier version of this paper. Funding from the U.S. National Science Foundation and Michigan AgBioResearch is gratefully acknowledged.

## Author Contributions

All authors wrote and commented on the manuscript.

## Competing interests





















The authors declare no competing interests.

## Corresponding author

Correspondence to Jianguo Liu (liuji@msu.edu)

**Table 1. Nexus examples and direct relationships to Sustainable Development Goals (SDGs). Each example also has indirect linkages with many other SDGs as illustrated by food-energy-water nexus' linkages with all SDGs in Figure 1.**

Nexus example	SDGs
---------------	------

Food-energy-water nexus <sup>32</sup>	
Water-food-energy-climate nexus <sup>128</sup>	
Food-energy nexus <sup>129</sup>	
Food-water nexus <sup>130</sup>	
Energy-water nexus <sup>131</sup>	
Energy-economic growth-CO2 nexus <sup>132</sup>	
Water-land-energy nexus	
Energy-water-food-education nexus <sup>133</sup>	
Water–energy–people nexus <sup>134</sup>	
Women-water nexus <sup>135</sup>	
Energy-poverty-climate nexus <sup>136</sup>	
Food, energy, water, and health nexus <sup>137</sup>	
Tourism growth-water security nexus <sup>138</sup>	
Food-biodiversity nexus <sup>139</sup>	
Mining-water nexus <sup>140</sup>	
Nexus between financial autonomy, service provision, stakeholder participation and the resultant allocation of water <sup>141</sup>	
Nexus of climate change, water and food security, energy and social justice <sup>142</sup>	
Nexus between water service provision and property development <sup>143</sup>	
Renewable energy consumption-economic growth nexus <sup>144</sup>	
Urban-water-energy-climate nexus <sup>145</sup>	



**Table 2. Example methods used in food, energy, and water (FEW) nexus quantifications.**

Note that many studies integrate multiple different methods (e.g., physical models and economic models were integrated to create multi-sector systems models).

Method	Functioning	Examples
<b>Biogeophysical model</b>	Investigates biogeophysical processes related to FEW	<ul style="list-style-type: none"> <li>• Linking hydrological (VMod), meteorological, floodplain (EIA 3D model), and climatological models (GCMs) to investigate consequences of changes in a watershed for local economies (with respect to FEW resources) <sup>146</sup></li> <li>• Hydrological models (HYMOD_DS) are used to simulate changes and implications for FEW in the Brahmaputra River Basin, South Asia under different scenarios <sup>43</sup></li> </ul>
<b>Production model</b>	Represents the amount of a FEW resource produced in different scenarios	<ul style="list-style-type: none"> <li>• Tradeoff frontier models- Investigation of rice paddy and hydroelectric production in Sri Lanka under different management regimes <sup>75</sup></li> </ul>
<b>Life cycle assessment (LCA)</b>	Evaluates “the inputs, outputs and potential environmental impacts of a product, process or system throughout its entire life” <sup>110</sup>	<ul style="list-style-type: none"> <li>• Investigation of the impact of agricultural production and evolving renewable energy programs on the FEW nexus in Qatar <sup>110</sup></li> <li>• Assessment of the impact of Kellogg Europe cereal production on FEW (GaBi Software) <sup>33</sup></li> </ul>
<b>Ecological footprint (or water/energy footprint) analysis</b>	Evaluates the total environmental impact of a product or activity on FEW systems (normally in terms of area or natural capital)	<ul style="list-style-type: none"> <li>• Calculations of water and energy footprints for different agricultural products grown in Nepal <sup>147</sup></li> <li>• Estimates of the water footprint of energy use in California <sup>83</sup></li> </ul>
<b>Material or resource flow analysis (MFA/RFA)</b>	Quantifies flows and stocks or materials/resources in a FEW system	<ul style="list-style-type: none"> <li>• Analysis of water fluxes, deforestation, and energy flows for cooking and heating in Uganda using Sankey diagrams- implications for food security <sup>51</sup></li> </ul>
<b>Econometric model</b>	Probabilistic modeling used to predict economic variables affecting FEW; often used for forecasting	<ul style="list-style-type: none"> <li>• Analysis of the impact of energy demand and water availability on food security in BRICS countries (Brazil, Russia, India, China, South Africa) using panel econometric models <sup>57</sup></li> </ul>



<b>Cost-benefit analysis (CBA)</b>	Evaluates strengths and weaknesses of alternatives of a measure or action for FEW using a business framework	<ul style="list-style-type: none"> <li>• Evaluation of costs and benefits of alternative irrigation technologies for FEW in Nepal <sup>147</sup></li> </ul>
<b>Supply chain analysis</b>	Investigates inputs and outputs across all stages of a product's production as it moves from primary production through supplier to customer in FEW systems	<ul style="list-style-type: none"> <li>• Investigation of sources of waste in all three sectors of global FEW and targeting points in the supply chain to improve efficiency <sup>148</sup></li> </ul>
<b>Input-output model</b>	Quantifies the economic relationship (monetary flows) between two entities (or sectors) as related to FEW	<ul style="list-style-type: none"> <li>• Quantification of two-way interdependencies among food, energy, and water and their implications for resilience of FEW systems; application to evaluating new policies such as organic farming <sup>149</sup></li> </ul>
<b>Computable General Equilibrium (CGE) Model</b>	Estimate how an economy responds to changes in FEW policy or other factors by following a general equilibrium paradigm	<ul style="list-style-type: none"> <li>• Prediction of potential future scenarios of Australia's environment and economy under different FEW and climate conditions <sup>32</sup></li> </ul>
<b>Agent-based model</b>	Models actions and interactions among individual actors and their impacts on FEW systems	<ul style="list-style-type: none"> <li>• Analysis of diverse FEW-related factors affecting individual farmer decision-making in the Midwestern USA with particular focus on biofuel crops <sup>150</sup></li> </ul>
<b>Systems model</b>	Examines relationships among multi-sectoral FEW systems, often incorporates scenario analysis and decision support tools	<ul style="list-style-type: none"> <li>• Multi-sectoral analysis (MSA) of urban FEW use, flows, and resource metabolism in London- towards strategies for better resource efficiency <sup>26</sup></li> <li>• Integrated assessment models such as PRIMA models <sup>47</sup> or CLEWs models <sup>68</sup> that integrate across multiple systems (e.g. climate, hydrology, agriculture, land use, socioeconomics, and energy systems) to make policy assessments</li> <li>• Other systems models include BRAHEMO <sup>43</sup>, WEF Nexus Tool 2.0 <sup>28</sup>, Foreseer Tool <sup>51</sup>, and WEF SI <sup>115</sup></li> </ul>

947


948

949

**Figure 1. Impacts of nexus approaches on Sustainable Development Goals.** The figure illustrates that the food-energy-water nexus approach can influence the achievement of all SDGs directly or indirectly through helping strengthen synergies and reduce trade-offs and creating cascading effects beyond food, energy and water sectors.



**Figure 2. Five major steps involved in implementing nexus approaches.** Stakeholders may be engaged throughout all the steps.



**Figure 3. Conceptual framework of nexus approaches (using food-energy-water nexus as an example) across metacoupled human and natural systems.** It includes intracoupling – human-

nature interactions within a coupled human and natural system, pericoupling – human-nature interactions between adjacent coupled systems, and telecoupling – human-nature interactions between distant coupled systems. Each coupled system consists of two major subsystems (humans and nature) and includes a wide range of drivers such as population, economic growth, urbanization, power relations, and conflicting goals. The nexus is directly or indirectly connected with all Sustainable Development Goals. For the sake of simplicity, dynamics over time and differences at organizational levels are not shown.

