

# Correction for Bagarova et al., “Constitutively Active ALK2 Receptor Mutants Require Type II Receptor Cooperation”

Jana Bagarova<sup>a</sup>, Ashley J. Vonner<sup>a</sup>, Kelli A. Armstrong<sup>a</sup>, Jan Börgermann<sup>b</sup>, Carol S. C. Lai<sup>a</sup>, Donna Y. Deng<sup>a</sup>, Hideyuki Beppu<sup>c</sup>, Ivan Alfano<sup>d</sup>, Panagis Filippakopoulos<sup>d</sup>, Nicholas W. Morrell<sup>e</sup>, Alex N. Bullock<sup>d</sup>, Petra Knaus<sup>b</sup>, Yuji Mishina<sup>f</sup>, Paul B. Yu<sup>a</sup>

<sup>a</sup>Department of Medicine, Cardiovascular Division, Brigham and Women's Hospital, Harvard Medical School, Boston, Massachusetts, USA

<sup>b</sup>Freie Universität Berlin and Charité, Institut für Chemie und Biochemie, and Berlin-Brandenburg School of Regenerative Therapies, Berlin, Germany

<sup>c</sup>Department of Clinical Laboratory and Molecular Pathology, University of Toyama, Toyama, Japan

<sup>d</sup>Structural Genomics Consortium, Nuffield Department of Clinical Medicine, University of Oxford, Oxford, United Kingdom

<sup>e</sup>University of Cambridge, School of Clinical Medicine, Department of Medicine, Addenbrooke's Hospital, Cambridge, United Kingdom

<sup>f</sup>Department of Biologic and Materials Sciences, University of Michigan School of Dentistry, Ann Arbor, Michigan, USA

Volume 33, no. 12, p. 2413–2424, 2013,

<https://doi.org/10.1128/MCB.01595-12>

Page 2416, Fig. 1A: The sixth X ray was unintentionally duplicated from the first X ray during formatting. The correct X ray is shown below. This substitution does not impact the conclusions of the experiment or the validity of the study

