

**Birmingham Research Unit
of the
Royal College of General Practitioners**

**WEEKLY RETURNS SERVICE
REPORT FOR 1995**

**D. M. Fleming,
Director,**

**D. L. Crombie,
Research Consultant,**

**A. M. Ross,
Research Fellow,**

54, Lordswood Road, Harborne, Birmingham B17 9DB.

APRIL, 1996

ANNUAL REPORT OF THE WEEKLY RETURNS SERVICE FOR 1995

Birmingham Research Unit Staff

Dr. D. M. Fleming	Director
Dr. D. L., Crombie	Research Consultant
Dr. K. W. Cross,	Statistical Adviser
Dr. A. M. Ross	Research Fellow
Mr. L. Dallow	Administrative Officer
Mrs J. W. Dainty	PA/Research Secretary
Mrs. J. M. Stokes	Finance Officer
Miss M. A. Barley	Network Officer
Mrs. J. Jones	Clerical Assistant
Mr. R. J. Lancashire	Computer Adviser

**Funding for this service is provided by
The Department of Health**

CONTENTS

INTRODUCTION	3
PRACTICES AND POPULATIONS	3
ILLNESSES SURVEYED- SELECTED REPORTS (ALL PRACTICES:	5
<i>Asthma and Acute bronchitis</i>	5
<i>Influenza and flu-like illnesses</i>	7
<i>Measles, Mumps and Rubella</i>	9
<i>Duodenal and Gastric Ulcer</i>	11
<i>Viral Hepatitis</i>	12
REGIONAL DATA	12
ELECTRONICALLY NETWORKED PRACTICES	12
<i>Urban/Rural data</i>	12
<i>Supplementary analyses</i>	13
RESEARCH	14
<i>Mortality and respiratory illness</i>	14
<i>Infectious and intestinal diseases</i>	14
PUBLICATIONS FOR 1995	15
PARTICIPATING PRACTICES	16
APPENDICES:	
1 Time period definitions	
2 Mean weekly Incidence data from total network(white sheets)	
3 Analysis by Region: North, Central, South(yellow sheets)	
4 Urban/Rural analysis (green sheets)	
5 Examples of data analysis from electronic network(pink sheets)	


INTRODUCTION

1995 ended with a paradox. On the one hand practice recording was at our second highest level with an average final weekly population of 585,000. On the other hand, at no time in our history has our financial position been less certain. This uncertainty arises because of two main reasons. The first concerns the regionalisation of funding arrangements which is not very suitable for a national operation. The second relates to our continuing function in the wider context of surveillance in primary care rather than research. Over the years, we have been funded in effect as a series of research projects which normally imply a finite period but our function is not time limited. The immediate problem has been resolved for this year, though our budget has been cut by 10% and we are currently holding discussions about a more secure arrangement for the future. This is likely to involve closer links with the Communicable Disease Surveillance Centre and the Public Health Laboratory Service.

PRACTICES AND POPULATION

The distribution of practices is shown on the map (Figure 1). There have been one or two changes during the year. We have lost one practice in London and gained one in Nottinghamshire. About half of our practices transmit the data electronically to the Research Unit in Birmingham and these involve AAHMeditel (37 practices), AAHMeditel former AMC (11 practices) and EMIS (5 practices). Useful discussions are currently under way with a view to extending our electronic network to include Microsolutions and VAMP. The scope of surveillance is greatly increased by electronic data capture as is evident from the additional diseases reported on the pink sheets at the end of the report.

FIGURE 1 DISTRIBUTION OF PRACTICES BY REGION




The maximum population covered in 1995 was 717,000 and the distribution relative to mid-year population estimates provided by the Office of National Statistics is given in Table 1. In Figure 2, the maximum population, the final weekly reported population and the provisionally reported population are compared graphically. Over recent years, the relative difference between the provisional and the final reported population has become much smaller reflecting a general increase in the efficiency of the reporting procedure. The timeliness of the operation is one of the hallmarks for which it is valued.

TABLE 1 STUDY POPULATION BY SEX AND AGE

	TOTAL	Male	Female	0-4	5-14	15-44	45-64	65+
North	212,859	104,225	108,634	13,326	27,148	91,489	49,302	31,594
% Dist.	100.0	49.0	51.0	6.3	12.7	43.0	23.2	14.8
Central	273,939	134,078	139,861	16,803	35,286	116,871	62,930	42,049
% Dist.	100.0	48.9	51.1	6.1	12.9	42.7	23.0	15.3
South	229,861	112,609	117,252	15,197	29,625	99,540	52,363	33,136
% Dist.	100.0	49.0	51.0	6.6	12.9	43.3	22.8	14.4
Total	716,659	350,012	365,747	45,326	92,059	307,900	164,585	106,779
% Dist.	100.0	49.0	51.0	6.3	12.8	43.0	23.0	14.9
% Cens.	100.0	49.0	51.0	6.6	12.7	42.3	22.5	15.9

Urban	560,221	273,697	286,524	36,981	72,390	244,960	124,691	81,199
% Dist.	100.0	48.9	51.1	6.6	12.9	43.7	22.3	14.5
Rural	156,438	77,215	79,223	8,345	19,669	62,940	39,904	25,580
% Dist.	100.0	49.4	50.6	5.3	12.6	40.2	25.5	16.4

FIGURE 2 POPULATION ON WHICH PROVISIONAL & FINAL WEEKLY REPORTS WERE BASED COMPARED WITH TOTAL AVAILABLE POPULATION



An evaluation of the consistency of reporting in individual practices is presented in Table 2. 34 practices furnished data for 50 or more weeks. The table includes the number of

principals as well as of practices in each region. The average population per registered principal was 1,840 in the North, 2,040 in the Central and 2,030 in the South.

TABLE 2 PRACTICES (AND PRINCIPALS) BY THE NUMBER OF WEEKS IN WHICH DATA WERE RECEIVED

	Total	<34	35-39	40-44	45-49	50-52
North	31 (116)	2 (6)	3 (11)	3 (16)	10 (32)	13 (51)
Central	32 (134)	2 (9)	6 (24)	4 (17)	9 (38)	11 (46)
South	29 (113)	2 (5)	3 (12)	3 (11)	11 (39)	10 (46)
Total	92 (363)	6 (20)	12 (47)	10 (44)	30(109)	34(143)

ILLNESSES SURVEYED - SELECTED REPORTS (ALL PRACTICES)

The data are organised by week of incidence. Weekly time periods (Monday to Sunday) are defined in Appendix 1. Data are presented by week, by quarter and by year. The statistic used to describe the new incidence rate is the mean weekly rate per 100,000 population (by age group where appropriate) of new episodes of illness as identified by general practitioners recording their working diagnoses during each consultation. Tabular data are presented for diseases which are monitored in Appendix 2. Data on the white sheets are from the entire network. Data on the yellow sheets provide a quarterly regional analysis also from the entire network for a selection of diseases(Appendix 3). The green sheets include a presentation of quarterly data comparing practices by degree of urbanisation(Appendix 4). Finally, the pink sheets(Appendix 5) cover a selection of diseases presented in ICD order which are based exclusively on those practices which are networked with the Birmingham Unit. The format is the same as that of Appendix 2 with mean 4-weekly, quarterly and annual rates presented. In this section we will consider illnesses of special interest.

Asthma and Acute Bronchitis

In the annual report for 1994, attention was drawn to a levelling off of the incidence of asthma. Mean weekly incidence in 1994 was 49.17 and in 1995 40.25 per 100,000. The decrease was evident in both sexes and in all age groups (Table 3). The trend was evident separately in all three regions (North, Central and South) and in each of the four quarters.

TABLE 3 MEAN WEEKLY INCIDENCE OF ASTHMA BY AGE GROUP 1994 & 1995

	Male & Female	Male All Ages	Female All Ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
Full year 94	49.17	46.54	51.70	136.43	90.55	38.61	31.65	33.71
Full year 95	40.25	38.40	42.03	108.86	73.65	32.98	24.47	27.98

In order to interpret data about new episodes of asthma correctly, it is necessary also to consider new episodes of acute bronchitis. The mean weekly incidence of bronchitis in 1994 was 159.4 and in 1995 166.2 per 100,000. More detailed comparison in each of thirteen 4-week periods is given in Figure 3 for asthma and in Figure 4 for acute bronchitis. The mean weekly incidence of asthma was less in every one of the thirteen 4 week periods in 1995 as compared with 1994. For acute bronchitis the 1995 values in the 4-week periods 1,2,3,4 and 12 were greater than those in 1994. In period 7 they were about the same, whereas in all other periods they were less in 1995.

FIGURE 3 ASTHMA: MEAN WEEKLY INCIDENCE IN FOUR WEEK PERIODS. ALL AGES





FIGURE 4 ACUTE BRONCHITIS: MEAN WEEKLY INCIDENCE IN FOUR WEEK PERIODS 1994 AND 1995. ALL AGES



In the annual report for 1994, we drew attention to the highest levels of acute bronchitis in children 0-4 years (December 1994) ever recorded in the Weekly Returns Service. This was followed by particularly high (though not the highest ever), levels of acute bronchitis in the older age groups during January and February 1995. In February and early March we experienced a minor epidemic of *influenza B* infection and later in the year, November (period 12), an epidemic of *influenza A H₃N₂*. The increased incidence of acute bronchitis in 1995 therefore was confined largely to January and periods when influenza was prevalent. In contrast however, rates for asthma were uniformly lower in 1995 and not affected by the influenza epidemics. At the moment the cause of the epidemic of acute bronchitis in January


1995 is not known though we believe the finger is pointed most strongly towards *respiratory syncytial virus*.

The differing trends in asthma and acute bronchitis have an additional interest to the Weekly Returns Service in demonstrating different uses of these diagnostic labels and distinguishing separate conditions.

Influenza and flu-like illness

There were two epidemics of influenza during 1995 (Figure 5). The first was due to a *B* virus infection and occurred between mid-January and March. The second to an *influenza A H₃N₂* virus and occurred in November and December. The figure also gives the number of viruses isolated from a small number of practices who routinely provide virological specimens for analysis at the Central Public Health Laboratory. The numbers of positive swab specimens validate the clinical incidence data. Both these epidemics reached a peak with incidence exceeding 150 per 100,000 and we regard this as a crude threshold indicator of an epidemic state in the community. In serious epidemics however, a rate of 500 per 100,000 is not unusual.

FIGURE 5 INFLUENZA AND FLU-LIKE ILLNESS. NUMBER OF POSITIVE SWABS 1995



The *influenza A* epidemic in November/December was more serious than the *B* epidemic in February. We have recently published the results of a study of excess morbidity and mortality due to influenza¹. Excesses were estimated from the difference between incidence of a condition (or deaths) during the epidemic period and the average incidence at the equivalent time of year averaged from years in which influenza was not prevalent at that time. Minimum and maximum estimates were made based on slightly different periods for the outbreak of influenza. In the first instance, we have used a minimum time period defined by the weeks that the incidence of influenza exceeded 100 per 100,000 and in the second, a maximum period by the weeks that the incidence exceeded 70 per 100,000.

In February/March approximately 393,000 persons in England and Wales (51.1 million population), consulted their general practitioners with influenza and in November/December 672,000. These represent excesses over the background winter average of between 172,000 and 214,000 in February/March and 325,000 and 355,000 in November/December (Table 4).

The method has been applied to making estimates of excess persons suffering a variety of conditions and also the number of excess deaths and these are given in the table. Excess deaths (based on national death registrations) during the respective periods, were estimated at a maximum of 530 in February/March and 15,500 in the November/December epidemics.

TABLE 4 ESTIMATES OF EXCESS PERSONS REPORTING ILLNESS TO GENERAL PRACTITIONERS IN ENGLAND AND WALES


	Influenza B(Feb/March)		Influenza A(Nov/Dec)	
	Min	Max	Min.	Max
Influenza/Flu-like illness*	172,000	- 214,000	325,000	- 355,000
Ac.Bronchitis*	181,000	- 278,000	267,000	- 401,000
Pneumonia*	2,200	- 2,100	3,700	- 4,700
Otitis Media*	62,000	- 83,000	105,000	- 146,600
Deaths**	390	- 530	11,600	- 15,500

* Data from WRS extrapolated to 51.1 million population of England and Wales

** National death registrations by week

In Figure 6 we compare the average weekly number of deaths (by week of registration) with the average number derived exclusively from those in which flu was not prevalent using the definition as given above.

FIGURE 6 DEATHS (ALL AGES) 9 YEAR AVERAGE EXCLUDING AND INCLUDING 'FLU EPIDEMIC WEEKS



The figure discloses several interesting features. The reduction in death registrations during week 52 is to be expected because of the holiday arrangements at this time of year but it affects deaths from influenza in a similar manner to deaths from other causes. Based on the comparison over the last 9 years, there would appear to be two periods of the year where influenza has its maximum impact on deaths; the period from week 44-49 and the period from week 3-8. It is noticeable that though deaths are particularly high at the first week of the year (even after allowing for the reduced registrations in week 52), the average numbers of deaths over 9 years makes little difference whether the weeks of influenza epidemics are included or excluded from the averaging procedure. This comparison provides further evidence that some other respiratory pathogen (probably *respiratory syncytial virus*) is particularly prevalent at this time. It is the time when acute bronchitis in the elderly tends to be at maximum. We have applied the techniques for deriving estimates of the excess

deaths attributable to influenza to the data shown here and have made estimates that in an average winter, there is an excess of 6,500 deaths associated with the influenza epidemic periods. This average divides into 4,200 excess before the end of the year and 2,300 in the following year. It is necessary to bear in mind however that results for the last 9 years are dominated by epidemics that have occurred in the last few weeks of the year in 1989, 1993 and 1995. We cannot attach predictive value to this analysis because the timing of influenza epidemics varies so much and there is no reason to suppose that the more serious epidemics during the next 9 years will appear in November.

The virus strains in the epidemics of 1995 were close to those included in the vaccines administered at the end of 1994 and 1995 respectively. Though influenza immunisation is the main stay of influenza prevention amongst the risk population, the efficacy of the vaccine is somewhat less than that we have come to expect with most of the vaccines used in children.

Measles, Mumps and Rubella

In the annual report of the WRS for 1991, we showed that the impact of immunisation of both male and female children with the combined MMR vaccine had had a dramatic effect on reported incidence of these conditions. The effect continues (Figure 7). There was some concern last year that measles might re-emerge among young adults because there were sufficient persons who were not protected either by an attack of measles or immunisation against it. The immunisation programmes are certainly the best weapon in conquering these illnesses but it does not mean that surveillance can be discontinued. On the contrary, vigilance in the identification of new cases is of increasing importance. However, by the same token, it is increasingly important to substantiate the diagnosis.

FIGURE 7 MEASLES, MUMPS AND RUBELLA: MEAN WEEKLY INCIDENCE 1984 TO 1995




TABLE 5 RESULTS OF POSTAL ENQUIRY FOR CASES REPORTED WITH MEASLES, MUMPS, RUBELLA, WHOOPING COUGH & MENINGITIS
NUMBERS OF RESPONSES (PERCENTAGE OF TOTAL REPLIES)

	Measles		Mumps		Rubella		Wh. Cough		Meningitis		Total
	n	%	n	%	n	%	n	%	n	%	n
Confirmed	23	34	40	57	68	52	18	58	23	38	172
Modified	7	10	2	3	0	0	0	0	0	0	9
Doubtful	8	12	10	14	22	17	5	16	0	0	45
Negative tests	6	9	3	4	7	5	0	0	0	0	16
Diag.changed on reconsideration	13	19	12	17	14	11	6	19	22	36	67
Patient not traced	4	6	1	1	10	8	1	3	6	10	22
assmd.amended											
Coding errors	6	9	2	3	11	8	1	3	10	16	30
Total replies	67	-	70	-	132	-	31	-	61	-	361
Did not reply	20	-	29	-	49	-	8	-	15	-	121
Reported cases	87	-	99	-	181	-	39	-	76	-	482

During the last year we have written to practices reporting patients diagnosed with measles, mumps, rubella, whooping cough and meningitis and the results are given in Table 5. This enquiry has involved 482 reports and we have received answers to 361 (75%). The diagnosis was confirmed in almost half (48%) of the replies received. The basis of confirmation was sometimes on independent microbiological evidence, sometimes a second medical opinion or finally where the general practitioner considered there was no doubt about the diagnosis on clinical grounds, his affirmation was accepted.

In 67 instances (19%), the diagnosis was changed on reconsideration. The relative proportion was maximum for meningitis (36%) and this was to be expected. It is important to remember that the WRS provides a sentinel service and it is not an error to have found that meningitis was confirmed in less than half of the cases. If we had a sudden surge of patients admitted to hospital with signs suggestive to general practitioners of meningitis, there would be a problem requiring immediate attention. The same point applies to conditions such as acute appendicitis. The assessment of the general practitioner which prompts his action (e.g. referral), is at the heart of the sentinel function. The data must be interpreted in this context.

In 30 cases (8%) coding errors had occurred. This should alert all practices to the need for constant vigilance in monitoring practice recording procedures.

Since the introduction of the MMR vaccine, it has become increasingly important to ensure that the diagnosis is as accurate as possible. Most general practitioners have already recognised that cases officially notified are generally followed up with a request for a salivary sample taken in the convalescent phase. All cases diagnosed clinically with any reasonable assurance should of course be notified, microbiological confirmation may present problems but the lack of it should not inhibit notification. In older children and adults where it is possible to get blood specimens, serological confirmation can be obtained by examining blood in the acute phase and 10 days later in the convalescent phase. Comparison of the immunoglobulin levels in the two specimens, provides the basis of diagnosis for measles, mumps and rubella. In officially notified cases a sponge swab will be sent out routinely to the doctor by the Public Health Laboratory Service and the diagnosis is based on immunoglobulin levels in saliva. The patient is required to saturate the small sponge with saliva and the identification of high levels of immunoglobulin in this single specimen is usually accepted as a satisfactory basis for diagnosis. This technique is particularly suitable for children.

In the case of whooping cough diagnosis is much more difficult. The *bordetella pertussis* organism is identifiable only in the early stages of the illness at a point when whooping cough is rarely suspected unless somebody else in the family has got it. Once the diagnosis is clinically established (usually after 3 weeks when the characteristic paroxysmal cough and whoop has developed), serological diagnosis can be made but this is not a routine procedure in hospital or Public Health Laboratories. Discussions are taking place at the moment as to how this diagnosis might be substantiated more reliably within the network.

Duodenal and gastric ulcer

Over the last twenty years rates for gastric ulcer have shown no overall trend, but there has been some annual fluctuation. However, rates for 1995 (0.44 per 100,000 per week) were a little lower than those for 1994 (0.52 per 100,000 per week). Rates for duodenal ulcer have fallen since 1992 and this trend has continued: 1995 (1.63 per 100,000 per week) -v- 1994 (2.11 per 100,000 per week). It is likely that the identification of patients with disease secondary to helicobacter pylori infection, and subsequent treatment with regimens such as triple therapy, have been responsible for this fall. It will be interesting to see if this trend is continued or possibly reversed if helicobacter eradication therapy fails to live up to its reputation (Figures 8 and 9).

FIGURE 8 DUODENAL ULCER: MEAN WEEKLY INCIDENCE IN FOUR WEEK PERIOD





FIGURE 9 GASTRIC ULCER: MEAN WEEKLY INCIDENCE IN FOUR WEEK PERIOD




Viral Hepatitis

The mean weekly incidence of viral hepatitis fell dramatically between 1967 and 1975 and this was shown in the annual report for 1994. Closer inspection of the data over the last 20 years demonstrates a cyclical pattern with peaks in the early 80s and ten years later. (Figure 10). There were consistently higher rates in males. In the 20 year period, incidence rates were usually highest from the 5-14 years age group followed by the 15-44 years age group.

These results relate mainly to infectious hepatitis (*hepatitis A*). It is increasingly important to recognise other organisms. Accordingly we propose writing to recorders for further details when viral hepatitis is diagnosed.

FIGURE 10 VIRAL HEPATITIS 1976 TO 1995: MEAN WEEKLY INCIDENCE BY SEX



REGIONAL DATA

The main regional analysis is based on three regional areas North, Central and South (shown in Figure 1). Data are also available with the country divided into East and West. This analysis is based on all practices reporting to the Weekly Returns Service. The analyses presented in this section (Appendix 3, yellow sheets), disclose a consistent pattern of small male/female differences in the number of episodes for a variety of conditions which are consistent within each data set providing a degree of internal validity.

ELECTRONICALLY NETWORKED PRACTICES

Urban/Rural data

In Appendix 4 printed on green sheets, we present data from this analysis for a selection of illnesses as published in previous years. The analyses are however confined to practices which are linked electronically. The mean weekly populations by age group are given in Table 6. In the interpretation of these regional data, it is important to bear in mind the small differences in the population composition in the various groups. Age specific data are presented and incidence should be examined in separate age groups when comparisons are made.

TABLE 6 ELECTRONICALLY NETWORKED PRACTICES:POPULATION CATEGORISED
URBAN, RURAL, MIXED

		Male	Female	0-4	5-14	15-44	45-64	65+	Total
Urban	Number	72,648	76,589	10,360	19,662	65,461	31,768	21,986	149,237
	%	48.7	51.3	6.9	13.2	43.9	21.3	14.7	100.0
Rural	Number	33,085	33,722	3,490	7,949	28,859	16,452	10,057	66,807
	%	49.5	50.5	5.2	11.8	42.8	25.0	15.2	100.0
Mixed	Number	53,138	54,547	6,893	14,443	45,783	24,975	15,591	107,685
	%	49.3	50.7	6.4	13.4	42.5	23.2	14.5	100.0

Supplementary analyses

In Appendix 5 data are presented in ICD order for a selection of diseases across a wide range of the chapters of the disease classification. The mean weekly incidence for each disease over the 12 month period is presented in Table 7 with the equivalent value for 1994.

TABLE 7 MEAN WEEKLY INCIDENCE (PER 100,000 ALL AGES)
FOR SELECTED DISEASES

ICD Code	Disease	1994	1995
099.4	Non-specific urethritis	0.50	0.51
110	Tinea/ringworm	27.6	27.58
112	Candida (all types)	54.41	50.73
127.4	Threadworms	5.97	5.47
131	Trichomonas vaginalis (F)	0.55	0.36
174	Carcinoma female breast(F)	2.91	2.65
185	Carcinoma Prostate (M)	1.72	1.84
274	Gout	6.72	6.03
300.4,301.1,311	Depression	28.83	30.20
428	Heart failure	10.85	8.04
595 + 599.0	Urinary tract infection/cystitis	67.65	69.05
614-616	Female pelvic inflammatory Dis(F)	29.57	26.19
691	Atopic eczema/dermatitis	27.66	24.58
696(exc.696.3)	Psoriasis	7.69	7.16
696.3	Pityriasis Rosea	1.85	1.94
715.9	Osteoarthritis of Hip	3.04	2.81
940-949	Burns	4.97	4.59
E950-E959	Suicide(att.suicide) & self infl.injury	1.77	1.84

The first point to notice from this comparison is that with very few exceptions, there is a close similarity of the results in the two annual periods providing a degree of internal validation. (The most substantial exception, that for candidiasis, arises because of a mistake in the 1994 data. Re-examination of the data for 1994 shows a mean weekly incidence of 54.41 per 100,000 and is very similar to that for 1995). The mean weekly incidence of trichomonas vaginalis infection has fallen from 0.55 in 1994 to 0.36 per 100,000 in 1995. The numbers are small and therefore should be interpreted with caution, but it is worth noting that the incidence of non-specific urethritis in females (which includes chlamydial cervicitis) fell from 0.24 to 0.15 (rates based on 23 and 14 cases respectively). Rates of non-specific urethritis in males were similar in both years.

The mean weekly incidence of heart failure was 10.85 in 1994 and 8.04 in 1995. These rates are based on 2052 and 1489 episodes respectively. There is no doubt that the management of heart disease generally has improved considerably since the introduction of the calcium channel blockers and ACE inhibitors and though it is perhaps too early to speculate whether this improvement is directly attributable to these drugs, the reduced incidences are certainly encouraging. We await next year's results with interest.

RESEARCH

Mortality and Respiratory Illness

In June we published a paper on the similarity over time of trends in mortality regardless of cause². Weekly deaths by principal underlying causes shared similarities of peaks and troughs and these were evident in the four national data sets examined (England and Wales, Denmark, The Netherlands and Portugal), though the relative amplitude of the variation differed slightly being greater in England and Wales and Portugal than in the other two countries. These patterns suggest an external causal factor impinging on all causes of death. Whilst scientific effort should include a focus on air pollution as a possible underlying factor, we believe that acute respiratory infections are an important link in the chain. This work has been gradually developed from the initial simple observation reported in the Annual Report for 1991 showing how total deaths (all ages) and total acute respiratory illness followed similar patterns and furthermore, sudden infant deaths followed a similar pattern to total acute respiratory disease in children. An earlier publication³, showed the strength of association between total acute respiratory disease in the elderly and total deaths using conventional epidemiological methods to allow for seasonal and secular trends.,

Increasingly, we have come to recognise the importance of the consistent peak of deaths in early January (see Figure 6 above). In order to investigate this further, we wish to encourage the extension of our joint scheme with the Public Health Laboratory Service to combine clinical and virological surveillance. If any sentinel practices wish to contribute, could they please contact the Birmingham Unit.

Infectious intestinal diseases

The success of the combined clinical and virological surveillance in the area of influenza⁴ has prompted requests from colleagues in another branch of the PHLS to consider a similar scheme for infectious intestinal disease. In recent years, there has been increased notification of food poisoning especially amongst the elderly though data from the WRS has not suggested increased incidence of enteric illnesses generally.

References

1. Fleming DM. The Impact of three influenza epidemics on primary care in England and Wales. *PharmacoEconomics* 1996; 3: 38-45.
2. Crombie DL, Fleming DM, Cross KW, Lancashire RJ. Concurrence of monthly variations of mortality related to underlying cause in Europe. *J. Epidemiol. and Community Health* 1995; 49: 373-378.
3. Fleming DM, Cross KW, Crombie DL, Lancashire RJ. Respiratory illness and mortality in England and Wales. *Eur.J. Epidemiol.* 1993; 9: 571-576.
4. Fleming DM, Chakraverty P, Sadler C, Litton P. Combined clinical and virological surveillance of influenza in winters of 1992 and 1993-4. *Brit.Med.J.* 1995; 311: 290-291.

PUBLICATIONS FOR 1995:

Journals:

Crombie DL, Fleming DM, Cross KW, Lancashire RJ. Concurrence of monthly variations of mortality related to underlying cause in Europe. *J. Epidemiology and Community Health* 1995; 49: pp373-378.

Fleming DM, Chakraverty P, Sadler C, Litton P. Combined clinical and virological surveillance of influenza in winters of 1992 and 1993-4. *Brit.Med.J.* 1995; 311: pp290-291.

Fleming DM, Watson JM, Nicholas S, Smith GE, Swan AV. Study of the effectiveness of influenza vaccination in the elderly in the epidemic of 1989-90 using a general practice database. *Epidemiol. Infect* 1995; 115: pp581-589.

McCormick A, Charlton J, Fleming D. Who sees their general practitioner and for what reason? *Health Trends* 1995; 27: pp34-35.

Thompson NP, Fleming DM, Pounder RE, Wakefield AJ. Crohn's Disease: A national study of prevalence and incidence. *GUT* 1995; 37: Supplement 2, page A50.

Books

McCormick A, Fleming DM, Charlton J. Morbidity statistics from general practice - Fourth National Study 1991-1992. Office of Population Censuses & Surveys 1995, Series MB5 no 3. HMSO London.

Fleming DM. Health Care Utilisation in the British National Health Service. In Harvey Jolt, Martin M. Leibovici (Eds): *Health Care Management - State of the Art Reviews*. 1995; 2: pp 161-173. Philadelphia.

Fleming DM, Timbury M. Fighting Influenza's toll of misery: why vaccination can help. *Vaccines* 1995.

Letters

Crombie DL, Cross KW, Fleming DM. Infant respiratory death rates mirror sudden infant deaths. *Letters to the Editor Brit.Med.J.* 1995; 310: 1603.

Ross AM, Fleming DM. Prevalence of asthma and wheeze in the Highlands of Scotland. *Letters to the Editor Archives of Disease in Childhood* 1995; 72: 543.

Ross AM, Fleming DM. Review of prescribed treatment for children with asthma. *Brit.Med.J.* 1995; 311: 1645.

Others

Fleming DM. Epidemic or media hype?. *Practice Nurse* 1995; 279-283.

Nguyen-van-Tam JS, Fleming DM. Top 100 - Influenza. *General Practitioner* 1995; 39.

Nguyen-van-Tam JS, Fleming DM. Influenza surveillance and control in primary care. *Geriatric Medicine* 1995.

R.C.G.P. Weekly Returns Service Annual Report for 1995. Annual report of The Birmingham Research Unit of the Royal College of General Practitioners 1995. (Available on request from the Research Unit).

Ross A. New morbidity statistics. *Maternal and Child Health* 1995; October, 332-333.

**PARTICIPATING PRACTICES IN ALPHABETIC ORDER
BY NAME OF PARTNER AND LOCATION**

R.K.Aggarwal	Pontefract	J.Anderson	Burnhope
M.G.Askew	Gosport	M.Aylett	Northumberland
M. E. Barker	Stamford	J. Baumber	Grantham
D. Beckitt	Warlingham	N.Blakeney-Edwards	Cheddar
C. Bond	London SW6	C. A. Booth	Minchinhampton
N. S. Booth	Prudhoe	P. Bradley	Chester
P. Bracey	Liverpool	R. N. Bryant	Newton Abbot
K.P.Carroll	Beckenham	M. Clarkson	Birmingham
A. R. Colman	Bristol	T.D.Coleman	Walsall
D.Cooke	Belper	C.H.Crowther	Manchester
S.G.Darling	Solihull	H.G.Davies	Nailsea
P.A.Dodds	Newcastle-on-Tyne	S.de Lusignan	Guildford
M.Duffy	Liverpool	N.Durge	Blackburn
D.Dwyer	Plymouth	M.G.Edward	Birmingham
R.Evans-Jones	Bodmin	K.J.Evans	Loughborough
D.P.Feeney	Northumberland	S.Findlay	Bishop Auckland
D.M.Fleming	Birmingham	A.Frank	Steyning
P.Freeman	Leamington Spa	A.Gainer	Shrewsbury
S.Gibson	Ware	R.B.Goodall	Much Wenlock
I.Goodman	Northwood	D.Pereira Gray	Exeter
D.Hall	Chalfont St Peter	G.H.Haslam	Bingley
T.Heller	Sheffield	M.C.Henchy	Peterborough
D.W.Herbert	Middlesborough	J.H.Hill	Weedon
A.R.Holmes	Hartlepool	I.Howard	Exeter
P.Howarth	Workington	C.C.Hulbert	Malpas
P.Jackson	Eyam, via Sheffield	M.J.Jameson	St.Albans
M.A.Johnson	Oldham	N.Jones	South Shields
T.M.Kennedy	Langholme	D.A.Lawrence	Dartford
W. Maxwell	Disley	S. Mayhew	Eaton Socon
M. McLeod	Aldershot	S.W.Miller	Shebbear
I.J.Moody	Blackburn	W.Muir	Nottingham
P.Orton	Bishops Stortford	O.O'Toole	Dunstable
D.J.Peterson	Oxford	M.A.Pringle	Newark
G.Pye	Gerrards Cross	W.Roberts	Aberystwyth
M.Ross	Bradford	R.Russell-Jones	Swansea
W.Sagar	Boston	R.M.Sandler	Manchester
H.Sappar	London W3	S.Sathiyeseelan	Warrington
I. Shand	Derby	G.P.Singh	Leeds
R.N.Smith	Birmingham	K.M.Souter	Wakefield
N.Stoddart	Calverton	B.M.Thomas	Hayes
H.G.Thomas	Minehead	T.H.Thompson	Cardiff
P. Turkie	Wrexham	D.J.Twinham	Hessle
R.J.Tucker	Wolstanton	P.Turkie	Wrexham
D.J.Twinham	Hessle	R.P.Virdi	Blackburn
M.T.Wheeler	Cardiff	I.D.Whyte	Whalley
P. Wilczynski	Corby	I.G.Williams	Huntingdon
S. Williams	Wirrall	I.S.Wilson	Warrington
R.L.Wynne.	Bromsgrove		

APPENDIX 1

Time period definitions

Mean weekly incidence per 100,000 population in 4 weekly, quarterly and annual periods defined as follows:

4 Weekly Period (1995)

1.	2.1 - 29.1	6.	22.5 - 18.6	11.	9.10 - 5.11
2.	30.1 - 26.2	7.	19.6 - 16.7	12.	6.11 - 3.12
3.	27.2 - 26.3	8.	17.7 - 13.8	13.	4.12 - 31.12
4.	27.3 - 23.4	9.	14.8 - 10.9		
5.	24.4 - 21.5	10.	11.9 - 8.10		

Quarterly Period

1st	2.1 - 2.4	2nd	3. 4 - 2. 7
3rd	3.7 - 1.10	4th	2.10 - 31.12

Annual Period 2.1.95 - 31.12.95

Annual data include the total number of episodes by age and sex groups and the total number of person weeks

APPENDIX 2

Mean weekly incidence by age and sex groupings,
by illness surveyed, by period: rates per 100,000

APPENDICITIS (ACUTE)

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
weekly period	1	0.89	1.09	0.70	0.00	2.42	1.04	0.58	0.00
	2	0.71	0.82	0.61	0.71	1.04	1.24	0.00	0.00
	3	0.69	0.56	0.81	0.00	2.13	0.96	0.00	0.00
	4	1.15	1.17	1.13	1.41	2.41	1.65	0.19	0.00
	5	0.87	0.85	0.90	0.00	1.94	1.16	0.54	0.00
	6	0.84	0.33	1.33	0.00	3.41	0.56	0.00	1.08
	7	1.26	1.25	1.28	0.65	3.16	1.52	0.53	0.27
	8	0.61	0.83	0.40	0.00	1.27	0.95	0.18	0.00
	9	0.82	0.75	0.88	0.00	1.27	1.33	0.18	0.28
	10	0.84	0.85	0.82	0.00	1.96	1.17	0.36	0.00
	11	0.86	0.79	0.92	0.00	0.67	1.10	0.56	1.15
	12	1.22	1.21	1.24	0.00	4.28	1.27	0.55	0.00
	13	0.70	0.76	0.64	0.00	2.17	0.54	0.81	0.00
Quarter	1	0.76	0.84	0.68	0.22	1.82	1.09	0.18	0.00
	2	1.01	0.76	1.25	0.41	2.87	1.10	0.33	0.43
	3	0.84	0.93	0.74	0.20	1.68	1.27	0.22	0.09
	4	0.93	0.93	0.92	0.00	2.30	1.00	0.64	0.36
Full year 95		0.88	0.87	0.90	0.21	2.17	1.11	0.34	0.22
Episodes		269	129	140	4	85	146	24	10
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

ASTHMA

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	46.54	48.42	44.74	112.41	75.93	39.23	31.30	37.96
	2	40.25	37.13	43.24	107.21	79.26	30.57	23.13	32.45
	3	41.55	39.14	43.87	123.69	73.90	31.92	25.81	31.27
	4	36.53	33.73	39.21	103.92	64.25	28.50	24.35	26.24
	5	41.31	37.32	45.14	116.80	80.46	32.02	26.35	25.73
	6	38.91	35.24	42.42	102.25	78.09	29.09	23.94	29.86
	7	44.65	43.82	45.45	107.54	84.03	40.25	25.86	25.94
	8	31.51	27.57	35.28	68.25	46.27	31.77	18.46	22.57
	9	22.16	21.51	22.78	47.23	32.48	19.80	18.13	15.74
	10	46.41	46.42	46.41	126.70	91.90	41.93	21.70	25.13
	11	42.35	37.62	46.89	119.27	77.69	36.39	25.83	22.92
	12	48.21	49.42	47.04	155.56	95.04	34.21	28.79	33.25
	13	44.26	43.38	45.11	131.69	80.25	33.41	25.44	36.92
Quarter	1	42.21	40.89	43.48	111.18	75.91	33.51	26.46	33.43
	2	40.04	37.08	42.89	113.01	76.73	31.29	24.65	26.78
	3	34.13	32.21	35.97	78.42	58.44	31.84	20.85	21.71
	4	45.04	43.89	46.13	134.54	84.34	35.45	26.20	30.54
Full year '95		40.25	38.40	42.03	108.86	73.65	32.98	24.47	27.98
Episodes		12253	5725	6528	2069	2884	4321	1713	1266
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 247

BRONCHITIS (ACUTE)

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
Weekly period	1	274.18	248.09	299.29	490.89	146.34	193.69	293.95	495.87
	2	243.12	218.43	266.89	451.43	196.95	177.66	241.02	388.14
	3	177.58	163.18	191.43	324.96	115.46	127.80	169.34	325.55
	4	157.25	144.21	169.79	306.11	94.83	98.97	165.09	305.32
	5	122.09	107.45	136.15	212.23	68.18	78.21	129.60	245.83
	6	133.54	120.01	146.53	256.90	74.68	91.92	135.14	250.71
	7	116.94	105.85	127.58	260.05	78.34	78.32	118.30	199.62
	8	77.81	69.72	85.56	131.94	35.17	55.89	81.32	150.28
	9	66.27	57.67	74.51	102.34	31.85	49.98	70.76	121.21
	10	140.96	125.67	155.61	244.59	100.70	112.46	131.48	230.15
	11	172.14	152.92	190.60	348.09	93.43	126.82	173.58	294.80
	12	243.99	223.31	263.82	651.99	188.44	158.24	231.03	389.89
	13	264.85	231.73	296.58	815.42	161.94	154.68	254.20	459.64
Quarter	1	227.77	206.12	248.62	416.66	149.90	163.02	231.91	396.66
	2	131.26	118.80	143.23	254.47	77.12	84.83	135.57	253.82
	3	91.54	81.49	101.18	161.50	54.10	68.00	92.08	162.08
	4	221.96	197.86	245.07	575.66	144.75	146.74	214.25	370.50
Full year 95		166.22	149.36	182.40	347.69	105.07	114.33	166.43	292.82
Episodes		50599	22269	28330	6608	4114	14979	11649	13249
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

CEREBROVASCULAR ACCIDENT (ACUTE)

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	2.00	2.18	1.84	0.00	0.00	0.10	1.17	11.36
	2	1.87	1.18	2.53	0.00	0.00	0.00	0.58	11.72
	3	1.83	1.77	1.88	0.00	0.00	0.11	1.39	9.81
	4	1.81	1.44	2.17	0.00	0.00	0.00	0.96	10.73
	5	2.17	2.04	2.29	0.00	0.00	0.00	0.90	13.14
	6	2.00	1.63	2.35	0.00	0.00	0.09	1.91	10.22
	7	2.89	2.25	3.51	0.00	0.00	0.09	2.48	15.29
	8	3.18	2.67	3.67	0.00	0.00	0.38	1.42	18.17
	9	2.79	2.76	2.81	0.00	0.00	0.10	2.84	14.08
	10	3.14	2.91	3.36	0.00	0.00	0.19	2.17	17.23
	11	2.74	2.45	3.03	0.00	0.00	0.10	1.67	15.47
	12	2.66	2.59	2.73	0.00	0.00	0.10	1.29	15.63
	13	2.42	2.28	2.55	0.00	0.00	0.21	1.63	13.14
Quarter	1	1.90	1.80	2.00	0.00	0.00	0.06	1.08	10.93
	2	2.15	1.75	2.53	0.00	0.00	0.03	1.55	11.93
	3	2.99	2.64	3.33	0.00	0.00	0.18	2.09	16.41
	4	2.67	2.49	2.84	0.00	0.00	0.19	1.58	14.95
Full year 95		2.43	2.17	2.68	0.00	0.00	0.11	1.59	13.59
Episodes		741	324	417	0	0	15	111	615
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

CHICKENPOX

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
Weekly period	1	12.34	13.54	11.19	101.74	25.89	5.59	0.78	0.30
	2	10.82	10.62	11.01	92.40	22.84	4.23	0.58	0.60
	3	13.21	15.10	11.39	115.64	24.87	5.85	0.79	0.61
	4	12.16	11.90	12.41	95.44	26.46	5.86	0.96	0.30
	5	12.99	14.03	12.00	112.79	22.94	6.40	1.08	0.00
	6	11.66	11.50	11.82	99.05	20.76	5.86	1.21	0.00
	7	12.09	12.39	11.80	104.93	24.96	4.55	1.06	0.82
	8	9.01	9.00	9.02	76.70	17.11	4.35	0.18	0.55
	9	4.26	4.86	3.69	32.80	7.01	2.86	0.36	0.00
	10	3.68	3.68	3.69	29.13	7.82	1.85	0.36	0.00
	11	5.62	5.07	6.13	52.70	11.05	1.89	0.37	0.29
	12	6.54	6.56	6.53	58.17	12.17	2.74	0.74	0.00
	13	7.43	7.12	7.73	63.24	12.29	3.87	0.81	0.31
Quarter	1	12.07	12.91	11.26	101.75	24.80	5.24	0.72	0.46
	2	12.31	12.80	11.84	104.82	23.49	5.77	1.05	0.17
	3	6.78	6.76	6.80	56.48	12.81	3.36	0.50	0.34
	4	6.28	6.05	6.49	55.19	11.50	2.80	0.58	0.18
Full year 95		9.34	9.61	9.08	79.45	18.11	4.29	0.71	0.29
Episodes		2844	1433	1411	1510	709	562	50	13
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

COMMON COLD

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	282.82	255.08	309.51	1185.96	404.50	217.91	162.53	170.37
	2	319.56	289.51	348.48	1417.06	591.88	233.74	144.03	136.69
	3	237.59	205.58	268.40	1196.64	349.95	169.09	120.31	117.41
	4	205.18	178.21	231.12	1008.82	277.27	145.68	108.14	127.02
	5	161.61	138.06	184.23	808.90	214.25	114.01	80.87	107.11
	6	189.83	162.76	215.80	1046.77	241.09	128.81	96.28	106.26
	7	158.87	136.79	180.04	882.46	220.18	103.32	77.92	87.66
	8	109.03	95.12	122.35	563.52	131.19	84.63	49.18	61.10
	9	86.79	72.49	100.49	359.49	97.77	75.88	49.96	51.35
	10	214.91	188.17	240.55	1128.79	324.26	154.88	91.69	105.90
	11	237.85	204.54	269.85	1307.78	313.12	166.20	116.71	124.05
	12	335.39	299.91	369.40	1883.60	535.38	203.68	156.48	170.51
	13	335.54	295.99	373.42	1999.85	470.64	190.67	170.55	194.31
Quarter	1	278.47	247.97	307.82	1259.64	444.45	205.57	142.03	142.07
	2	176.56	152.18	199.96	932.12	230.87	120.64	90.03	108.15
	3	130.15	112.78	146.80	662.27	177.39	98.01	59.68	68.05
	4	298.07	261.89	332.76	1687.08	429.23	187.23	145.75	160.34
Full year 95		218.61	191.72	244.43	1125.05	316.50	151.40	108.14	118.68
Episodes		66549	28585	37964	21382	12393	19835	7569	5370
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 91

DIABETES

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	6.06	6.54	5.59	1.42	1.04	2.38	8.36	19.43
	2	6.90	6.45	7.34	0.00	1.73	3.51	10.11	19.23
	3	6.72	6.71	6.73	0.00	1.42	2.55	10.92	19.62
	4	5.88	4.96	6.77	0.00	0.00	1.13	12.08	17.59
	5	6.54	7.23	5.88	0.00	1.29	1.94	11.37	19.58
	6	5.43	4.89	5.95	1.28	1.24	1.95	8.33	16.41
	7	5.13	5.07	5.18	0.65	0.95	1.70	8.15	15.84
	8	5.99	6.83	5.19	0.00	0.32	1.99	9.41	19.82
	9	5.82	5.44	6.18	0.00	1.27	1.90	7.64	20.71
	10	6.78	6.58	6.97	0.00	1.96	1.56	10.31	23.44
	11	6.09	6.39	5.80	0.00	1.67	3.09	7.81	18.34
	12	5.57	5.87	5.29	0.68	1.32	2.54	7.93	16.48
	13	4.51	5.13	3.91	2.23	1.81	1.61	7.53	11.58
Quarter	1	6.55	6.46	6.64	0.44	1.28	2.75	10.14	19.17
	2	5.68	5.71	5.66	0.41	0.89	1.70	9.86	17.08
	3	6.05	5.88	6.21	0.20	1.18	1.83	8.80	20.69
	4	5.55	6.00	5.12	0.86	1.57	2.33	8.07	16.39
Full year 95		5.95	6.00	5.90	0.47	1.23	2.14	9.22	18.34
Episodes		1812	895	917	9	48	280	645	830
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

DUODENAL ULCER

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	1.96	3.00	0.96	0.00	0.35	1.86	3.11	2.69
	2	2.09	3.63	0.61	0.00	0.00	1.65	3.69	3.61
	3	2.47	3.35	1.61	0.00	0.00	2.23	3.97	3.99
	4	1.95	2.89	1.04	0.00	0.00	0.82	3.83	4.77
	5	1.42	2.38	0.49	0.67	0.65	1.36	2.17	2.24
	6	1.68	2.20	1.17	0.00	0.31	1.12	3.82	1.88
	7	1.55	1.91	1.20	0.00	0.00	1.61	1.95	2.73
	8	1.35	2.00	0.72	0.00	0.00	0.76	2.31	3.30
	9	1.43	1.93	0.96	0.00	0.32	0.57	3.02	3.04
	10	1.46	2.22	0.74	0.00	0.00	1.17	3.07	1.69
	11	1.20	1.40	1.01	0.00	0.00	1.00	1.49	2.86
	12	1.31	1.64	0.99	0.00	0.00	1.08	2.21	2.27
	13	1.44	2.56	0.36	0.00	0.00	1.40	2.04	2.50
Quarter	1	2.13	3.26	1.05	0.00	0.11	1.79	3.54	3.61
	2	1.72	2.50	0.98	0.20	0.30	1.34	3.10	2.83
	3	1.34	1.84	0.87	0.00	0.10	0.77	2.59	2.74
	4	1.34	1.95	0.76	0.00	0.00	1.21	2.05	2.34
Full year 95		1.63	2.37	0.91	0.05	0.13	1.27	2.81	2.87
Episodes		496	354	142	1	5	166	197	130
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

GASTRIC ULCER

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	0.40	0.36	0.44	0.00	0.00	0.21	0.78	0.90
	2	0.45	0.45	0.44	0.00	0.00	0.31	0.39	1.50
	3	0.50	0.56	0.45	0.00	0.00	0.11	0.79	1.84
	4	0.44	0.54	0.35	0.00	0.00	0.10	0.19	2.39
	5	0.42	0.34	0.49	0.00	0.00	0.10	0.18	2.24
	6	0.48	0.49	0.47	0.00	0.00	0.28	0.87	1.08
	7	0.49	0.50	0.48	0.00	0.00	0.00	0.53	2.46
	8	0.37	0.67	0.08	0.00	0.32	0.19	0.36	1.10
	9	0.53	0.50	0.56	0.00	0.00	0.29	0.71	1.66
	10	0.42	0.51	0.33	0.00	0.00	0.39	0.90	0.28
	11	0.56	0.61	0.50	0.00	0.00	0.30	1.49	0.57
	12	0.30	0.35	0.25	0.00	0.00	0.29	0.55	0.28
	13	0.37	0.47	0.27	0.00	0.00	0.21	0.20	1.56
Quarter	1	0.45	0.45	0.46	0.00	0.00	0.19	0.60	1.57
	2	0.43	0.47	0.40	0.00	0.00	0.15	0.50	1.72
	3	0.42	0.54	0.30	0.00	0.10	0.21	0.50	1.37
	4	0.46	0.49	0.42	0.00	0.00	0.31	0.88	0.81
Full year 95		0.44	0.49	0.39	0.00	0.03	0.21	0.61	1.37
Episodes		134	73	61	0	1	28	43	62
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

HAND, FOOT AND MOUTH DISEASE

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	1.43	1.82	1.05	14.94	2.07	0.41	0.00	0.30
	2	1.74	1.45	2.01	19.75	2.08	0.41	0.19	0.00
	3	1.14	1.49	0.81	10.25	2.84	0.32	0.00	0.00
	4	0.49	0.36	0.61	4.24	1.03	0.21	0.00	0.00
	5	0.62	0.85	0.41	5.34	0.65	0.49	0.00	0.00
	6	1.00	0.98	1.02	8.95	2.17	0.19	0.35	0.00
	7	0.65	0.50	0.80	5.87	1.58	0.19	0.00	0.00
	8	0.73	0.58	0.88	5.20	1.58	0.38	0.18	0.00
	9	0.20	0.17	0.24	1.97	0.32	0.10	0.00	0.00
	10	0.54	0.34	0.74	4.74	0.65	0.39	0.00	0.00
	11	1.29	1.31	1.26	13.17	2.34	0.40	0.00	0.00
	12	0.63	0.35	0.91	7.44	0.99	0.10	0.00	0.00
	13	0.51	0.47	0.55	5.21	1.08	0.00	0.20	0.00
Quarter	1	1.36	1.49	1.24	14.25	2.25	0.35	0.06	0.09
	2	0.69	0.65	0.73	6.14	1.19	0.30	0.11	0.00
	3	0.52	0.41	0.62	4.06	1.18	0.24	0.06	0.00
	4	0.82	0.74	0.89	8.62	1.36	0.22	0.06	0.00
Full year 95		0.84	0.81	0.86	8.16	1.48	0.27	0.07	0.02
Episodes		255	121	134	155	58	36	5	1
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

HAY FEVER/ALLERGIC RHINITIS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	4.36	3.82	4.89	0.71	4.14	5.18	4.47	3.59
	2	5.65	4.90	6.38	1.41	6.58	6.51	5.05	5.11
	3	7.63	6.24	8.97	2.93	8.53	9.36	6.35	5.82
	4	24.41	20.56	28.11	12.73	37.45	30.76	17.45	10.44
	5	74.83	66.22	83.09	30.70	153.17	99.17	32.31	21.25
	6	53.97	51.89	55.97	26.20	112.49	66.17	28.10	19.64
	7	164.20	159.57	168.64	126.44	357.28	214.98	56.14	33.32
	8	25.80	22.32	29.13	17.55	39.93	34.70	12.96	11.01
	9	10.65	8.37	12.83	4.59	17.83	11.14	9.60	7.18
	10	6.32	6.75	5.90	4.07	9.13	6.52	6.33	4.24
	11	5.14	4.46	5.80	0.00	6.70	5.18	5.20	5.73
	12	4.56	3.54	5.54	2.03	5.92	4.79	3.32	5.68
	13	3.62	4.46	2.82	0.74	5.42	3.97	3.05	3.13
Quarter	1	6.52	5.53	7.48	1.54	6.95	7.96	5.64	5.46
	2	83.49	79.37	87.45	48.72	177.94	108.03	34.74	21.03
	3	26.87	23.64	29.96	20.11	47.21	34.04	14.41	10.60
	4	4.63	4.30	4.94	1.29	5.85	4.85	4.09	5.13
Full year '95		31.13	28.91	33.25	18.42	61.16	39.64	15.04	10.72
Episodes		9476	4311	5165	350	2395	5193	1053	485
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 16

INFECTIOUS HEPATITIS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	0.22	0.36	0.09	0.00	0.00	0.52	0.00	0.00
	2	0.36	0.18	0.52	0.00	0.00	0.41	0.19	0.90
	3	0.27	0.28	0.27	0.00	0.00	0.53	0.00	0.31
	4	0.09	0.18	0.00	0.00	0.00	0.10	0.19	0.00
	5	0.04	0.00	0.08	0.00	0.00	0.00	0.00	0.28
	6	0.12	0.24	0.00	0.00	0.31	0.09	0.17	0.00
	7	0.08	0.08	0.08	0.00	0.00	0.09	0.00	0.27
	8	0.12	0.25	0.00	0.00	0.00	0.19	0.18	0.00
	9	0.04	0.00	0.08	0.00	0.00	0.10	0.00	0.00
	10	0.17	0.34	0.00	0.00	0.00	0.29	0.18	0.00
	11	0.09	0.09	0.08	0.00	0.00	0.20	0.00	0.00
	12	0.13	0.17	0.08	0.00	0.00	0.10	0.37	0.00
	13	0.05	0.00	0.09	0.00	0.00	0.11	0.00	0.00
Quarter	1	0.26	0.25	0.27	0.00	0.00	0.45	0.06	0.37
	2	0.09	0.13	0.05	0.00	0.10	0.09	0.11	0.09
	3	0.09	0.16	0.02	0.00	0.00	0.15	0.06	0.09
	4	0.11	0.14	0.08	0.00	0.00	0.16	0.18	0.00
Full year 95		0.13	0.17	0.10	0.00	0.03	0.21	0.10	0.13
Episodes		41	25	16	0	1	27	7	6
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

HERPES ZOSTER

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
Weekly period	1	7.26	6.81	7.69	0.00	3.45	3.83	9.92	19.43
	2	6.90	5.08	8.65	1.41	4.15	4.13	7.58	18.63
	3	8.91	6.80	10.94	2.20	6.04	4.79	11.71	21.76
	4	6.81	5.50	8.07	0.71	2.06	3.91	9.01	18.49
	5	7.66	6.72	8.57	1.33	4.52	5.43	8.12	18.74
	6	8.47	7.10	9.78	3.20	5.58	5.67	11.10	17.22
	7	8.14	8.40	7.89	1.96	6.95	4.26	9.92	20.21
	8	7.62	6.83	8.38	0.65	5.39	4.44	10.30	17.62
	9	7.62	6.70	8.50	2.62	3.50	5.14	10.13	16.57
	10	7.53	6.07	8.94	0.68	4.89	5.25	9.22	16.66
	11	7.59	7.00	8.15	4.16	2.34	4.59	9.11	19.77
	12	7.35	5.43	9.18	1.35	2.63	4.79	8.86	19.04
	13	6.78	5.89	7.64	0.74	3.98	3.97	8.14	17.84
Quarter	1	7.78	6.37	9.13	1.32	4.49	4.48	9.84	19.73
	2	7.61	6.65	8.54	1.84	4.46	4.55	9.53	18.63
	3	7.92	6.97	8.84	1.42	5.12	5.12	10.18	17.70
	4	7.07	6.00	8.09	1.94	3.03	4.42	8.36	18.38
Full year 95		7.60	6.51	8.65	1.63	4.29	4.65	9.49	18.59
Episodes		2313	970	1343	31	168	609	664	841
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

HODGKINS DISEASE

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	0.13	0.18	0.09	0.00	0.00	0.10	0.39	0.00
	2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3	0.05	0.09	0.00	0.00	0.00	0.11	0.00	0.00
	4	0.13	0.09	0.17	0.00	0.34	0.10	0.00	0.30
	5	0.08	0.17	0.00	0.00	0.32	0.00	0.18	0.00
	6	0.04	0.08	0.00	0.00	0.00	0.09	0.00	0.00
	7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	8	0.04	0.08	0.00	0.00	0.00	0.09	0.00	0.00
	9	0.04	0.00	0.08	0.00	0.00	0.10	0.00	0.00
	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Quarter	1	0.07	0.08	0.05	0.00	0.00	0.10	0.12	0.00
	2	0.06	0.10	0.03	0.00	0.20	0.03	0.06	0.09
	3	0.03	0.03	0.02	0.00	0.00	0.06	0.00	0.00
	4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Full year 95		0.04	0.05	0.03	0.00	0.05	0.05	0.04	0.02
Episodes		12	8	4	0	2	6	3	1
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 5

INFECTIOUS INTESTINAL DISEASE

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
Weekly period	1	53.22	50.23	56.10	293.82	55.22	36.54	27.61	37.96
	2	61.17	55.29	66.83	371.02	66.11	38.84	27.21	42.36
	3	68.11	64.49	71.59	504.27	62.53	39.69	27.20	35.25
	4	62.62	57.54	67.50	434.78	49.82	37.86	27.61	42.94
	5	60.05	56.79	63.18	351.72	59.78	39.01	32.67	41.11
	6	59.08	57.68	60.43	291.41	56.40	44.98	31.23	47.61
	7	60.81	55.79	65.62	274.39	51.81	51.52	35.60	44.79
	8	50.91	46.48	55.15	187.84	33.59	51.06	31.07	38.26
	9	54.76	48.55	60.71	210.58	37.90	52.17	36.44	39.76
	10	49.64	43.52	55.51	201.91	41.06	44.17	31.47	37.84
	11	50.07	45.40	54.54	242.00	36.84	40.58	29.73	40.68
	12	51.50	48.82	54.07	239.42	60.84	40.46	27.50	33.53
	13	48.21	42.53	53.66	207.57	60.73	37.60	25.03	36.92
Quarter	1	61.66	57.23	65.93	402.19	60.62	38.17	27.72	39.18
	2	59.86	56.43	63.17	330.84	54.92	42.68	31.36	44.29
	3	53.14	48.17	57.91	209.04	38.53	50.10	33.94	38.90
	4	50.00	45.34	54.46	228.11	52.78	39.90	27.26	37.47
Full year 95		56.13	51.77	60.33	291.34	51.51	42.84	30.16	40.00
Episodes		17088	7718	9370	5537	2017	5613	2111	1810
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

INFLUENZA AND FLU-LIKE ILLNESS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	77.77	72.85	82.49	81.82	96.64	89.65	68.43	39.75
	2	127.28	114.75	139.34	156.59	197.29	145.84	95.63	48.97
	3	58.96	54.33	63.42	76.85	63.24	72.78	44.87	29.73
	4	36.57	35.08	38.00	61.50	43.63	40.33	30.10	19.08
	5	22.28	17.85	26.53	42.71	24.56	25.42	18.23	8.95
	6	20.29	18.11	22.39	34.51	22.31	22.96	15.44	12.37
	7	19.17	16.71	21.53	33.24	24.64	21.40	15.94	7.10
	8	12.55	10.58	14.45	22.10	9.51	15.89	7.63	9.08
	9	9.58	8.45	10.67	17.06	7.32	11.81	8.36	3.87
	10	24.82	21.12	28.37	30.49	29.33	31.23	17.36	11.58
	11	39.43	35.26	43.45	42.30	39.52	46.56	34.75	24.93
	12	116.34	106.27	126.00	196.14	160.48	124.81	91.71	57.97
	13	138.60	119.61	156.79	237.33	146.40	133.52	129.03	119.84
Quarter	1	85.29	78.45	91.88	102.85	116.33	99.17	67.56	38.16
	2	23.07	20.16	25.86	41.56	24.98	25.91	18.89	11.93
	3	14.97	12.97	16.88	23.97	15.47	18.47	10.73	7.18
	4	91.83	81.42	101.80	147.26	108.48	96.06	78.90	61.98
Full year 95		52.66	47.22	57.88	77.50	64.74	58.69	43.02	29.24
Episodes		16031	7041	8990	1473	2535	7689	3011	1323
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 244

LARYNGITIS/TRACHEITIS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	38.26	27.89	48.24	49.80	33.13	36.23	46.46	31.09
	2	42.20	30.69	53.29	72.65	47.42	44.83	38.10	23.43
	3	29.02	22.37	35.43	57.82	24.87	29.05	28.98	20.54
	4	24.54	17.23	31.58	56.56	23.02	21.30	26.65	18.49
	5	19.90	13.69	25.87	52.73	13.90	17.76	23.29	12.31
	6	21.09	15.09	26.85	53.68	15.18	17.66	24.81	16.68
	7	20.51	14.55	26.23	66.48	16.11	18.28	19.13	13.65
	8	14.02	9.00	18.84	37.70	11.09	14.28	11.90	9.08
	9	11.71	8.20	15.08	28.86	8.60	10.47	12.09	10.22
	10	24.69	17.70	31.40	95.53	27.05	19.94	21.52	11.86
	11	29.66	22.92	36.14	133.14	33.82	21.44	23.97	15.76
	12	37.82	30.88	44.48	129.18	49.66	31.28	29.16	21.60
	13	42.45	32.28	52.20	112.34	52.41	33.94	40.30	32.54
Quarter	1	35.65	26.27	44.67	61.62	34.75	35.23	37.26	24.17
	2	21.65	15.38	27.66	55.89	16.36	19.01	23.93	15.97
	3	15.89	10.93	20.65	47.54	13.80	14.37	14.74	10.60
	4	36.08	28.00	43.82	126.34	44.42	28.55	30.30	21.89
Full year 95		27.03	19.92	33.86	72.30	26.94	24.02	26.27	17.99
Episodes		8229	2970	5259	1374	1055	3147	1839	814
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 67

LEUKAEMIA (ACUTE)

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	0.18	0.18	0.17	0.00	0.00	0.10	0.39	0.30
	2	0.09	0.09	0.09	0.00	0.00	0.00	0.00	0.60
	3	0.23	0.28	0.18	0.00	0.00	0.21	0.20	0.61
	4	0.18	0.18	0.17	0.00	0.00	0.00	0.58	0.30
	5	0.08	0.09	0.08	0.00	0.00	0.00	0.18	0.28
	6	0.12	0.16	0.08	0.00	0.00	0.00	0.00	0.81
	7	0.20	0.33	0.08	0.00	0.32	0.00	0.18	0.82
	8	0.24	0.42	0.08	0.00	0.32	0.00	0.00	1.38
	9	0.20	0.00	0.40	0.00	0.00	0.00	0.18	1.10
	10	0.08	0.09	0.08	0.00	0.00	0.10	0.00	0.28
	11	0.09	0.00	0.17	0.00	0.00	0.00	0.37	0.00
	12	0.04	0.00	0.08	0.00	0.00	0.00	0.00	0.28
	13	0.09	0.09	0.09	0.00	0.00	0.00	0.20	0.31
Quarter	1	0.17	0.17	0.16	0.00	0.00	0.10	0.24	0.46
	2	0.14	0.18	0.10	0.00	0.00	0.00	0.22	0.60
	3	0.18	0.18	0.17	0.00	0.20	0.03	0.06	0.85
	4	0.08	0.05	0.11	0.00	0.00	0.00	0.18	0.27
Full year 95		0.14	0.15	0.14	0.00	0.05	0.03	0.17	0.55
Episodes		43	22	21	0	2	4	12	25
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 11

MEASLES

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	0.27	0.18	0.35	2.85	0.69	0.00	0.00	0.00
	2	0.67	0.54	0.79	4.94	1.38	0.21	0.39	0.00
	3	0.46	0.65	0.27	2.20	1.07	0.21	0.40	0.00
	4	0.09	0.18	0.00	0.71	0.00	0.10	0.00	0.00
	5	0.29	0.26	0.33	3.34	0.65	0.00	0.00	0.00
	6	0.32	0.57	0.08	4.47	0.31	0.00	0.00	0.00
	7	0.37	0.42	0.32	5.87	0.00	0.00	0.00	0.00
	8	0.45	0.58	0.32	5.85	0.00	0.19	0.00	0.00
	9	0.25	0.25	0.24	2.62	0.32	0.10	0.00	0.00
	10	0.25	0.00	0.49	3.39	0.33	0.00	0.00	0.00
	11	0.21	0.26	0.17	0.69	0.33	0.30	0.00	0.00
	12	0.21	0.09	0.33	0.68	0.33	0.20	0.00	0.28
	13	0.05	0.09	0.00	0.00	0.00	0.11	0.00	0.00
Quarter	1	0.45	0.48	0.43	3.29	0.96	0.16	0.24	0.00
	2	0.20	0.29	0.13	2.66	0.30	0.00	0.00	0.00
	3	0.35	0.36	0.35	4.67	0.20	0.09	0.00	0.00
	4	0.19	0.14	0.24	1.08	0.21	0.19	0.00	0.09
Full year 95		0.30	0.32	0.28	2.95	0.41	0.11	0.06	0.02
episodes		91	47	44	56	16	14	4	1
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 9

MENINGITIS/ENCEPHALITIS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	0.13	0.00	0.26	0.00	0.00	0.31	0.00	0.00
	2	0.40	0.73	0.09	2.12	0.00	0.41	0.19	0.30
	3	0.27	0.28	0.27	0.73	0.36	0.32	0.00	0.31
	4	0.27	0.18	0.35	0.71	0.69	0.10	0.19	0.30
	5	0.12	0.09	0.16	1.33	0.00	0.10	0.00	0.00
	6	0.28	0.49	0.08	1.92	0.31	0.19	0.17	0.00
	7	0.24	0.17	0.32	1.30	0.63	0.09	0.00	0.27
	8	0.29	0.17	0.40	0.00	0.32	0.47	0.18	0.00
	9	0.12	0.08	0.16	0.66	0.00	0.00	0.36	0.00
	10	0.33	0.43	0.25	0.68	0.98	0.19	0.18	0.28
	11	0.13	0.17	0.08	0.69	0.00	0.20	0.00	0.00
	12	0.55	0.52	0.58	1.35	0.99	0.68	0.18	0.00
	13	0.09	0.00	0.18	0.00	0.36	0.00	0.20	0.00
Quarter	1	0.28	0.34	0.22	0.88	0.21	0.32	0.12	0.19
	2	0.19	0.21	0.18	1.23	0.20	0.12	0.06	0.17
	3	0.28	0.26	0.30	0.81	0.59	0.24	0.22	0.00
	4	0.25	0.22	0.29	0.65	0.42	0.28	0.12	0.09
Full year 95		0.25	0.25	0.24	0.89	0.36	0.24	0.13	0.11
Episodes		76	38	38	17	14	31	9	5
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 17

INFECTIOUS MONONUCLEOSIS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	1.47	1.54	1.40	0.00	0.69	3.11	0.19	0.00
	2	1.38	1.09	1.66	0.71	0.35	2.89	0.19	0.00
	3	1.01	0.84	1.17	0.00	1.78	1.81	0.00	0.00
	4	0.97	0.99	0.95	0.00	0.69	2.06	0.00	0.00
	5	1.67	1.87	1.47	0.00	2.59	2.91	0.36	0.00
	6	1.56	1.47	1.64	0.64	1.86	2.79	0.35	0.00
	7	1.14	1.50	0.80	0.65	0.95	2.18	0.18	0.00
	8	0.65	0.83	0.48	0.00	1.58	0.95	0.18	0.00
	9	0.94	1.00	0.88	0.00	1.59	1.62	0.18	0.00
	10	1.30	1.20	1.39	0.00	1.96	2.43	0.00	0.00
	11	1.50	1.84	1.18	0.00	1.34	3.09	0.00	0.00
	12	1.06	0.95	1.16	0.00	1.32	2.05	0.00	0.00
	13	1.07	1.14	1.00	0.00	1.45	1.83	0.20	0.31
Quarter	1	1.31	1.21	1.40	0.22	0.86	2.69	0.12	0.00
	2	1.35	1.41	1.30	0.41	1.69	2.47	0.22	0.00
	3	1.00	1.19	0.82	0.00	1.68	1.74	0.17	0.00
	4	1.18	1.21	1.16	0.00	1.36	2.27	0.06	0.09
Full year 95		1.21	1.25	1.17	0.16	1.40	2.28	0.14	0.02
Episodes		368	187	181	3	55	299	10	1
Person Wks.		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 156

MULTIPLE SCLEROSIS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	0.36	0.27	0.44	0.00	0.00	0.21	0.78	0.60
	2	0.18	0.00	0.35	0.00	0.00	0.10	0.19	0.60
	3	0.27	0.19	0.36	0.00	0.00	0.43	0.40	0.00
	4	0.31	0.09	0.52	0.00	0.00	0.31	0.77	0.00
	5	0.17	0.09	0.24	0.00	0.00	0.00	0.72	0.00
	6	0.40	0.33	0.47	0.00	0.00	0.37	0.69	0.54
	7	0.28	0.00	0.56	0.00	0.00	0.28	0.53	0.27
	8	0.20	0.00	0.40	0.00	0.00	0.38	0.18	0.00
	9	0.20	0.17	0.24	0.00	0.00	0.10	0.71	0.00
	10	0.29	0.17	0.41	0.00	0.00	0.39	0.36	0.28
	11	0.43	0.26	0.59	0.00	0.00	0.70	0.37	0.29
	12	0.34	0.26	0.41	0.00	0.33	0.49	0.37	0.00
	13	0.09	0.00	0.18	0.00	0.00	0.11	0.20	0.00
Quarter	1	0.29	0.17	0.41	0.00	0.00	0.29	0.48	0.37
	2	0.29	0.13	0.45	0.00	0.00	0.24	0.66	0.26
	3	0.23	0.08	0.37	0.00	0.00	0.27	0.44	0.09
	4	0.28	0.19	0.37	0.00	0.10	0.40	0.35	0.09
Full year 95		0.27	0.14	0.40	0.00	0.03	0.30	0.49	0.20
Episodes		83	21	62	0	1	39	34	9
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 15

MUMPS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	0.18	0.18	0.17	0.71	0.00	0.21	0.19	0.00
	2	0.36	0.54	0.17	0.71	2.08	0.10	0.00	0.00
	3	0.46	0.56	0.36	2.93	1.07	0.21	0.20	0.00
	4	0.31	0.27	0.35	0.71	0.69	0.10	0.38	0.30
	5	0.21	0.17	0.24	0.00	0.97	0.10	0.00	0.28
	6	0.56	0.57	0.55	1.28	2.79	0.28	0.00	0.00
	7	0.28	0.33	0.24	1.30	0.32	0.38	0.00	0.00
	8	0.37	0.33	0.40	1.30	1.27	0.19	0.18	0.00
	9	0.20	0.33	0.08	0.66	0.64	0.19	0.00	0.00
	10	0.25	0.09	0.41	1.36	0.65	0.19	0.00	0.00
	11	0.39	0.35	0.42	2.08	1.00	0.30	0.00	0.00
	12	0.34	0.26	0.41	0.68	1.32	0.29	0.00	0.00
	13	0.28	0.28	0.27	3.72	0.00	0.00	0.20	0.00
Quarter	1	0.34	0.42	0.27	1.54	1.07	0.16	0.12	0.09
	2	0.33	0.34	0.33	0.82	1.39	0.15	0.11	0.09
	3	0.25	0.26	0.25	0.61	0.59	0.29	0.06	0.00
	4	0.36	0.30	0.42	2.37	0.94	0.19	0.06	0.00
Full year 95		0.32	0.33	0.32	1.32	1.00	0.20	0.09	0.04
Episodes		98	49	49	25	39	26	6	2
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 211

MYOCARDIAL INFARCTION (ACUTE)

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	3.47	4.09	2.88	0.00	0.00	0.31	5.64	13.75
	2	3.47	4.54	2.45	0.00	0.00	0.52	6.03	12.62
	3	2.93	3.91	1.97	0.00	0.00	0.43	4.37	11.65
	4	3.05	4.24	1.91	0.00	0.00	0.41	4.60	12.22
	5	3.21	3.83	2.61	0.00	0.00	0.29	4.33	13.98
	6	2.44	2.53	2.35	0.00	0.00	0.28	4.51	8.61
	7	1.95	2.58	1.36	0.00	0.00	0.09	3.01	8.19
	8	2.65	3.42	1.92	0.00	0.00	0.00	4.08	11.56
	9	2.17	2.76	1.60	0.00	0.00	0.19	2.31	10.49
	10	2.55	3.59	1.56	0.00	0.00	0.29	3.26	11.30
	11	3.04	3.85	2.27	0.00	0.00	0.10	4.65	12.89
	12	2.74	3.80	1.74	0.00	0.00	0.20	3.32	12.79
	13	2.74	3.32	2.18	0.00	0.00	0.32	1.42	15.33
Quarter	1	3.40	4.32	2.51	0.00	0.00	0.45	5.64	12.87
	2	2.54	3.02	2.08	0.00	0.00	0.24	3.71	10.64
	3	2.42	3.34	1.54	0.00	0.00	0.15	3.25	10.86
	4	2.84	3.59	2.13	0.00	0.00	0.22	3.33	13.33
Full year 95		2.79	3.55	2.05	0.00	0.00	0.26	3.96	11.89
Episodes		849	530	319	0	0	34	277	538
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 89

MYXOEDEMA

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
weekly period	1	1.51	0.27	2.71	0.00	0.00	0.52	2.92	4.18
	2	1.60	0.64	2.53	0.00	0.00	0.62	3.89	3.00
	3	1.97	0.47	3.41	0.00	0.36	0.96	2.58	6.13
	4	1.90	0.63	3.12	0.00	0.00	0.82	3.64	4.77
	5	1.75	0.26	3.18	0.00	0.65	0.68	2.71	5.03
	6	1.92	0.41	3.37	0.00	0.00	0.84	2.95	5.92
	7	2.08	0.58	3.51	0.00	0.32	2.27	2.30	3.55
	8	1.55	0.50	2.55	0.00	0.00	0.76	2.84	3.85
	9	1.19	0.33	2.01	0.00	0.00	0.48	2.31	3.04
	10	2.30	0.77	3.77	0.00	0.00	1.17	4.34	5.37
	11	1.93	0.26	3.53	0.00	0.33	0.70	2.97	6.02
	12	1.39	0.17	2.56	0.00	0.00	0.29	2.77	4.26
	13	1.25	0.47	2.00	0.00	0.00	0.97	2.04	2.50
Quarter	1	1.67	0.45	2.84	0.00	0.11	0.67	3.06	4.45
	2	1.90	0.44	3.30	0.00	0.30	0.95	2.99	5.15
	3	1.69	0.57	2.76	0.00	0.00	1.09	2.86	3.76
	4	1.62	0.30	2.89	0.00	0.10	0.68	2.87	4.41
Full year 95		1.72	0.44	2.95	0.00	0.13	0.85	2.94	4.44
Episodes		524	66	458	0	5	112	206	201
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 183

OTTITIS MEDIA (ACUTE)

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	113.40	115.46	111.41	827.40	264.72	45.34	27.02	11.66
	2	145.80	143.35	148.16	1065.80	390.43	49.58	22.35	12.32
	3	108.33	109.59	107.11	821.18	265.04	39.80	20.45	7.66
	4	89.55	88.57	90.49	665.24	213.02	35.08	15.91	11.93
	5	69.38	71.83	67.01	507.23	168.04	24.65	15.88	12.31
	6	79.10	78.07	80.08	550.23	190.89	32.62	20.12	9.68
	7	67.12	65.11	69.05	443.19	171.21	29.17	15.58	8.47
	8	47.52	47.73	47.33	271.04	105.84	26.86	16.33	10.73
	9	41.53	41.69	41.38	224.35	85.03	27.23	14.76	9.94
	10	70.39	70.62	70.18	508.84	157.41	29.09	18.99	12.43
	11	74.84	76.90	72.86	564.44	159.41	31.70	19.14	10.03
	12	116.00	116.79	115.25	933.35	279.53	39.09	17.35	6.82
	13	145.85	147.05	144.70	1263.30	317.01	45.65	21.37	10.95
Quarter	1	122.10	122.48	121.73	896.26	307.17	45.14	23.04	10.65
	2	74.75	74.73	74.76	534.95	178.63	29.77	17.06	10.99
	3	53.04	52.65	53.42	333.57	120.53	26.83	15.95	10.17
	4	108.62	109.84	107.45	883.54	243.30	38.37	19.42	9.64
Full year 95		88.72	89.02	88.43	654.55	210.08	34.79	18.77	10.37
Episodes		27007	13272	13735	12440	8226	4558	1314	469
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 251

PLEURISY

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
Weekly period	1	4.05	2.63	5.42	0.71	0.35	3.31	4.47	10.16
	2	3.34	2.18	4.46	0.00	0.35	3.72	3.89	5.41
	3	2.42	1.96	2.87	0.00	0.00	2.55	2.18	5.52
	4	2.17	1.80	2.52	0.00	0.00	2.26	3.07	3.28
	5	2.00	1.36	2.61	0.00	0.00	2.13	3.07	2.52
	6	2.12	1.88	2.35	0.00	0.00	1.77	2.43	5.38
	7	1.83	1.50	2.15	0.00	0.00	1.52	3.19	3.00
	8	1.79	1.17	2.39	0.00	0.00	0.95	3.37	4.13
	9	1.84	1.67	2.01	0.00	0.00	1.90	1.96	3.87
	10	2.13	2.31	1.97	0.00	0.98	2.33	1.81	3.95
	11	2.74	2.19	3.28	0.00	1.00	2.09	3.16	6.59
	12	1.77	1.21	2.31	0.00	0.66	1.86	2.40	2.27
	13	3.11	2.28	3.91	0.00	0.36	2.90	4.88	4.69
Quarter	1	3.18	2.25	4.08	0.22	0.21	3.17	3.42	6.67
	2	2.17	1.69	2.63	0.00	0.00	2.02	3.21	3.78
	3	1.71	1.50	1.91	0.00	0.20	1.50	2.15	3.68
	4	2.56	1.97	3.13	0.00	0.73	2.30	3.45	4.59
Full year 95		2.39	1.84	2.91	0.05	0.28	2.23	3.04	4.64
Episodes		727	275	452	1	11	292	213	210
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 246

PNEUMONIA/PNEUMONITIS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	4.77	4.91	4.63	7.11	1.04	3.21	2.33	15.24
	2	4.67	4.27	5.07	3.53	4.15	3.00	2.14	14.42
	3	4.57	4.75	4.40	5.86	2.84	2.55	3.77	12.57
	4	3.63	3.88	3.38	2.12	2.06	2.06	1.92	12.82
	5	3.16	2.72	3.59	3.34	1.62	1.94	1.99	9.79
	6	2.64	3.43	1.88	3.83	1.55	1.12	2.60	7.53
	7	2.52	2.74	2.31	3.91	1.58	1.23	1.42	8.19
	8	2.04	1.83	2.23	1.95	0.63	1.13	1.24	7.16
	9	1.76	1.84	1.68	2.62	0.64	1.05	1.60	4.69
	10	3.35	3.33	3.36	1.36	0.65	1.17	3.26	12.99
	11	3.81	3.32	4.29	2.08	3.01	1.40	3.35	12.89
	12	4.94	5.69	4.22	8.79	0.66	1.76	4.80	16.48
	13	5.85	4.94	6.73	8.18	1.81	2.15	5.70	19.40
Quarter	1	4.69	4.63	4.75	5.48	2.67	2.94	2.76	14.17
	2	2.91	3.13	2.70	3.07	1.59	1.52	1.94	9.53
	3	2.12	2.15	2.09	2.03	0.69	1.03	1.87	6.92
	4	4.92	4.74	5.10	6.25	1.88	1.80	4.50	16.66
Full year 95		3.62	3.63	3.62	4.16	1.69	1.80	2.74	11.71
Episodes		1103	541	562	79	66	236	192	530
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 405

RHEUMATOID ARTHRITIS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
Weekly period	1	0.89	0.55	1.22	0.00	0.00	0.10	2.14	2.39
	2	1.16	1.00	1.31	0.00	0.00	0.31	1.75	4.21
	3	1.10	0.37	1.79	0.00	0.00	0.53	1.59	3.37
	4	1.06	0.36	1.74	0.00	0.00	0.51	1.73	2.98
	5	0.83	0.68	0.98	0.00	0.00	0.29	1.62	2.24
	6	1.32	1.06	1.57	0.00	0.00	0.46	2.78	3.23
	7	1.59	0.83	2.31	0.00	0.00	0.66	3.19	3.82
	8	1.83	1.42	2.23	0.00	0.00	0.66	2.84	6.06
	9	1.56	0.59	2.49	0.00	0.00	0.38	3.91	3.31
	10	1.42	0.85	1.97	0.00	0.00	0.58	2.89	3.39
	11	1.16	0.52	1.76	0.00	0.00	0.40	2.60	2.58
	12	1.18	0.60	1.74	0.00	0.00	0.29	1.85	4.26
	13	1.49	0.85	2.09	0.00	0.00	0.75	3.26	2.82
Quarter	1	1.03	0.59	1.46	0.00	0.00	0.29	1.86	3.24
	2	1.10	0.76	1.43	0.00	0.00	0.42	2.05	3.00
	3	1.67	0.96	2.36	0.00	0.00	0.65	3.36	4.19
	4	1.30	0.68	1.89	0.00	0.00	0.47	2.63	3.33
Full year 95		1.28	0.75	1.79	0.00	0.00	0.46	2.49	3.45
Episodes		390	112	278	0	0	60	174	156
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 12

RUBELLA

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	0.49	0.36	0.61	2.85	1.73	0.21	0.00	0.00
	2	0.27	0.27	0.26	3.53	0.35	0.00	0.00	0.00
	3	0.50	0.56	0.45	6.59	0.36	0.11	0.00	0.00
	4	0.97	0.72	1.21	9.19	1.03	0.62	0.00	0.00
	5	0.83	1.02	0.65	7.34	0.97	0.49	0.00	0.28
	6	0.80	1.22	0.39	5.75	0.62	0.84	0.00	0.00
	7	0.49	0.58	0.40	5.87	0.00	0.28	0.00	0.00
	8	0.77	1.00	0.56	5.20	1.27	0.66	0.00	0.00
	9	0.82	1.09	0.56	7.22	0.32	0.67	0.18	0.00
	10	0.38	0.43	0.33	4.07	0.33	0.19	0.00	0.00
	11	0.47	0.52	0.42	4.16	0.67	0.30	0.00	0.00
	12	0.42	0.43	0.41	4.06	0.33	0.29	0.00	0.00
	13	0.46	0.85	0.09	2.23	0.72	0.54	0.00	0.00
Quarter	1	0.44	0.39	0.49	4.17	0.86	0.16	0.00	0.00
	2	0.79	0.96	0.63	7.17	0.69	0.57	0.00	0.09
	3	0.70	0.85	0.55	6.09	0.59	0.53	0.06	0.00
	4	0.43	0.58	0.29	3.45	0.52	0.34	0.00	0.00
Full year 95		0.59	0.70	0.49	5.26	0.66	0.40	0.01	0.02
Episodes		181	105	76	100	26	53	1	1
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 22

SCABIES

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	10.51	10.17	10.84	19.21	19.33	12.11	3.89	4.78
	2	9.75	8.99	10.48	16.93	19.38	11.16	4.86	1.80
	3	9.92	7.73	12.02	13.91	18.83	11.81	4.57	3.37
	4	6.77	5.68	7.81	12.02	13.06	8.02	2.88	1.49
	5	4.66	3.40	5.88	7.34	6.14	5.92	2.71	1.68
	6	6.39	5.79	6.97	9.59	12.71	6.78	3.47	2.96
	7	4.84	5.65	4.07	10.43	8.85	5.87	2.13	0.27
	8	4.04	2.92	5.11	7.15	5.39	5.20	2.31	0.83
	9	4.38	3.93	4.81	4.59	7.64	5.43	2.13	1.93
	10	8.29	7.01	9.51	11.52	15.97	9.24	4.70	3.11
	11	7.97	8.66	7.31	9.71	15.74	10.07	2.42	3.15
	12	7.68	6.81	8.52	8.79	14.47	9.48	2.95	3.41
	13	7.43	7.69	7.18	9.67	14.46	8.81	4.07	1.56
Quarter	1	9.90	8.70	11.05	16.89	18.82	11.45	4.38	3.24
	2	5.88	5.40	6.33	9.83	10.51	6.87	2.99	1.80
	3	4.94	4.27	5.59	7.31	8.57	6.01	2.59	1.37
	4	7.77	7.59	7.93	9.27	14.95	9.45	3.28	2.97
Full year 95		7.06	6.43	7.66	10.73	13.08	8.37	3.29	2.32
Episodes		2148	959	1189	204	512	1097	230	105
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 6

SCARLET FEVER

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	2.41	2.09	2.71	11.38	6.56	1.86	0.00	0.30
	2	2.09	1.82	2.36	9.17	4.85	1.65	0.58	0.30
	3	3.06	2.52	3.59	20.49	5.68	1.70	0.40	1.53
	4	2.56	3.34	1.82	14.14	4.47	2.16	0.77	0.00
	5	1.79	1.96	1.63	4.67	3.88	2.04	0.36	0.28
	6	1.48	1.31	1.64	7.03	3.72	1.30	0.00	0.00
	7	1.38	1.58	1.20	7.82	1.58	1.23	0.35	0.55
	8	1.18	1.42	0.96	0.65	3.17	1.42	0.36	0.28
	9	1.11	1.17	1.04	3.94	1.59	1.33	0.36	0.00
	10	0.88	0.68	1.07	2.03	2.28	0.97	0.18	0.00
	11	1.41	1.31	1.51	5.55	2.68	1.60	0.00	0.29
	12	1.73	1.73	1.74	10.82	4.60	0.98	0.18	0.00
	13	1.49	1.42	1.55	5.95	3.98	1.29	0.20	0.00
Quarter	1	2.52	2.22	2.81	13.60	5.67	1.76	0.36	0.65
	2	1.81	2.01	1.63	7.98	3.57	1.75	0.33	0.17
	3	1.09	1.17	1.02	3.05	2.27	1.18	0.33	0.17
	4	1.50	1.45	1.55	7.11	3.55	1.31	0.12	0.09
Full year 95		1.72	1.70	1.73	7.84	3.73	1.50	0.29	0.27
Episodes		523	254	269	149	146	196	20	12
Person Wks.		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

4

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 243

SINUSITIS (ACUTE)

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
Weekly period	1	83.24	53.32	112.03	5.69	42.80	110.04	99.15	49.02
	2	76.31	46.21	105.27	13.40	56.42	100.60	83.77	38.15
	3	64.17	37.65	89.71	3.66	30.55	83.96	77.42	41.08
	4	50.72	29.40	71.23	4.95	23.71	64.92	59.25	39.06
	5	42.31	26.61	57.38	4.67	16.80	57.83	46.75	28.53
	6	45.14	27.57	61.99	1.92	16.42	61.80	51.18	30.67
	7	34.80	23.03	46.09	5.21	12.32	47.07	40.91	21.85
	8	24.25	14.41	33.68	3.90	5.07	33.47	27.70	17.34
	9	23.35	14.15	32.16	1.97	6.37	28.18	32.53	18.77
	10	47.21	26.76	66.82	8.13	25.75	62.65	51.72	30.22
	11	49.17	28.35	69.17	4.85	21.10	61.81	62.26	34.95
	12	62.90	36.31	88.38	6.09	41.11	84.05	69.01	34.67
	13	68.79	43.38	93.13	8.18	29.28	93.45	78.97	40.99
Quarter	1	73.48	45.24	100.66	7.68	42.55	97.06	84.85	42.23
	2	43.35	26.34	59.69	3.69	16.75	58.06	50.03	30.21
	3	29.81	17.66	41.45	3.86	11.53	39.32	35.21	20.60
	4	59.83	35.81	82.86	7.11	29.89	78.86	69.60	37.47
Full year 95		51.07	30.93	70.40	5.52	24.77	67.62	59.25	32.38
Episodes		15546	4611	10935	105	970	8859	4147	1465
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

SPONTANEOUS ABORTION

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	2.41	0.00	4.72	0.00	0.00	5.59	0.00	0.00
	2	1.65	0.00	3.23	0.00	0.00	3.32	0.00	0.00
	3	1.65	0.00	3.23	0.00	0.00	3.33	0.00	0.00
	4	1.64	0.00	3.21	0.00	0.00	3.31	0.00	0.00
	5	1.71	0.00	3.35	0.00	0.00	3.33	0.18	0.00
	6	1.76	0.00	3.44	0.00	0.00	3.31	0.52	0.00
	7	1.55	0.00	3.03	0.00	0.00	3.60	0.00	0.00
	8	1.55	0.00	3.03	0.00	0.00	3.50	0.18	0.00
	9	1.34	0.00	3.61	0.00	0.00	4.19	0.18	0.00
	10	1.72	0.00	3.36	0.00	0.00	3.99	0.00	0.00
	11	1.76	0.00	3.45	0.00	0.00	4.09	0.00	0.00
	12	1.48	0.00	2.89	0.00	0.00	3.42	0.00	0.00
	13	1.25	0.00	2.46	0.00	0.00	2.90	0.00	0.00
Quarter	1	1.86	0.00	3.65	0.00	0.00	4.32	0.00	0.00
	2	1.74	0.00	3.40	0.00	0.00	3.93	0.22	0.00
	3	1.65	0.00	3.23	0.00	0.00	3.77	0.11	0.00
	4	1.52	0.00	2.97	0.00	0.00	3.51	0.00	0.00
Full year 95		1.69	0.00	3.31	0.00	0.00	3.88	0.09	0.00
Episodes		514	0	514	0	0	503	6	0
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 88

THYROTOXICOSIS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
weekly period	1	0.62	0.09	1.14	0.00	0.00	0.41	0.58	2.09
	2	1.29	0.36	2.18	0.00	0.00	1.24	1.55	2.70
	3	0.82	0.00	1.61	0.00	0.36	0.64	0.99	1.84
	4	0.84	0.27	1.39	0.00	0.00	1.03	0.96	1.19
	5	0.96	0.34	1.55	0.00	0.00	1.07	1.08	1.68
	6	0.80	0.08	1.49	0.00	0.31	0.65	1.04	1.61
	7	1.14	0.33	1.91	0.00	0.00	0.95	1.59	2.46
	8	1.43	0.50	2.31	0.00	0.00	0.76	2.84	3.03
	9	0.90	0.33	1.44	0.00	0.00	0.57	1.60	1.93
	10	1.09	0.43	1.72	0.00	0.00	0.58	1.63	3.11
	11	1.16	0.44	1.85	0.00	0.00	1.40	1.49	1.43
	12	1.14	0.60	1.65	0.00	0.00	0.88	2.40	1.42
	13	0.60	0.19	1.00	0.00	0.00	0.64	0.61	1.25
Quarter	1	0.92	0.20	1.62	0.00	0.11	0.80	1.02	2.22
	2	0.92	0.18	1.63	0.00	0.10	0.95	1.05	1.72
	3	1.12	0.39	1.81	0.00	0.00	0.68	2.04	2.39
	4	0.99	0.47	1.50	0.00	0.00	0.90	1.58	1.62
Full year 95		0.99	0.31	1.64	0.00	0.05	0.83	1.43	1.99
Episodes		301	46	255	0	2	109	100	90
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 242

TONSILLITIS/SORE THROAT

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	170.36	144.89	194.86	307.34	397.95	183.75	66.88	36.17
	2	194.91	164.32	224.34	380.19	483.19	209.06	60.06	33.05
	3	160.89	129.16	191.43	322.76	364.51	177.81	59.16	25.75
	4	143.80	113.91	172.56	303.28	289.29	163.99	55.22	29.52
	5	128.80	101.42	155.09	265.63	273.39	146.42	43.68	27.41
	6	132.54	106.79	157.25	265.21	276.41	152.70	43.89	30.94
	7	133.96	106.19	160.59	298.50	287.15	150.77	40.91	27.58
	8	112.08	91.21	132.09	241.14	207.56	136.45	35.15	22.84
	9	91.38	73.24	108.76	155.47	137.58	124.53	31.64	20.98
	10	135.01	104.13	164.63	269.66	310.58	150.21	45.58	22.31
	11	143.72	117.58	168.84	304.41	314.46	160.82	47.39	30.66
	12	172.19	144.99	198.26	397.01	414.69	175.53	59.23	32.40
	13	150.77	122.08	178.25	320.66	303.27	165.75	63.50	37.86
Quarter	1	174.94	145.44	203.32	337.94	413.66	189.91	61.44	31.12
	2	131.58	104.41	157.67	273.31	269.53	151.52	45.37	28.76
	3	114.24	90.48	137.02	229.76	221.34	137.59	38.34	22.91
	4	154.71	127.45	180.86	338.06	345.83	166.33	55.04	33.24
Full year 95		143.10	116.25	168.88	293.34	310.11	160.71	49.73	28.91
Episodes		43562	17332	26230	5575	12143	21055	3481	1308
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 8

WHOOPIING COUGH

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
Weekly period	1	0.09	0.09	0.09	0.71	0.35	0.00	0.00	0.00
	2	0.18	0.36	0.00	2.12	0.35	0.00	0.00	0.00
	3	0.14	0.19	0.09	1.46	0.36	0.00	0.00	0.00
	4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5	0.04	0.09	0.00	0.67	0.00	0.00	0.00	0.00
	6	0.20	0.16	0.23	1.28	0.93	0.00	0.00	0.00
	7	0.41	0.33	0.48	2.61	1.58	0.00	0.18	0.00
	8	0.12	0.17	0.08	1.30	0.00	0.09	0.00	0.00
	9	0.12	0.17	0.08	1.31	0.32	0.00	0.00	0.00
	10	0.13	0.00	0.25	0.00	0.98	0.00	0.00	0.00
	11	0.04	0.00	0.08	0.69	0.00	0.00	0.00	0.00
	12	0.13	0.17	0.08	0.00	0.66	0.10	0.00	0.00
	13	0.05	0.00	0.09	0.74	0.00	0.00	0.00	0.00
Quarter	1	0.12	0.20	0.05	1.32	0.32	0.00	0.00	0.00
	2	0.14	0.10	0.18	1.23	0.40	0.00	0.06	0.00
	3	0.18	0.18	0.17	1.02	0.79	0.03	0.00	0.00
	4	0.07	0.05	0.08	0.43	0.21	0.03	0.00	0.00
Full year 95		0.13	0.13	0.12	1.00	0.43	0.02	0.01	0.00
Episodes		39	20	19	19	17	2	1	0
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 601

OTHER RECOGNISED COMMUNICABLE DISEASES

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	125.51	94.20	155.63	304.49	235.73	130.13	56.96	46.93
	2	148.52	119.93	176.03	354.09	286.59	147.50	73.86	59.48
	3	129.31	95.24	162.10	313.25	231.99	128.86	73.26	51.50
	4	117.05	88.84	144.19	267.94	197.56	115.74	71.71	57.84
	5	126.97	93.85	158.76	266.96	224.91	132.35	71.48	53.98
	6	133.06	101.00	163.83	279.27	233.03	142.20	71.48	53.80
	7	140.84	112.09	168.40	306.32	240.08	148.88	79.16	57.62
	8	146.08	112.20	178.54	304.19	245.27	151.11	86.46	70.74
	9	128.78	96.68	159.52	250.59	211.14	137.39	74.31	65.71
	10	135.81	98.57	171.52	276.44	249.96	142.04	71.80	60.15
	11	136.82	100.35	171.86	328.68	248.15	138.19	72.11	58.16
	12	145.89	109.28	180.98	340.20	288.08	139.18	76.95	67.07
	13	114.35	89.52	138.15	288.67	211.46	106.45	68.18	51.00
Quarter	1	134.33	102.89	164.59	323.24	248.69	134.98	69.48	53.72
	2	128.12	96.95	158.05	277.61	224.53	133.22	71.69	54.68
	3	136.74	103.97	168.15	274.86	231.29	144.87	78.22	63.94
	4	133.75	100.49	165.65	319.95	252.40	129.64	72.47	59.99
Full year	95	133.22	101.06	164.09	298.18	238.86	135.78	73.05	58.15
Episodes		40553	15067	25486	5667	9353	17789	5113	2631
Person Wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 612

OTHER RECOGNISED RESPIRATORY DISEASES

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
weekly period	1	24.50	20.98	27.88	54.78	21.74	20.39	24.69	25.71
	2	26.98	25.15	28.74	56.43	29.42	22.83	26.43	25.24
	3	25.09	24.42	25.75	57.09	34.46	18.09	24.62	24.52
	4	20.87	20.29	21.43	36.76	20.96	16.56	23.01	23.26
	5	18.99	18.96	19.02	42.05	17.45	13.78	19.31	25.17
	6	20.77	18.68	22.78	49.21	19.52	13.38	23.77	26.63
	7	18.36	16.05	20.57	35.19	18.32	12.03	20.72	25.94
	8	14.06	12.74	15.32	26.00	13.31	10.40	14.91	18.99
	9	12.90	11.55	14.20	19.02	13.69	8.76	14.76	18.77
	10	19.80	18.30	21.23	41.33	21.83	15.27	16.82	26.83
	11	19.46	18.02	20.84	45.77	15.07	15.05	20.81	22.92
	12	23.22	21.74	24.64	53.43	31.24	17.01	19.38	27.57
	13	20.34	18.61	22.01	58.03	18.80	15.25	20.35	20.65
quarter	1	25.49	23.35	27.55	53.95	28.87	20.65	25.26	24.91
	2	19.49	18.57	20.38	41.76	18.64	13.33	21.61	25.41
	3	15.72	14.06	17.30	30.07	16.06	11.37	16.01	21.54
	4	20.94	19.51	22.31	50.88	21.32	15.80	20.06	24.32
all year 95		20.30	18.77	21.76	43.88	21.07	15.17	20.65	24.02
episodes		6179	2799	3380	834	825	1988	1445	1087
person wks		30441280	14909584	15531696	1900530	3915658	13101214	6999199	4524679

APPENDIX 3

Analysis by Region: North, Central, South

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 86

ASTHMA

	M+F.	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	40.80	41.37	40.25	120.17	81.59	30.56	23.32	29.41
2	37.27	34.44	39.99	119.71	63.98	29.27	25.45	22.05
3	33.55	31.31	35.70	86.41	57.13	30.33	19.67	22.47
4	45.01	43.55	46.41	145.75	92.44	32.35	26.16	28.05
Year 1995	39.00	37.46	40.47	117.47	73.26	30.59	23.62	25.33
Episodes	3730	1756	1974	693	893	1263	521	360
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	42.46	38.81	45.99	116.28	66.90	35.29	26.01	35.94
2	39.08	35.03	42.96	98.18	77.61	31.06	22.74	29.00
3	33.58	31.00	36.05	65.16	58.16	31.47	23.72	20.57
4	40.79	38.76	42.74	103.74	73.71	34.44	24.83	30.48
Year 1995	38.77	35.71	41.71	94.70	68.96	32.96	24.26	28.62
Episodes	4178	1884	2294	618	972	1530	598	460
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	43.25	42.49	43.99	98.66	79.88	34.45	29.70	34.71
2	43.89	41.97	45.73	121.67	88.59	33.58	25.91	29.17
3	35.35	34.52	36.14	85.47	60.03	33.75	18.68	22.33
4	49.47	49.52	49.42	153.90	88.22	39.29	27.68	32.78
Year 1995	43.02	42.15	43.85	115.20	79.17	35.29	25.51	29.80
Episodes	4345	2085	2260	758	1019	1528	594	446
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 247

ACUTE BRONCHITIS

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	219.11	192.21	244.95	292.65	153.62	160.28	240.08	382.00
2	148.38	128.13	167.81	218.30	83.14	94.94	167.95	298.14
3	100.16	82.14	117.45	136.54	50.71	74.80	114.33	178.94
4	226.52	196.50	255.48	501.22	160.15	151.59	243.10	364.90
Year 1995	171.48	147.93	194.11	282.57	110.17	118.93	189.06	303.38
Episodes	16402	6934	9468	1667	1343	4911	4170	4311
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	264.66	244.10	284.51	558.95	166.16	190.06	265.82	447.42
2	134.77	124.34	144.78	297.52	78.98	86.88	135.16	256.16
3	95.38	88.05	102.40	198.30	58.16	68.73	90.72	169.78
4	245.10	218.91	270.12	753.04	145.66	156.28	232.69	402.30
Year 1995	180.62	164.92	195.68	440.10	109.54	122.42	176.70	311.75
Episodes	19463	8701	10762	2872	1544	5682	4355	5010
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	199.88	181.81	217.23	392.20	129.88	139.11	192.35	361.72
2	110.21	103.39	116.77	245.15	68.94	72.35	103.46	206.06
3	78.60	73.20	83.78	144.50	52.61	60.42	71.77	136.15
4	193.86	177.26	209.76	472.47	130.02	132.49	168.69	341.77
Year 1995	145.87	134.12	157.15	314.43	95.33	101.28	134.14	262.46
Episodes	14734	6634	8100	2069	1227	4386	3124	3928
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 155

ACUTE CEREBROVASCULAR ACCIDENT

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	1.40	0.98	1.80	0.00	0.00	0.10	0.38	8.44
2	2.16	2.41	1.93	0.00	0.00	0.00	2.71	10.24
3	2.81	2.33	3.27	0.00	0.00	0.09	2.28	15.07
4	2.82	2.69	2.94	0.00	0.00	0.10	1.91	15.98
Year 1995	2.30	2.11	2.48	0.00	0.00	0.07	1.86	12.39
Episodes	220	99	121	0	0	3	41	176
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	2.65	2.91	2.41	0.00	0.00	0.09	1.61	15.32
2	3.04	1.78	4.26	0.00	0.00	0.08	1.27	18.28
3	3.96	3.28	4.61	0.00	0.00	0.16	2.69	21.94
4	3.07	2.95	3.18	0.00	0.00	0.35	1.64	16.74
Year 1995	3.21	2.73	3.67	0.00	0.00	0.17	1.83	18.23
Episodes	346	144	202	0	0	8	45	293
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	1.62	1.45	1.78	0.00	0.00	0.00	1.19	9.01
2	1.15	1.05	1.24	0.00	0.00	0.00	0.68	6.69
3	2.04	2.20	1.88	0.00	0.00	0.28	1.21	11.16
4	2.12	1.85	2.39	0.00	0.00	0.09	1.21	12.16
Year 1995	1.73	1.64	1.82	0.00	0.00	0.09	1.07	9.76
Episodes	175	81	94	0	0	4	25	146
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 13

CHICKENPOX

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	11.27	12.48	10.11	89.77	24.58	5.36	0.96	0.29
2	11.79	12.04	11.56	102.43	23.49	5.49	0.68	0.00
3	6.91	6.48	7.33	56.72	14.76	3.20	0.53	0.27
4	7.83	8.15	7.52	68.96	15.46	3.24	0.57	0.30
Year 1995	9.47	9.79	9.16	79.67	19.61	4.33	0.68	0.21
Episodes	906	459	447	470	239	179	15	3
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	13.35	13.71	13.00	118.27	26.82	5.39	0.36	0.56
2	13.85	14.66	13.06	113.14	28.25	6.57	1.59	0.49
3	6.66	7.19	6.15	53.37	13.42	3.57	0.30	0.46
4	5.98	5.58	6.37	53.15	10.87	3.00	0.49	0.25
Year 1995	9.86	10.20	9.53	83.67	19.72	4.61	0.69	0.44
Episodes	1062	538	524	546	278	214	17	7
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	11.56	12.52	10.63	96.82	22.96	4.99	0.85	0.53
2	11.16	11.54	10.79	98.67	18.09	5.18	0.85	0.00
3	6.79	6.53	7.04	59.65	10.21	3.26	0.69	0.27
4	5.19	4.66	5.70	45.51	8.61	2.19	0.69	0.00
Year 1995	8.67	8.81	8.54	75.08	14.92	3.90	0.77	0.20
Episodes	876	436	440	494	192	169	18	3
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 240

COMMON COLD

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	309.57	273.60	344.13	1300.66	544.49	235.87	152.92	151.69
2	194.89	168.51	220.20	985.86	270.43	139.03	99.24	114.69
3	140.22	120.43	159.20	695.87	202.53	107.39	68.49	63.58
4	300.74	263.61	336.54	1667.90	457.41	195.60	142.46	145.96
Year 1995	233.44	203.95	261.77	1149.44	363.57	167.58	114.30	117.80
Episodes	22328	9560	12768	6781	4432	6920	2521	1674
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	279.88	248.50	310.19	1353.11	409.09	200.28	142.24	158.80
2	191.46	164.70	217.13	1065.57	238.03	127.29	99.22	121.38
3	145.90	124.98	165.94	761.73	196.05	107.57	64.61	86.83
4	334.79	289.69	377.89	1910.79	466.64	211.60	176.62	197.40
Year 1995	234.30	203.59	263.76	1251.64	321.30	159.17	118.64	139.26
Episodes	25247	10741	14506	8168	4529	7388	2924	2238
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	248.91	224.22	272.63	1137.38	388.37	183.08	132.10	117.39
2	141.83	122.12	160.79	746.35	182.79	94.74	70.91	86.97
3	101.84	90.99	112.25	522.06	131.21	77.48	45.31	50.10
4	257.56	231.52	282.50	1494.05	364.86	154.42	116.27	133.75
Year 1995	187.85	167.47	207.39	977.65	266.66	127.63	91.20	97.42
Episodes	18974	8284	10690	6433	3432	5527	2124	1458
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 91

DIABETES

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	4.94	4.99	4.88	0.00	1.02	2.33	8.22	12.81
2	4.40	4.09	4.70	0.00	0.93	1.46	7.97	12.07
3	4.47	4.15	4.78	0.66	0.64	1.70	5.44	15.89
4	4.05	3.67	4.41	0.00	1.72	1.93	4.97	12.67
Year 1995	4.46	4.22	4.69	0.17	1.07	1.84	6.66	13.37
Episodes	427	198	229	1	13	76	147	190
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	8.61	7.90	9.31	0.66	0.92	2.93	13.99	27.30
2	7.43	7.55	7.31	0.60	0.55	1.68	12.24	25.59
3	7.89	7.40	8.36	0.00	0.79	2.06	12.83	26.51
4	7.88	8.99	6.81	0.64	2.06	3.00	12.66	22.24
Year 1995	7.93	7.94	7.93	0.46	1.06	2.39	12.90	25.39
Episodes	855	419	436	3	15	111	318	408
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	6.02	6.38	5.66	0.61	1.89	2.96	8.19	17.22
2	5.07	5.33	4.81	0.61	1.25	1.94	9.20	12.85
3	5.43	5.79	5.08	0.00	2.17	1.68	7.44	18.52
4	4.48	4.98	4.00	1.80	0.92	2.01	6.06	13.48
Year 1995	5.25	5.62	4.89	0.76	1.55	2.15	7.73	15.50
Episodes	530	278	252	5	20	93	180	232
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 85

HAYFEVER/ALLERGIC RHINITIS

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	6.33	5.44	7.19	0.71	7.17	8.20	5.16	4.37
2	74.03	69.36	78.51	39.69	155.46	98.33	29.86	17.58
3	27.21	24.67	29.64	18.47	49.43	36.08	11.59	10.41
4	4.93	3.76	6.05	1.42	6.87	5.37	3.06	6.33
Year 1995	29.37	26.97	31.68	15.76	57.26	38.55	12.92	9.92
Episodes	2809	1264	1545	93	698	1592	285	141
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	6.45	5.49	7.38	1.98	8.32	7.10	5.74	5.85
2	93.48	88.35	98.41	54.48	194.43	120.97	39.12	23.40
3	31.43	26.67	35.98	22.47	53.16	39.48	18.35	13.03
4	4.43	3.95	4.89	1.28	4.41	4.32	5.26	4.75
Year 1995	35.02	32.07	37.86	20.84	67.61	44.36	17.57	12.01
Episodes	3774	1692	2082	136	953	2059	433	193
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	6.77	5.65	7.84	1.84	5.35	8.59	5.97	6.09
2	82.11	79.66	84.47	51.45	181.86	103.62	34.94	21.94
3	21.21	19.10	23.23	19.06	38.06	25.64	12.62	7.90
4	4.56	5.14	4.00	1.20	6.46	4.93	3.81	4.49
Year 1995	28.64	27.39	29.84	18.39	57.81	35.61	14.38	10.09
Episodes	2893	1355	1538	121	744	1542	335	151
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 14

HERPES ZOSTER

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	7.21	5.62	8.74	1.41	4.78	3.54	8.60	20.09
2	7.90	6.82	8.94	3.20	3.40	4.76	9.67	19.95
3	7.97	6.89	9.00	1.98	6.10	4.90	11.59	15.35
4	7.87	6.54	9.16	1.42	5.50	3.75	10.69	20.51
Year 1995	7.75	6.49	8.96	2.03	4.92	4.26	10.16	18.93
Episodes	741	304	437	12	60	176	224	269
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	7.84	6.98	8.67	0.00	4.01	4.73	9.69	20.89
2	7.83	6.74	8.88	1.80	6.31	4.63	9.54	18.28
3	8.03	7.26	8.76	1.69	4.74	4.68	9.70	20.57
4	7.35	6.51	8.15	1.92	2.35	5.37	9.04	16.74
Year 1995	7.77	6.88	8.62	1.38	4.40	4.85	9.49	19.10
Episodes	837	363	474	9	62	225	234	307
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	8.23	6.46	9.93	2.45	4.72	5.08	11.09	18.28
2	7.08	6.38	7.76	0.61	3.43	4.26	9.37	17.66
3	7.75	6.69	8.76	0.61	4.64	5.87	9.34	16.61
4	6.06	4.98	7.08	2.40	1.54	4.02	5.54	18.24
Year 1995	7.28	6.13	8.38	1.52	3.57	4.80	8.85	17.71
Episodes	735	303	432	10	46	208	206	265
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

5

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 5

INFECTIOUS INTESTINAL DISEASE

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	59.67	55.45	63.72	407.16	58.72	35.82	28.67	33.19
2	57.24	55.63	58.79	321.36	49.45	41.43	31.38	40.94
3	46.24	43.85	48.52	203.81	34.67	42.58	27.75	30.14
4	53.14	48.12	57.99	256.65	57.39	39.24	31.70	38.30
Year 1995	54.02	50.77	57.14	296.30	49.79	39.86	29.88	35.68
Episodes	5167	2380	2787	1748	607	1646	659	507
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	69.45	64.83	73.92	458.52	69.05	43.42	32.11	40.40
2	67.53	62.06	72.78	354.39	61.43	50.85	38.16	49.48
3	62.00	53.62	70.03	237.62	41.58	61.04	37.75	48.22
4	58.78	53.02	64.29	275.35	60.20	46.78	30.09	50.72
Year 1995	64.32	58.19	70.20	327.77	57.53	50.93	34.69	47.42
Episodes	6931	3070	3861	2139	811	2364	855	762
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	55.92	51.45	60.20	345.63	53.77	35.19	22.70	43.46
2	54.14	51.09	57.07	315.97	53.03	34.97	24.03	42.02
3	49.56	46.03	52.96	182.63	38.68	44.66	35.62	36.49
4	38.06	34.89	41.11	159.88	40.88	33.35	20.24	22.73
Year 1995	49.40	45.85	52.81	250.76	46.54	37.02	25.64	36.15
Episodes	4990	2268	2722	1650	599	1603	597	541
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE - COLLEGE CLASSIFICATION 245/241

INFLUENZA/FLU-LIKE ILLNESS

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	71.42	66.77	75.88	90.48	90.81	81.86	60.21	34.07
2	26.07	21.44	30.51	54.41	36.47	27.26	19.68	12.07
3	14.72	13.29	16.10	26.38	19.90	17.62	9.31	5.48
4	77.12	66.67	87.20	113.75	91.41	78.48	72.19	52.77
Year 1995	46.14	40.96	51.11	70.01	58.41	50.08	39.08	25.19
Episodes	4413	1920	2493	413	712	2068	862	358
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	106.56	96.57	116.21	127.51	151.06	124.12	83.94	40.95
2	22.73	20.74	24.64	32.33	20.29	26.60	21.63	11.46
3	15.03	12.43	17.52	21.35	14.21	18.15	11.94	8.91
4	100.34	90.46	109.77	163.93	114.82	109.06	85.18	61.47
Year 1995	58.71	52.83	64.35	82.90	71.58	66.68	48.77	29.81
Episodes	6326	2787	3539	541	1009	3095	1202	479
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	77.25	71.40	82.86	90.70	104.41	90.62	58.54	39.22
2	20.42	18.24	22.52	38.74	18.72	23.78	15.17	12.31
3	15.14	13.30	16.90	24.60	12.69	19.67	10.72	6.81
4	96.14	85.29	106.53	159.88	117.11	98.41	78.38	70.57
Year 1995	52.39	47.19	57.39	78.87	63.25	58.33	40.66	32.47
Episodes	5292	2334	2958	519	814	2526	947	486
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 244

ACUTE LARYNGITIS/TRACHEITIS

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	32.63	24.43	40.51	45.95	29.36	32.28	38.42	22.13
2	21.47	15.01	27.66	67.86	15.45	16.65	25.45	15.22
3	15.82	10.13	21.27	48.81	12.20	14.04	15.10	11.51
4	32.38	25.09	39.41	118.73	41.24	22.00	28.65	24.73
Year 1995	25.28	18.41	31.88	69.84	24.12	21.00	26.61	18.16
Episodes	2418	863	1555	412	294	867	587	258
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	38.34	28.92	47.43	70.69	38.23	38.13	38.21	25.63
2	21.21	14.74	27.41	47.29	15.91	20.29	23.06	15.11
3	16.88	11.45	22.07	47.75	16.58	14.98	15.82	11.65
4	41.13	31.16	50.66	136.39	51.10	34.53	34.86	23.74
Year 1995	28.81	21.10	36.20	74.17	29.73	26.39	27.43	18.67
Episodes	3104	1113	1991	484	419	1225	676	300
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	35.77	25.36	45.77	66.80	36.16	35.10	35.33	24.64
2	22.32	16.46	27.95	53.27	17.78	19.98	23.35	17.66
3	14.82	11.10	18.38	46.12	12.07	13.99	13.14	8.44
4	34.13	27.33	40.64	123.36	40.27	28.23	26.99	17.45
Year 1995	26.80	20.10	33.23	72.64	26.57	24.36	24.73	17.11
Episodes	2707	994	1713	478	342	1055	576	256
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 211

MYOCARDIAL INFARCTION

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	3.06	3.12	3.00	0.00	0.00	0.61	3.63	13.10
2	2.71	3.29	2.16	0.00	0.00	0.09	4.92	10.24
3	2.03	2.49	1.59	0.00	0.00	0.19	3.16	8.22
4	2.64	3.58	1.73	0.00	0.00	0.20	2.29	13.87
Year 1995	2.60	3.11	2.11	0.00	0.00	0.27	3.54	11.26
Episodes	249	146	103	0	0	11	78	160
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	4.53	6.65	2.49	0.00	0.00	0.57	10.40	13.09
2	2.94	3.78	2.13	0.00	0.00	0.42	4.13	12.19
3	3.28	4.54	2.07	0.00	0.00	0.16	3.88	15.54
4	3.30	4.11	2.52	0.00	0.00	0.35	4.60	13.74
Year 1995	3.48	4.72	2.29	0.00	0.00	0.37	5.60	13.69
Episodes	375	249	126	0	0	17	138	220
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	2.61	3.15	2.09	0.00	0.00	0.18	2.90	12.45
2	1.94	1.94	1.94	0.00	0.00	0.19	2.05	9.37
3	1.80	2.77	0.86	0.00	0.00	0.09	2.59	7.90
4	2.56	3.05	2.08	0.00	0.00	0.09	2.94	12.42
Year 1995	2.23	2.73	1.75	0.00	0.00	0.14	2.62	10.56
Episodes	225	135	90	0	0	6	61	158
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 183

OTITIS MEDIA

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	117.29	119.10	115.54	921.06	269.69	43.41	25.61	8.44
2	77.45	71.69	82.98	531.98	189.15	33.75	19.68	11.02
3	53.52	51.33	55.62	339.69	115.55	26.75	20.20	11.51
4	109.46	108.51	110.37	927.08	232.66	37.11	21.20	9.05
Year 1995	88.44	86.57	90.23	670.07	200.08	35.07	21.58	10.06
Episodes	8459	4058	4401	3953	2439	1448	476	143
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	119.55	118.43	120.63	851.64	314.14	43.61	21.34	11.14
2	69.71	71.17	68.31	513.03	156.31	28.20	17.65	12.19
3	49.98	48.95	50.97	318.51	117.63	23.62	15.67	10.51
4	101.96	102.17	101.77	832.45	232.88	39.55	18.91	8.75
Year 1995	83.58	83.49	83.66	614.94	200.70	33.24	18.26	10.64
Episodes	9006	4405	4601	4013	2829	1543	450	171
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	128.93	129.47	128.40	916.15	334.60	48.22	22.36	12.19
2	77.52	81.68	73.52	559.91	193.40	27.48	13.81	9.63
3	56.15	58.27	54.13	344.35	128.73	30.68	12.10	8.44
4	114.78	118.97	110.77	894.63	263.73	38.28	18.34	11.10
Year 1995	94.47	97.22	91.82	679.93	229.83	36.19	16.66	10.36
Episodes	9542	4809	4733	4474	2958	1567	388	155
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 246

PNEUMONIA AND PNEUMONITIS

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	4.24	3.74	4.71	4.24	2.73	2.02	1.91	15.43
2	2.48	2.49	2.47	2.56	1.85	1.28	1.53	7.87
3	1.95	1.83	2.07	0.66	0.32	0.94	2.28	6.30
4	4.44	4.66	4.23	7.11	3.09	1.22	3.63	15.38
Year 1995	3.23	3.14	3.32	3.56	1.97	1.36	2.31	11.05
Episodes	309	147	162	21	24	56	51	157
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	4.61	4.07	5.14	5.29	1.54	2.84	3.05	14.77
2	2.90	3.04	2.77	1.80	0.27	1.52	1.91	11.21
3	2.05	1.82	2.27	1.69	0.79	0.71	1.94	7.31
4	4.55	3.80	5.26	4.48	1.17	1.85	3.29	16.99
Year 1995	3.46	3.13	3.78	3.22	0.92	1.68	2.52	12.38
Episodes	373	165	208	21	13	78	62	199
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	5.18	5.98	4.42	6.74	3.77	3.88	3.24	12.45
2	3.36	3.87	2.87	4.84	2.81	1.76	2.39	9.37
3	2.36	2.86	1.88	3.69	0.93	1.49	1.38	7.08
4	5.74	5.79	5.70	7.19	1.54	2.28	6.57	17.45
Year 1995	4.17	4.63	3.72	5.62	2.25	2.36	3.39	11.63
Episodes	421	229	192	37	29	102	79	174
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 22

SCABIES

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	11.53	10.52	12.50	23.33	23.55	12.85	5.54	1.75
2	7.08	5.70	8.40	11.52	14.22	8.23	3.56	1.31
3	5.73	4.57	6.85	8.57	10.59	7.16	2.28	1.64
4	8.01	7.62	8.38	8.53	14.43	9.43	3.82	4.52
Year 1995	8.02	7.02	8.98	12.88	15.59	9.35	3.76	2.25
Episodes	767	329	438	76	190	386	83	32
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	10.21	7.98	12.36	16.52	19.42	10.79	5.02	5.57
2	6.78	6.52	7.03	11.37	11.24	7.58	3.66	3.41
3	5.02	4.61	5.42	7.30	8.42	5.55	3.28	2.29
4	8.14	7.98	8.30	14.09	17.33	9.25	3.62	1.75
Year 1995	7.42	6.69	8.11	12.11	13.83	8.17	3.85	3.17
Episodes	799	353	446	79	195	379	95	51
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	8.11	7.75	8.46	11.64	13.84	10.81	2.73	2.38
2	3.68	3.87	3.49	6.66	5.98	4.72	1.70	0.54
3	4.07	3.59	4.54	6.15	6.81	5.41	2.08	0.00
4	7.16	7.15	7.16	5.39	12.91	9.69	2.42	2.91
Year 1995	5.76	5.60	5.92	7.45	9.87	7.67	2.23	1.47
Episodes	582	277	305	49	127	332	52	22
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 243

ACUTE SINUSITIS

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	74.78	43.86	104.49	8.48	46.43	99.57	81.43	44.84
2	46.16	26.57	64.95	5.76	21.63	60.37	49.37	37.79
3	30.82	17.52	43.58	1.32	12.20	39.66	38.11	21.92
4	64.14	36.29	91.01	5.69	36.08	82.44	70.28	49.46
Year 1995	53.34	30.70	75.10	5.25	28.63	69.70	59.03	38.14
Episodes	5102	1439	3663	31	349	2878	1302	542
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	77.98	49.95	105.06	7.27	50.25	102.55	90.76	40.67
2	43.46	27.40	58.86	2.39	17.28	57.41	53.11	28.27
3	30.06	17.67	41.94	5.06	13.68	39.08	33.27	23.54
4	62.23	38.45	84.95	9.61	34.95	80.78	74.82	34.23
Year 1995	52.27	32.60	71.13	5.98	28.16	68.43	61.59	31.24
Episodes	5632	1720	3912	39	397	3176	1518	502
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	67.95	41.92	92.95	7.35	31.13	89.42	82.27	41.34
2	40.40	24.94	55.28	3.03	11.23	56.44	47.39	24.62
3	28.52	17.79	38.80	4.92	8.36	39.25	34.59	15.79
4	53.48	32.64	73.44	5.99	19.06	73.64	63.50	30.40
Year 1995	47.64	29.35	65.19	5.32	17.40	64.77	56.98	28.13
Episodes	4812	1452	3360	35	224	2805	1327	421
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 242

TONSILLITIS/SORE THROAT

	M+F	M	F	0-4	5-14	15-44	45-64	65+
NORTH								
Quarter 1	143.41	113.93	171.72	249.53	357.08	156.54	48.17	24.75
2	117.04	92.16	140.92	237.50	250.04	134.55	37.15	28.08
3	99.14	75.41	121.91	169.51	214.09	117.94	33.02	20.28
4	134.09	106.00	161.19	247.41	327.85	138.31	54.62	28.95
Year 1995	122.80	96.36	148.21	225.28	285.15	136.44	42.84	25.47
Episodes	11746	4517	7229	1329	3476	5634	945	362
person wks	9564957	4687387	4877570	589941	1219024	4129293	2205694	1421005
CENTRAL								
Quarter 1	197.04	161.23	231.62	337.62	445.46	223.65	69.24	33.43
2	143.07	113.15	171.76	262.20	286.02	168.88	50.57	34.61
3	120.86	94.54	146.07	222.45	228.68	148.55	42.82	25.59
4	169.01	139.15	197.53	333.62	356.22	196.89	59.86	32.23
Year 1995	155.66	125.42	184.67	285.94	324.21	182.68	54.98	31.30
Episodes	16773	6617	10156	1866	4570	8479	1355	503
person wks	10775444	5275778	5499666	652582	1409578	4641536	2464681	1607067
SOUTH								
Quarter 1	182.07	158.63	204.59	414.87	433.34	187.42	65.88	34.71
2	133.68	107.18	159.16	318.39	270.45	149.60	48.07	23.01
3	121.34	100.54	141.27	293.93	219.71	144.15	38.39	22.33
4	158.31	134.57	181.05	418.57	351.03	159.90	50.35	38.06
Year 1995	148.93	125.30	171.60	361.70	318.32	160.31	50.71	29.60
Episodes	15043	6198	8845	2380	4097	6942	1181	443
person wks	10100879	4946419	5154460	658007	1287056	4330385	2328824	1496607

APPENDIX 4

Urban/Rural/analysis

Electronically networked practices only

Urban practices are those with less than 5% rural post-coded patients

Rural practices are those with more than 2% rural post-coded patients

Mixed practices are those with between 5-20% rural post-coded patients

Population:-

The population specified in this appendix are based on person weeks.
Mean annual population is obtained by dividing by 52.

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 86

ASTHMA

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	57.33	57.82	56.86	149.61	100.74	46.46	36.11	37.56
2	48.69	45.20	51.99	134.15	92.41	38.30	29.31	29.02
3	38.98	38.04	39.87	90.81	57.25	38.31	23.14	23.41
4	51.21	51.14	51.27	136.60	96.61	42.31	28.65	28.68
Year 1995	48.85	47.83	49.82	127.33	86.36	41.25	29.12	29.48
Episodes	3791	1807	1984	686	883	1404	481	337
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	42.53	39.62	45.39	92.93	80.61	28.21	29.23	58.07
2	45.22	39.80	50.54	112.64	93.88	35.27	29.21	38.44
3	43.32	41.76	44.85	122.57	80.39	39.46	25.57	27.20
4	58.83	54.28	63.29	195.12	107.83	47.37	33.34	48.49
Year 1995	47.72	44.07	51.31	132.52	91.23	38.05	29.34	42.32
Episodes	1679	768	911	243	379	573	258	226
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	52.29	48.76	55.74	146.84	83.21	41.54	31.18	47.18
2	46.81	42.04	51.45	134.84	80.50	37.96	24.26	38.48
3	39.36	32.53	46.02	73.98	59.90	38.66	25.67	29.15
4	52.64	48.34	56.83	145.40	99.27	40.11	30.10	41.16
Year 1995	47.63	42.74	52.39	124.71	80.42	39.53	27.72	38.85
Episodes	2667	1181	1486	447	604	941	360	315
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 247

ACUTE BRONCHITIS

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	296.05	261.22	329.25	531.95	192.67	207.00	317.11	512.01
2	143.93	128.59	158.44	288.20	87.75	86.88	147.01	288.82
3	106.73	90.93	121.67	193.24	56.11	78.11	109.18	192.71
4	272.90	242.79	301.48	714.62	180.68	176.16	264.75	450.88
Year 1995	202.89	179.21	225.35	431.19	127.93	135.78	206.43	357.04
Episodes	15745	6770	8975	2323	1308	4622	3410	4082
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	248.03	230.91	264.88	410.46	135.89	176.45	253.31	470.71
2	170.67	163.35	177.84	292.86	107.56	110.61	160.66	363.79
3	104.40	99.05	109.65	191.13	52.98	74.37	104.43	199.73
4	259.26	227.39	290.50	627.33	156.27	162.63	257.22	489.86
Year 1995	192.86	177.56	207.87	377.94	111.93	128.68	190.73	376.74
Episodes	6785	3094	3691	693	465	1938	1677	2012
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	246.95	220.97	272.32	492.88	146.44	168.10	253.85	445.22
2	140.35	121.19	159.00	296.65	65.02	92.37	150.95	265.52
3	110.76	98.44	122.76	220.86	64.55	78.62	111.94	197.85
4	231.32	206.25	255.74	629.27	129.27	150.60	237.58	381.71
Year 1995	180.57	160.10	200.50	405.09	100.13	121.18	186.88	320.07
Episodes	10111	4424	5687	1452	752	2885	2427	2595
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 155

ACUTE CEREBROVASCULAR ACCIDENT

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	2.99	2.61	3.35	0.00	0.00	0.13	2.62	16.15
2	2.90	2.62	3.17	0.00	0.00	0.00	4.25	13.31
3	2.91	3.20	2.63	0.00	0.00	0.00	3.27	14.93
4	2.86	2.47	3.23	0.00	0.00	0.00	2.63	15.89
Year 1995	2.91	2.73	3.09	0.00	0.00	0.03	3.21	15.04
Episodes	226	103	123	0	0	1	53	172
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	2.56	1.63	3.47	0.00	0.00	0.00	0.54	15.84
2	3.12	2.61	3.63	0.00	0.00	0.00	2.15	17.09
3	2.60	2.84	2.36	0.00	0.00	0.00	0.43	16.47
4	3.03	2.85	3.22	0.00	0.00	0.25	1.30	17.11
Year 1995	2.84	2.53	3.15	0.00	0.00	0.07	1.14	16.66
Episodes	100	44	56	0	0	1	10	89
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	4.12	4.32	3.93	0.00	0.00	0.17	1.57	25.10
2	4.23	3.23	5.20	0.00	0.00	0.16	1.20	26.94
3	4.01	2.52	5.46	0.00	0.00	0.32	2.39	22.94
4	2.58	2.99	2.19	0.00	0.00	0.00	0.64	16.98
Year 1995	3.75	3.26	4.23	0.00	0.00	0.17	1.46	23.06
Episodes	210	90	120	0	0	4	19	187
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 13

CHICKENPOX

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	16.10	17.01	15.24	113.20	32.74	7.93	1.31	0.75
2	14.60	15.28	13.96	120.15	25.63	6.31	0.95	0.00
3	9.07	9.18	8.97	77.73	16.68	3.21	0.23	0.34
4	6.07	6.39	5.77	50.33	8.75	2.61	1.19	0.00
Year 1995	11.34	11.83	10.87	89.65	20.64	4.94	0.91	0.26
Episodes	880	447	433	483	211	168	15	3
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	5.25	5.43	5.07	43.89	9.21	4.07	0.54	0.00
2	7.97	7.61	8.32	88.06	17.32	3.02	0.00	0.00
3	4.66	3.50	5.79	45.70	9.14	2.28	0.43	0.72
4	4.33	3.94	4.72	44.06	9.14	2.03	0.43	0.00
Year 1995	5.57	5.11	6.03	56.17	11.31	2.79	0.34	0.19
Episodes	196	89	107	103	47	42	3	1
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	13.70	14.16	13.24	120.66	24.41	5.59	0.63	1.00
2	15.60	15.75	15.46	124.05	27.35	8.80	0.90	0.00
3	7.40	6.87	7.92	59.84	11.88	4.22	0.60	0.48
4	10.41	10.03	10.78	87.24	18.54	5.19	0.32	0.51
Year 1995	11.77	11.69	11.85	97.92	20.50	5.96	0.62	0.49
Episodes	659	323	336	351	154	142	8	4
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 240

COMMON COLD

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	314.36	293.99	333.79	1557.06	476.02	200.08	154.63	150.26
2	204.26	174.94	232.02	1172.72	255.10	113.15	94.54	135.88
3	141.60	122.68	159.50	788.95	185.39	86.37	57.04	86.18
4	360.21	325.89	392.78	2087.08	496.76	197.26	157.32	196.24
Year 1995	253.82	228.07	278.23	1400.86	350.73	148.36	114.65	141.70
Episodes	19697	8616	11081	7547	3586	5050	1894	1620
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	179.13	151.41	206.40	1014.53	302.87	129.75	81.73	96.78
2	106.71	90.05	123.04	749.55	142.19	70.55	48.54	54.11
3	77.87	67.57	87.98	544.30	98.66	60.46	28.16	32.21
4	200.75	175.08	225.92	1405.73	299.74	126.91	96.56	93.41
Year 1995	139.11	119.42	158.43	922.21	205.81	95.22	62.78	67.78
Episodes	4894	2081	2813	1691	855	1434	552	362
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	304.40	262.72	345.09	1404.65	476.50	204.41	158.73	183.21
2	209.98	177.01	242.06	1147.75	260.09	133.10	109.62	133.24
3	160.99	139.95	181.48	881.28	208.11	110.13	74.33	89.37
4	343.33	294.56	390.82	1884.33	439.07	216.65	178.98	212.46
Year 1995	252.48	216.67	287.37	1319.06	342.32	164.62	129.21	153.19
Episodes	14138	5987	8151	4728	2571	3919	1678	1242
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 91

DIABETES

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	7.69	7.48	7.89	0.79	2.94	3.27	13.08	20.66
2	5.60	4.92	6.24	0.00	0.78	1.99	11.82	14.00
3	7.62	7.32	7.90	0.00	1.90	2.29	10.99	27.14
4	6.17	5.77	6.56	1.44	3.04	2.95	10.03	15.55
Year 1995	6.75	6.35	7.13	0.56	2.15	2.61	11.44	19.33
Episodes	524	240	284	3	22	89	189	221
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	9.15	10.31	8.01	0.00	1.15	3.45	12.45	29.03
2	6.46	6.96	5.97	2.05	0.91	3.78	8.59	16.37
3	5.09	5.25	4.94	0.00	0.00	1.01	6.50	20.04
4	4.12	4.16	4.08	4.20	0.91	1.77	3.46	14.26
Year 1995	6.05	6.48	5.63	1.64	0.72	2.46	7.51	19.47
Episodes	213	113	100	3	3	37	66	104
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	10.68	9.84	11.50	0.00	2.22	4.36	16.06	32.63
2	10.96	10.40	11.49	0.00	1.55	2.28	18.57	38.00
3	9.82	7.57	12.02	0.00	1.55	2.76	15.22	33.93
4	10.78	11.67	9.91	0.00	3.27	3.29	14.09	39.61
Year 1995	10.55	9.84	11.25	0.00	2.13	3.15	16.02	36.02
Episodes	591	272	319	0	16	75	208	292
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 85

HAYFEVER/ALLERGIC RHINITIS

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	10.35	9.07	11.57	1.58	11.33	13.22	9.16	6.76
2	105.21	101.70	108.53	61.18	227.53	133.71	41.60	26.63
3	33.67	28.87	38.22	26.15	53.46	42.78	19.17	13.57
4	5.72	5.15	6.26	0.72	7.61	6.01	6.21	4.84
Year 1995	39.19	36.58	41.66	22.65	75.70	49.24	19.31	13.12
Episodes	3041	1382	1659	122	774	1676	319	150
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	7.40	5.70	9.08	2.58	11.52	8.46	6.50	4.40
2	90.56	89.18	91.91	51.20	202.35	115.90	41.67	26.34
3	26.21	23.18	29.18	31.16	56.64	28.33	15.17	12.89
4	6.39	4.81	7.94	4.20	8.22	7.60	3.03	7.84
Year 1995	34.02	32.08	35.93	23.45	72.94	41.77	17.17	13.29
Episodes	1197	559	638	43	303	629	151	71
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	8.47	7.16	9.75	2.28	6.10	9.25	8.82	10.54
2	88.41	84.36	92.36	37.75	175.46	118.93	35.94	24.05
3	32.59	29.03	36.05	23.94	46.48	43.53	18.21	14.34
4	6.87	7.18	6.56	3.49	6.00	6.05	8.32	9.26
Year 1995	34.90	32.68	37.05	17.30	60.18	45.62	18.09	14.68
Episodes	1954	903	1051	62	452	1086	235	119
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 14

HERPES ZOSTER

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	9.91	8.28	11.46	1.58	4.62	5.16	11.51	30.43
2	8.29	7.32	9.21	2.95	2.72	4.32	11.35	22.87
3	9.22	8.04	10.33	2.18	5.69	6.31	12.62	19.34
4	7.83	6.08	9.49	1.44	1.14	4.54	10.50	23.15
Year 1995	8.79	7.41	10.09	2.04	3.52	5.08	11.50	23.79
Episodes	682	280	402	11	36	173	190	272
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	7.40	6.24	8.54	0.00	1.15	5.01	12.99	12.32
2	9.37	8.48	10.24	0.00	6.38	6.55	8.59	24.21
3	8.23	7.22	9.23	0.00	1.83	5.57	11.70	17.90
4	9.32	8.10	10.51	0.00	5.48	6.59	10.83	20.68
Year 1995	8.64	7.58	9.69	0.00	3.85	5.98	10.92	19.10
Episodes	304	132	172	0	16	90	96	102
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	8.32	7.46	9.17	2.28	4.99	4.01	10.39	23.09
2	7.91	7.17	8.62	4.31	5.16	4.07	12.58	15.87
3	9.62	8.83	10.38	1.09	5.68	6.17	11.34	24.37
4	8.27	7.03	9.47	2.33	2.73	5.53	9.29	22.64
Year 1995	8.54	7.64	9.41	2.51	4.66	4.96	10.93	21.46
Episodes	478	211	267	9	35	118	142	174
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 5

INFECTIOUS INTESTINAL DISEASE

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	78.47	73.58	83.12	491.58	79.76	49.48	28.52	39.44
2	72.85	70.21	75.36	412.04	65.23	50.10	32.62	47.11
3	63.99	57.63	70.00	250.63	49.29	60.11	36.94	40.71
4	58.99	51.24	66.34	261.69	62.38	46.39	29.12	40.08
Year 1995	68.32	62.89	73.47	350.63	63.77	51.56	31.90	41.90
Episodes	5302	2376	2926	1889	652	1755	527	479
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	62.04	59.42	64.62	418.20	65.64	45.13	27.06	42.23
2	63.10	59.38	66.74	337.91	52.87	52.41	37.37	48.41
3	55.88	50.51	61.15	255.53	43.85	50.59	39.00	39.37
4	58.61	55.15	62.00	285.34	60.31	46.86	36.37	49.91
Year 1995	59.80	55.95	63.58	319.58	55.12	48.94	35.37	45.13
Episodes	2104	975	1129	586	229	737	311	241
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	74.17	66.20	81.94	472.39	72.11	45.38	37.79	41.16
2	71.15	65.66	76.49	368.92	61.93	53.11	39.24	51.47
3	70.36	63.24	77.29	279.62	48.02	66.60	41.79	55.91
4	67.49	58.97	75.77	336.16	65.45	53.77	31.06	49.90
Year 1995	70.79	63.55	77.84	363.52	61.65	54.90	37.58	49.71
Episodes	3964	1756	2208	1303	463	1307	488	403
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE - COLLEGE CLASSIFICATION 245/241

INFLUENZA/FLU-LIKE ILLNESS

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	104.70	96.82	112.20	109.24	124.25	122.39	91.05	51.84
2	24.57	22.08	26.94	29.48	23.68	29.66	21.27	12.97
3	16.13	15.26	16.96	13.08	9.48	22.25	11.92	11.54
4	123.20	108.15	137.48	183.33	138.07	129.54	102.89	90.87
Year 1995	66.38	59.88	72.54	83.71	72.86	75.27	55.69	41.37
Episodes	5151	2262	2889	451	745	2562	920	473
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	85.19	80.59	89.72	80.03	114.01	96.53	76.32	47.51
2	20.57	17.40	23.67	24.58	16.41	26.20	13.75	17.80
3	12.24	10.28	14.16	8.31	11.88	16.95	8.67	6.44
4	82.88	72.66	92.90	123.79	91.39	87.65	74.48	62.75
Year 1995	48.38	43.39	53.28	57.81	55.36	54.78	41.51	32.96
Episodes	1702	756	946	106	230	825	365	176
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	100.90	91.85	109.74	119.52	139.79	117.30	85.04	35.64
2	30.16	25.45	34.76	42.07	24.25	35.84	30.85	12.51
3	22.48	16.83	27.99	33.73	21.69	27.94	17.31	10.51
4	99.46	89.21	109.43	126.79	98.18	114.12	89.33	61.22
Year 1995	62.09	54.76	69.24	79.23	69.37	72.42	54.67	29.36
Episodes	3477	1513	1964	284	521	1724	710	238
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 244

ACUTE LARYNGITIS/TRACHEITIS

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	48.92	33.79	63.34	80.74	47.43	47.60	53.90	31.93
2	28.59	21.66	35.15	81.82	20.19	25.34	29.54	19.46
3	21.95	14.54	28.96	58.84	19.71	20.76	18.47	15.27
4	48.14	39.49	56.36	169.67	65.04	37.89	35.57	23.84
Year 1995	36.63	27.24	45.55	98.38	37.95	32.61	33.84	22.39
Episodes	2843	1029	1814	530	388	1110	559	256
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	34.05	27.41	40.59	59.37	38.00	34.79	34.64	19.36
2	25.30	16.97	33.48	88.06	18.23	21.67	25.34	19.22
3	16.24	11.15	21.24	74.79	16.44	10.88	16.47	10.74
4	37.81	27.36	48.06	148.97	37.47	30.91	31.18	30.66
Year 1995	28.05	20.37	35.59	94.35	26.96	24.04	26.50	20.04
Episodes	987	355	632	173	112	362	233	107
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	37.56	28.18	46.72	77.40	32.73	35.61	41.26	24.09
2	22.26	16.03	28.32	57.17	16.51	19.71	24.86	15.39
3	17.99	13.60	22.26	52.22	14.46	17.54	15.82	10.99
4	40.24	31.13	49.11	130.27	43.09	32.16	36.50	27.78
Year 1995	29.22	22.00	36.24	78.40	26.36	26.00	29.34	19.36
Episodes	1636	608	1028	281	198	619	381	157
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 211

ACUTE MYOCARDIAL INFARCTION

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	3.87	4.76	3.03	0.00	0.00	1.01	7.59	12.40
2	2.24	2.09	2.38	0.00	0.00	0.00	3.78	9.56
3	2.81	3.71	1.95	0.00	0.00	0.23	5.84	9.84
4	2.16	2.78	1.57	0.00	0.00	0.00	3.58	9.67
Year 1995	2.74	3.31	2.21	0.00	0.00	0.29	5.15	10.32
Episodes	213	125	88	0	0	10	85	118
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	2.96	3.26	2.67	0.00	0.00	0.00	3.79	13.20
2	3.01	3.05	2.99	0.00	0.00	0.25	3.87	12.81
3	2.49	3.50	1.50	0.00	0.00	0.00	3.03	11.45
4	3.68	5.25	2.15	0.00	0.00	0.25	2.60	19.25
Year 1995	3.04	3.79	2.31	0.00	0.00	0.13	3.30	14.23
Episodes	107	66	41	0	0	2	29	76
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	5.97	9.24	2.77	0.00	0.00	0.70	13.23	17.57
2	4.30	5.48	3.15	0.00	0.00	0.65	6.59	17.32
3	3.74	4.91	2.59	0.00	0.00	0.32	3.58	19.12
4	4.87	5.54	4.23	0.00	0.00	0.52	6.40	22.12
Year 1995	4.70	6.26	3.17	0.00	0.00	0.55	7.39	18.99
Episodes	263	173	90	0	0	13	96	154
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 183

OTITIS MEDIA

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	133.58	130.50	136.52	917.45	332.46	44.20	23.02	9.02
2	88.07	87.78	88.33	605.15	198.80	32.81	19.14	12.29
3	58.78	57.32	60.15	346.53	120.94	29.71	18.24	13.57
4	121.19	120.93	121.43	915.93	252.57	41.52	18.62	11.06
Year 1995	99.63	98.45	100.76	692.54	223.68	36.93	19.67	11.55
Episodes	7732	3719	4013	3731	2287	1257	325	132
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	134.98	131.60	138.31	1244.29	348.94	49.21	24.36	14.08
2	88.94	87.22	90.63	681.97	247.02	36.79	23.63	14.95
3	58.59	56.20	60.94	417.58	128.81	31.87	20.37	18.61
4	119.39	119.71	119.07	1156.06	286.04	45.09	22.08	6.42
Year 1995	98.69	96.99	100.36	854.59	247.45	40.31	22.52	13.48
Episodes	3472	1690	1782	1567	1028	607	198	72
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	145.09	149.40	140.89	985.76	358.34	58.13	27.72	18.57
2	84.81	81.12	88.39	574.95	187.84	36.98	20.67	14.43
3	69.53	70.11	68.96	402.56	160.60	37.03	22.69	9.56
4	124.49	127.52	121.53	941.00	267.26	45.82	28.18	17.49
Year 1995	105.08	106.07	104.11	719.23	241.13	44.23	24.72	14.92
Episodes	5884	2931	2953	2578	1811	1053	321	121
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 246

PNEUMONIA/PNEUMONITIS

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	3.87	4.19	3.57	3.17	2.10	2.52	2.09	12.40
2	1.78	1.99	1.58	0.74	0.78	1.40	1.65	4.44
3	2.61	3.30	1.95	2.91	1.52	2.06	1.87	6.11
4	4.62	4.12	5.09	7.91	0.76	1.59	4.77	15.55
Year 1995	3.21	3.39	3.04	3.71	1.27	1.88	2.60	9.53
Episodes	249	128	121	20	13	64	43	109
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	4.58	4.07	5.07	5.16	2.30	2.82	1.08	16.72
2	3.55	4.79	2.35	2.05	2.73	1.76	2.15	12.10
3	3.03	2.84	3.22	2.08	0.91	0.51	3.90	10.74
4	5.53	5.47	5.58	4.20	0.00	1.27	5.63	22.10
Year 1995	4.15	4.30	4.00	3.27	1.44	1.53	3.30	15.35
Episodes	146	75	71	6	6	23	29	82
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	7.14	7.31	6.99	10.24	2.22	4.89	4.41	21.08
2	3.47	2.95	3.97	3.24	1.03	1.47	3.29	12.03
3	2.21	2.24	2.18	0.00	0.52	1.46	2.99	5.73
4	6.28	6.74	5.83	11.63	3.27	1.90	6.08	20.06
Year 1995	4.71	4.74	4.69	6.14	1.73	2.39	4.16	14.55
Episodes	264	131	133	22	13	57	54	118
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA FOR COLLEGE CLASSIFICATION 22

SCABIES

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	15.00	12.24	17.62	28.50	36.10	14.73	6.80	2.25
2	6.77	6.07	7.43	11.06	13.98	7.12	4.02	1.37
3	6.66	5.88	7.41	10.17	10.24	8.83	2.57	1.36
4	11.50	10.93	12.04	14.38	22.06	13.50	3.82	5.53
Year 1995	9.87	8.71	10.97	15.78	20.25	10.99	4.24	2.62
Episodes	766	329	437	85	207	374	70	30
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	5.65	4.34	6.94	7.74	0.00	10.97	1.08	1.76
2	4.41	4.57	4.26	4.10	6.38	6.05	2.58	1.42
3	2.71	2.84	2.57	2.08	3.65	3.79	2.17	0.00
4	4.77	5.25	4.29	2.10	9.14	6.33	3.46	0.00
Year 1995	4.32	4.25	4.39	3.82	5.05	6.57	2.39	0.75
Episodes	152	74	78	7	21	99	21	4
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	12.23	11.03	13.39	14.80	20.52	15.01	5.35	6.53
2	6.10	5.76	6.43	9.71	11.35	7.49	3.00	0.48
3	5.88	4.35	7.37	7.62	10.84	6.66	4.18	0.96
4	7.16	6.59	7.72	10.47	18.00	7.78	3.20	0.00
Year 1995	7.79	6.88	8.67	10.60	15.05	9.16	3.93	1.97
Episodes	436	190	246	38	113	218	51	16
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 243

ACUTE SINUSITIS

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	70.00	38.44	100.09	2.37	29.38	95.07	80.59	48.46
2	43.65	23.96	62.29	5.16	12.42	60.72	51.76	27.31
3	29.41	15.88	42.21	2.91	7.96	40.72	35.54	18.66
4	60.24	34.43	84.74	5.03	17.50	82.35	75.44	36.28
Year 1995	50.38	27.95	71.66	3.90	16.53	69.21	60.23	32.28
Episodes	3910	1056	2854	21	169	2356	995	369
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	108.61	75.16	141.52	23.23	133.59	131.01	112.04	50.15
2	55.35	38.06	72.29	6.14	37.37	68.78	62.72	36.31
3	38.12	26.90	49.14	4.15	31.97	44.52	42.46	29.35
4	78.87	50.99	106.20	20.98	88.64	93.98	81.84	43.50
Year 1995	68.25	46.37	89.72	13.09	69.57	82.20	72.79	39.32
Episodes	2401	808	1593	24	289	1238	640	210
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	78.51	47.27	109.02	2.28	26.63	113.29	90.08	40.66
2	46.95	27.13	66.23	1.08	13.42	63.37	58.41	31.75
3	35.21	20.47	49.57	5.44	11.88	48.40	41.49	21.03
4	70.81	38.62	102.15	9.31	19.64	95.96	91.89	37.55
Year 1995	57.34	33.08	80.98	4.46	17.71	79.43	69.84	32.56
Episodes	3211	914	2297	16	133	1891	907	264
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

MEAN WEEKLY INCIDENCE DATA - COLLEGE CLASSIFICATION 242

TONSILLITIS/SORE THROAT

	M+F	M	F	0-4	5-14	15-44	45-64	65+
URBAN								
Quarter 1	244.47	195.01	291.63	429.83	555.77	262.78	87.13	49.21
2	168.35	133.71	201.13	342.01	348.67	186.25	56.73	38.24
3	153.48	119.48	185.63	290.59	284.34	181.58	53.07	34.95
4	199.36	161.55	235.24	423.45	436.66	201.68	74.72	49.41
Year 1995	190.21	151.52	226.91	370.49	402.96	206.91	67.38	42.77
Episodes	14761	5724	9037	1996	4120	7043	1113	489
person wks	7760348	3777738	3982610	538742	1022446	3403947	1651916	1143297
RURAL								
Quarter 1	264.85	226.57	302.53	647.96	623.02	278.00	118.53	61.59
2	190.16	141.82	237.55	432.12	367.34	223.73	78.18	58.38
3	153.35	122.89	183.25	334.48	287.76	187.45	65.00	35.08
4	241.81	205.72	277.20	602.16	499.88	275.87	99.60	56.33
Year 1995	209.83	171.53	247.41	496.28	434.72	239.37	88.82	52.43
Episodes	7382	2989	4393	910	1806	3605	781	280
person wks	3518139	1742536	1775603	183363	415437	1506013	879272	534054
MIXED								
Quarter 1	205.05	164.46	244.67	354.01	456.53	235.48	72.12	36.14
2	163.51	130.19	195.95	285.86	326.66	185.40	69.19	43.77
3	154.14	118.49	188.85	306.82	275.24	186.31	56.72	36.32
4	189.98	151.02	227.90	393.15	415.61	204.55	64.68	45.27
Year 1995	177.56	140.53	213.65	333.67	366.29	202.34	65.60	40.33
Episodes	9943	3883	6060	1196	2751	4817	852	327
person wks	5599642	2763198	2836444	358438	751047	2380695	1298707	810755

APPENDIX 5

Analysis of selected diseases (ICD 3-digits)

Electronically networked practices only

Diseases presented in ICD order

Population:-

The population specified in this appendix are based on person weeks.
Mean annual population is obtained by dividing by 52.

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 099.4

NON-SPECIFIC URETHRITIS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	0.45	0.92	0.00	0.00	0.00	0.87	0.33	0.00
	2	0.82	1.52	0.15	0.00	0.00	1.56	0.66	0.00
	3	0.40	0.49	0.32	0.00	0.00	0.94	0.00	0.00
	4	0.51	1.04	0.00	0.00	0.00	1.02	0.00	0.49
	5	0.14	0.14	0.14	0.00	0.00	0.16	0.30	0.00
	6	0.52	0.94	0.13	0.00	0.00	1.07	0.29	0.00
	7	0.53	0.95	0.13	0.00	0.00	0.94	0.58	0.00
	8	0.94	1.65	0.26	0.00	0.00	2.04	0.00	0.45
	9	0.33	0.41	0.26	0.00	0.51	0.16	0.29	0.90
	10	0.76	1.27	0.27	0.00	0.00	1.46	0.30	0.47
	11	0.54	1.11	0.00	0.00	0.00	0.79	0.59	0.46
	12	0.41	0.69	0.13	0.00	0.00	0.47	0.89	0.00
	13	0.29	0.44	0.14	0.00	0.00	0.67	0.00	0.00
Quarter	1	0.56	1.00	0.14	0.00	0.00	1.15	0.31	0.00
	2	0.40	0.69	0.12	0.00	0.00	0.74	0.27	0.14
	3	0.67	1.15	0.20	0.00	0.16	1.17	0.27	0.56
	4	0.42	0.74	0.12	0.00	0.00	0.69	0.46	0.14
Full year 95		0.51	0.89	0.15	0.00	0.04	0.93	0.33	0.22
episodes		95	81	14	0	1	74	14	6
Person Wks		18512967	9080316	9432651	1173977	2411352	7936904	4246060	2744674

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 110

TINEA/RINGWORM

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	22.03	26.93	17.29	18.69	23.12	23.44	24.74	14.22
	2	27.43	32.70	22.34	14.99	25.86	33.03	25.95	20.26
	3	24.52	26.26	22.84	20.19	25.43	25.45	28.15	17.33
	4	24.16	25.57	22.80	12.70	35.47	23.53	25.36	19.15
	5	30.26	30.80	29.74	17.63	46.75	30.79	30.35	19.61
	6	27.43	32.42	22.64	12.38	32.76	31.14	25.99	20.76
	7	34.09	39.62	28.78	24.13	42.01	39.30	29.97	22.81
	8	41.38	46.22	36.74	30.78	55.02	42.67	40.39	31.72
	9	29.62	33.83	25.58	14.81	32.12	33.49	27.16	26.41
	10	26.11	31.49	20.94	24.52	27.71	27.02	28.43	19.14
	11	27.27	32.18	22.54	18.42	24.58	30.55	29.97	19.70
	12	23.77	26.50	21.14	13.89	17.55	24.07	27.32	27.20
	13	18.37	23.43	13.52	11.31	23.56	19.79	17.69	13.69
Quarter	1	24.71	28.13	21.41	18.24	24.55	27.38	26.01	17.90
	2	28.24	31.08	25.51	15.30	39.76	29.48	27.97	20.54
	3	33.25	38.80	27.92	23.18	39.81	36.78	31.61	24.13
	4	23.72	27.80	19.79	15.48	22.58	24.97	25.75	21.45
Full year 95		27.58	31.56	23.74	18.06	31.89	29.73	27.91	21.10
Episodes		5105	2866	2239	212	769	2360	1185	579
Person Wks		18512967	9080316	9432651	1173977	2411352	7936904	4246060	2744674

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 112

CANDIDIASIS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
Weekly Period	1	52.02	14.69	88.07	93.46	13.29	78.72	28.70	26.41
	2	50.38	19.62	80.11	92.24	8.62	70.23	33.50	36.98
	3	51.22	16.25	85.03	82.02	9.30	73.91	36.24	32.48
	4	45.48	13.53	76.30	91.21	6.76	59.51	38.99	29.46
	5	47.86	15.75	78.71	81.53	9.67	66.78	36.37	30.35
	6	51.84	16.48	85.81	81.47	9.07	80.22	29.42	29.60
	7	56.44	17.97	93.39	113.31	16.90	80.16	33.47	33.99
	8	55.02	17.56	90.99	98.72	13.88	79.07	34.53	34.89
	9	51.46	17.53	84.06	99.47	10.20	75.39	28.02	34.92
	10	52.99	15.81	88.79	100.31	13.32	75.90	37.10	26.61
	11	53.11	15.67	89.10	109.44	10.98	78.66	33.23	22.91
	12	51.13	16.01	84.96	94.02	9.81	73.63	35.04	28.58
	13	39.55	15.08	63.08	81.42	7.12	52.38	31.59	24.94
Quarter	1	51.27	16.47	84.89	91.57	10.11	73.84	33.21	32.31
	2	49.88	16.04	82.43	90.48	9.90	71.29	34.83	29.32
	3	53.16	16.97	87.94	96.69	13.11	77.27	31.79	33.53
	4	48.63	15.81	80.20	96.89	9.75	68.89	34.21	25.63
1 year	95	50.73	16.32	83.86	93.95	10.74	72.81	33.51	30.17
isodes		9392	1482	7910	1103	259	5779	1423	828
son wks		18512967	9080316	9432651	1173977	2411352	7936904	4246060	2744674

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 127.4

THREADWORMS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	6.54	5.20	7.83	35.05	21.96	3.15	0.33	0.00
	2	7.25	7.00	7.50	28.83	27.01	4.17	0.33	0.00
	3	6.53	5.58	7.46	29.02	24.19	3.02	0.70	0.54
	4	3.80	2.83	4.73	10.39	16.33	1.88	0.63	0.49
	5	4.52	4.26	4.77	15.43	20.42	1.79	0.60	0.00
	6	5.58	3.48	7.59	17.53	22.17	3.37	0.57	0.00
	7	5.00	3.27	6.67	15.74	21.52	1.56	2.04	0.45
	8	5.78	4.66	6.85	22.29	20.57	3.45	0.59	0.45
	9	4.39	3.80	4.96	25.40	13.77	2.18	0.29	0.00
	10	5.61	3.95	7.21	26.75	18.12	3.07	0.60	0.93
	11	6.26	5.55	6.94	33.59	21.96	2.53	0.59	0.46
	12	6.10	4.97	7.18	26.71	20.65	3.30	0.59	0.92
	13	3.95	3.07	4.79	18.09	12.05	2.00	0.63	1.47
Quarter	1	6.55	5.83	7.24	29.55	23.82	3.33	0.41	0.16
	2	4.76	3.61	5.87	14.64	19.96	2.32	1.01	0.14
	3	5.11	3.62	6.54	23.18	17.75	2.63	0.54	0.56
	4	5.56	4.72	6.37	26.58	18.85	2.66	0.65	0.86
Full year 95		5.47	4.41	6.49	23.34	19.99	2.72	0.66	0.44
Episodes		1012	400	612	274	482	216	28	12
Person Wks		18512967	9080316	9432651	1173977	2411352	7936904	4246060	2744674

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 131

TRICHOMONAS VAGINALIS

		Female All ages			Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
Weekly Period	1	0.15	-	-	0.00	0.00	0.35	0.00	0.00
	2	0.59	-	-	0.00	0.00	1.40	0.00	0.00
	3	0.32	-	-	0.00	0.00	0.76	0.00	0.00
	4	0.29	-	-	0.00	0.00	0.69	0.00	0.00
	5	0.14	-	-	0.00	0.00	0.33	0.00	0.00
	6	0.26	-	-	0.00	0.00	0.31	0.57	0.00
	7	0.52	-	-	0.00	0.00	1.25	0.00	0.00
	8	0.40	-	-	0.00	0.00	0.94	0.00	0.00
	9	0.26	-	-	0.00	0.00	0.31	0.58	0.00
	10	0.54	-	-	0.00	0.00	0.97	0.60	0.00
	11	0.27	-	-	0.00	0.00	0.63	0.00	0.00
	12	0.66	-	-	0.00	0.00	0.95	1.20	0.00
	13	0.28	-	-	0.00	0.00	0.67	0.00	0.00
Quarter	1	0.32	-	-	0.00	0.00	0.77	0.00	0.00
	2	0.25	-	-	0.00	0.00	0.49	0.18	0.00
	3	0.45	-	-	0.00	0.00	0.98	0.18	0.00
	4	0.42	-	-	0.00	0.00	0.69	0.56	0.00
Full year 95		0.36	-	-	0.00	0.00	0.73	0.24	0.00
Episodes		34	-	-	0	0	29	5	0
Person Wks		9432651	-	-	571849	1175393	3954543	2112107	1618759

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 174

CARCINOMA FEMALE BREAST

Female All ages					Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	2.51	-	-	0.00	0.00	2.11	3.98	4.31
	2	2.65	-	-	0.00	0.00	1.40	3.30	7.74
	3	4.12	-	-	0.00	0.00	0.76	13.44	4.60
	4	2.58	-	-	0.00	0.00	0.69	4.46	7.49
	5	3.41	-	-	0.00	0.00	0.98	7.85	7.12
	6	3.34	-	-	0.00	0.00	0.92	8.60	5.99
	7	1.96	-	-	0.00	0.00	0.31	5.26	3.79
	8	2.63	-	-	0.00	0.00	0.94	6.47	4.61
	9	2.22	-	-	0.00	1.05	0.31	5.23	4.55
	10	1.36	-	-	0.00	0.00	1.30	3.01	0.79
	11	2.80	-	-	0.00	0.00	0.95	4.78	7.78
	12	2.79	-	-	0.00	0.00	0.95	4.18	8.60
	13	2.25	-	-	0.00	0.00	0.33	4.45	6.61
Quarter	1	3.04	-	-	0.00	0.00	1.32	6.82	5.64
	2	3.02	-	-	0.00	0.00	0.89	6.98	6.24
	3	2.09	-	-	0.00	0.33	0.78	4.92	3.57
	4	2.50	-	-	0.00	0.00	0.69	4.30	7.32
Full year 95		2.65	-	-	0.00	0.09	0.91	5.73	5.68
Episodes		250	-	-	0	1	36	121	92
Person Wks		9432651	-	-	571849	1175393	3954543	2112107	1618759

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 185

CARCINOMA PROSTATE

		Male All ages			Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
Weekly period	1	0.77	-	-	0.00	0.00	0.00	0.00	6.19
	2	1.52	-	-	0.00	0.00	0.00	0.00	12.33
	3	1.64	-	-	0.00	0.00	0.00	1.40	10.53
	4	2.23	-	-	0.00	0.00	0.00	0.63	16.78
	5	2.70	-	-	0.00	0.00	0.00	1.80	18.24
	6	2.28	-	-	0.00	0.00	0.00	0.57	17.23
	7	1.91	-	-	0.00	0.00	0.00	1.16	13.09
	8	1.65	-	-	0.00	0.00	0.00	2.33	8.84
	9	1.63	-	-	0.00	0.00	0.00	1.15	10.92
	10	1.98	-	-	0.00	0.00	0.00	2.38	11.35
	11	3.19	-	-	0.00	0.00	0.00	2.36	21.18
	12	1.52	-	-	0.00	0.00	0.00	1.18	10.11
	13	0.73	-	-	0.00	0.00	0.00	0.00	5.99
Quarter	1	1.34	-	-	0.00	0.00	0.00	0.41	10.03
	2	2.28	-	-	0.00	0.00	0.00	1.09	16.24
	3	1.83	-	-	0.00	0.00	0.00	1.98	10.94
	4	1.86	-	-	0.00	0.00	0.00	1.11	12.99
Full year 95		1.84	-	-	0.00	0.00	0.00	1.17	12.61
Episodes		167	-	-	0	0	0	25	142
Person Wks		9080316	-	-	602128	1235959	3982361	2133953	1125915

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 274

GOUT

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	6.24	10.86	1.77	0.00	0.00	3.67	10.56	15.24
	2	5.16	8.97	1.47	0.00	0.00	1.39	7.55	19.25
	3	5.00	7.06	3.01	0.00	0.00	2.45	7.39	15.16
	4	5.18	8.48	2.01	0.00	0.00	1.71	10.14	14.24
	5	6.47	9.08	3.96	0.00	0.00	1.95	9.92	22.41
	6	8.14	12.59	3.86	0.00	0.00	1.99	15.71	24.74
	7	7.87	11.85	4.05	0.00	0.00	2.18	12.51	27.28
	8	9.00	14.68	3.56	0.00	0.00	3.77	16.68	24.01
	9	5.53	9.92	1.31	0.00	0.00	2.96	8.96	14.77
	10	6.10	11.01	1.36	0.00	0.00	3.40	10.77	14.47
	11	5.37	8.32	2.53	0.00	0.00	3.01	8.01	15.12
	12	4.27	6.76	1.86	0.00	0.00	2.20	8.61	9.22
	13	3.59	5.42	1.83	0.00	0.00	1.33	6.00	11.25
Quarter	1	5.44	8.88	2.12	0.00	0.00	2.46	8.53	16.47
	2	6.81	10.49	3.27	0.00	0.00	1.97	12.16	21.25
	3	7.21	12.12	2.49	0.00	0.00	3.17	12.59	19.92
	4	4.59	7.10	2.17	0.00	0.00	2.27	7.72	12.53
Full year 95		6.03	9.68	2.52	0.00	0.00	2.47	10.32	17.60
Episodes		1117	879	238	0	0	196	438	483
Person Wks		18512967	9080316	9432651	1173977	2411352	7936904	4246060	2744674

7

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 300.4.301.1 AND 311

MENTAL DISORDER (DEPRESSION)

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	32.10	18.67	45.07	0.00	0.00	42.16	38.60	35.05
	2	35.06	22.97	46.74	0.00	1.15	47.11	41.39	35.46
	3	33.80	17.72	49.33	1.26	0.62	41.86	46.10	34.65
	4	30.00	17.69	41.88	0.00	0.00	38.37	34.23	38.30
	5	33.04	16.89	48.56	0.00	1.61	42.02	40.87	36.42
	6	28.81	13.26	43.74	1.03	0.00	38.35	32.85	32.25
	7	24.75	11.57	37.41	0.00	2.05	34.31	27.06	24.15
	8	27.34	15.64	38.58	0.00	1.03	35.45	31.61	32.17
	9	27.76	15.08	39.94	0.00	2.04	32.55	32.93	40.29
	10	29.78	17.08	42.01	0.00	0.53	38.19	39.20	28.95
	11	31.82	16.78	46.28	0.00	0.52	45.58	36.20	26.11
	12	33.52	18.49	48.00	0.00	2.06	45.94	37.72	33.19
	13	26.05	14.20	37.45	0.00	0.55	32.93	34.75	26.41
Quarter	1	33.62	19.82	46.96	0.36	0.54	43.67	41.85	35.32
	2	29.76	15.18	43.78	0.33	0.97	38.80	34.83	33.57
	3	27.37	15.06	39.21	0.00	1.28	34.64	32.61	32.83
	4	30.43	16.41	43.91	0.00	0.97	41.40	36.26	28.51
Full year 95		30.20	16.53	43.36	0.17	0.95	39.51	36.22	32.50
episodes		5591	1501	4090	2	23	3136	1538	892
Person Wks		18512967	9080316	9432651	1173977	2411352	7936904	4246060	2744674

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 428

HEART FAILURE

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	11.05	9.64	12.41	0.00	0.00	0.00	4.62	67.55
	2	10.54	10.34	10.73	0.00	0.00	0.00	5.26	63.33
	3	12.10	10.50	13.64	0.00	0.00	0.19	4.93	73.09
	4	8.61	8.77	8.46	0.00	0.00	0.17	4.75	50.08
	5	8.63	6.53	10.64	0.00	0.00	0.16	3.31	52.30
	6	9.12	7.23	10.94	0.00	0.00	0.00	3.71	55.66
	7	7.07	6.81	7.32	0.00	0.00	0.16	3.49	41.59
	8	7.05	5.49	8.56	0.00	0.00	0.16	3.51	41.69
	9	5.13	4.89	5.35	0.00	0.00	0.16	3.18	29.10
	10	7.90	6.35	9.38	0.00	0.00	0.00	2.39	49.49
	11	6.19	5.27	7.07	0.00	0.00	0.00	2.08	38.48
	12	6.64	7.18	6.12	0.00	0.00	0.00	3.86	39.19
	13	5.67	5.56	5.77	0.00	0.00	0.00	1.90	35.70
Quarter	1	10.89	9.98	11.76	0.00	0.00	0.05	4.83	65.88
	2	8.89	7.52	10.21	0.00	0.00	0.15	3.75	53.55
	3	6.25	5.36	7.11	0.00	0.00	0.10	3.35	36.62
	4	6.43	6.19	6.67	0.00	0.00	0.00	2.51	39.74
Full year 95		8.04	7.19	8.86	0.00	0.00	0.08	3.58	48.49
Episodes		1489	653	836	0	0	6	152	1331
Person Wks		18512967	9080316	9432651	1173977	2411352	7936904	4246060	2744674

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 595 AND 599.0

URINARY TRACT INFECTION/CYSTITIS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	69.76	21.42	116.44	50.24	35.26	63.85	63.01	136.12
	2	78.26	24.34	130.38	71.49	35.06	76.32	74.23	131.21
	3	77.84	25.60	128.33	39.12	40.32	72.22	76.36	145.64
	4	60.52	20.67	98.96	36.94	20.83	61.05	53.25	114.89
	5	56.97	17.17	95.22	26.44	23.64	50.49	54.10	121.87
	6	69.17	20.90	115.53	44.34	29.73	64.88	63.12	136.05
	7	65.38	18.38	110.53	27.28	25.10	64.57	62.86	122.99
	8	65.30	19.75	109.02	40.34	19.54	63.69	68.77	115.54
	9	70.76	23.23	116.43	41.27	22.43	71.80	67.60	127.60
	10	72.38	19.63	123.19	41.24	25.58	68.78	67.63	144.27
	11	78.13	21.50	132.58	42.26	30.33	77.23	75.37	142.02
	12	73.41	21.95	122.99	47.01	31.48	67.96	72.17	140.15
	13	60.94	16.98	103.21	22.62	20.27	59.37	61.92	116.89
Quarter	1	73.91	23.16	122.95	53.63	35.92	69.96	69.92	133.67
	2	62.47	19.43	103.85	33.26	23.53	58.97	57.23	127.07
	3	69.07	21.23	115.05	41.39	23.66	68.06	67.30	126.27
	4	71.28	19.70	120.91	35.66	27.62	68.49	70.47	134.61
Full year 95		69.05	20.83	115.48	40.72	27.45	66.29	66.11	130.29
episodes		12784	1891	10893	478	662	5261	2807	3576
Person Wks		18512967	9080316	9432651	1173977	2411352	7936904	4246060	2744674

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 614-616

FEMALE PELVIC INFLAMMATORY DISEASE

		Female All ages			Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	31.03	-	-	31.14	15.45	48.96	22.53	9.47
	2	30.87	-	-	23.70	12.99	47.27	21.76	18.06
	3	29.19	-	-	23.31	12.75	45.59	19.80	15.63
	4	25.82	-	-	11.86	13.84	40.18	19.75	12.48
	5	26.60	-	-	33.93	14.30	36.95	22.34	13.45
	6	22.51	-	-	10.57	13.42	39.05	13.76	4.49
	7	22.76	-	-	15.03	7.35	37.23	17.53	8.34
	8	28.84	-	-	26.11	10.54	43.96	22.36	14.59
	9	25.71	-	-	15.19	6.28	43.64	18.03	9.87
	10	26.38	-	-	13.74	5.47	45.71	18.69	8.73
	11	27.08	-	-	17.85	16.07	45.02	13.13	12.44
	12	22.47	-	-	24.12	6.36	36.92	14.34	8.60
	13	22.53	-	-	20.97	6.74	34.02	18.42	11.57
Quarter	1	30.08	-	-	24.72	13.73	46.90	22.10	13.17
	2	24.31	-	-	18.42	12.96	38.30	16.89	10.32
	3	26.53	-	-	19.00	7.55	42.93	20.23	11.18
	4	24.21	-	-	20.08	9.33	39.47	15.33	10.49
Full year 95		26.19	-	-	20.46	10.80	41.77	18.56	11.24
Episodes		2470	-	-	117	127	1652	392	182
Person Wks		9432651	-	-	571849	1175393	3954543	2112107	1618759

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 691

ATOPIC ECZEMA/DERMATITIS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
weekly period	1	34.20	31.22	37.09	327.11	26.01	16.27	6.27	9.14
	2	31.17	26.92	35.28	283.65	32.19	13.39	6.24	9.63
	3	34.44	31.35	37.44	316.72	40.94	14.90	7.04	5.96
	4	25.11	23.19	26.96	230.90	27.02	11.25	6.34	4.91
	5	28.66	25.26	31.92	285.37	29.02	9.28	7.51	7.94
	6	21.59	19.02	24.06	202.13	20.16	9.36	6.57	3.98
	7	20.48	18.79	22.11	205.64	19.47	7.64	5.24	2.68
	8	19.75	17.97	21.46	197.44	18.00	7.53	3.80	5.44
	9	18.84	15.76	21.80	192.58	14.28	6.54	4.62	6.72
	10	22.51	19.48	25.43	237.40	21.31	7.28	4.79	5.14
	11	21.62	19.97	23.21	221.04	16.73	8.55	4.75	5.50
	12	23.57	20.29	26.73	240.39	20.65	8.02	5.35	6.45
	13	20.89	16.25	25.34	203.56	18.63	8.48	4.11	6.36
Quarter	1	33.04	29.46	36.49	309.73	32.49	14.54	6.48	7.92
	2	24.17	21.84	26.42	229.85	24.83	9.42	6.76	5.38
	3	19.74	17.27	22.12	200.34	17.11	7.31	4.17	5.47
	4	22.25	19.14	25.25	226.41	18.85	8.19	4.93	5.76
Full year 95		24.58	21.73	27.32	240.04	23.06	9.74	5.56	6.08
Episodes		4550	1973	2577	2818	556	773	236	167
Person Wks		18512967	9080316	9432651	1173977	2411352	7936904	4246060	2744674

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 696 (EXCL.696.3)

PSORIASIS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	8.57	8.42	8.72	0.00	5.20	11.02	9.24	7.11
	2	9.79	10.95	8.67	3.46	8.05	13.39	9.20	4.56
	3	7.82	8.21	7.46	1.26	3.10	8.86	10.91	7.04
	4	9.78	9.37	10.18	2.31	9.57	12.11	8.88	7.86
	5	7.86	7.38	8.32	0.00	4.84	9.28	7.21	10.74
	6	6.82	5.89	7.72	2.06	3.53	7.06	9.43	7.07
	7	7.67	6.40	8.89	0.00	3.07	10.45	7.57	7.16
	8	5.78	6.17	5.40	1.06	2.57	6.75	6.44	6.80
	9	4.79	3.94	5.61	2.12	2.55	5.30	4.91	6.27
	10	5.68	5.22	6.12	4.46	4.26	6.31	5.09	6.54
	11	6.60	5.27	7.87	1.08	4.71	7.44	7.42	6.87
	12	6.91	6.07	7.71	1.07	5.68	7.39	8.32	6.92
	13	5.67	5.27	6.05	0.00	3.29	6.15	8.21	4.89
Quarter	1	8.87	9.31	8.44	1.46	5.96	11.31	9.56	6.49
	2	7.90	7.18	8.60	1.33	5.03	9.22	8.78	8.07
	3	5.63	5.06	6.17	2.32	3.04	6.72	5.25	6.73
	4	6.43	5.67	7.17	0.67	4.55	7.06	8.00	6.33
Full year 95		7.16	6.74	7.57	1.45	4.60	8.50	7.84	6.92
Episodes		1326	612	714	17	111	675	333	190
Person Wks		18512967	9080316	9432651	1173977	2411352	7936904	4246060	2744674

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 696.3

PITYRIASIS ROSEA

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	3.23	2.75	3.69	2.34	8.67	4.37	0.33	0.00
	2	2.47	2.13	2.79	2.31	4.60	3.48	0.99	0.00
	3	2.58	2.13	3.01	1.26	5.58	3.77	0.70	0.00
	4	1.61	1.19	2.01	0.00	4.50	2.05	0.63	0.00
	5	1.53	1.14	1.91	0.00	3.22	2.28	0.60	0.00
	6	1.71	1.74	1.67	0.00	6.05	1.38	1.43	0.00
	7	1.07	0.95	1.18	2.10	1.02	1.87	0.00	0.00
	8	1.41	1.51	1.32	2.12	3.09	2.04	0.00	0.00
	9	1.33	0.82	1.83	0.00	2.04	2.34	0.00	0.45
	10	1.73	1.69	1.77	0.00	5.33	1.78	1.20	0.00
	11	1.63	1.66	1.60	2.17	4.71	1.42	0.89	0.46
	12	2.98	1.93	3.99	2.14	5.16	4.09	1.48	0.46
	13	2.30	2.49	2.11	1.13	2.19	3.33	1.58	0.98
Quarter	1	2.65	2.20	3.09	1.82	5.96	3.72	0.72	0.00
	2	1.58	1.33	1.82	0.00	4.22	2.02	0.73	0.00
	3	1.36	1.28	1.43	1.32	2.88	1.95	0.18	0.14
	4	2.27	1.99	2.54	1.68	4.22	2.81	1.39	0.58
Full year 95		1.94	1.68	2.19	1.19	4.27	2.60	0.75	0.18
Episodes		360	153	207	14	103	206	32	5
Person Wks		18512967	9080316	9432651	1173977	2411352	7936904	4246060	2744674

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 715.9

OSTEOARTHRITIS OF HIP

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	2.78	2.30	3.25	0.00	0.00	0.70	4.29	10.16
	2	3.14	1.52	4.70	0.00	0.00	0.00	4.27	14.69
	3	3.07	2.79	3.33	0.00	0.00	0.38	5.28	11.37
	4	2.04	1.93	2.15	0.00	0.00	0.00	2.85	9.33
	5	3.06	2.55	3.55	0.00	0.00	0.00	4.81	13.07
	6	3.15	2.55	3.73	0.00	0.00	0.46	4.57	12.81
	7	3.07	2.04	4.05	0.00	0.00	0.47	3.78	13.42
	8	3.09	2.47	3.69	0.00	0.51	0.16	3.80	14.05
	9	2.46	1.22	3.65	0.00	0.00	0.47	2.89	10.75
	10	3.60	1.84	5.30	0.00	0.00	0.16	5.09	15.87
	11	2.52	2.36	2.67	0.00	0.00	0.47	2.67	11.45
	12	2.64	2.62	2.66	0.00	0.00	0.63	5.05	8.30
	13	1.94	1.17	2.68	0.00	0.00	0.67	2.84	6.85
Quarter	1	2.77	2.01	3.51	0.00	0.00	0.33	4.22	11.24
	2	2.99	2.58	3.39	0.00	0.00	0.20	4.57	12.47
	3	3.11	1.87	4.29	0.00	0.16	0.29	3.80	14.03
	4	2.38	1.95	2.79	0.00	0.00	0.59	3.44	9.07
Full year 95		2.81	2.10	3.50	0.00	0.04	0.35	4.00	11.73
Episodes		521	191	330	0	1	28	170	322
Person Wks		18512967	9080316	9432651	1173977	2411352	7936904	4246060	2744674

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE 940-949

BURNS

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
weekly period	1	4.89	5.36	4.43	10.51	4.05	4.02	6.27	3.56
	2	3.81	3.95	3.67	8.07	1.72	4.17	2.30	5.07
	3	6.13	6.73	5.55	18.93	6.82	6.22	3.52	3.79
	4	3.87	4.31	3.44	11.55	3.38	3.07	4.12	2.95
	5	4.59	5.39	3.82	14.32	2.69	2.93	4.51	7.00
	6	3.67	3.62	3.73	4.13	1.01	3.83	3.71	5.30
	7	5.07	5.58	4.58	14.69	2.05	5.61	4.37	3.13
	8	5.64	5.76	5.53	14.86	2.57	6.28	4.98	3.62
	9	5.79	5.98	5.61	14.81	5.10	6.70	2.89	4.48
	10	4.64	4.66	4.62	13.37	2.13	4.69	2.99	5.60
	11	5.03	5.96	4.13	17.34	2.61	5.70	2.37	4.12
	12	3.25	2.90	3.59	8.55	3.10	1.89	3.56	4.61
	13	3.30	2.64	3.94	2.26	1.64	4.16	3.16	2.93
Quarter	1	4.81	5.20	4.43	12.40	3.97	4.48	4.32	3.96
	2	4.28	4.73	3.84	10.64	2.27	3.85	3.93	5.10
	3	5.25	5.44	5.07	13.58	3.04	5.90	3.71	4.21
	4	4.01	3.94	4.08	10.43	2.60	4.00	3.07	4.03
Full year 95		4.59	4.82	4.36	11.75	2.94	4.56	3.74	4.34
Episodes		849	438	411	138	71	362	159	119
Person Wks		18512967	9080316	9432651	1173977	2411352	7936904	4246060	2744674

MEAN WEEKLY INCIDENCE DATA FOR ICD CODE E950-E959

SUICIDE (INCLUDING ATTEMPTED SUICIDE)
+ SELF INFLICTED INJURY

		Male and Female	Male All ages	Female All ages	Ages 0-4	Ages 5-14	Ages 15-44	Ages 45-64	Ages 65+
4 weekly period	1	1.65	1.38	1.92	1.17	0.00	2.10	2.31	1.02
	2	2.17	2.13	2.20	0.00	0.00	4.00	1.64	0.51
	3	1.53	0.82	2.22	0.00	1.24	2.64	0.70	0.54
	4	1.68	1.64	1.72	0.00	0.56	2.90	0.95	0.98
	5	1.18	0.71	1.64	0.00	0.00	2.12	1.20	0.00
	6	1.84	2.41	1.29	0.00	0.50	2.91	2.00	0.44
	7	2.33	2.45	2.22	0.00	1.02	3.74	1.75	1.34
	8	2.75	2.33	3.16	0.00	0.51	4.86	2.34	0.45
	9	1.66	1.90	1.44	0.00	1.02	2.49	1.73	0.45
	10	1.52	1.13	1.90	0.00	1.60	2.43	1.20	0.00
	11	2.11	1.11	3.07	0.00	0.52	3.96	1.48	0.00
	12	2.17	1.10	3.19	0.00	0.00	3.78	1.19	1.84
	13	1.22	0.88	1.55	0.00	0.00	2.49	0.63	0.00
Quarter	1	1.78	1.43	2.12	0.36	0.36	3.01	1.44	0.63
	2	1.73	1.81	1.65	0.00	0.49	2.86	1.55	0.57
	3	1.98	1.87	2.09	0.00	0.96	3.12	1.90	0.56
	4	1.87	1.08	2.62	0.00	0.32	3.50	1.02	0.58
Full year 95		1.84	1.55	2.12	0.09	0.54	3.12	1.48	0.58
Episodes		341	141	200	1	13	248	63	16
Person Wks		18512967	9080316	9432651	1173977	2411352	7936904	4246060	2744674