


# Publisher's Note: "Chemical and hydrodynamic alignment of an enzyme" [J. Chem. Phys. 150, 115102 (2019)]

Cite as: J. Chem. Phys. 150, 159903 (2019); <https://doi.org/10.1063/1.5097948>  
Submitted: 29 March 2019 . Published Online: 19 April 2019

T. Adeleke-Larodo, J. Agudo-Canalejo , and R. Golestanian



View Online



Export Citation



CrossMark

## ARTICLES YOU MAY BE INTERESTED IN

### [Chemical and hydrodynamic alignment of an enzyme](#)

The Journal of Chemical Physics 150, 115102 (2019); <https://doi.org/10.1063/1.5081717>

### [A new class of reaction path based potential energy surfaces enabling accurate black box chemical rate constant calculations](#)

The Journal of Chemical Physics 150, 154105 (2019); <https://doi.org/10.1063/1.5092589>

### [Erratum: "On the solvation of the phosphocholine headgroup in an aqueous propylene glycol solution" \[J. Chem. Phys. 148, 135102 \(2018\)\]](#)

The Journal of Chemical Physics 150, 159901 (2019); <https://doi.org/10.1063/1.5091595>

## Lock-in Amplifiers up to 600 MHz

starting at

\$6,210



 Zurich  
Instruments

Watch the Video



# Publisher's Note: "Chemical and hydrodynamic alignment of an enzyme" [J. Chem. Phys. 150, 115102 (2019)]

Cite as: J. Chem. Phys. 150, 159903 (2019); doi: 10.1063/1.5097948

Submitted: 29 March 2019 • Published Online: 19 April 2019



View Online



Export Citation



CrossMark

T. Adeleke-Larodo,<sup>1,a)</sup> J. Agudo-Canalejo,<sup>1,2,b)</sup>  and R. Golestanian<sup>1,3,c)</sup>

## AFFILIATIONS

<sup>1</sup>Rudolf Peierls Centre for Theoretical Physics, University of Oxford, Oxford OX1 3PU, United Kingdom

<sup>2</sup>Department of Chemistry, The Pennsylvania State University, University Park, Pennsylvania 16802, USA

<sup>3</sup>Max Planck Institute for Dynamics and Self-Organization (MPIDS), Am Fassberg 17, D-37077 Göttingen, Germany

<sup>a)</sup>Electronic mail: [tunrayo.adeleke-larodo@physics.ox.ac.uk](mailto:tunrayo.adeleke-larodo@physics.ox.ac.uk).

<sup>b)</sup>Electronic mail: [jaime.agudocanalejo@physics.ox.ac.uk](mailto:jaime.agudocanalejo@physics.ox.ac.uk).

<sup>c)</sup>Electronic mail: [ramin.golestanian@ds.mpg.de](mailto:ramin.golestanian@ds.mpg.de).

<https://doi.org/10.1063/1.5097948>

This article was originally published online and in print on 18 March 2019 without the parts of Fig. 2 labeled. Also, in the last term of Eq. (21), the denominator should be  $3D^r$  instead of  $D^r$ ; and the  $\nu$  superscripts in  $\mu_I$  and  $\mu_D$  should be "v." All online versions of the article were corrected on 20 March 2019. Equation (21) appears correctly here:

$$\begin{aligned}\mu^{\text{eff}} &= \frac{k_B T}{\eta} \frac{(A_1 + A_2)}{2} - \frac{k_B T}{3\eta} \frac{\langle \Gamma_I / l \rangle}{\langle W_I / l^2 \rangle} \left[ \left\langle \frac{1}{l} \right\rangle (A_2 - A_1) \right. \\ &\quad \left. + \frac{1}{3} \left\langle \frac{1}{l^4} \right\rangle \left( a_2^3 B_2 - a_1^3 B_1 + \frac{3}{2} (a_1^3 A_2 - a_2^3 A_1) \right) \right] \\ &= \mu_I^v + \frac{1}{3} \mu_D^v - \frac{2D^c}{3D^r} \mu^w.\end{aligned}\quad (21)$$