

Title: Genomic evidence for the Holocene co-dispersal of dogs and humans across Eastern Eurasia

Authors: Shao-Jie Zhang^{1,2,3†}, Lachie Scarsbrook^{4,5†}, Haoran Li^{6†}, Alberto Carmagnini^{4,7}, Sophy Charlton^{5,8}, Tatiana Feuerborn^{9,10}, Gennady Boeskorov¹¹, Guoke Chen¹², Jean-Marc Deom¹³, Evangelos A. Dimopoulos^{5,14}, Keith Dobney^{15,16}, Jiajia Dong⁶, Linyao Du⁶, Anders Johannes Hansen^{9,17}, Alex Harris¹⁰, Germán Hernández-Alonso¹⁸, Xin Jia^{19,20}, Gui-Mei Li¹, Ruli Li²³, Anna Linderholm^{5,24}, Alan Outram²⁵, Menghan Qiu⁶, Lele Ren²⁶, Qiurong Ruan²⁷, Renato Sala¹³, Alexander Stepanov²⁸, Yonggang Sun²⁹, Kristina Tabbada⁵, Olaf Thalmann⁴, Victor Varfolomeev³⁰, Lu Wang²³, Qianqian Wang³¹, Shan Wang¹², Wenyu Wei⁶, Yishi Yang¹², Jiangxian Yin²³, Viktor Zaibert³², Zhixiong Zhang⁶, Guanghui Dong^{33,6,34}, Erika Rosengren^{35,36}, Mikkel-Holger S Sinding^{37,38}, Elaine A. Ostrander¹⁰, Greger Larson⁵, Minmin Ma^{6,34*}, Laurent A.F. Frantz^{4,7*}, Guo-Dong Wang^{1,2,3*}

† These authors contributed equally

*Corresponding authors. Email: mamm@lzu.edu.cn, laurent.frantz@lmu.de and wanggd@mail.kiz.ac.cn

Affiliations:

1State Key Laboratory of Genetic Evolution and Animal Models, Kunming Institute of Zoology, Chinese Academy of Sciences, Kunming, China.

2Kunming College of Life Science, University of Chinese Academy of Sciences, Kunming, China.

3Yunnan Key Laboratory of Molecular Biology of Domestic Animals and Genome Center of Biodiversity, Chinese Academy of Sciences, Kunming, Yunnan, China.

4Palaeogenomics Group, Institute of Palaeoanatomy, Domestication Research and the History of Veterinary Medicine, Ludwig-Maximilians-Universität München, Munich, Germany.

5Palaeogenomics and Bio-Archaeology Research Network, School of Archaeology, University of Oxford, Oxford, UK.

6MOE Key Laboratory of Western China's Environmental Systems, College of Earth and Environmental Sciences, Lanzhou University, Lanzhou, China.

7School of Biological and Behavioural Sciences, Queen Mary University of London, London, UK.

8BioArCh, Department of Archaeology, University of York, York, UK.

9Centre for Hologenomics, Globe Institute, University of Copenhagen, Copenhagen, Denmark.

10National Human Genome Research Institute, National Institutes of Health, Bethesda MD, USA.

11Diamond and Precious Metals Geology Institute, Siberian Branch, Russian Academy of Sciences, Yakutsk, Russia.

- 12Gansu Provincial Institute of Cultural Relics and Archaeology, Lanzhou, China.
- 13Institute of Archaeology and Anthropology, Al-Farabi Kazakh National University, Almaty, Kazakhstan
- 14Department of Veterinary Medicine, University of Cambridge, Cambridge, UK.
- 5 15Department of Archaeology, Classics and Egyptology, University of Liverpool, Liverpool, UK.
- 16Department of Archaeology, University of Aberdeen, Aberdeen, UK.
- 17Centre for Geogenetics, Globe Institute, University of Copenhagen, Copenhagen, Denmark.
- 10 18Human Evolution, Department of Organismal Biology, Uppsala University, Uppsala, Sweden.
- 19School of Geography, Nanjing Normal University, Nanjing, China.
- 20Institute of Environmental Archaeology, Nanjing Normal University, Nanjing, China.
- 21Department of Genetics, Harvard Medical School, Boston, MA, USA.
- 15 22Department of Anthropology, Harvard University, Cambridge, MA, USA.
- 23State Key Laboratory for Conservation and Utilization of Bio-resource in Yunnan, Yunnan University, Kunming, China.
- 24Centre for Palaeogenetics, Stockholm University, Stockholm, Sweden.
- 25Department of Archaeology and History, University of Exeter, Exeter, UK.
- 20 26School of History and Culture, Lanzhou University, Lanzhou, China.
- 27Xinjiang Institute of Cultural Relics and Archaeology, Urumqi, China.
- 28Institute of Archaeology and Ethnography, Siberian Branch of the Russian Academy of Sciences (Novosibirsk, Russia), The Yakut Complex Laboratory of Archeology of the Far North (ArcheoFarN), Novosibirsk, Russia.
- 25 29School of History and Culture, Chifeng University, Chifeng, Inner Mongolia Autonomous Region, China.
- 30Buketov Karaganda State University, Karaganda, Kazakhstan.
- 31Qinghai Provincial Institute of Cultural Relics and Archaeology, Xining, China.
- 32Institute of Archaeology and Steppe Civilizations, Al-Farabi Kazakh National University, Almaty, Kazakhstan.
- 30 33State Key Laboratory of Loess Science, Institute of Earth Environment, Chinese Academy of Sciences, Xi'an, China.
- 34School of Geography and Tourism, Zhaotong University, Zhaotong, China.
- 35Department of Archaeology and Ancient History, Lund University, Lund, Sweden.
- 35 36Lund University Historical Museum, Lund, Sweden.
- 37Department of Birds of Mammals, Greenland Institute of Natural Resources, Nuuk, Greenland.

38Center for Evolutionary Hologenomics, Globe Institute, University of Copenhagen,
Copenhagen, Denmark.

Abstract: As the first domestic species, dogs likely dispersed with different cultural groups during the Late Pleistocene and Holocene. To test this hypothesis, we analyzed 73 ancient dog genomes, including 17 newly sequenced individuals spanning nearly 10,000 years sampled from East Asia to the West Eurasian Steppe. Our results identify correlations between the ancestry of dogs and specific ancient human populations from Eastern Europe to Eastern Siberia, including Ancient Palaeo-Siberians, Eastern Hunter-Gatherers, East Asians, and Steppe pastoralists. We also identify multiple shifts in the ancestry of dogs that coincide with specific dispersals of hunter-gatherers, farmers, and pastoralists. Combined, our results reveal the long-term and integral role that dogs played in a multitude of human societies.

Main Text:

Introduction

5 While the timing and location of dog domestication remains elusive, genomic evidence indicates that dogs were present in Europe (~11,000 years calibrated before present (yBP) (1, 2)), and in Eastern Siberia (~10,000 yBP (3)), during the Early Holocene. These dates, however, represent a minimum estimate for the emergence of domestic dogs. In fact, recent work indicates that major dog lineages, including Eastern (East Asian and Arctic) and Western (Europe and Near East) dog lineages likely already diversified during the Pleistocene, over 20,000 years ago (1, 4, 5). Given their early diversification and the different roles they played in past societies, it is likely that specific lineages of dogs formed part of the material, cultural and biological package that was disseminated during human migrations.

15 Recent analysis of genomes from Central and East Asia has revealed significant shifts in human ancestry linked to the spread of agriculture during the Neolithic and metalworking Bronze Age (6–8). Whether these cultures acquired dogs locally or migrated with specific dog lineages during these transformative societal and cultural shifts, however, is unknown. To address this, we sequenced and analyzed 17 ancient dog genomes (median depth 0.53X; 0.01–5.37X) dated to between 9,700–870 yBP from Siberia, East Asia and the Central Eurasian Steppe (Fig. 1A-B, S1; Table S1).

20 These archaeological sites, located in Eastern Siberia, Central Asia's mid-latitude grassland and arid regions, and across the Hexi Corridor in Northwest China, experienced important shifts in both human ancestry, and material culture during the Holocene (6, 8, 9). We co-analysed this data with 57 publicly available ancient dog genomes (median depth 1.8X; 0.01–28.0X; Table S1) (1–3, 10–12), as well as 160 publicly available modern domestic dog genomes which capture the extent of contemporary global dog diversity (Table S2), and 18 ancient human genomes (Table S3).

Early Holocene population structure in East Siberia

30 Genomic analyses of ancient humans from the Early Holocene (~8,500 yBP) in the trans-Baikal region (east of Lake Baikal) revealed genetic connections to Ancient Paleo-Siberians, a population also identified in Kolyma on the northeast Siberian coast ~10,000 yBP (13, 14). To investigate if these patterns are mirrored in ancient dogs, we analyzed the genome of a ~9,700-year-old individual from Khatystyr Cave (Khatystyr1_9682: 1.3X) in Southeast Siberia (Aldan highlands, trans-Baikal; Figure 1A). Outgroup-f₃ statistics showed that the Khatystyr dog shared the most drift with the Northeast Siberia ~9,500 yBP Zhokhov dog (Zhokhov1_9515), which is contemporaneous with the Kolyma human (10,000 yBP; Supplementary Material; Fig. 1A).

35 A *qpAdm* analysis, incorporating the ancient Zhokhov dog, a ~6,900-year-old dog from the Lake Baikal region (Baikal_6900: 5.2X), a modern Australian dingo (representing East Asian dogs), and a ~5,800-year-old dog from Tepe Ghela Gap in Iran (TepeGhelaGap1_5826; representing Western dogs (1)), revealed that the Khatystyr dog's ancestry can be best modelled using the Zhokhov dog as the sole Eastern Eurasian source (Fig. S2; Table S5). This indicates a stronger genetic affinity with the contemporary, yet geographically distant, Zhokhov dog from an island off the coast of northeast Siberia, rather than the geographically closer, but ~2,000 years younger, Lake Baikal dogs (Fig. 1A&B).

This indicates that Zhokhov-like ancestry in dogs was associated with human populations possessing Ancient Paleo-Siberian-like ancestry, and that both dog and human ancestries extended all across Eastern Siberia, from Kolyma to the trans-Baikal region, in the Early Holocene. Our study, however, did not find evidence of Western dog ancestry in the Lake Baikal dogs (Fig. S3), which contradicts a previous study (2). This discrepancy is likely due to the higher coverage data generated in our current study (see Supplementary Material).

Early Bronze Age introduction of Arctic dog ancestry in China

Further south, ancient genomic data indicate that Early and Middle Neolithic human populations in present-day northern China possessed East Asian ancestry related to that of people living in China today (7). However, analyses of later human genomes identified an influx of Western ancestry via Siberia and the Steppe during the Late Neolithic and Early Bronze Age in the Hexi corridor and the Xinjiang province of Northwest China (6, 8, 9). We assessed whether this signal is mirrored in dogs by calculating pairwise shared-drift (outgroup-f3 statistics) between each dog in our dataset with ancient representatives of the Eastern (Zhokhov1_9515) and Western dog (TepeGhelaGap1_5826 from Iran) lineages (Figure 1).

Newly sequenced ancient dogs from China could be separated into four groups based on their amount of shared drift with the Eastern and Western dogs (Fig. 1C), as well as Principal Components (PC) Analysis (Fig. S4). The oldest group (yellow in Fig. 1A-C), which comprised dog genomes from the Gansu-Qinghai Region (Upper Yellow River), specifically the Late Neolithic site of Yabeili (Yabeili05_5035: 0.1X) and the Chalcolithic site of Jinchankou (Jinchankou03_3917: 1.7X, and Jinchankou04_3890: 0.1X; Qijia Culture, ~4,060–3,780 yBP), share a similar amount of drift with the Iranian dog (TepeGhelaGap1_5826) as present day Arctic and multiple south-east Asian dogs (Fig. 1A-C).

We used *qpWave* and *qpAdm* to test admixture models (for genomes >1x depth of coverage) with one to three ancestral sources: Arctic (Zhokhov1_9515 or Baikal_6900), East Asian (dingoes), and Western (TepeGhelaGap1_5826) (Supplementary Material; Fig. 3A, S2, S5; Table S7-8). We selected the simplest models, favouring nested models with the fewest sources that returned p-values exceeding 0.01. This showed that, except for the Khatystyr dog, the Baikal dog consistently provided a better fit for the Arctic ancestry than the Zhokhov dog and was thus used in all subsequent analyses.

Unlike most modern East Asian dog populations, our *qpAdm* modelling based on genomes with >1x depth (Fig. 3A; Table S7), as well as supervised *ADMIXTURE* analysis (15; Fig. S5), shows dogs from the Neolithic Yabeili and Chalcolithic Jinchankou cluster (yellow in Fig. 1A-C) did not possess any detectable levels of Western dog ancestry. D-statistics of the form D(Coyote, TepeGhelaGap1_5826; Dingo, Jinchankou/Yabeili) were, however, significantly negative for Jinchankou dogs ($|Z| = -5.0$ and -4.1 respectively; $p < 0.01$), but not for the Yabeili dog ($|Z| = 0.003$; $p = 1$; Fig. S6; Table S9). This discrepancy suggests that the Jinchankou dogs may possess low levels of Western dog ancestry, not detectable by *qpAdm*, which is further supported by the occurrence of the mitochondrial haplogroup C in dogs at the site, often associated with Western Eurasian dogs (16, 17). Analyses of Bronze Age human genomes from the Upper Yellow River Basin, as well as Early Neolithic humans from China, however, revealed that people possessed mostly East Asian ancestry, with Western ancestry absent until the arrival of Bronze Age Steppe pastoralists (9, 18, 19). The potential Western dog ancestry detected in the Chalcolithic at Jinchankou may therefore reflect the start of this expansion into East Asia.

Before the arrival of Western Eurasian ancestry, Qijia Culture humans of the Gansu-Qinghai Region received an influx of Northeast Asian ancestry related to Neolithic people from the Baikal region (9, 18, 19). To assess whether this signal is mirrored in dogs, we tested for gene flow from the Baikal dog into the Yabeili and Jinchankou dogs (Fig. 1A). We computed D-statistics of the form $D(\text{Coyote, Baikal_6900; Dingo, Jinchankou/Yabeili})$, using dingo genomes which lack recent European introgression as representatives of East Asian ancestry (Fig. S6-7; Table S9-9). Both D-statistics yielded significant results ($|Z| > 3$; $p < 0.01$) (Fig. S7; Table S10). A *qpWave* analysis, however, could not reject a single-source dingo ancestry model for the Yabeili dog. This discrepancy suggests a small Arctic dog contribution by the Late Neolithic (~5,000 yBP), insufficient for *qpWave* to reject a single source, possibly due to the Yabeili individual's low coverage.

We could, however, reject a single source model for the Chalcolithic Jinchankou dog with $>1x$ depth of coverage (Jinchankou03_3917). A *qpAdm* analysis indicated that this individual possessed between ~38-45% Arctic (Baikal_6900) and 55-62% East Asian (modern dingo) ancestry (Fig. 3A; Table S7). Significantly positive D-statistics of the form $D(\text{Coyote, Baikal_6900, Dingo, Jinchankou})$ ($p < 0.01$, Fig. S7; Table S10) further supported this result. Given the Baikal dog originated from a context where humans possess Northeast Asian ancestry (Supplementary Material; Fig. 4), our results indicate that the movement of people with Northeast Asian ancestry into Northern China during the Early Bronze Age was likely accompanied by a concomitant shift in local dog ancestry.

Western ancestry in Steppe dogs prior to the Bronze Age

The Bronze Age Steppe also witnessed major population shifts, as earlier groups (e.g., Eneolithic Botai, ~5,500–5,000 yBP), primarily of Eastern Hunter-Gatherer and Northeast Asian ancestry, were partially replaced by people with Iranian Neolithic farmer and Caucasus Hunter-Gatherer related ancestry (8). To assess if this is mirrored in dogs, we analyzed a ~5,200-year-old Eneolithic dog from Botai in Kazakhstan (Botai3_5169: 4.2X; Figure 1), which predates this human ancestry influx (8).

Both *qpAdm* and *F4-ratio* indicated that the ancestry of the Botai dog could be modelled as ~75% Arctic (Baikal_6900), and 25% Western (TepeGhelaGap_5826; Fig. 3A, S9; Table S7, S11). Outgroup- f_3 statistics showed that the Botai dog shared more affinity with the Zhokhov dog than with the Tepe Ghela Gap dog (Fig. 1C; Table S4), and D-statistics of the form $D(\text{Coyote, TepeGhelaGap_5826; Botai_5169, Zhokhov_9515})$ and $D(\text{Coyote, TepeGhelaGap_5826; Botai_5169, Baikal_6900})$ were both significant ($Z = -5.9$ and -9.9 respectively; $p < 0.01$), confirming the *qpAdm/F4-ratio* results.

To address whether Western ancestry increased in Steppe dogs during the Bronze Age, we analyzed two previously published dog genomes from the Late Bronze Age Srubnaya Culture (~3,800–3,200 yBP; Ishkinino1_3275 and Samara_3800; Fig. 1A-B) and a newly sequenced genome from a ~3,200-year-old dog from the later Begazy–Dandybai Culture (Kent1_3150: 0.1X; Fig. 1A-B). Dogs from Ishkinino and Samara were best modelled as possessing over ~60% Western ancestry, ~25% East Asian ancestry, and ~15% Arctic ancestry (Fig. 3A; Table S7; Fig S5). Despite being further East, the slightly later dog from Kent lacked East Asian ancestry, and was instead best modelled as possessing ~70% Western ancestry and ~30% Arctic (Fig. 3A; Table S7; Fig S5). High levels of Western Eurasian ancestry in Steppe dogs persisted until at

least 1,000 yBP, as demonstrated by a medieval dog from Bolgar (Bolgar1_1000) with ~70% Western ancestry and ~30% Arctic ancestry (Fig. 3A; Table S7).

The fact that the Botai dog possessed Western dog ancestry demonstrates that its arrival predates the arrival of Iranian Farmer and Caucasian Hunter-Gatherer human ancestry in the region during the Bronze Age (8). Interestingly, Eastern Hunter-Gatherer ancestry, prevalent in Eneolithic Botai humans, is also found in humans from Eastern Europe's Veretye Culture (20–22), whose 10,900 yBP dogs also show both Western and Eastern (Arctic) ancestry (2). Outgroup-f3 statistics showed a closed genetic similarity between the Botai and Veretye dogs (Veretye1_10930; Fig. 2B; Table S4), and, our *qpAdm* analysis showed that the ancestry of the Veretye dogs was similar to that of Botai (i.e. ~65–75% Arctic and ~35–25% Western; Fig. 3A; Table S7). This suggests that dogs accompanying Eastern Hunter-Gatherer human populations across Eurasia (10,000–5,500 yBP) had similar genetic makeup. The Western ancestry in the Botai dog thus likely originated from connections with Eastern Hunter-Gatherer populations from Eastern Europe, while later Bronze Age Western ancestry stemmed from dogs accompanying people with Iranian farmer and Caucasian Hunter-Gatherer ancestry (8).

Bronze Age introduction of Western dog ancestry in Northwest China

Analyses of ancient human genomes from East Asia also showed an influx of Western ancestry during the Late Bronze Age (~3,300 yBP), likely driven by the expansion of Western Steppe pastoralists into the region (6, 23, 24). Previous mtDNA studies suggested Western dog ancestry also arrived in China by the Bronze Age, based on the detection of haplogroup C in two ~4,000 yBP dogs at Jinchankou (16, 17). Using mitochondrial haplogroups as ancestry proxies in dogs, however, is challenging, as early Western dog populations, including the ~11,000-year-old Veretye dogs, possess both Eastern-prevalent A and Western-prevalent C haplogroups (1, 2).

F4-ratio (Fig. S9) and *qpAdm* (Fig. 3A, S2) modelling indicated that a Late Bronze Age (~3,300 yBP) dog from Jirentaigoukou (Jirentaigoukou02_3300: 0.1X), situated at the eastern margin of the Eurasian steppe in Xinjiang, possessed ~50% Western ancestry and ~50% East Asian ancestry, similar to other Bronze Age Steppe pastoralist dogs (i.e. Ishkinino1_3275 and Samara_3800; Fig. 3A). Genomic analyses showed that people from Jirentaigoukou derived most of their ancestry from Western Steppe pastoralists (Andronovo/Sintashta lineage, ~3,300–3,100 yBP; (25)). Combined, our results indicate that the Western ancestry in dogs from the Eastern Steppe and Xinjiang (6, 25), was mediated by the expansion of Western Steppe pastoralists toward the East during the Bronze Age.

To the east of Jirentaigoukou, in the Hexi Corridor, ancient dogs from the Early Bronze Age sites of Haizang (Haizang05_3774: 0.1X, Haizang06_3676: 0.7X, and Haizang07_3772: 0.02X, Middle Period of the Qijia Culture, ~3800–3550 yBP), and Huoshiliang (Huoshiliang09_3787: 1.7X, Huoshiliang10_3779: 1.1X, Huoshiliang11_3917: 5.4X, Xichengyi Culture, ~4070–3650 yBP), also possessed ~15–35% Western ancestry based on *F4-ratio* (Fig. S9; Table S12), *qpADM* (Fig. 3A, S2; Table S7), supervised ADMIXTURE (Fig S5) and D-statistics of the form D(Coyote, TepeGhelaGap1_5826, Haizang/Huoshiliang, Dingo) (Fig. S6; Table S9, S13).

An *AdmixtureBayes* analysis (26), based on genomes with >1x depth of coverage, also modelled the Huoshiliang dogs as a mixture between Western (related to Botai dogs) and East Asian ancestry with high support (>99% probability; Fig. 3B, S10). These findings indicate that the Western Eurasian component in East Asia was disseminated via the Steppe, reaching Gansu Province (i.e. Huoshiliang and Haizang) by at least 3,900 yBP, during the Bronze Age.

Admixture dating using *DATES* (31), indicates that the Western dog ancestry was introduced in the region between ~3,800–4,000 years ago (Supplementary Methods; Fig. S11-12; Table S14).

In contrast to Huoshiliang and Haizang (Fig. 1A), the dog from Jinchankou (Fig. 3A), situated a few hundred kilometres eastward, exhibited no detectable levels Western ancestry based on *ADMIXTURE*, *AdmixtureBayes* and *qpAdm* (Fig. 3A-B, Fig. S2, S10, S15). This result suggests that the dispersal of Western dog ancestry during the Bronze Age was not a homogeneous event throughout the area. Eventually, Western dog ancestry in ancient East Asia reached ~40% in two ~850-year-old dogs from the Liao Dynasty (1034–825 yBP; Bayantala12_847: 0.1X, and Bayantala13_859: 0.02X) in Inner Mongolia (Bayantala), similar to present-day Northern Chinese dogs (Fig. 3A). Our *qpAdm* models, however, exhibited poor fit for Liao Dynasty and modern Asian dogs (Fig 3A), suggesting additional, unmodeled ancestral contribution(s) within the last 850 years to East Asian dogs.

Concordance and discrepancies between human and dog ancestry in Asia

Analyses of our newly generated ancient dog genomes from Asia show generally strong concordance between Eastern and Western Eurasian ancestry in dogs and humans. Eastern human populations like Ancient Palaeo-Siberians, Northeast Asians, and East Asians were associated with dogs of East Asian or Arctic ancestry, and Western human populations such as Iranian farmers/Caucasian Hunter-Gatherer, and Steppe pastoralists were associated with the Western Eurasian dog lineage (Fig. 4). Interestingly, however, Eastern Hunter-Gatherers from Veretye and Botai, who are genetically closer to Western Eurasian humans than to Eastern Eurasians, were associated with dogs that possess largely Eastern ancestry (i.e., Arctic dogs; Fig. 3A). To visualise this discrepancy, we aligned PC analysis built from 18 human and 18 dog ancient genome data from similar locations and time periods (Fig. 4; Supplementary Material) using Procrustes transformation.

These analyses indicate concordance between the two species, where PC1 differentiated both dogs and humans based on their Western and Eastern ancestries (Fig. 4C). PC2 separated both people and dogs roughly based on the latitude. Specifically, Eastern Hunter-Gatherers were separated from Iranian farmers/Caucasian Hunter-Gatherers along PC2, and Ancient Palaeo-Siberians were separated from Northeast Asians and East Asians (Fig. 4C). Similarly, East Asian and Arctic dogs are differentiated along PC2.

These analyses, however, highlighted several discrepancies. Firstly, while Eastern Hunter-Gatherers align more closely to Iranian farmers and Caucasian Hunter-Gatherers on PC1, dogs from the same context (i.e. Veretye and Botai) are shifted toward other Eastern (i.e., Arctic) dogs. Secondly, while ~7,000-year-old Northeast Asians from Lake Baikal align with East Asians on PC2, as expected (8), dogs from the same context are plotted with Arctic dogs from Khatystyr Cave and Zhokhov Island, located further north (Fig. 4C). This pattern suggests major population splits in both dogs and humans were not concurrent events, and/or that dogs, particularly those of Arctic ancestry, were likely exchanged between human communities of hunter gatherers in Northern Eurasia possessing different ancestries.

Conclusions

Our results show that the shifts in dog ancestry across the Eurasian Steppe, East Asia, and Eastern Siberia often correlate temporally and spatially with migrations of hunter-gatherer, farming, and pastoralist communities. Dogs therefore likely dispersed alongside diverse cultural

groups with varying subsistence strategies and ancestries, which suggest that they played a role in a multitude of human societies. Our analyses also highlighted some discrepancies between the population splits of dogs and humans, suggesting that Early Holocene communities of hunter-gatherers in Northern Eurasia, possessing different ancestry, likely also exchanged dogs.

5 Co-dispersal of humans and domestic animals has been documented in other species, including livestock, which facilitated the establishment of agricultural communities (27), and horses, which significantly altered human mobility (28). Co-analysis of ancient animal and human genomes provides the opportunity to investigate co-dispersal events at the community level, rather than at the single-species level. This approach has the potential to transform our understanding of
10 human-animal interactions in the past and the roles that specific species played within past societies.

References and Notes

1. A. Bergström, L. Frantz, R. Schmidt, E. Ersmark, O. Lebrasseur, L. Girdland-Flink, A. T. Lin, J. Storå, K.-G. Sjögren, D. Anthony, E. Antipina, S. Amiri, G. Bar-Oz, V. I. Bazaliiskii, J. Bulatović, D. Brown, A. Carmagnini, T. Davy, S. Fedorov, I. Fiore, D. Fulton, M. Germonpré, J. Haile, E. K. Irving-Pease, A. Jamieson, L. Janssens, I. Kirillova, L. K. Horwitz, J. Kuzmanovic-Cvetković, Y. Kuzmin, R. J. Losey, D. L. Dizdar, M. Mashkour, M. Novak, V. Onar, D. Orton, M. Pasarić, M. Radivojević, D. Rajković, B. Roberts, H. Ryan, M. Sablin, F. Shidlovskiy, I. Stojanović, A. Tagliacozzo, K. Trantalidou, I. Ullén, A. Villaluenga, P. Wapnish, K. Dobney, A. Götherström, A. Linderholm, L. Dalén, R. Pinhasi, G. Larson, P. Skoglund, Origins and genetic legacy of prehistoric dogs. *Science* **370**, 557–564 (2020).
2. T. R. Feuerborn, A. Carmagnini, R. J. Losey, T. Nomokonova, A. Askeyev, I. Askeyev, O. Askeyev, E. E. Antipina, M. Appelt, O. P. Bachura, F. Beglane, D. G. Bradley, K. G. Daly, S. Gopalakrishnan, K. Murphy Gregersen, C. Guo, A. V. Gusev, C. Jones, P. A. Kosintsev, Y. V. Kuzmin, V. Mattiangeli, A. R. Perri, A. V. Plekhanov, J. Ramos-Madriral, A. L. Schmidt, D. Shaymuratova, O. Smith, L. V. Yavorskaya, G. Zhang, E. Willerslev, M. Meldgaard, M. T. P. Gilbert, G. Larson, L. Dalén, A. J. Hansen, M.-H. S. Sinding, L. Frantz, Modern Siberian dog ancestry was shaped by several thousand years of Eurasian-wide trade and human dispersal. *Proc. Natl. Acad. Sci. U. S. A.* **118**, e2100338118 (2021).
3. M.-H. S. Sinding, S. Gopalakrishnan, J. Ramos-Madriral, M. de Manuel, V. V. Pitulko, L. Kuderna, T. R. Feuerborn, L. A. F. Frantz, F. G. Vieira, J. Niemann, J. A. Samaniego Castruita, C. Carøe, E. U. Andersen-Ranberg, P. D. Jordan, E. Y. Pavlova, P. A. Nikolskiy, A. K. Kasparov, V. V. Ivanova, E. Willerslev, P. Skoglund, M. Fredholm, S. E. Wennerberg, M. P. Heide-Jørgensen, R. Dietz, C. Sonne, M. Meldgaard, L. Dalén, G. Larson, B. Petersen, T. Sicheritz-Pontén, L. Bachmann, Ø. Wiig, T. Marques-Bonet, A. J. Hansen, M. T. P. Gilbert, Arctic-adapted dogs emerged at the Pleistocene–Holocene transition. *Science* **368**, 1495–1499 (2020).
4. T. R. Feuerborn, A. Carmagnini, R. J. Losey, T. Nomokonova, A. Askeyev, I. Askeyev, O. Askeyev, E. E. Antipina, M. Appelt, O. P. Bachura, F. Beglane, D. G. Bradley, K. G. Daly, S. Gopalakrishnan, K. Murphy Gregersen, C. Guo, A. V. Gusev, C. Jones, P. A. Kosintsev, Y. V. Kuzmin, V. Mattiangeli, A. R. Perri, A. V. Plekhanov, J. Ramos-Madriral, A. L. Schmidt, D. Shaymuratova, O. Smith, L. V. Yavorskaya, G. Zhang, E. Willerslev, M. Meldgaard, M. T. P.

Gilbert, G. Larson, L. Dalén, A. J. Hansen, M.-H. S. Sinding, L. Frantz, Modern Siberian dog ancestry was shaped by several thousand years of Eurasian-wide trade and human dispersal. *Proc. Natl. Acad. Sci. U. S. A.* **118** (2021).

5. A. Bergström, D. W. G. Stanton, U. H. Taron, L. Frantz, M.-H. S. Sinding, E. Ersmark, S. Pfrengle, M. Cassatt-Johnstone, O. Lebrasseur, L. Girdland-Flink, D. M. Fernandes, M. Ollivier, L. Speidel, S. Gopalakrishnan, M. V. Westbury, J. Ramos-Madrigal, T. R. Feuerborn, E. Reiter, J. Gretzinger, S. C. Münzel, P. Swali, N. J. Conard, C. Carøe, J. Haile, A. Linderholm, S. Androsov, I. Barnes, C. Baumann, N. Benecke, H. Bocherens, S. Brace, R. F. Carden, D. G. Drucker, S. Fedorov, M. Gasparik, M. Germonpré, S. Grigoriev, P. Groves, S. T. Hertwig, V. V. Ivanova, L. Janssens, R. P. Jennings, A. K. Kasparov, I. V. Kirillova, I. Kurmaniyazov, Y. V. Kuzmin, P. A. Kosintsev, M. Lázničková-Galetová, C. Leduc, P. Nikolskiy, M. Nussbaumer, C. O’Drisceoil, L. Orlando, A. Outram, E. Y. Pavlova, A. R. Perri, M. Pilot, V. V. Pitulko, V. V. Plotnikov, A. V. Protopopov, A. Rehazek, M. Sablin, A. Seguin-Orlando, J. Storå, C. Verjux, V. F. Zaibert, G. Zazula, P. Crombé, A. J. Hansen, E. Willerslev, J. A. Leonard, A. Götherström, R. Pinhasi, V. J. Schuenemann, M. Hofreiter, M. T. P. Gilbert, B. Shapiro, G. Larson, J. Krause, L. Dalén, P. Skoglund, Grey wolf genomic history reveals a dual ancestry of dogs. *Nature* **607**, 313–320 (2022).
6. V. Kumar, W. Wang, J. Zhang, Y. Wang, Q. Ruan, J. Yu, X. Wu, X. Hu, X. Wu, W. Guo, B. Wang, A. Niyazi, E. Lv, Z. Tang, P. Cao, F. Liu, Q. Dai, R. Yang, X. Feng, W. Ping, L. Zhang, M. Zhang, W. Hou, Y. Liu, E. A. Bennett, Q. Fu, Bronze and Iron Age population movements underlie Xinjiang population history. *Science* **376**, 62–69 (2022).
7. M. A. Yang, X. Fan, B. Sun, C. Chen, J. Lang, Y.-C. Ko, C.-H. Tsang, H. Chiu, T. Wang, Q. Bao, X. Wu, M. Hajdinjak, A. M.-S. Ko, M. Ding, P. Cao, R. Yang, F. Liu, B. Nickel, Q. Dai, X. Feng, L. Zhang, C. Sun, C. Ning, W. Zeng, Y. Zhao, M. Zhang, X. Gao, Y. Cui, D. Reich, M. Stoneking, Q. Fu, Ancient DNA indicates human population shifts and admixture in northern and southern China. *Science* **369**, 282–288 (2020).
8. P. de Barros Damgaard, R. Martiniano, J. Kamm, J. V. Moreno-Mayar, G. Kroonen, M. Peyrot, G. Barjamovic, S. Rasmussen, C. Zacho, N. Baimukhanov, V. Zaibert, V. Merz, A. Biddanda, I. Merz, V. Loman, V. Evdokimov, E. Usmanova, B. Hemphill, A. Seguin-Orlando, F. E. Yediay, I. Ullah, K.-G. Sjögren, K. H. Iversen, J. Choin, C. de la Fuente, M. Ilardo, H. Schroeder, V. Moiseyev, A. Gromov, A. Polyakov, S. Omura, S. Y. Senyurt, H. Ahmad, C. McKenzie, A. Margaryan, A. Hameed, A. Samad, N. Gul, M. H. Khokhar, O. I. Goriunova, V. I. Bazaliiskii, J. Novembre, A. W. Weber, L. Orlando, M. E. Allentoft, R. Nielsen, K. Kristiansen, M. Sikora, A. K. Outram, R. Durbin, E. Willerslev, The first horse herders and the impact of early Bronze Age steppe expansions into Asia. *Science* **360** (2018).
9. J. Xiong, R. Wang, G. Chen, Y. Yang, P. Du, H. Meng, M. Ma, E. Allen, L. Tao, H. Wang, L. Jin, C.-C. Wang, S. Wen, Inferring the demographic history of Hexi Corridor over the past two millennia from ancient genomes. *Sci Bull (Beijing)* **69**, 606–611 (2024).
10. L. R. Botigué, S. Song, A. Scheu, S. Gopalan, A. L. Pendleton, M. Oetjens, A. M. Taravella, T. Seregély, A. Zeeb-Lanz, R.-M. Arbogast, D. Bobo, K. Daly, M. Unterländer, J. Burger, J. M. Kidd, K. R. Veeramah, Ancient European dog genomes reveal continuity since the Early Neolithic. *Nat. Commun.* **8**, 16082 (2017).

11. L. A. F. Frantz, V. E. Mullin, M. Pionnier-Capitan, O. Lebrasseur, M. Ollivier, A. Perri, A. Linderholm, V. Mattiangeli, M. D. Teasdale, E. A. Dimopoulos, A. Tresset, M. Duffraisse, F. McCormick, L. Bartosiewicz, E. Gál, É. A. Nyerges, M. V. Sablin, S. Bréhard, M. Mashkour, A. Bălăşescu, B. Gillet, S. Hughes, O. Chassaing, C. Hitte, J.-D. Vigne, K. Dobney, C. Hänni, D. G. Bradley, G. Larson, Genomic and archaeological evidence suggest a dual origin of domestic dogs. *Science* **352**, 1228–1231 (2016).
12. M. Ní Leathlobhair, A. R. Perri, E. K. Irving-Pease, K. E. Witt, A. Linderholm, J. Haile, O. Lebrasseur, C. Ameen, J. Blick, A. R. Boyko, S. Brace, Y. N. Cortes, S. J. Crockford, A. Devault, E. A. Dimopoulos, M. Eldridge, J. Enk, S. Gopalakrishnan, K. Gori, V. Grimes, E. Guiry, A. J. Hansen, A. Hulme-Beaman, J. Johnson, A. Kitchen, A. K. Kasparov, Y.-M. Kwon, P. A. Nikolskiy, C. P. Lope, A. Manin, T. Martin, M. Meyer, K. N. Myers, M. Omura, J.-M. Rouillard, E. Y. Pavlova, P. Sciulli, M.-H. S. Sinding, A. Strakova, V. V. Ivanova, C. Widga, E. Willerslev, V. V. Pitulko, I. Barnes, M. T. P. Gilbert, K. M. Dobney, R. S. Malhi, E. P. Murchison, G. Larson, L. A. F. Frantz, The evolutionary history of dogs in the Americas. *Science* **361**, 81–85 (2018).
13. G. M. Kılınç, N. Kashuba, D. Koptekin, N. Bergfeldt, H. M. Dönertaş, R. Rodríguez-Varela, D. Shergin, G. Ivanov, D. Kichigin, K. Pestereva, D. Volkov, P. Mandryka, A. Kharinskii, A. Tishkin, E. Ineshin, E. Kovychev, A. Stepanov, L. Dalén, T. Günther, E. Kırđök, M. Jakobsson, M. Somel, M. Krzewińska, J. Storå, A. Götherström, Human population dynamics and *Yersinia pestis* in ancient northeast Asia. *Sci. Adv.* **7**, eabc4587 (2021).
14. M. Sikora, V. V. Pitulko, V. C. Sousa, M. E. Allentoft, L. Vinner, S. Rasmussen, A. Margaryan, P. de Barros Damgaard, C. de la Fuente, G. Renaud, M. A. Yang, Q. Fu, I. Dupanloup, K. Giampoudakis, D. Nogués-Bravo, C. Rahbek, G. Kroonen, M. Peyrot, H. McColl, S. V. Vasilyev, E. Veselovskaya, M. Gerasimova, E. Y. Pavlova, V. G. Chasnyk, P. A. Nikolskiy, A. V. Gromov, V. I. Khartanovich, V. Moiseyev, P. S. Grebenyuk, A. Y. Fedorchenko, A. I. Lebedintsev, S. B. Slobodin, B. A. Malyarchuk, R. Martiniano, M. Meldgaard, L. Arppe, J. U. Palo, T. Sundell, K. Mannermaa, M. Putkonen, V. Alexandersen, C. Primeau, N. Baimukhanov, R. S. Malhi, K.-G. Sjögren, K. Kristiansen, A. Wessman, A. Sajantila, M. M. Lahr, R. Durbin, R. Nielsen, D. J. Meltzer, L. Excoffier, E. Willerslev, The population history of northeastern Siberia since the Pleistocene. *Nature* **570**, 182–188 (2019).
15. D. H. Alexander, J. Novembre, K. Lange, Fast model-based estimation of ancestry in unrelated individuals. *Genome Res.* **19**, 1655–1664 (2009).
16. M. Zhang, Y. Song, C. Wang, G. Sun, L. Zhuang, M. Guo, L. Ren, S. Wangdue, G. Dong, Q. Dai, P. Cao, R. Yang, F. Liu, X. Feng, E. A. Bennett, X. Zhang, X. Chen, F. Wang, F. Luan, W. Dong, G. Lu, D. Hao, H. Hou, H. Wang, H. Qiao, Z. Wang, X. Hu, W. He, L. Xi, W. Wang, J. Shao, Z. Sun, L. Yue, Y. Ding, N. Tashi, Y. Tsho, Y. Tong, Y. Yang, S. Zhu, B. Miao, W. Wang, L. Zhang, S. Hu, X. Ni, Q. Fu, Ancient mitogenomes reveal the maternal genetic history of East Asian dogs. *Mol. Biol. Evol.* **41** (2024).
17. M. Zhang, G. Sun, L. Ren, H. Yuan, G. Dong, L. Zhang, F. Liu, P. Cao, A. M.-S. Ko, M. A. Yang, S. Hu, G.-D. Wang, Q. Fu, Ancient DNA Evidence from China Reveals the Expansion of Pacific Dogs. *Mol. Biol. Evol.* **37**, 1462–1469 (2020).

18. C. Ning, T. Li, K. Wang, F. Zhang, T. Li, X. Wu, S. Gao, Q. Zhang, H. Zhang, M. J. Hudson, G. Dong, S. Wu, Y. Fang, C. Liu, C. Feng, W. Li, T. Han, R. Li, J. Wei, Y. Zhu, Y. Zhou, C.-C. Wang, S. Fan, Z. Xiong, Z. Sun, M. Ye, L. Sun, X. Wu, F. Liang, Y. Cao, X. Wei, H. Zhu, H. Zhou, J. Krause, M. Robbeets, C. Jeong, Y. Cui, Ancient genomes from northern China suggest links between subsistence changes and human migration. *Nat. Commun.* **11**, 2700 (2020).
19. C. Jeong, K. Wang, S. Wilkin, W. T. T. Taylor, B. K. Miller, J. H. Bemmman, R. Stahl, C. Chiovelli, F. Knolle, S. Ulziibayar, D. Khatanbaatar, D. Erdenebaatar, U. Erdenebat, A. Ochir, G. Ankhsanaa, C. Vanchigdash, B. Ochir, C. Munkhbayar, D. Tumen, A. Kovalev, N. Kradin, B. A. Bazarov, D. A. Miyagashev, P. B. Konovalov, E. Zhambaltarova, A. V. Miller, W. Haak, S. Schiffels, J. Krause, N. Boivin, M. Erdene, J. Hendy, C. Warinner, A Dynamic 6,000-Year Genetic History of Eurasia's Eastern Steppe. *Cell* **183**, 890–904.e29 (2020).
20. C. Posth, H. Yu, A. Ghalichi, H. Rougier, I. Crevecoeur, Y. Huang, H. Ringbauer, A. B. Rohrlach, K. Nägele, V. Villalba-Mouco, R. Radzeviciute, T. Ferraz, A. Stoessel, R. Tukhbatova, D. G. Drucker, M. Lari, A. Modi, S. Vai, T. Saupe, C. L. Scheib, G. Catalano, L. Pagani, S. Talamo, H. Fewlass, L. Klaric, A. Morala, M. Rué, S. Madelaine, L. Crépin, J.-B. Caverne, E. Bocaege, S. Ricci, F. Boschini, P. Bayle, B. Maureille, F. Le Brun-Ricalens, J.-G. Bordes, G. Oxilia, E. Bortolini, O. Bignon-Lau, G. Debout, M. Orliac, A. Zazzo, V. Sparacello, E. Starnini, L. Sineo, J. van der Plicht, L. Pecqueur, G. Merceron, G. Garcia, J.-M. Leuvrey, C. B. Garcia, A. Gómez-Olivencia, M. Połtowicz-Bobak, D. Bobak, M. Le Luyer, P. Storm, C. Hoffmann, J. Kabaciński, T. Filimonova, S. Shnaider, N. Berezina, B. González-Rabanal, M. R. González Morales, A. B. Marín-Arroyo, B. López, C. Alonso-Llamazares, A. Ronchitelli, C. Polet, I. Jadin, N. Cauwe, J. Soler, N. Coromina, I. Ruff, R. Cottiaux, G. Clark, L. G. Straus, M.-A. Julien, S. Renhart, D. Talaa, S. Benazzi, M. Romandini, L. Amkreutz, H. Bocherens, C. Wißing, S. Villotte, J. F.-L. de Pablo, M. Gómez-Puche, M. A. Esquembre-Bebia, P. Bodu, L. Smits, B. Souffi, R. Jankauskas, J. Kozakaitė, C. Cupillard, H. Benthien, K. Wehrberger, R. W. Schmitz, S. C. Feine, T. Schüler, C. Thevenet, D. Grigorescu, F. Lüth, A. Kotula, H. Piezonka, F. Schopper, J. Svoboda, S. Sázelová, A. Chizhevsky, A. Khokhlov, N. J. Conard, F. Valentin, K. Harvati, P. Semal, B. Jungklaus, A. Suvorov, R. Schulting, V. Moiseyev, K. Mannermaa, A. Buzhilova, T. Terberger, D. Caramelli, E. Altena, W. Haak, J. Krause, Palaeogenomics of upper Palaeolithic to neolithic European hunter-gatherers. *Nature* **615**, 117–126 (2023).
21. L. Saag, S. V. Vasilyev, L. Varul, N. V. Kosorukova, D. V. Gerasimov, S. V. Oshibkina, S. J. Griffith, A. Solnik, L. Saag, E. D'Atanasio, E. Metspalu, M. Reidla, S. Rootsi, T. Kivisild, C. L. Scheib, K. Tambets, A. Kriiska, M. Metspalu, Genetic ancestry changes in Stone to Bronze Age transition in the East European plain. *Sci Adv* **7** (2021).
22. A. Mittnik, C.-C. Wang, S. Pfrengle, M. Daubaras, G. Zariņa, F. Hallgren, R. Allmäe, V. Khartanovich, V. Moiseyev, M. Töröv, A. Furtwängler, A. A. Valtueña, M. Feldman, C. Economou, M. Oinonen, A. Vasks, E. Balanovska, D. Reich, R. Jankauskas, W. Haak, S. Schiffels, J. Krause, Author Correction: The genetic prehistory of the Baltic Sea region. *Nat. Commun.* **9** (2018).
23. P. Du, K. Zhu, M. Wang, Z. Sun, J. Tan, B. Sun, B. Sun, P. Wang, G. He, J. Xiong, Z. Huang, H. Meng, C. Sun, S. Xie, B. Wang, D. Ge, Y. Ma, P. Sheng, X. Ren, Y. Tao, Y. Xu, X. Qin, E. Allen, B. Zhang, X. Chang, K. Wang, H. Bao, Y. Yu, L. Wang, X. Ma, Z. Du, J. Guo, X. Yang, R. Wang, H. Ma, D. Li, Y. Pan, B. Li, Y. Zhang, X. Zheng, S. Han, L. Jin, G. Chen, H. Li, C.-C.

Wang, S. Wen, Genomic dynamics of the Lower Yellow River Valley since the Early Neolithic. *Curr. Biol.*, doi: 10.1016/j.cub.2024.07.063 (2024).

24. C. Jeong, S. Wilkin, T. Amgalantugs, A. S. Bouwman, W. T. T. Taylor, R. W. Hagan, S. Bromage, S. Tsolmon, C. Trachsel, J. Grossmann, J. Littleton, C. A. Makarewicz, J. Krigbaum, M. Burri, A. Scott, G. Davaasambuu, J. Wright, F. Irmer, E. Myagmar, N. Boivin, M. Robbeets, F. J. Rühli, J. Krause, B. Frohlich, J. Hendy, C. Warinner, Bronze Age population dynamics and the rise of dairy pastoralism on the eastern Eurasian steppe. *Proc. Natl. Acad. Sci. U. S. A.* **115**, E11248–E11255 (2018).
25. V. M. Narasimhan, N. Patterson, P. Moorjani, N. Rohland, R. Bernardos, S. Mallick, I. Lazaridis, N. Nakatsuka, I. Olalde, M. Lipson, A. M. Kim, L. M. Olivieri, A. Coppa, M. Vidale, J. Mallory, V. Moiseyev, E. Kitov, J. Monge, N. Adamski, N. Alex, N. Broomandkhoshbacht, F. Candilio, K. Callan, O. Cheronet, B. J. Culleton, M. Ferry, D. Fernandes, S. Freilich, B. Gamarra, D. Gaudio, M. Hajdinjak, É. Harney, T. K. Harper, D. Keating, A. M. Lawson, M. Mah, K. Mandl, M. Michel, M. Novak, J. Oppenheimer, N. Rai, K. Sirak, V. Slon, K. Stewardson, F. Zalzal, Z. Zhang, G. Akhatov, A. N. Bagashev, A. Bagnera, B. Baitanayev, J. Bendezu-Sarmiento, A. A. Bissembaev, G. L. Bonora, T. T. Charginov, T. Chikisheva, P. K. Dashkovskiy, A. Derevianko, M. Dobeš, K. Douka, N. Dubova, M. N. Duisengali, D. Enshin, A. Epimakhov, A. V. Fribus, D. Fuller, A. Goryachev, A. Gromov, S. P. Grushin, B. Hanks, M. Judd, E. Kazizov, A. Khokhlov, A. P. Krygin, E. Kupriyanova, P. Kuznetsov, D. Luiselli, F. Maksudov, A. M. Mamedov, T. B. Mamirov, C. Meiklejohn, D. C. Merrett, R. Micheli, O. Mochalov, S. Mustafokulov, A. Nayak, D. Pettener, R. Potts, D. Razhev, M. Rykun, S. Sarno, T. M. Savenkova, K. Sikhymbaeva, S. M. Slepchenko, O. A. Soltobaev, N. Stepanova, S. Svyatko, K. Tabaldiev, M. Teschler-Nicola, A. A. Tishkin, V. V. Tkachev, S. Vasilyev, P. Velemínský, D. Voyakin, A. Yermolayeva, M. Zahir, V. S. Zubkov, A. Zubova, V. S. Shinde, C. Lalueza-Fox, M. Meyer, D. Anthony, N. Boivin, K. Thangaraj, D. J. Kennett, M. Frachetti, R. Pinhasi, D. Reich, The formation of human populations in South and Central Asia. *Science* **365** (2019).
26. S. V. Nielsen, A. H. Vaughn, K. Leppälä, M. J. Landis, T. Mailund, R. Nielsen, Bayesian inference of admixture graphs on Native American and Arctic populations. *PLoS Genet.* **19**, e1010410 (2023).
27. K. G. Daly, V. E. Mullin, A. J. Hare, Á. Halpin, V. Mattiangeli, M. D. Teasdale, C. Rossi, S. Geiger, S. Krebs, I. Medugorac, E. Sandoval-Castellanos, M. Özbaşaran, G. Duru, S. Gülcür, N. Pöllath, M. Collins, L. Frantz, E. Vila, P. Zidarov, S. Stoddart, B. Boldgiv, L. Orlando, M. P. Pearson, J. Mullville, I. V. Askeyev, A. O. Askeyev, O. V. Askeyev, D. N. Shaymuratova, Y. Van den Hurk, A. Zeeb-Lanz, R.-M. Arbogast, H. Hemmer, H. Davoudi, S. Amiri, S. B. Doost, D. Decruyenaere, H. Fathi, R. Khazaeli, Y. Hassanzadeh, A. Sardari, J. Lhuillier, M. Abdolahi, G. D. Summers, C. Marro, V. Bahshaliyev, R. Berthon, C. Çakırlar, N. Benecke, A. Scheu, J. Burger, E. Sauer, L. K. Horwitz, B. Arbuckle, H. Buitenhuis, L. Gourichon, J. Bulatović, T. O'Connor, D. Orton, M. Jalabadze, S. Rhodes, M. Chazan, V. Özkaya, M. Zeder, L. Atıcı, M. Mashkour, J. Peters, D. G. Bradley, Ancient genomics and the origin, dispersal, and development of domestic sheep. *Science* **387**, 492–497 (2025).
28. P. Librado, G. Tressières, L. Chauvey, A. Fages, N. Khan, S. Schiavinato, L. Calvière-Tonasso, M. A. Kusliy, C. Gaunitz, X. Liu, S. Wagner, C. Der Sarkissian, A. Seguin-Orlando, A. Perdereau, J.-M. Aury, J. Southon, B. Shapiro, O. Bouchez, C. Donnadiou, Y. R. H. Collin, K.

- M. Gregersen, M. D. Jessen, K. Christensen, L. Claudi-Hansen, M. Pruvost, E. Pucher, H. Vulic, M. Novak, A. Rimpf, P. Turk, S. Reiter, G. Brem, C. Schwall, É. Barrey, C. Robert, C. Degueurce, L. K. Horwitz, L. Klassen, U. Rasmussen, J. Kveiborg, N. N. Johannsen, D. Makowiecki, P. Makarowicz, M. Szeliga, V. Ilchyshyn, V. Rud, J. Romaniszyn, V. E. Mullin, M. Verdugo, D. G. Bradley, J. L. Cardoso, M. J. Valente, M. Telles Antunes, C. Ameen, R. Thomas, A. Ludwig, M. Marzullo, O. Prato, G. Bagnasco Gianni, U. Tecchiati, J. Granado, A. Schlumbaum, S. Deschler-Erb, M. S. Mráz, N. Boulbes, A. Gardeisen, C. Mayer, H.-J. Döhle, M. Vicze, P. A. Kosintsev, R. Kysely, L. Peške, T. O'Connor, E. Ananyevskaya, I. Shevnina, A. Logvin, A. A. Kovalev, T.-O. Iderkhangai, M. V. Sablin, P. K. Dashkovskiy, A. S. Graphodatsky, I. Merts, V. Merts, A. K. Kasparov, V. V. Pitulko, V. Onar, A. Öztan, B. S. Arbuckle, H. McColl, G. Renaud, R. Khaskhanov, S. Demidenko, A. Kadieva, B. Atabiev, M. Sundqvist, G. Lindgren, F. J. López-Cachero, S. Albizuri, T. Trbojević Vukičević, A. Rapan Papeša, M. Burić, P. Rajić Šikanjić, J. Weinstock, D. Asensio Vilaró, F. Codina, C. García Dalmau, J. Morer de Llorens, J. Pou, G. de Prado, J. Sanmartí, N. Kallala, J. R. Torres, B. Maraoui-Telmini, M.-C. Belarte Franco, S. Valenzuela-Lamas, A. Zazzo, S. Lepetz, S. Duchesne, A. Alexeev, J. Bayarsaikhan, J.-L. Houle, N. Bayarkhuu, T. Turbat, É. Crubézy, I. Shingiray, M. Mashkour, N. Y. Berezina, D. S. Korobov, A. Belinskiy, A. Kalmykov, J.-P. Demoule, S. Reinhold, S. Hansen, B. Wallner, N. Roslyakova, P. F. Kuznetsov, A. A. Tishkin, P. Wincker, K. Kanne, A. Outram, L. Orlando, Widespread horse-based mobility arose around 2200 BCE in Eurasia. *Nature* **631**, 819–825 (2024).
29. Y. Yang, “Analysis of large plant remains from the Jinchankou and Lijiapin Qijia culture sites in the Hehuang region,” thesis, Lanzhou University, China (2014).
30. X. Jia, “Research on the cultural evolution process and plant remains in the Northeast region of Qinghai Province from the Neolithic to the Bronze Age,” thesis, Lanzhou University, China (2012).
31. Q. Wang, Archaeological discoveries and their significance at the Jincankou site in Huzhu County, Qinghai. *Qinghai Social Sciences* **5**, 159–159 (2013).
32. L. Ren, “Research on the strategies for utilizing animal resources by ancestors in the northeastern Tibetan Plateau and its surrounding areas from the late Neolithic to Bronze Age,” thesis, Lanzhou University, China (2017).
33. G. Chen, Y. Yang, Archaeological observations on the dating of early tremolite jade mining in the Hexi Corridor region. *Dunhuang Studies* **5**, 85–94 (2021).
34. M. Qiu, H. Li, M. Lu, Y. Yang, S. Zhang, R. Li, G. Chen, L. Ren, Diversification in feeding pattern of livestock in Early Bronze Age northwestern China. *Front. Ecol. Evol.* **10** (2022).
35. L. Ren, Y. Yang, M. Qiu, K. Brunson, G. Chen, G. Dong, Direct dating of the earliest domesticated cattle and caprines in northwestern China reveals the history of pastoralism in the Gansu-Qinghai region. *J. Archaeol. Sci.* **144**, 105627 (2022).
36. Gansu Province Institute of Cultural Relics and Archaeological Research, *Important Archaeological Discoveries in Gansu Province* (Cultural Relics Press, Beijing, 2021).

37. J. Dong, S. Wang, G. Chen, W. Wei, L. Du, Y. Xu, M. Ma, G. Dong, Stable isotopic evidence for human and animal diets from the late Neolithic to the Ming Dynasty in the middle-lower reaches of the Hulu River Valley, NW China. *Front. Ecol. Evol.* **10** (2022).
38. R. Ji, Brief discussion on the “Gachuha” remains from the excavation of the Bayantala site and the “Gachuha” culture of northern ethnic minorities. *Journal of Chifeng University* **33**, 8–9 (2012).
39. Y. Sun, A study on plant remains and related issues at the Bayantala Liao dynasty site (in Chinese). *Journal of Chifeng University* **34**, 7–10 (2013).
40. Q. Ruan, Discovery and harvest at the Jirintai Gokou site in Nilka, Xinjiang (in Chinese). *Cultural Relics World* **7** (2021).
41. Y. Wang, X. Yuan, Q. Ruan, Preliminary findings from the excavations at the Jirintai Gokou site in Nilka County, Xinjiang from 2015 to 2018 (in Chinese). *Studies on the Western Regions* **1**, 133–138 (2019).
42. M. Qiu, R. Liu, X. Li, L. Du, Q. Ruan, A. M. Pollard, S. Zhang, X. Yuan, F. Liu, G. Li, G. Li, Z. Jiao, J. Luo, S. Chen, X. Yang, Y. Wang, J. Han, F. Chen, G. Dong, Earliest systematic coal exploitation for fuel extended to ~3600 B.P. *Sci. Adv.* **9**, eadh0549 (2023).
43. X. Yuan, J. Luo, Q. Ruan, Findings from the 2019 excavation at the Jirintai Gokou site in Nilka County, Xinjiang (in Chinese). *Studies on the Western Regions* **1** (2020).
44. V. Varfolomeyev, V. Loman, V. Evdokimov, *Kent – a Bronze Age City in the Center of the Kazakh Steppes* (Astana, 2017).
45. V. V. Varfolomeev, “Eternal Guardians. Ritual burial of dogs at the settlement of Kent” in *Interdisciplinary Research in Archaeology, Ethnography and the History of Siberia*, A. S. Vdovin, N. P. Makarov, Eds. (Siberian Federal University, Krasnoyarsk, 2017).
46. V. F. Zaibert, *Botaiskaya Kultura* (Almaty: KazAkparat, 2009).
47. C. Gaunitz, A. Fages, K. Hanghøj, A. Albrechtsen, N. Khan, M. Schubert, A. Seguin-Orlando, I. J. Owens, S. Felkel, O. Bignon-Lau, P. de Barros Damgaard, A. Mittnik, A. F. Mohaseb, H. Davoudi, S. Alquraishi, A. H. Alfarhan, K. A. S. Al-Rasheid, E. Crubézy, N. Benecke, S. Olsen, D. Brown, D. Anthony, K. Massy, V. Pitulko, A. Kasparov, G. Brem, M. Hofreiter, G. Mukhtarova, N. Baimukhanov, L. Lõugas, V. Onar, P. W. Stockhammer, J. Krause, B. Boldgiv, S. Undrakhbold, D. Erdenebaatar, S. Lepetz, M. Mashkour, A. Ludwig, B. Wallner, V. Merz, I. Merz, V. Zaibert, E. Willerslev, P. Librado, A. K. Outram, L. Orlando, Ancient genomes revisit the ancestry of domestic and Przewalski’s horses. *Science* **360**, 111–114 (2018).
48. A. K. Outram, Horse domestication as a multi-centered, multi-stage process: Botai and the role of specialized Eneolithic horse pastoralism in the development of human-equine relationships. *Front. Environ. Archaeol.* **2** (2023).
49. A. K. Outram, N. A. Stear, R. Bendrey, S. Olsen, A. Kasparov, V. Zaibert, N. Thorpe, R. P. Evershed, The earliest horse harnessing and milking. *Science* **323**, 1332–1335 (2009).

50. P. Librado, N. Khan, A. Fages, M. A. Kusliy, T. Suchan, L. Tonasso-Calvière, S. Schiavinato, D. Alioglu, A. Fromentier, A. Perdereau, J.-M. Aury, C. Gaunitz, L. Chauvey, A. Seguin-Orlando, C. Der Sarkissian, J. Southon, B. Shapiro, A. A. Tishkin, A. A. Kovalev, S. Alquraishi, A. H. Alfarhan, K. A. S. Al-Rasheid, T. Seregély, L. Klassen, R. Iversen, O. Bignon-Lau, P. Bodu, M. Olive, J.-C. Castel, M. Boudadi-Maligne, N. Alvarez, M. Germonpré, M. Moskal-Del Hoyo, J. Wilczyński, S. Pospuła, A. Lasota-Kuś, K. Tunia, M. Nowak, E. Rannamäe, U. Saarma, G. Boeskorov, L. Lõugas, R. Kyselý, L. Peške, A. Bălăşescu, V. Dumitraşcu, R. Dobrescu, D. Gerber, V. Kiss, A. Szécsényi-Nagy, B. G. Mende, Z. Gallina, K. Somogyi, G. Kulcsár, E. Gál, R. Bendrey, M. E. Allentoft, G. Sirbu, V. Dergachev, H. Shephard, N. Tomadini, S. Grouard, A. Kasparov, A. E. Basilyan, M. A. Anisimov, P. A. Nikolskiy, E. Y. Pavlova, V. Pitulko, G. Brem, B. Wallner, C. Schwall, M. Keller, K. Kitagawa, A. N. Bessudnov, A. Bessudnov, W. Taylor, J. Magail, J.-O. Gantulga, J. Bayarsaikhan, D. Erdenebaatar, K. Tabaldiev, E. Mijiddorj, B. Boldgiv, T. Tsagaan, M. Pruvost, S. Olsen, C. A. Makarewicz, S. Valenzuela Lamas, S. Albizuri Canadell, A. Nieto Espinet, M. P. Iborra, J. Lira Garrido, E. Rodríguez González, S. Celestino, C. Olària, J. L. Arsuaga, N. Kotova, A. Pryor, P. Crabtree, R. Zhumatayev, A. Toleubaev, N. L. Morgunova, T. Kuznetsova, D. Lordkipanize, M. Marzullo, O. Prato, G. Bagnasco Gianni, U. Tecchiati, B. Clavel, S. Lepetz, H. Davoudi, M. Mashkour, N. Y. Berezina, P. W. Stockhammer, J. Krause, W. Haak, A. Morales-Muñiz, N. Benecke, M. Hofreiter, A. Ludwig, A. S. Graphodatsky, J. Peters, K. Y. Kiryushin, T.-O. Iderkhangai, N. A. Bokovenko, S. K. Vasiliev, N. N. Seregin, K. V. Chugunov, N. A. Plasteeva, G. F. Baryshnikov, E. Petrova, M. Sablin, E. Ananyevskaya, A. Logvin, I. Shevnina, V. Logvin, S. Kalieva, V. Loman, I. Kukushkin, I. Merz, V. Merz, S. Sakenov, V. Varfolomeyev, E. Usmanova, V. Zaibert, B. Arbuckle, A. B. Belinskiy, A. Kalmykov, S. Reinhold, S. Hansen, A. I. Yudin, A. A. Vybornov, A. Epimakhov, N. S. Berezina, N. Roslyakova, P. A. Kosintsev, P. F. Kuznetsov, D. Anthony, G. J. Kroonen, K. Kristiansen, P. Wincker, A. Outram, L. Orlando, The origins and spread of domestic horses from the Western Eurasian steppes. *Nature* **598**, 634–640 (2021).
51. A. von den Driesch, *A Guide to the Measurement of Animal Bones from Archaeological Sites: As Developed by the Institut Für Palaeoanatomie, Domestikationsforschung Und Geschichte Der Tiermedizin of the University of Munich* (Harvard University Press, 1976).
52. B. S. Russanov, *Attention: Mammoths! (In Russian)* (Magadan: Book Publishing House, 1976).
53. V. G. Moiseyev, A. V. Zubova, G. G. Boeskorov, T. K., A. D. Stepanov, T. A. Chikisheva, V. M. Dyakonov, A. N. Alekseyev, M. V. Shchelchkova, Tomshin, E. A. Kerbs, “A Metric Analysis of a Human Cranium from the Khatystyr Cave, Republic of Sakha (Yakutia)” in *Archaeology, Ethnology & Anthropology of Eurasia* (2023), pp. 142–152.
54. P. J. Reimer, W. E. N. Austin, E. Bard, A. Bayliss, P. G. Blackwell, C. B. Ramsey, M. Butzin, H. Cheng, R. Lawrence Edwards, M. Friedrich, P. M. Grootes, T. P. Guilderson, I. Hajdas, T. J. Heaton, A. G. Hogg, K. A. Hughen, B. Kromer, S. W. Manning, R. Muscheler, J. G. Palmer, C. Pearson, J. van der Plicht, R. W. Reimer, D. A. Richards, E. Marian Scott, J. R. Southon, C. S. M. Turney, L. Wacker, F. Adolphi, U. Büntgen, M. Capano, S. M. Fahrni, A. Fogtmann-Schulz, R. Friedrich, P. Köhler, S. Kudsk, F. Miyake, J. Olsen, F. Reinig, M. Sakamoto, A. Sookdeo, S. Talamo, The IntCal20 Northern Hemisphere Radiocarbon Age Calibration Curve (0–55 cal kBP). *Radiocarbon* **62**, 725–757 (2020).

55. N. Rohland, I. Glocke, A. Aximu-Petri, M. Meyer, Extraction of highly degraded DNA from ancient bones, teeth and sediments for high-throughput sequencing. *Nat. Protoc.* **13**, 2447–2461 (2018).
56. X. Zhang, X. Ji, C. Li, T. Yang, J. Huang, Y. Zhao, Y. Wu, S. Ma, Y. Pang, Y. Huang, Y. He, B. Su, A Late Pleistocene human genome from Southwest China. *Curr. Biol.* **32**, 3095–3109.e5 (2022).
57. J. Lindo, E. Huerta-Sánchez, S. Nakagome, M. Rasmussen, B. Petzelt, J. Mitchell, J. S. Cybulski, E. Willerslev, M. DeGiorgio, R. S. Malhi, A time transect of exomes from a Native American population before and after European contact. *Nat. Commun.* **7**, 13175 (2016).
58. J. Dabney, M. Knapp, I. Glocke, M.-T. Gansauge, A. Weihmann, B. Nickel, C. Valdiosera, N. García, S. Pääbo, J.-L. Arsuaga, M. Meyer, Complete mitochondrial genome sequence of a Middle Pleistocene cave bear reconstructed from ultrashort DNA fragments. *Proc. Natl. Acad. Sci. U. S. A.* **110**, 15758–15763 (2013).
59. C. Carøe, S. Gopalakrishnan, L. Vinner, S. S. T. Mak, M. H. S. Sinding, J. A. Samaniego, N. Wales, T. Sicheritz-Pontén, M. T. P. Gilbert, Single-tube library preparation for degraded DNA. *Methods Ecol. Evol.* **9**, 410–419 (2018).
60. M. Meyer, M. Kircher, Illumina sequencing library preparation for highly multiplexed target capture and sequencing. *Cold Spring Harb. Protoc.* **2010**, db.prot5448 (2010).
61. E. Ersmark, L. Orlando, E. Sandoval-Castellanos, I. Barnes, R. Barnett, A. Stuart, A. Lister, L. Dalén, Population demography and genetic diversity in the Pleistocene cave lion. *Open Quat.* **1**, 4 (2015).
62. J. D. Kapp, R. E. Green, B. Shapiro, A Fast and Efficient Single-stranded Genomic Library Preparation Method Optimized for Ancient DNA. *Journal of Heredity* **112**, 241–249 (2021).
63. S. Boessenkool, K. Hanghøj, H. M. Nistelberger, C. Der Sarkissian, A. T. Gondek, L. Orlando, J. H. Barrett, B. Star, Combining bleach and mild predigestion improves ancient DNA recovery from bones. *Mol. Ecol. Resour.* **17**, 742–751 (2017).
64. B. M. Kemp, D. G. Smith, Use of bleach to eliminate contaminating DNA from the surface of bones and teeth. *Forensic Sci. Int.* **154**, 53–61 (2005).
65. M. E. Prendergast, M. Lipson, E. A. Sawchuk, I. Olalde, C. A. Ogola, N. Rohland, K. A. Sirak, N. Adamski, R. Bernardos, N. Broomandkshobacht, K. Callan, B. J. Culleton, L. Eccles, T. K. Harper, A. M. Lawson, M. Mah, J. Oppenheimer, K. Stewardson, F. Zalzal, S. H. Ambrose, G. Ayodo, H. L. Gates Jr, A. O. Gidna, M. Katongo, A. Kwekason, A. Z. P. Mabulla, G. S. Mudenda, E. K. Ndiema, C. Nelson, P. Robertshaw, D. J. Kennett, F. K. Manthi, D. Reich, Ancient DNA reveals a multistep spread of the first herders into sub-Saharan Africa. *Science* **365**, eaaw6275 (2019).
66. G. Renaud, U. Stenzel, J. Kelso, leeHom: adaptor trimming and merging for Illumina sequencing reads. *Nucleic Acids Research* **42**, e141 (2014).

67. W. Shen, S. Le, Y. Li, F. Hu, SeqKit: A Cross-Platform and Ultrafast Toolkit for FASTA/Q File Manipulation. *PLoS One* **11**, e0163962 (2016).
68. K. Lindblad-Toh, C. M. Wade, T. S. Mikkelsen, E. K. Karlsson, D. B. Jaffe, M. Kamal, M. Clamp, J. L. Chang, E. J. Kulbokas 3rd, M. C. Zody, E. Mauceli, X. Xie, M. Breen, R. K. Wayne, E. A. Ostrander, C. P. Ponting, F. Galibert, D. R. Smith, P. J. DeJong, E. Kirkness, P. Alvarez, T. Biagi, W. Brockman, J. Butler, C.-W. Chin, A. Cook, J. Cuff, M. J. Daly, D. DeCaprio, S. Gnerre, M. Grabherr, M. Kellis, M. Kleber, C. Bardeleben, L. Goodstadt, A. Heger, C. Hitte, L. Kim, K.-P. Koepfli, H. G. Parker, J. P. Pollinger, S. M. J. Searle, N. B. Sutter, R. Thomas, C. Webber, J. Baldwin, A. Abebe, A. Abouelleil, L. Aftuck, M. Ait-Zahra, T. Aldredge, N. Allen, P. An, S. Anderson, C. Antoine, H. Arachchi, A. Aslam, L. Ayotte, P. Bachantsang, A. Barry, T. Bayul, M. Benamara, A. Berlin, D. Bessette, B. Blitshteyn, T. Bloom, J. Blye, L. Boguslavskiy, C. Bonnet, B. Boukhgalter, A. Brown, P. Cahill, N. Calixte, J. Camarata, Y. Cheshatsang, J. Chu, M. Citroen, A. Collymore, P. Cooke, T. Dawoe, R. Daza, K. Decktor, S. DeGray, N. Dhargay, K. Dooley, K. Dooley, P. Dorje, K. Dorjee, L. Dorris, N. Duffey, A. Dupes, O. Egbiremolen, R. Elong, J. Falk, A. Farina, S. Faro, D. Ferguson, P. Ferreira, S. Fisher, M. FitzGerald, K. Foley, C. Foley, A. Franke, D. Friedrich, D. Gage, M. Garber, G. Gearin, G. Giannoukos, T. Goode, A. Goyette, J. Graham, E. Grandbois, K. Gyaltzen, N. Hafez, D. Hagopian, B. Hagos, J. Hall, C. Healy, R. Hegarty, T. Honan, A. Horn, N. Houde, L. Hughes, L. Hunnicutt, M. Husby, B. Jester, C. Jones, A. Kamat, B. Kanga, C. Kells, D. Khazanovich, A. C. Kieu, P. Kisner, M. Kumar, K. Lance, T. Landers, M. Lara, W. Lee, J.-P. Leger, N. Lennon, L. Leuper, S. LeVine, J. Liu, X. Liu, Y. Lokyitsang, T. Lokyitsang, A. Lui, J. Macdonald, J. Major, R. Marabella, K. Maru, C. Matthews, S. McDonough, T. Mehta, J. Meldrim, A. Melnikov, L. Meneus, A. Mihalev, T. Mihova, K. Miller, R. Mittelman, V. Mlenga, L. Mulrain, G. Munson, A. Navidi, J. Naylor, T. Nguyen, N. Nguyen, C. Nguyen, T. Nguyen, R. Nicol, N. Norbu, C. Norbu, N. Novod, T. Nyima, P. Olandt, B. O'Neill, K. O'Neill, S. Osman, L. Oyono, C. Patti, D. Perrin, P. Phunkhang, F. Pierre, M. Priest, A. Rachupka, S. Raghuraman, R. Rameau, V. Ray, C. Raymond, F. Rege, C. Rise, J. Rogers, P. Rogov, J. Sahalie, S. Settipalli, T. Sharpe, T. Shea, M. Sheehan, N. Sherpa, J. Shi, D. Shih, J. Sloan, C. Smith, T. Sparrow, J. Stalker, N. Stange-Thomann, S. Stavropoulos, C. Stone, S. Stone, S. Sykes, P. Tchinga, P. Tenzing, S. Tesfaye, D. Thoulutsang, Y. Thoulutsang, K. Topham, I. Topping, T. Tsamla, H. Vassiliev, V. Venkataraman, A. Vo, T. Wangchuk, T. Wangdi, M. Weiland, J. Wilkinson, A. Wilson, S. Yadav, S. Yang, X. Yang, G. Young, Q. Yu, J. Zainoun, L. Zembek, A. Zimmer, E. S. Lander, Genome sequence, comparative analysis and haplotype structure of the domestic dog. *Nature* **438**, 803–819 (2005).
69. A. Ginolhac, M. Rasmussen, M. T. P. Gilbert, E. Willerslev, L. Orlando, mapDamage: testing for damage patterns in ancient DNA sequences. *Bioinformatics* **27**, 2153–2155 (2011).
70. J. Plassais, B. M. vonHoldt, H. G. Parker, A. Carmagnini, N. Dubos, I. Papa, K. Bevant, T. Derrien, L. M. Hennelly, D. T. Whitaker, A. C. Harris, A. N. Hogan, H. J. Huson, V. F. Zaibert, A. Linderholm, J. Haile, T. Fest, B. Habib, B. N. Sacks, N. Benecke, A. K. Outram, M. V. Sablin, M. Germonpré, G. Larson, L. Frantz, E. A. Ostrander, Natural and human-driven selection of a single non-coding body size variant in ancient and modern canids. *Curr. Biol.* **32**, 889–897.e9 (2022).
71. T. S. Korneliussen, A. Albrechtsen, R. Nielsen, ANGSD: Analysis of Next Generation Sequencing Data. *BMC Bioinformatics* **15**, 356 (2014).

72. S. Purcell, B. Neale, K. Todd-Brown, L. Thomas, M. A. R. Ferreira, D. Bender, J. Maller, P. Sklar, P. I. W. de Bakker, M. J. Daly, P. C. Sham, PLINK: a tool set for whole-genome association and population-based linkage analyses. *Am. J. Hum. Genet.* **81**, 559–575 (2007).
73. N. Patterson, A. L. Price, D. Reich, Population structure and eigenanalysis. *PLoS Genet.* **2**, e190 (2006).
74. P. Librado, L. Orlando, Struct-f4: a Rcpp package for ancestry profile and population structure inference from f4-statistics. *Bioinformatics* **38**, 2070–2071 (2022).
75. Y. Souilmi, S. Wasef, M. P. Williams, G. Conroy, I. Bar, P. Bover, J. Dann, H. Heiniger, B. Llamas, S. Ogbourne, M. Archer, J. W. O. Ballard, E. Reed, R. Tobler, L. Koungoulos, K. Walshe, J. L. Wright, J. Balme, S. O’Connor, A. Cooper, K. J. Mitchell, Ancient genomes reveal over two thousand years of dingo population structure. *Proc. Natl. Acad. Sci. U. S. A.* **121**, e2407584121 (2024).
76. A. Ghalichi, S. Reinhold, A. B. Rohrlach, A. A. Kalmykov, A. Childebayeva, H. Yu, F. Aron, L. Semerau, K. Bastert-Lamprichs, A. B. Belinskiy, N. Y. Berezina, Y. B. Berezin, N. Broomandkhoshbacht, A. P. Buzhilova, V. R. Erlikh, L. Fehren-Schmitz, I. Gambashidze, A. R. Kantorovich, K. B. Kolesnichenko, D. Lordkipanidze, R. G. Magomedov, K. Malek-Custodis, D. Mariaschk, V. E. Maslov, L. Mkrtchyan, A. Nagler, H. Fazeli Nashli, M. Ochir, Y. Y. Piotrovskiy, M. Saribekyan, A. G. Sheremetev, T. Stöllner, J. Thomalsky, B. Vardanyan, C. Posth, J. Krause, C. Warinner, S. Hansen, W. Haak, The rise and transformation of Bronze Age pastoralists in the Caucasus. *Nature* **635**, 917–925 (2024).
77. M. E. Allentoft, M. Sikora, A. Refoyo-Martínez, E. K. Irving-Pease, A. Fischer, W. Barrie, A. Ingason, J. Stenderup, K.-G. Sjögren, A. Pearson, B. Sousa da Mota, B. Schulz Paulsson, A. Halgren, R. Macleod, M. L. S. Jørkov, F. Demeter, L. Sørensen, P. O. Nielsen, R. A. Henriksen, T. Vimala, H. McColl, A. Margaryan, M. Ilardo, A. Vaughn, M. Fischer Mortensen, A. B. Nielsen, M. Ulfeldt Hede, N. N. Johannsen, P. Rasmussen, L. Vinner, G. Renaud, A. Stern, T. Z. T. Jensen, G. Scorrano, H. Schroeder, P. Lysdahl, A. D. Ramsøe, A. Skorobogatov, A. J. Schork, A. Rosengren, A. Ruter, A. Outram, A. A. Timoshenko, A. Buzhilova, A. Coppa, A. Zubova, A. M. Silva, A. J. Hansen, A. Gromov, A. Logvin, A. B. Gotfredsen, B. Henning Nielsen, B. González-Rabanal, C. Lalueza-Fox, C. J. McKenzie, C. Gaunitz, C. Blasco, C. Liesau, C. Martínez-Labarga, D. V. Pozdnyakov, D. Cuenca-Solana, D. O. Lordkipanidze, D. En’shin, D. C. Salazar-García, T. D. Price, D. Borić, E. Kostyleva, E. V. Veselovskaya, E. R. Usmanova, E. Cappellini, E. Brinch Petersen, E. Kannegaard, F. Radina, F. Eylem Yediay, H. Duday, I. Gutiérrez-Zugasti, I. Merts, I. Potekhina, I. Shevnina, I. Altinkaya, J. Guilaine, J. Hansen, J. E. Aura Tortosa, J. Zilhão, J. Vega, K. Buck Pedersen, K. Tunia, L. Zhao, L. N. Mylnikova, L. Larsson, L. Metz, L. Yepiskoposyan, L. Pedersen, L. Sarti, L. Orlando, L. Slimak, L. Klassen, M. Blank, M. González-Morales, M. Silvestrini, M. Vretemark, M. S. Nesterova, M. Rykun, M. F. Rolfo, M. Szmyt, M. Przybyła, M. Calattini, M. Sablin, M. Dobisíková, M. Meldgaard, M. Johansen, N. Berezina, N. Card, N. A. Saveliev, O. Poshekhonova, O. Rickards, O. V. Lozovskaya, O. Gábor, O. C. Uldum, P. Aurino, P. Kosintsev, P. Courtaud, P. Ríos, P. Mortensen, P. Lotz, P. Persson, P. Bangsgaard, P. de Barros Damgaard, P. Vang Petersen, P. P. Martínez, P. Włodarczak, R. V. Smolyaninov, R. Maring, R. Menduiña, R. Badalyan, R. Iversen, R. Turin, S. Vasilyev, S. Wählin, S. Borutskaya, S. Skochina, S. A. Sørensen, S. H. Andersen, T. Jørgensen, Y. B. Serikov, V. I. Molodin, V. Smrcka, V. Merts, V. Appadurai, V. Moiseyev, Y.

- Magnusson, K. H. Kjær, N. Lynnerup, D. J. Lawson, P. H. Sudmant, S. Rasmussen, T. S. Korneliussen, R. Durbin, R. Nielsen, O. Delaneau, T. Werge, F. Racimo, K. Kristiansen, E. Willerslev, Population genomics of post-glacial western Eurasia. *Nature* **625**, 301–311 (2024).
78. M. Gallego-Llorente, S. Connell, E. R. Jones, D. C. Merrett, Y. Jeon, A. Eriksson, V. Siska, C. Gamba, C. Meiklejohn, R. Beyer, S. Jeon, Y. S. Cho, M. Hofreiter, J. Bhak, A. Manica, R. Pinhasi, The genetics of an early Neolithic pastoralist from the Zagros, Iran. *Sci. Rep.* **6**, 31326 (2016).
79. M. Chintalapati, N. Patterson, P. Moorjani, The spatiotemporal patterns of major human admixture events during the European Holocene. *Elife* **11**, e77625 (2022).
80. I. Lazaridis, D. Nadel, G. Rollefson, D. C. Merrett, N. Rohland, S. Mallick, D. Fernandes, M. Novak, B. Gamarra, K. Sirak, S. Connell, K. Stewardson, E. Harney, Q. Fu, G. Gonzalez-Fortes, E. R. Jones, S. A. Roodenberg, G. Lengyel, F. Bocquentin, B. Gasparian, J. M. Monge, M. Gregg, V. Eshed, A.-S. Mizrahi, C. Meiklejohn, F. Gerritsen, L. Bejenaru, M. Blüher, A. Campbell, G. Caveri, D. Comas, P. Froguel, E. Gilbert, S. M. Kerr, P. Kovacs, J. Krause, D. McGettigan, M. Merrigan, D. A. Merriwether, S. O'Reilly, M. B. Richards, O. Semino, M. Shamoon-Pour, G. Stefanescu, M. Stumvoll, A. Tönjes, A. Torroni, J. F. Wilson, L. Yengo, N. A. Hovhannisyán, N. Patterson, R. Pinhasi, D. Reich, Genomic insights into the origin of farming in the ancient Near East. *Nature* **536**, 419–424 (2016).
81. D. Gerber, V. Csáky, B. Szeifert, N. Borbély, K. Jakab, G. Mező, Z. Petkes, F. Szücsi, S. Évinger, C. Líbor, P. Rácz, K. Kiss, B. G. Mende, B. M. Szóke, A. Szécsényi-Nagy, Ancient genomes reveal Avar-Hungarian transformations in the 9th-10th centuries CE Carpathian Basin, *bioRxiv* (2024). <https://doi.org/10.1101/2024.05.29.596386>.
82. N. Patterson, M. Isakov, T. Booth, L. Büster, C.-E. Fischer, I. Olalde, H. Ringbauer, A. Akbari, O. Cheronet, M. Bleasdale, N. Adamski, E. Altena, R. Bernardos, S. Brace, N. Broomandkoshbacht, K. Callan, F. Candilio, B. Culleton, E. Curtis, L. Demetz, K. S. D. Carlson, C. J. Edwards, D. M. Fernandes, M. G. B. Foody, S. Freilich, H. Goodchild, A. Kearns, A. M. Lawson, I. Lazaridis, M. Mah, S. Mallick, K. Mandl, A. Micco, M. Michel, G. B. Morante, J. Oppenheimer, K. T. Özdoğan, L. Qiu, C. Schattke, K. Stewardson, J. N. Workman, F. Zalzal, Z. Zhang, B. Agustí, T. Allen, K. Almássy, L. Amkreutz, A. Ash, C. Baillif-Ducros, A. Barclay, L. Bartosiewicz, K. Baxter, Z. Bernert, J. Blažek, M. Bodružić, P. Boissinot, C. Bonsall, P. Bradley, M. Brittain, A. Brookes, F. Brown, L. Brown, R. Brunning, C. Budd, J. Burmaz, S. Canet, S. Carnicero-Cáceres, M. Čaušević-Bully, A. Chamberlain, S. Chauvin, S. Clough, N. Čondić, A. Coppa, O. Craig, M. Črešnar, V. Cummings, S. Czifra, A. Danielisová, R. Daniels, A. Davies, P. de Jersey, J. Deacon, C. Deminger, P. W. Ditchfield, M. Dizdar, M. Dobeš, M. Dobisíková, L. Domboróczki, G. Drinkall, A. Đukić, M. Ernée, C. Evans, J. Evans, M. Fernández-Götz, S. Filipović, A. Fitzpatrick, H. Fokkens, C. Fowler, A. Fox, Z. Gallina, M. Gamble, M. R. González Morales, B. González-Rabanal, A. Green, K. Gyenesei, D. Habermehl, T. Hajdu, D. Hamilton, J. Harris, C. Hayden, J. Hendriks, B. Hernu, G. Hey, M. Horňák, G. Ilon, E. Istvánovits, A. M. Jones, M. B. Kavur, K. Kazek, R. A. Kenyon, A. Khreisheh, V. Kiss, J. Kleijne, M. Knight, L. M. Kootker, P. F. Kovács, A. Kozubová, G. Kulcsár, V. Kulcsár, C. Le Penec, M. Legge, M. Leivers, L. Loe, O. López-Costas, T. Lord, D. Los, J. Lyall, A. B. Marín-Arroyo, P. Mason, D. Matošević, A. Maxted, L. McIntyre, J. McKinley, K. McSweeney, B. Meijlink, B. G. Mende, M. Menđušić, M. Metlička, S. Meyer, K. Mihovilić, L. Milasinovic, S.

- Minnitt, J. Moore, G. Morley, G. Mullan, M. Musilová, B. Neil, R. Nicholls, M. Novak, M. Pala, M. Papworth, C. Paresys, R. Patten, D. Perkić, K. Pesti, A. Petit, K. Petrišćáková, C. Pichon, C. Pickard, Z. Pilling, T. D. Price, S. Radović, R. Redfern, B. Resutík, D. T. Rhodes, M. B. Richards, A. Roberts, J. Roefstra, P. Sankot, A. Šeřčáková, A. Sheridan, S. Skae, M. Šmolíková, K. Somogyi, Á. Somogyvári, M. Stephens, G. Szabó, A. Szécsényi-Nagy, T. Szeniczey, J. Tabor, K. Tankó, C. T. Maria, R. Terry, B. Teržan, M. Teschler-Nicola, J. F. Torres-Martínez, J. Trapp, R. Turle, F. Ujvári, M. van der Heiden, P. Veleminsky, B. Veselka, Z. Vytačil, C. Waddington, P. Ware, P. Wilkinson, L. Wilson, R. Wiseman, E. Young, J. Zaninović, A. Žitňan, C. Lalueza-Fox, P. de Knijff, I. Barnes, P. Halkon, M. G. Thomas, D. J. Kennett, B. Cunliffe, M. Lillie, N. Rohland, R. Pinhasi, I. Armit, D. Reich, Large-scale migration into Britain during the Middle to Late Bronze Age. *Nature* **601**, 588–594 (2022).
83. S. Mallick, A. Micco, M. Mah, H. Ringbauer, I. Lazaridis, I. Olalde, N. Patterson, D. Reich, The Allen Ancient DNA Resource (AADR) a curated compendium of ancient human genomes. *Sci. Data* **11**, 182 (2024).
84. J. Meisner, S. Liu, M. Huang, A. Albrechtsen, Large-scale inference of population structure in presence of missingness using PCA. *Bioinformatics* **37**, 1868–1875 (2021).
85. M. Raghavan, P. Skoglund, K. E. Graf, M. Metspalu, A. Albrechtsen, I. Moltke, S. Rasmussen, T. W. Stafford Jr, L. Orlando, E. Metspalu, M. Karmin, K. Tambets, S. Rootsi, R. Mägi, P. F. Campos, E. Balanovska, O. Balanovsky, E. Khusnutdinova, S. Litvinov, L. P. Osipova, S. A. Fedorova, M. I. Voevoda, M. DeGiorgio, T. Sicheritz-Ponten, S. Brunak, S. Demeshchenko, T. Kivisild, R. Villems, R. Nielsen, M. Jakobsson, E. Willerslev, Upper Palaeolithic Siberian genome reveals dual ancestry of Native Americans. *Nature* **505**, 87–91 (2014).
86. Q. Fu, C. Posth, M. Hajdinjak, M. Petr, S. Mallick, D. Fernandes, A. Furtwängler, W. Haak, M. Meyer, A. Mittnik, B. Nickel, A. Peltzer, N. Rohland, V. Slon, S. Talamo, I. Lazaridis, M. Lipson, I. Mathieson, S. Schiffels, P. Skoglund, A. P. Derevianko, N. Drozdov, V. Slavinsky, A. Tsybankov, R. G. Cremonesi, F. Mallegni, B. Gély, E. Vacca, M. R. G. Morales, L. G. Straus, C. Neugebauer-Maresch, M. Teschler-Nicola, S. Constantin, O. T. Moldovan, S. Benazzi, M. Peresani, D. Coppola, M. Lari, S. Ricci, A. Ronchitelli, F. Valentin, C. Thevenet, K. Wehrberger, D. Grigorescu, H. Rougier, I. Crevecoeur, D. Flas, P. Semal, M. A. Mannino, C. Cupillard, H. Bocherens, N. J. Conard, K. Harvati, V. Moiseyev, D. G. Drucker, J. Svoboda, M. P. Richards, D. Caramelli, R. Pinhasi, J. Kelso, N. Patterson, J. Krause, S. Pääbo, D. Reich, The genetic history of Ice Age Europe. *Nature* **534**, 200–205 (2016).
87. R. J. Losey, S. Garvie-Lok, J. A. Leonard, M. A. Katzenberg, M. Germonpré, T. Nomokonova, M. V. Sablin, O. I. Goriunova, N. E. Berdnikova, N. A. Savel'ev, Burying dogs in ancient Cis-Baikal, Siberia: temporal trends and relationships with human diet and subsistence practices. *PLoS One* **8**, e63740 (2013).
88. A. R. Perri, T. R. Feuerborn, L. A. F. Frantz, G. Larson, R. S. Malhi, D. J. Meltzer, K. E. Witt, Dog domestication and the dual dispersal of people and dogs into the Americas. *Proc. Natl. Acad. Sci. U. S. A.* **118** (2021).
89. E. Willerslev, D. J. Meltzer, Peopling of the Americas as inferred from ancient genomics. *Nature* **594**, 356–364 (2021).

90. J. V. Moreno-Mayar, L. Vinner, P. de Barros Damgaard, C. de la Fuente, J. Chan, J. P. Spence, M. E. Allentoft, T. Vimala, F. Racimo, T. Pinotti, S. Rasmussen, A. Margaryan, M. Iraeta Orbegozo, D. Mylopotamitaki, M. Wooller, C. Bataille, L. Becerra-Valdivia, D. Chivall, D. Comeskey, T. Devièse, D. K. Grayson, L. George, H. Harry, V. Alexandersen, C. Primeau, J. Erlandson, C. Rodrigues-Carvalho, S. Reis, M. Q. R. Bastos, J. Cybulski, C. Vullo, F. Morello, M. Vilar, S. Wells, K. Gregersen, K. L. Hansen, N. Lynnerup, M. Mirazón Lahr, K. Kjær, A. Strauss, M. Alfonso-Durruty, A. Salas, H. Schroeder, T. Higham, R. S. Malhi, J. T. Rasic, L. Souza, F. R. Santos, A.-S. Malaspinas, M. Sikora, R. Nielsen, Y. S. Song, D. J. Meltzer, E. Willerslev, Early human dispersals within the Americas. *Science* **362** (2018).
- 10 91. C.-C. Wang, H.-Y. Yeh, A. N. Popov, H.-Q. Zhang, H. Matsumura, K. Sirak, O. Cheronet, A. Kovalev, N. Rohland, A. M. Kim, S. Mallick, R. Bernardos, D. Tumen, J. Zhao, Y.-C. Liu, J.-Y. Liu, M. Mah, K. Wang, Z. Zhang, N. Adamski, N. Broomandkshobacht, K. Callan, F. Candilio, K. S. D. Carlson, B. J. Culleton, L. Eccles, S. Freilich, D. Keating, A. M. Lawson, K. Mandl, M. Michel, J. Oppenheimer, K. T. Özdoğan, K. Stewardson, S. Wen, S. Yan, F. Zalzalá, R. Chuang, C.-J. Huang, H. Looh, C.-C. Shiung, Y. G. Nikitin, A. V. Tabarev, A. A. Tishkin, S. Lin, Z.-Y. Sun, X.-M. Wu, T.-L. Yang, X. Hu, L. Chen, H. Du, J. Bayarsaikhan, E. Mijiddorj, D. Erdenebaatar, T.-O. Iderkhangai, E. Myagmar, H. Kanzawa-Kiriyama, M. Nishino, K.-I. Shinoda, O. A. Shubina, J. Guo, W. Cai, Q. Deng, L. Kang, D. Li, D. Li, R. Lin, Nini, R. Shrestha, L.-X. Wang, L. Wei, G. Xie, H. Yao, M. Zhang, G. He, X. Yang, R. Hu, M. Robbeets, S. Schiffels, D. J. Kennett, L. Jin, H. Li, J. Krause, R. Pinhasi, D. Reich, Genomic insights into the formation of human populations in East Asia. *Nature* **591**, 413–419 (2021).
- 25 92. F. Broushaki, M. G. Thomas, V. Link, S. López, L. van Dorp, K. Kirsanow, Z. Hofmanová, Y. Diekmann, L. M. Cassidy, D. Díez-Del-Molino, A. Kousathanas, C. Sell, H. K. Robson, R. Martiniano, J. Blöcher, A. Scheu, S. Kreutzer, R. Bollongino, D. Bobo, H. Davudi, O. Munoz, M. Currat, K. Abdi, F. Biglari, O. E. Craig, D. G. Bradley, S. Shennan, K. Veeramah, M. Mashkour, D. Wegmann, G. Hellenthal, J. Burger, Early Neolithic genomes from the eastern Fertile Crescent. *Science* **353**, 499–503 (2016).

Acknowledgments: We thank Peter Savolainen and Chung-I Wu for helpful comments, Tong Zhou for help with data analysis. Alexander Kim for providing samples. Part of the HPC computing was performed on the BioHPC (DFG INST 86/2050-1 FUGG) and Linux-Cluster of the Leibniz Supercomputing Centre (LRZ Munich).

Funding:

STI2030-Major Projects grant 2021ZD0203900

National Natural Science Foundation of China grants 32170436 and 32360122

Spring City Plan: the High-level Talent Promotion and Training Project of Kunming grant 2022SCP001

Yunnan Technology Innovation Talent Program 202305AD160021

Yunnan Fundamental Research Projects grant 202201AV070011 (G-DW)

European Research Council grants ERC-2013-StG-337574-UNDEAD and ERC-2019-StG-853272-PALAEOFARM (LF, GL)

Natural Environmental Research Council grants NE/K005243/1 and NE/K003259/1 (LF, GL)

German Research Foundation (DFG) grant 524207393 (LF, LS)

Ministry of Science and Higher Education of the Republic of Kazakhstan grant AP14869303 (RS, JMD)

Diamond and Precious Metals Geology Institute, Siberian Branch of the Russian Academy of Sciences grant FUFG-2024-0005 (GB)

Institute of Archeology and Ethnography of the Siberian Branch of the Russian Academy of Sciences grant FWZG-2025-0010 (AS)

National Natural Science Foundation of China grant 41871076 (MM)

Intramural Program of the National Human Genome Research Institute at the National Institutes of Health grant ZIA HG200377 (EAO, TRF)

Danish National Research Foundation grant DNRF143 (TRF)

Independent Research Fund Denmark grant 8028-00005B (M-HSS)

Carlsberg Foundation grant CF20-0355 (M-HSS)

Ministry of Science and Higher Education of the Republic of Kazakhstan grant AP14869303

Canine BioBank, Chinese Academy of Sciences

Author contributions:

Conceptualization: G.-D.W., L.F. and M.M.

Supervision: G.-D.W., L.F., M.M. and G.L.

Archaeological Material and Identification: H.L., G.C., J.D., A.O., R.S., V.V., V.Z., J.M.D., K.D., L.D., X.J., G.B., A.S., M.Q., L.R., Q.R., Y.S., Q.W., S.W., W.W., Y.Y., Z.Z. G.D. and M.M.

Methodology: S.-J.Z., G.-M.L., R.L., J.Y., L.W., A.C., A.L., E.A.D., S.C., K.T., T.R.F., O.T., and Z.Z.

Investigation: S.-J.Z., L.S., and L.F.

Visualisation: L.S. and S.-J.Z.

Writing: S.-J.Z., L.S., H.L. and L.F. with input from G.L., M.M. G.-D.W. and all other authors.

Competing interests:

Authors declare that they have no competing interests.

Data and materials availability:

All newly-generated sequences (SAMEA118754959–118754976) used in this study are stored in the European Nucleotide Archive (ENA) under BioProject PRJEB93830 (<https://www.ebi.ac.uk/ena/browser/view/PRJEB93830>).

5 **Supplementary Materials**

Materials and Methods

Figs. S1 to S15

References (29–92)

Datasets S1 to S16

10

Figure 1. Location, age, and ancestry of the newly sequenced ancient dog genomes

(A) Location of the ancient Eurasian published (diamonds*) and unpublished (stars) dog genomes analyzed in this study. Distributions of key human cultural complexes/periods are shown. Information for other ancient genomes from Western Eurasia and North America analyzed in this study can be found in Table S1. (B) Temporal distribution of ancient Eurasian samples in (A), based on either direct radiocarbon dates, or securely-dated contexts (Table S1). (C) Levels of shared drift (outgroup-f3) between ancient (dark grey) or modern dogs (light grey) and an ancient Near Eastern dog (TepeGhelaGap_5826; x-axis) and an Arctic dog (Zhokhov_9515; y-axis). The x-axis has been inverted to highlight geographic structure with respect to (A; i.e. an East-West ancestry cline). Samples are coloured based on shared ancestry, and both temporal and geographic proximity to the following human groups: Eastern Hunter-Gatherer (purple), Ancient Palaeo-Siberian (dark blue), Northeast Asian (light blue), Central Steppe (red), Neolithic (yellow) and Bronze Age (orange) Upper Yellow River, and Liao Dynasty Mongolia (green). Sample age is given in years before present as a suffix (e.g. TepeGhelaGap1_5826). Coloured ellipses delineate four groups of newly sequenced Chinese dogs, classified largely by their Western Eurasian ancestry: Neolithic/Chalcolithic Yellow River samples (Yabeili and Jinchankou; yellow), Early Bronze Age Hexi Corridor samples (Huoshiliang and Haizang; orange), Bronze Age Central Steppe samples (Jirentaigoukou; red) that cluster with other Steppe dogs (Kent, Samara, and Ishkinino), and Liao Dynasty Inner Mongolian dogs (Bayantala; green).

Figure 2. Level of shared drift between the newly sequenced Khatystyr cave (~9,682 yBP) and Botai (~5,169 yBP) dogs, and other ancient dogs.

Levels of shared drift (outgroup-f3) between ancient Eurasian dogs and either (A) Siberian (Khatystyr_9682) or (B) central Eurasian steppe (Botai_5169) dogs. Labeled stars represent the individuals with the highest outgroup-f3 values (red) for each comparison, and black circles indicate the location of Khatystyr and Botai dogs, respectively. These results show that the closest individual to the Khatystyr cave genome (~9682) is the Zhokhov dog (also supported by our *qpAdm* results; see Figure 3A, S2) and that the closest individual to the Botai dog is the Mesolithic European Veretye dog genome.

Figure 3. Ancestry modelling of ancient and modern Eastern Eurasian dogs.

A. Proportion of West Eurasian (grey), Arctic (light blue) and East Asian (yellow) ancestries in ancient and modern East Eurasian published (diamonds*) and unpublished (stars) dog genomes estimated using *qpAdm* for the best model (1 to 3 sources). Model selection relied on p-values, with simpler models prioritized when nested models (excluding one or more sources) returned p-values greater than 0.01. For each individual, the ancestry proportions from the model with the highest p-value are presented, even in cases where the model was formally rejected ($p < 0.01$). While our *qpAdm* models, based on these three sources, adequately represent the ancestry of most ancient Steppe and East Asian dogs ($p > 0.01$), they often poorly fit modern Asian dogs, suggesting unmodeled ancestral contributions. B. Consensus Bayesian topology based on AdmixtureBayes from high-coverage (1.65–19.6X) ancient dog genomes, with branches and admixture events that exceed the posterior probability threshold (99%) shown. The graph shows

two admixture events, a West Eurasian (Tepe Ghela Gap) into both Eneolithic Steppe (Botai) and in the Early Bronze Age Hexi Corridor (Huoshiliang). The single tree with the highest posterior probability, which contains all four estimated admixture events and their corresponding ancestry proportions (estimated in AdmixtureBayes), are shown in Fig. S10. Ancestry proportions (pie graphs) were estimated in AdmixtureBayes.

Figure 4. Correspondence between human and dog ancestry in Eastern Eurasia

A. Maps showing both human (triangle) and dog (star) ancestry in pre and post 5,000 years contexts (i.e. pre and post Bronze Age Steppe expansion). Pie charts represent mean ancestry proportions for each population estimated by *qpAdm* (see Fig. 3A, S2). The first map shows that the Western dog ancestry (gray in pie charts) is restricted to Western Eurasia, while the East Asian dog ancestry (yellow in pie chart) is restricted to Eastern Eurasia. In contrast, the Arctic dog ancestry exhibits a broader distribution across Northern Eurasia. The second map depicts post Bronze Age shifts in dog ancestry, associated with the following known human migrations: (1) eastward expansion of Arctic dog ancestry to Jinchankou during the Chalcolithic (5,000-4,000 yBP), associated with the documented influx of Northeast Asian ancestry in the region (9, 18, 19); (2) influx of Western Eurasian dog ancestry from the Caucasus into the Steppe region (>3,000 yBP), concomitant with well-characterized migrations of Caucasian hunter-gatherer ancestry (8); and (3) subsequent westward dispersal of this Western Eurasian dog ancestry from the Steppe into the Hexi Corridor (Haizang and Huoshiliang) during the early Bronze Age (~4,000-3,000 yBP), as well as the westward movement of East Asian dog ancestry, both of which coincide with known human migration patterns (6, 23, 24). **B.** Concordance between the age of human (triangle) and dog (star) genomes depicted in panel A. **C.** Principal components built from 18 human and 18 dog ancient genome data from similar locations and time periods (see panel A and B) and aligned using Procrustes rotation. The first principal component (PC1) differentiates both dogs and humans based on their Western and Eastern ancestries. The second principal component (PC2) separated both people and dogs roughly based on the latitude, including East Asian and Arctic dogs.