



The Mathematics Behind Sherlock Holmes: A Game of Shadows

by

**A. Goriely
D. E. Moulton**

Culture Change In Store for SIAM Journals

Last spring in this column, I raised the issue of the time it takes manuscripts for SIAM journals to travel from their initial submission to their final acceptance or rejection for publication. Since then, this matter has been discussed extensively by SIAM's officers, staff, Journals Committee, and editors-in-chief. I would like now to report some progress.

FROM THE SIAM PRESIDENT
By Nick Trefethen

First, let me review the current situation. SIAM's 15 journals receive a great number of manuscripts each year, about a third of which are eventually published, usually after at least one round of revision that often strengthens the paper significantly. A tremendous amount of volunteer labor is expended in this process by referees, associate editors, and editors-in-chief. The system works. SIAM's journals have an excellent reputation and constitute a permanent record of leading research contributions. Authors know that for a paper to be

See **SIAM Journals** on page 4

Got Data: Now What?

Our ability to collect and store data of many different kinds has improved at an enormous pace over the last few decades. From personalized gene sequencing, to video-uploads, to the latest radar systems, real-time generation of terabytes of data is quickly becoming reality. This phenomenon arises independently in the biological, social, and engineering sciences and is common to commercial and academic enterprise. A large industry has evolved around the task of storing this data, creating large data warehouses in which the information is kept, so it is fair to say that the "warehousing problem" is being addressed quite effectively.

But the question remains, what is to be done with all this data? Specifically, how do we go from "the bits" to actual understanding that can inform decision-making processes and yield more fundamental scientific understanding? The process of going from data to description to decision has lagged far behind the development of methods for data collection or data storage. The problem is twofold: size and structure. While the sheer enormity of the data complicates processing, the complex internal structure of the data can confound conventional methodologies for analysis.

The analysis of large data sets to provide understanding and ultimately knowledge is one of the fundamental intellectual challenges of our time. It falls to practitioners of the mathematical sciences (mathematics, statistics, and computer science) to construct new methods for carrying out analysis tasks, as well as to construct new models or paradigms for thinking about data. Recent history is witness to the successful application of increasingly sophisticated methodologies—mathematical, statistical, and computational—in the study of high-dimensional data sets. For this reason, we are in a period that is particularly rich in intellectual opportunities for mathematical scientists to develop novel methods based on their domain expertise, and to see these developments translate into value for society. One reason for the choice of "The Data Deluge" as the theme of Mathematics Awareness Month—

WHAT WOULD YOU DO WITH ALL THIS DATA?

Mathematics and statistics provide the tools to understand ever-increasing amounts of data. To learn more, visit the Mathematics Awareness Month website and enter for a chance to win an iTunes gift card at www.mathaware.org.

Mathematics, Statistics, and the Data Deluge
MATHEMATICS AWARENESS MONTH
Sponsored by the Joint Policy Board for Mathematics—American Mathematical Society, American Statistical Association, Mathematical Association of America, Society for Industrial and Applied Mathematics

celebrated in April 2012—is to make everyone with interests in the mathematical sciences aware of the opportunities for innovation.—*Gunnar Carlsson and Robert Ghrist, 2012 Mathematics Awareness Month Committee.*

The Mathematics Behind Sherlock Holmes: A Game of Shadows

By Alain Goriely
and Derek E. Moulton

During the summer of 2010, OCCAM (the Oxford Centre for Collaborative Applied Mathematics) received a call from Warner Bros. The mission, should we choose to accept it, was to help with the mathematical aspects of the studio's new movie *Sherlock Holmes: A Game of Shadows*, in which Holmes's archenemy is the mathematician Professor James Moriarty. Initially, our task was to design the equations that would appear on a giant board in Moriarty's office. They were to be accurate for the time (around 1890) and potentially revealing of some of Moriarty's evil plans.

Our task soon grew from simply designing equations to devising a secret code, creating the lecture Moriarty would give on a European tour, and providing suggestions on how Moriarty would use mathematics to carry out his plots, and how Holmes, in turn, would decipher them. Not surprisingly, very little mathematics actually made it to the big screen. Nevertheless, interesting snippets did make the final cut if you know where to look. In particular, a close examination of Moriarty's giant board reveals the whole mathematical story.

Arthur Conan Doyle actually gave precious little information on Moriarty, although Holmes does describe him as "a mathematical genius" and "the Napoleon of crime." On the academic side, we know that he wrote *A Treatise on the Binomial Theorem* and that "On the strength of it, he won the mathematical chair at one of our smaller universities" (Holmes, *The Final Problem*). (Although the name of the university is never revealed, eminent scholars at our institution have assured us that it must have been a university located somewhere on the river Cam.) In *The Valley of Fear*, Moriarty is said to have written another book, of which Holmes says, "Is he not the celebrated author of *The Dynamics of an Asteroid*, a book which ascends to such rarefied heights of pure mathematics that it is said that there was no man in the scientific press capable of criticising it?" Taking these cues, we delved into the mathematical mind of Moriarty and the fascinating mathematics of the turn of the 20th century.

The Code

One of the primary elements on the board, and a key aspect of Moriarty's evil plans, is the secret code that he uses to communicate with his henchmen as well as to encrypt his own information about his global empire. Given his obsession with the binomial theorem, we based the code we created for him on Pascal's triangle. The code has three elements: a public key, a coded formula, and a cipher. To code information, Moriarty first pieces together his message with let-

ters taken from different locations in a horticultural book that he keeps in his office. Each letter of the message corresponds to three two-digit numbers: the page, line, and character number. By this process, the actual message is converted into a structured sequence of two-digit numbers: the *book sequence*. Moriarty further encodes the book sequence using Pascal's triangle.

The message requires a public key, an integer p . From each number p , one can build a sequence of numbers, the Fibonacci- p numbers, denoted F_p . The sequence is defined by $F_p(n) = F_p(n-1) + F_p(n-p-1)$, with $F_p(0) = 1$ and $F_p(n) = 0$, $n < 0$, and can be created by summing along the p th diagonal of Pascal's triangle. For $p = 0$, we recover the powers of 2 (horizontal lines on the Pascal triangle), whereas $p = 1$ corresponds to the classic Fibonacci sequence (first diagonal in the Pascal triangle).

Once p has been chosen, one can represent any two digit-number by giving the positions of the Fibonacci- p numbers that add to the given number in the minimal representation; that is, for any integer N , there is a unique representation $N = F_p(n) + \phi$, with $\phi < F_p(n-p)$. By giving the positions of the minimal representation, Moriarty converts the book sequence into a new, fully coded sequence of numbers.

As an example, suppose that the public key is $p = 3$. The Fibonacci-3 numbers are 1 2 3 4 5 7 10 14 19 26 36 50 Suppose that one line of the actual message is converted into the book sequence by taking characters from page 23 of the book: from line 10, characters 10, 5, 3, and 20; from line 17, characters 4, 18, 33, and 12. The "book sequence" would be:

23 10 10 05 03 20
23 17 04 18 33 12

To code, for instance, the number 23 with the Fibonacci-3 numbers, we note that the

See **Sherlock Holmes** on page 8



Sherlock Holmes (Robert Downey Jr.) and Professor Moriarty (Jared Harris) meet for the first time.

Nonprofit Org
U.S. Postage
PAID
Permit No 360
Bellmawr, NJ

SIAM
SOCIETY for INDUSTRIAL and APPLIED MATHEMATICS
3600 Market Street, 6th Floor
Philadelphia, PA 19104-2688 USA

Sherlock Holmes

continued from page 1

4th and 9th digits of the Fibonacci-3 numbers are 4 and 19, which add to 23. Hence, 23 is coded as 0409. Following this rule, the fully coded sequence is

0409 07 07 05 03 0109
0409 0308 04 0408 0610 0207

Moriarty does two different types of encoding: He encodes messages that he passes to his associates during book signings, and he encodes information about his empire in his little red notebook. The code described above is used for both, with the difference occurring in the public key.

For a message to his associates, Moriarty must pass them the public key so that they know which Fibonacci number to use in decoding the message. This integer is included at a key moment in Moriarty's lecture, through a change in the value of a particular variable.

Cracking the code. Mathematics is key. Holmes first observes the work related to Pascal's triangle and the Fibonacci- p numbers written on Moriarty's board in his office. Later, Holmes notices a slight difference in Moriarty's lectures, guiding him to the idea that an integer key is being passed to an associate; Holmes eventually realizes that the key corresponds to a particular p in the Fibonacci- p numbers. He deduces that the horticultural book he saw in Moriarty's office serves as a cipher, based on the fact that the flower in Moriarty's office is dying. (We suggested, with no luck, that the dying flower be a sunflower head, which would have given a nice connection between Fibonacci numbers and phyllotaxis.) His powerful intellect does the rest.

The Lecture

The other key mathematical element in the story is Moriarty's lecture tour. Our goal was to design a lecture that he could have plausibly given around 1895; the topic needed to fit with his work on the dynamics of asteroids, and to be important enough to warrant a European tour. While on the surface the lecture tour is a vehicle for Moriarty to oversee and orchestrate his evil empire, we decided that the lecture itself should be explosive and characterize the villain and his motivation for crime.

For inspiration, we turned to three major late-19th-century works on celestial mechanics. The first was George Hill's solution to the so-called restricted three-body problem (1878), which gives the motion of the moon (or, say, an asteroid) moving around the earth-sun.

Our second stepping stone was the work of Henri Poincaré on the n -body problem. The n -body problem consists of finding solutions of the Newton equation for the gravitational interaction of n masses. The case $n = 2$ is the classic Kepler problem

that leads to elliptical orbits. The problem was considered so important that Oscar II, King of Sweden and Norway, promised a special prize for the mathematician who could solve it. The winner of the prize was Poincaré, who expanded his work on the subject into a series of three books (*New Methods of Celestial Mechanics*) published in 1892. These books are regarded as some of the most influential works of the early 20th century and are usually credited as the origin of such important mathematical concepts as geometric analysis for dynamical systems, chaos, and asymptotic expansions. In the initial edition, Poincaré made a substantial mistake (which ultimately led to the discovery of sensitivity to initial conditions and chaos in mathematics).

We conjecture that the awarding of the prize to Poincaré is very upsetting to Moriarty, as the version published in his own (unintelligible) book is in his view the correct solution to the problem. We were interested to note that at the time, the leading scientific figures did not hesitate to criticize each other publicly in vitriolic terms that would certainly be deemed inappropriate in our modern society. (For instance, Poincaré writes, "A great number [of Gylden's results] are clearly false; most of them are given in a way which is too obscure to decide whether they are true or false.") Moriarty, who is obviously lacking

*A delightful account of these exchanges can be found in June Barrow-Green's book *Poincaré and the Three-body Problem* (AMS/LMS, 1997).

in honesty, would have no qualms about ranting against French and American mathematicians.

Our third important source for Moriarty's lecture was the work of Paul Painlevé. In 1895 Painlevé was invited to Stockholm (again by King Oscar II) to deliver a series of lectures on his work. (Poincaré was originally invited as well but could not attend.) The event was considered so important that King Oscar himself attended the opening lecture. Of relevance for Moriarty's lecture

In many ways, Painlevé is the man that Moriarty could have become if he had been properly recognised and had not developed his "hereditary tendencies of the most diabolical kind."

is Painlevé's work on collisions. Painlevé looked at the possibility of collisions between masses in gravitational interactions and proved some fundamental results complementing the work of Poincaré (in particular, he proved the non-existence of non-collisional singularities for the three-body problem). He also showed that both Weierstrass and Poincaré had missed an important class of solutions for colliding planets.

Also of historical importance is that Painlevé would become the minister of war (and later of aviation) during the Great War, an interesting connection with Moriarty's obsession with weaponry. In many ways, Painlevé is the man that Moriarty could have become if he had been properly recognised and had not developed his "hereditary tendencies of the most diabolical kind." The lectures Painlevé gave in 1895 were typed and published. However, the very last chapter, on celestial mechanics, was never typeset, and the original handwritten manuscript provided us with useful information on the calligraphy of the time.

Unraveling it all. With the villain and his mathematics firmly established in our minds, we produced pages of possible lecture material, secret codes, and evil plots, complete with logical deductions used by Holmes to unravel it all. (We even tried our hand at a bit of scriptwriting, which almost surely never made it off our contact's desk.) We passed everything on to Warner Bros., who were kind enough to make a donation to OCCAM. We were never in it for money, though—the chance to communicate some real mathematics

on the big screen was all the motivation we needed.

Epilogue

In December 2010, we were invited to be on set at Hatfield House, near London, for the filming of the office scene, where, as far as we were concerned, the central character was to be the blackboard. The day was cold and miserable as only English winter days can be. After waiting patiently for many hours, we finally got to see the board. It was beautiful, imposing, and full of typos.[†]


We spent countless hours helping the professional calligrapher rectify the mistakes on the board and teaching the crew about the subtleties of subscripts and curly derivatives, our own contribution to outreach. The art department of Warner Bros. has an amazing team dedicated to making sure that the finest details are accurate.

But by the end of the day, two simple facts of life became obvious to us: First, on the totem pole of Hollywood, mathematicians sit comfortably at the very bottom, and second, the long and uneventful hours of waiting and preparation made us realize how charming and pleasant our office life truly is: There is really no business like academic business.

A year later, the movie came out and we were invited to the screening in London. The movie is rather long and violent (a fast-paced action movie, in Hollywood terms). Clearly, this new Sherlock Holmes is more muscular and physical than any of his predecessors, something like a Victorian John McClane capable of sustaining unlimited beating, as *Die Hard* fans will know. His eventual victory is based as much on his usual deductive powers as on an uncanny ability to predict unreasonably well the combined outcome of many random events, all in slow motion. This is rather unfortunate: Holmes's timeless enduring quality is not an unphysical skill of predicting where his opponent will punch twenty moves ahead. His real skills are the ability to use his broad scientific knowledge, his logical mind, and his perseverance to piece unrelated information into a single unified picture in order to crack intellectual puzzles. Indeed, Sherlock Holmes would have made a fine applied mathematician.

[†]In case you have any doubt, just ask somebody with no mathematical training to copy formulas for you.

Alain Goriely, a professor of mathematical modelling at Oxford University, is director of the Oxford Centre for Collaborative Applied Mathematics. Derek Moulton is a postdoctoral research assistant at OCCAM.



Deconstructing Moriarty's blackboard. All the mathematics behind the plot is present on the board, but a true evil genius must have a few ideas on the back burner as well. Aside from the code and the lecture, both of primary importance to the story, Moriarty was developing equations for a laser. These equations, based on Maxwell's equations, contributed by Oxford's John Ockendon and the OCCAM team, can also be seen on the board.

GAMS

OPTIMIZATION

High Level Modeling

The General Algebraic Modeling System (GAMS) is a **high level modeling system** for mathematical programming problems. GAMS is tailored for both developing research-driven rapid prototype models all the way to large-scale commercial applications on a wide variety of platforms.

Multiple Model Types

GAMS allows the formulation of models in **many problem classes**, including linear (LP) and mixed integer linear (MIP), nonlinear (NLP) and mixed integer nonlinear (MINLP), mixed complementarity (MCP), stochastic LP, as well as quadratic programming (QCP).

State-of-the-Art Solvers

GAMS incorporates all major commercial and academic **state-of-the-art solution technologies** for a broad range of problem types, including a range of **global solvers**.

```

b(i,j) demand at market j in cases
new-york 325
chicago 300
topeka 275 ;

table d(i,j) distance in thousands of miles
new-york    chicago    topeka
seattle     2.5         1.2         1.8
san-diego   2.5         1.8         1.4 ;

scalar f freight in dollars per case per thousand miles /90;
parameter c(i,j) transport cost in thousands of dollars per case :
c(i,j) = f * d(i,j) / 1000 ;

variables
x(i,j) shipment quantities in cases
z total transportation costs in thousands of dollars ;
positive variable x ;

equations
costs define objective function
supply(i) observe supply limit at plant i
demand(j) satisfy demand at market j ;

model m1 / costs, supply, demand ;
solve m1 minimizing costs ;

display x, z ;
                
```

Download a free demo at www.gams.com

Email: sales@gams.com
Phone: (202) 342-0180

RECENT REPORTS

12/48	Simulation of cell movement through evolving environment: a fictitious domain approach	Séguis Burrage Erban Kay
12/49	The Mathematics of Liquid Crystals: Analysis, Computation and Applications	Majumdar
12/50	Fourier spectral methods for fractional-in-space reaction-diffusion equations	Bueno-Orovio Kay Burrage
12/51	Meniscal tear film fluid dynamics near Marx's line	Zubkov Breward Gaffney
12/52	Validity of the Cauchy-Born rule applied to discrete cellular-scale models of biological tissues	Davit Osborne Byrne Gavaghan Pitt-Francis
12/53	A thin rivulet or ridge subject to a uniform transverse shear stress at its free surface due to an external airflow	Sullivan Paterson Wilson Duffy
12/54	The Stokes boundary layer for a thixotropic or antithixotropic fluid	McArdle Pritchard Wilson
12/55	Thermoviscous Coating and Rimming Flow	Leslie Wilson Duffy
12/56	On the anomalous dynamics of capillary rise in porous media	Shikhmurzaev Sprittles
12/57	Compactly supported radial basis functions: how and why?	Zhu
12/58	Multiscale reaction-diffusion algorithms: pde-assisted Brownian dynamics	Franz Flegg Chapman Erban
12/59	Numerical simulation of shear and the Poynting effects by the finite element method: An application of the generalised empirical inequalities in non-linear elasticity	Mihai Goriely
12/60	From Brownian dynamics to Markov chain: an ion channel example	Chen Erban Chapman
12/61	Three-dimensional coating and rimming flow: a ring of fluid on a rotating horizontal cylinder	Leslie Wilson Duffy

12/62	A two-pressure model for slightly compressible single phase flow in bi-structured porous media	Soulaine Davit Quintard
12/63	Mathematical modelling plant signalling networks	Muraro Byrne King Bennett
12/64	A model for one-dimensional morphoelasticity and its application to fibroblast-populated collagen lattices	Menon Hall McCue McElwain
12/65	Effective order strong stability preserving RungeKutta methods	Hadjimichael Macdonald Ketcheson Verner
12/66	Morphoelastic Rods Part I: A Single Growing Elastic Rod	Moulton Lessinnes Goriely
12/67	Wrinkling in the deflation of elastic bubbles	Aumaitre Knoche Cicuta Vella
12/68	Indentation of ellipsoidal and cylindrical elastic shells	Vella Ajdari Vaziri Boudaoud
12/69	Memory of Recessions	Cross McNamara Pokrovskii
12/70	An estimate of energy dissipation due to soil-moisture hysteresis	McNamara

Copies of these, and any other OCCAM reports can be obtained from:

**Oxford Centre for Collaborative Applied Mathematics
Mathematical Institute
24 - 29 St Giles'
Oxford
OX1 3LB
England**

www.maths.ox.ac.uk/occam