

Supplemental Table 4 – Measures completed by each patient

	ASQ3						SDQ-P							SCQ	BSCI-Y 2nd Edition	FSIQ
Patient ID #	Age completed	Communication	Gross Motor	Fine Motor	Problem-Solving	Personal-Social	Age completed	Overall stress	Emotional symptoms	Conduct problems	Hyperactivity/inattention	Peer relationship problems	Prosocial behaviour	Total score	T-score	FSIQ-4
OX2																
OX3																
OX4																
OX6																
OX7																
OX8																
OX9																
OX10																
OX11																
OX12							10 yr									
OX13							10 yr									
OX14																
OX15							10 yr									
OX16							10 yr									
OX17	3 yr						10 yr									
OX18							10 yr									

[illegible]

Key	Category	FSIQ	SDQ	SCQ	ASQ	Beck
	Missing data					
	Normal range / no delay	85-115 (within 1 SD of mean)	Close to Average	0 - 11	No Delay	Above Average; Average

	Borderline / mild delay	70-85 (1-2 SD of mean)	Slightly raised / Slightly Lowered	12-15	Borderline	Lower Than Average
	Delayed/ impaired	<70 (2+ SD of mean)	High; Very High/Low; Very Low	< 15	Delay	Much Lower Than Average